


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Mordhaet
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 24 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JAMES H. & or ALICE MOR-
DHORST Rt. 2, Caldwell, Idaho
has on May 10, 1977 submitted
Application No. 63-8811 for a per-
mit to appropriate 1.6 cubic feet
per second of water from a
groundwater source by means of
pump with gravity flow within
the NE 1/4 Sec. 28, T5N-R4W
B.M., Canyon County to be used
from March 15 to Nov. 15 for the
irrigation of 80 acres within the
E 1/2 Sec. 28, T5N-R4W B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Director of the Idaho Depart-
ment of Water Resources, 92
South Cole Road, Boise, Idaho
83705 on or before June 6, 1977.

C. STEPHEN ALLRED
Director

May 19, 26, 1977.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Caldwell, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times

in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 19, 26, 1977

Verla Harker

Subscribed and sworn to before me this

26th day of May,
19 77.

Adam D. Hawn

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

OK tyl
6-2-77

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 30 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: James Harold Alice Mordkoust Permit No. 63-8811
Current Address: RT #2, Caldwell, Idaho 83605 Phone No. 459-7003
2. Accompanied by: James Mordkoust EXAM. DATE: 6-27-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

SOURCES

STATES
THE INTERIOR
SURVEY


PERMIT 03-8811 INIT

T. R. S. Q/Q

P/D 5N 4W 28

SCALE

PHOTO ID. X4



FEB 01 1993

Dec 28
75 N 24 W

PERMIT 163-8811 INIT
T. R. S. Q/Q
P/D 5N 4W 28 NESE
SCALE _____
PHOTO ID. _____

FEB 01 1997

Bailey

2112
2827
102E
T-2



63-8811



#1

Gear drive unit
and discharge pipe
at well site.



#2

Looking North from
well down concrete
ditch. Concrete head-
box brings irrigation
district water to the
system

RECEIVED

FEB 01 1993

63-8811



#3
Looking South from
well.



#4.
Place of use.

RECEIVED
FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08811

Priority: May 10, 1978

Maximum Diversion Rate: 1.42 CFS
Maximum Diversion Volume: 319.5 AF

This is to certify, that JAMES H MORDHORST
ALICE MORDHORST

25549 DEL LANE
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 10, 1977; and has submitted Proof of Beneficial Use on May 5, 1982. An examination indicates that the works have a diversion capacity of 2.640 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.42 CFS	319.5 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 28, Township 05N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	04W	28	NESE 31	SESE 40		71

Total number of acres irrigated: 71

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.


RECORDED
FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08811

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5TH
day of January, 1993.

Acting for 
R. Keith Higginson, Director

RECEIVED

FEB 01 1993

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO**

IN THE MATTER OF PERMIT	)	
	)	
NO. 63-8811 IN THE NAME OF	)	ORDER OF REINSTATEMENT
	)	
JAMES H. &/OR ALICE MORDHORST	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-8811 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-8811 to appropriate the public waters of the State of Idaho with a proposed priority of MAY 10, 1977.

2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.

3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

RECEIVED

FEB 01 1993

4. The license examination fee was received on
JUNE 29, 1987, 365 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-8811 should be advanced 365 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 63-8811 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-8811 is advanced to MAY 10, 1978.

Dated this 10th day of December, 1992.

J. Glen Saylor
Chief, Water Allocation Bureau

RECEIVED

FEB 01 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8811

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:
"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 63-8811

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant JAMES H. &/or ALICE MORDHORST Phone: 459-7003
post office address Route #2, Caldwell, ID 83605

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 28 Township 5N
Range 4W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.6 for irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.6 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump with gravity flow

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 60 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 500000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
5N	4W	28													40			40	80


Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above.
Farmers Co-op Ditch Co.

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This is supplemental right to be used with primary source water, the rights when combined not to exceed 1.6 cfs nor 4.5 AFA.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Moshaert
(Applicant)

Proposed Priority 5/10/77

Received by RLH Date 5-10-77 Time 4 PM

Preliminary check by LS Fee \$ 35.00

Receipted by RLH Date 5-10-77 # 7727

Publication prepared by LS Date May 13, 1977

Published in News Tribune

Publication dates May 19, 1977 & May 26, 1977

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RLH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8811, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 82.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 12 day of July, 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

RECORDED
MAY 24 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Caldwell, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times
in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 19, 26, 1977

Verla Harker

Subscribed and sworn to before me this _____

26th day of May,
19 77.

Adam D. Kaur

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

OK 148
6-2-77

NOT RECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 7, 1993

JAMES H MORDHORST
ALICE MORDHORST
25549 DEL LANE
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-08811

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 01 1993

James Mordhorst
22549 Del Lane
Caldwell, ID 83605

Address updated

12-22-92 CJS

12-22-92 CJS

FEB 01 1993



BOISE IDAHO 83708 DEC 18-92 16:44



Dept of Water Resources
1301 North Orchard
Boise Idaho
83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1992

RECEIVED

DEC 21 1992

Department of Water Resources

JAMES H MORDHORST
ALICE MORDHORST
RT 2
CALDWELL ID 83605

RE: Permit No. 63-08811

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 1.0 cfs rather than 1.42 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 1.42 cfs is \$25.00 and the late payment penalty is \$25.00, for a total of \$50.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

PS:cz

RECEIVED
FEB 01 1993

*I hope these fees come to end soon
I'm running out of money*



State of Id. no
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1992

JAMES H MORDHORST
ALICE MORDHORST
RT 2
CALDWELL ID 83605

RE: Permit No. 63-08811

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 1.0 cfs rather than 1.42 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 1.42 cfs is \$25.00 and the late payment penalty is \$25.00, for a total of \$50.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

RECEIVED
FEB 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-08811

Date 12-10-92

38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☒	☐	Advance? <u>Exam Fee Notice 4-30-86/6-29-87 Fee Sheet</u>
	☒	☐	Memo to Advance to 5-10-78
	☒	☐	Order to Reinstate Needed?
			Limited 1.0 cfs per fee/Can Allow 1.42 cfs for additional fee.
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? <u>*25 + *25 = \$50</u>
	☒	☐	Disagree with Actual Measurement?
	☒	☐	<u>71 x .02 = 1.42 / 1.0 cfs per fee (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>2.64 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>71 x 4.5 = 319.5 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>1 x 245 x 1.9835 = 486 > 319.5</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☒	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
			☐ Water Dist.
			☐ App Rec'd
			☐ Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate

License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence ☒

Additional rate/BVO fee paid

1.0 to (1.42 cfs)

*25 exam fee / *25 late penalty

BVO fee & penalty paid / Database updated 12-22-92 38

DATE: 12/10/92
PAGE: 1

Audit: 12/10/92 SKAGGS

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 63-8811

FROM: PAM SKAGGS

RE: PRIORITY ADVANCE REVIEW

DATE: 10-DEC-1992

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MAY 10 1977	130
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	JUNE 29 1987	545
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		365 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MAY 10 1977	130
Total Days Late:		365 DAY(S)
New Priority Date:	MAY 10 1978	130

RECEIVED

FEB 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with Conditions of Approval
☒ Well Inspection Form Needed
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of government plat
☒ Check of P/D index MTS 6-25-91 (initial & date)
Overlap ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other:
☒ Check of P/U index MTS 6-25-91 (initial & date)
Overlap? ☒ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: Ditch Company Water
☒ SRBA Attachment A Submitted to Adjudication Section
☒ Aerial Photo Required? ☒ yes ☐ no If yes: ☒ copy attached
☒ Scheduling Letter Sent? 7-16-90 KKC (initial & date)
☒ Appointment Made and Telephone Conversation Memo Attached
☐ SRBA Claim Check Received 7-15-90 KKC (initial & date)
☒ Applicable, See Attachment A ☐ N/A (claim not filed)

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Copy of SRBA Claim Verification Sheet / ☐ Original Returned to Adjudication Section

C. Review and Processing:

- Exam Completed Mel Schulte 7-18-91 (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent lg 4/23/92 (initial & date)
Exam Reviewed by Manager of Regional Office Dur 10/22/92 (initial & date)
Exam Date Entered in Computer ☒ ST (initial & date)
Exam Sent to State Office 11-24-92 ST (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 30 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: James and Alice Mordhous Permit No. 63-8811
Current Address: Rt #2, Caldwell, Idaho 83605 Phone No. 459-7003
2. Accompanied by: James Mordhous EXAM. DATE: 6-27-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

FEB 01 1993

Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of a 12" diameter well with a 6" discharge pipe that delivers water to an open concrete ditch approx. 10' from the well for delivery to fields. Irrigation is provided by siphon tubes. Power is provided by a PTO from a tractor when used. This well is used as a supplement to Farmers Coop. It was not being used in 1991 unless needed but was used according to the owner in 1990 for a short time. The owner

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	AC 125	20	Unknown	Unknown	6" 24091B FM14

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NESE	28	5N	4W	Canyon	Ortho photo quad map

6. **Place(s) of Use:**

Indicate Method of Determination *Aerial*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4W	28													31			40	71 ac

PROPERTY FILED

FEB 01 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$71 \text{ ac.} \times .02 \text{ cfs/ac} = 14.2 \text{ cfs.}$$

2. Alternate Method for Checking Purposes:

$$\frac{20 \times 8.8 \times 1.6}{40 + 62.3} = \frac{281.6}{102.3} = 2.75 \text{ cfs}$$

(hp) (ft)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 71 \times 4.5 = 319.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.5 \times 246 \times 1.9835 = 1219.8 \text{ AFA}$$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 319.5 \text{ cfs}$

2. Volume Calculations for Other Uses:

RECEIVED

FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

estimated that 20 Hp was utilized when this system was used.

This is a supplement well, the combination of this permit and irrigation district water should not exceed .02 cfs or 4.5 gpm.

Dept standard - 1.42 cfs

appl. amt - 1.6

Proof fee amt - 1.0 ✓

(limited to 1.0 cfs due to \$100 proof fee paid)

No overlaps

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>3-15</i>	<i>11-15</i>	<i>1.42 cfs</i> <i>1.0</i>	<i>319.5 afa</i>
			<i>1.0</i>	
Totals:			<i>1.42 cfs</i>	<i>319.5 afa</i>

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

JFW 1/27/92


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

7-18-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

UNRECEIVED

FEB 01 1993

SOURCES

TATES
THE INTERIOR
SURVEY

PERMIT 03-8811 INIT

T. R. S. Q/Q

P/D SN 4W 28

SCALE

PHOTO ID. X4



LONG DAVIS

PERMIT 63-8811 INIT _____
T. R. S. Q/Q
P/D 5N 4W 28 NESE
SCALE _____
PHOTO ID. _____

A
235

B7
18

D

T11

B7

A
72.8

B
12.3

B

360

23.5

B140
T1198

60.8

C
30.7

27.4

D
14.4

C
18.4

T11

B135

22.9

T11

B816

B138

E
29.3

T

B761

C
3


FEB 01 1993

Department of Water Resources

MAY 1 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



open
no
radio

63-8811



#1

Gear drive unit
and discharge pipe
at well site.




#2


Looking North from
well down concrete
ditch. Concrete head-
box brings irrigation
disluct water to the
system

RECEIVED
FEB 01 1993

63-8811



#3
Looking South from
well.



#4.
Place of use.

FEB 01 1993

4/86

RECEIVED
JUN 29 1987

RECEIVED
KEYPUNCH
JUL 09 1987

OK BD

For Office Use Only

Fee Received \$100

Date 7/6/87

Receipt # 44990

Receipt by JH

Sent to S.O. CH 7/7/87

STATE OF IDAHO Department of Water Resources

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

1. Permit No. 63-8811

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE?

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: JAMES H. MORDHORST

3. Post Office Address: P.O. Box 646 Caldwell ID

83608 Telephone No. 489-7003

4. Source of Water: well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 70 A (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted / cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1978

8. Person to contact to accompany the department representative during the field examination:

(Name)

FEB 01 1993

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-24-87
Date

James Mordhorst
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

63-8811
MORDHORST, JAMES H.
MORDHORST, ALICE
RT. 2
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure



FEB 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

63-8811
NORDHOPST, JAMES H.
NORDHOPST, ALICE
ET. 2
CALDWELL, ID 83605

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

FEB 01 1993

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

63-8811
MORDHORST, JAMES H.
MORDHORST, ALICE
RT. 2
CALDWELL, ID 83605

138846

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time.

FEB 01 1993

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

FEB 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

June 17, 1982

James L. & Alice Anderson
State of
Idaho, Boise 83805

Re: 83-8111

Dear Mr. and Mrs. Anderson:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below. Permit No. 63-8811.

Name(s) of Permit Holder: James H. & Alice MORDHORST

Post Office Address: Rt. 2
Caldwell Id Tel. No. 859-7003

Source of Water: Ground

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
Access Point: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-1-82
Date


James Mordhorst
Signature of Permit Holder

RECEIVED

MAY 5 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138816

MORDHORST, JAMES H. & ALICE
RT. 2
CALDWELL, ID 83605

APRIL 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8811 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

July 14, 1977

Re: Permit No. 63-8811

James H. &/or Alice Mordhorst
Route #2-
Caldwell, ID 83605

Dear James &/or Alice:

Enclosed is a copy of your approved Application for Permit No. 63-8811. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) _____

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) _____

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use *RNS* *now platted*

(10) _____

Comments: _____

(11) *uf* *OK*

Affidavit of Publication received(date) *6-2-77*

(12) _____

Final date for protests *6-6-77*

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District *W* By *WJL* Date *6-7-77*

RECEIVED

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Anderson
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

May 13, 1977

63-8811

Re: See attached sheet

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before June 6, 1977.

Sincerely,

Bill submitted
6-2-77
y

MICROFILMED

NOTICE OF CORRECTION

63-8577 Paul Yamamoto

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

03-2046 Embassy, Inc.

63-3062 ASC Industries

NOTICE OF APPLICATION FOR WATER PERMIT

63-8786	Glenn E. Talbot
63-8787	Glenn E. Talbot
63-8788	Glenn E. Talbot
63-8794	Wallace Bower
63-8797	Richard C. Brock
63-8800	Wallace Bower
63-8801	Elmer R. Agnew
63-8802	Yosie Ogawa
63-8803	Basil &/or Elaine Hall
63-8805	Paul Holmes
63-8806	Richard &/or Eileen Javaux
63-8807	ASC Industries
63-8808	Mas &/or Duane Kido
63-8809	Mas &/or Duane Kido
63-8811	James H. &/or Alice Mordhorst
63-8812	I & M Farms
63-8814	Delmar &/or Doris Cloud
63-8827	Tom &/or Betty Bartlett

NOTICE OF CLAIMS TO A WATER RIGHT

63-4487	Richard &/or Eileen Javaux
63-4489	Dwight F. Seward
63-4491	Thomas S. Knight
63-4493	Kenneth W. &/or Fern L. Klein

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JAMES H. &/or ALICE MORDHORST

Rt. 2, Caldwell, ID

has on May 10, 1977 submitted Application No. 63-8811

for a permit to appropriate 1.6 cubic feet per second ~~XXXXXX~~

~~XXXXXX~~ of water from a groundwater source

by means of pump with gravity flow

within the NE 1/4 Sec 28 T5N-R4W B.M., Canyon County

to be used from Mar 15 to Nov 15

for the irrigation of 80 acres

within the E 1/2 Sec 28 T5N-R4W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before June 6, 1977.

C. STEPHEN ALLRED

Director

Published in the News-Tribune, Caldwell, ID

on May 19, 1977 and May 26, 1977

RECEIVED
MAY 26 1977
IDAHO DEPARTMENT OF
WATER RESOURCES