

The diagram is drawn on a grid. It shows a rectangular area defined by solid lines. The top horizontal boundary is labeled $3W$. The left vertical boundary is labeled $4W$. The bottom horizontal boundary is labeled 5 . Inside the rectangle, there are several labeled points or regions:

- At the top right corner, there are two labels 33 stacked vertically.
- Below the top right 33 , there is a label $3A$.
- At the bottom right corner, there is a label $3C$.
- At the bottom center, there is a small square box containing the number 40 .

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James C. Pancher
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED

MAY 20 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Caldwell, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times
in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 12, 19, 1977

Verla Harker

Subscribed and sworn to before me this _____

19 77 day of May

Adam J. Kaur

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTICE OF APPLICATION
FOR WATER PERMIT


Notice is hereby given that
BRUCE C. BARTLETT, Route
6, Caldwell, Idaho, has on May 3,
1977 submitted Application No.
63-8776 for a permit to ap-
propriate 0.54 cubic feet per
second of water from a ground-
water source by means of well,
pump and pipeline, within the
SE 1/4 SW 1/4, NE 1/4 SW 1/4, Sec. 33,
T4N-R4W, & SE 1/4 NE 1/4, Sec. 5,
T3N-R4W to be used from April 1
to Nov. 1 for irrigation of 40
acres within the SW 1/4 SE 1/4, Sec.
5, T3N-R4W B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Director of the Idaho Depart-
ment of Water Resources, 92
South Cole Road, Boise, Idaho
83705 on or before May 30, 1977.
C. STEPHEN ALLRED
Director
May 12, 19, 1977.

OK 5/20/77
483

MICROFILMED

10. Other water rights on these lands 63-2881
11. Other water right diverted from same p.d. 63-2983 & 63-8408
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks This right when combined with rights
63-2983 & 63-8408 shall not divert more than
2.86 cfs
15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature John K. Hoyer Date 1/27/86
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
 Beneficial Use Examination _____

Date **MICROFILMED**

FEB 09 1989

CONSULTANT SEAL

0000 13-07

124W

TUCKER

Boehner

BOEHNER

P.D.

C557

654 A

A622

6584

6.9 A

H

21.3

A

21.0

B

7.6

C

4.8

D

3.9

N

0.0

B

35.9

A

18.9

3233
514

#2643
For well

high
rights

63-8776

63-8408

#3

P.D. stick

STICK

MAKOFILMED

FEB 25 1989

40

0"

#3 U.S.
P.P.
USTICK

N
40.0

B
35.9

32.33
514

B
21.2

A
18.9

I
21.6

J
21.5

T4N

C492
7036

R40W

TV
3
2 N

C
61.0

C492
39C

C492
703C

Vineyard

E
.6

T3N

D
26.8

39 E
36.8

A623
435C

63-8716

3.8

H
15.8

G
25.1

F
19.1

5.4
8.9

HOMEDALE

RECORDED
FEB 09 1989

B

16.4

2

Form 219-Supp.
6/83RECEIVED
MAY 19 1988State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENTMeasured by: John K. NoyesDate 6/8/84Owner: Bruce BartlettPermit No. 63-8776 & 63-8408

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

Well - 12" casing - 200 ft deep - P.D. NENE SW
Sec. 33 T4N R4WMeasured inside diameter of pipe in inches 0.065"(A) 6.065"Size of Annubar used in test 6.065"State ID No. 091403Model No. of Annubar Meter Used 75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used 0-10State ID No. 091478Date of Last Calibration of Meter 4/27/83Observed inches of H₂O read on Meter(B) 9.2Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)(K) .961

Select C based on Annubar Model No.


If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 3.85CALCULATION: $\frac{K}{448.8} (A^2) (\sqrt{B}) C = 0.909 \text{ cfs}$ = .9197 .91 cfs measured

411 GPM

SKETCH (If not shown on Field Report):



K = .961

A² = 36.7842 $\sqrt{B}$ = 3.0331

C = 3.85

$$Q = \frac{.961 \times 36.7842 \times 3.0331 \times 3.85}{448.8} = .9197$$

FEB 09 1989

#3

Form 219-Supp.
6/83State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENTMeasured by: John K NoyesDate 6/8/89Owner: Bruce BartlettPermit No. 63-8776 & 63-8468

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

Well - 12 casing - 200 ft deep - P.D. SWSESW Sec 33
T4N R4WMeasured inside diameter of pipe in inches 0.08"(A) 7.981"Size of Annubar used in test 7.981State ID No. 091414Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")Size Eagle Eye Meter Used 10-80State ID No. 091476Date of Last Calibration of Meter 4/27/83Observed inches of H₂O read on Meter(B) 12"Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)(K) 1.0256

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 3.85CALCULATION: $\frac{K (A^2) (\sqrt{B}) C}{448.8} =$ 1.9412 ✓ cfs measured

878 GPM


SKETCH (If not shown on Field Report):

K = 1.0256

R² = 63.6963 $\sqrt{B}$ = 3.4641

C = 3.85

$$Q = \frac{1.0256 \times 63.6963 \times 3.4641 \times 3.85}{448.8} = 1.9412$$



FEB 09 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-8776

Priority: July 3, 1977 Amount: .54 CFS 175.5 AF

This is to certify, that BRUCE C. BARTLETT
RT. 6 BOX 223
CALDWELL, ID 83605

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated May 3, 1977, and
has submitted proof to the Department of Water Resources on August 4, 1982, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 2.85 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.54 cfs	175.5 af

LOCATION OF POINT OF DIVERSION(S): NESW , Sec. 33, Township 4N, Range 4W
SESW , Sec. 33
Canyon County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
3N	4W	5	SWSE	39			39

Total number of acres irrigated: 39

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with Right No. 63-2881 shall not exceed 0.02 cfs/acre nor more than 4.5 acre feet/acre.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th day
of JANUARY, 1989.

MICROFILMED

Acting for the Director

FEB 09 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-8776 IN THE)
NAME OF BRUCE C. BARTLETT) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1982; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on August 4, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-8776 be REINSTATED and the priority advanced to July 3, 1977.

Dated this 22nd day of September, 1982.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

FEB 09 1989

Identification No. _____

Application No. 63-8776

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Bruce C. Bartlett Phone: 459-7965
post office address Route #6, Caldwell, ID 83605

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is A- SE 1/4 of SW 1/4 of Section 33 Township 4N
Range 4W B.M. Canyon County; additional points of diversion if any: _____

B- NE 1/4 SW 1/4, Section 33, T4N, R4W and C- SE 1/4 NE 1/4, Section 5, T3N, R4W

b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.54 for Irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.54 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is A-125 feet. B-125 ft. C-650 ft.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	5															40		40


Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above.
License G22409/63-2881

9. a. Who owns the property at the point of diversion APPLICANT
b. Who owns the land to be irrigated or place of use APPLICANT
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James C. Smith
(Applicant)

Proposed Priority 5/ 3/77

Received by JJ Date 5-3-77 Time 2:30 P.M.

Preliminary check by JJ Fee \$ 25.00

Received by Col Date May 3, 1977 # 7818

Publication prepared by H Date 5-6-77

Published in Idaho Tribune

Publication dates May 12+19

Publication approved JJ Date 5-23-77

Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by 128-6

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8776, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.

c. Other:

2. Denial of said application is for the following reasons:

Witness my hand this 23 day of June 19 77.


Director

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 20 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 12, 19, 1977

Verla Harker

Subscribed and sworn to before me this _____

19 77 19th day of May

Adam J. Kaur

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

MICROFILMED

OK 5/20/77
483

January 31, 1989

BRUCE C. BARTLETT
RT. 6 BOX 223
CALDWELL, ID 83605

RE: PERMIT NO. 63-08776

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 09 1989

MEMORANDUM

TO: Files 63-8408 & 63-8776

FROM: Jim Johnson

DATE: April 27, 1987

RE: Overlap Review with Other Water Rights

A. System Description

Two wells are used to irrigate 238 acres. Well labeled #2 was measured and was flowing 0.91 cfs and well labeled #3 was flowing 1.94 cfs.

B. Existing Water Rights

In addition to the permits that were examined, 63-8776 & 8408, two other water rights using a groundwater source overlapped a portion of the 238 acres irrigated; 63-2881 & 63-2983.
↑
✓

C. Adjustment to Permits

1. Right 63-2881, even though it had overlapping lands, did not identify a point of diversion common to the system used during the examination, therefore, no adjustment to permits 63-8408 & 63-8776 were made to account for this right.
2. Right 63-2983 identified only one point of diversion which is one of the two wells found in use during the examination, #3.

D. Calculations for Adjustments

1. Rate of flow

flow of #3 well	= 1.94 cfs
less Rt. 63-2983	= <u>1.14 cfs</u>

Amount available for rts 63-8408 & 63-8776 from #3 well	= 0.80 cfs
---	------------

Flow of #2 well	= 0.91 cfs
Plus amount available from #3 well	= <u>0.80 cfs</u>
	<u>1.71 cfs</u>

- a. Determine rate of flow for each water right (use rate per acre method)
- b. Lands irrigated under each permit were 199 acres for 63-8408 & 39 acres for 63-8776

MICROFILMED

FEB 09 1989

- c. The total acres under both permits is 238 acres and 1.71 cfs is available for appropriation

Water Right 63-2983 has 76 acres within the 199 acres shown irrigated by rt. 63-8408, therefore, a check should be made to determine if the rate per acre is less or greater than $1.71/238$ or 0.007 cfs/ac.

The rate per acre for rt. 63-2983 is $1.14/76$ or 0.015 cfs/ac. Since this rate per acre is greater than under rt. 63-8408, the irrigated lands under rt. 63-2983 would normally be removed from rt. 63-8408 prior to issuance of the license, however, since rt. 63-8408 shows two points of diversion and rt. 63-2983 only has one point of diversion, the lands remain included in rt. 63-8408 but for the purpose of determining the rate per acre for rt. 63-8408, the 76 acres are removed, i.e. $199 \text{ acres} - 76 \text{ acres} = 123 \text{ acres}$. Rate per acre: $1.71/162^* = 0.011$ cfs/ac.

$^*162 = 123 + 30$ from rt. 63-8776

- d. The rate per acre for rt. 63-8408 is $1.71/123$ or 0.011 cfs/ac. or 1.31 cfs and the rate for 63-8776 is 0.011×39 or 0.40 cfs

2. Annual Volume

Right 63-8408: $1.31 \times 1.9835 \times 245 = 636.6$ afa*
 $4.5 \times 199 = 895.5$ afa

Right 63-8776: $0.40 \times 1.9835 \times 245 = 194.4$ afa
 $4.5 \times 39 = 175.5$ afa*

*use on license

E. Conditions

R32

RECEIVED

FEB 09 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 28, 1987

RE: Permit No. 63-8776

Bruce C. Bartlett
Rt. 6, Box 223
Caldwell, ID 83605

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

FEB 09 1989

10 day

- Date 8/-18/86

RECEIVED
MAY 19 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

KEYPUNCHED
RECEIVED
MAR 25 1986

63-8776
Permit No.

Department of Water Resources

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Total Capacity from 2 wells = 2.85
~~2.86 cfs~~

See annular calculations

39 acres $\times .02 = .78$ cfs Except .54 cfs as per permit.

9

b) Volume Calculations for Irrigation:

245 days / 4.5 AF/AC.

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 39 \times 4.5 = 175.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .54 \times 245 \times 1.9835 = 262$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 175.5$

c) Volume Calculations for Other Uses:

none

2. Overlap Review

a) Other water rights with same place of use: 63-2881✓, 63-2388, 63-9244

b) Other water rights with same point of diversion: 63-8408✓, 63-2983


c) Analysis:

MICROFILMED

FEB 09 1989

[illegible]

10. Other water rights on these lands 63-2881
11. Other water right diverted from same p.d. 63-2983 & 63-8408
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks This right when combined with rights
63-2983 & 63-8408 shall not divert more than
2.86 cfs

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature John K. Meyer Date 1/27/86
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
 Beneficial Use Examination _____

Date

MICROFILMED

CONSULTANT SEAL

FEB 09 1989

0000 13-07

#1 PD G3-935096B

194W
TUCKER

Boehner

BOEHNER

C557
654 A

6584
6.9 A

H
21.3

A
21.0

B
7.6

C
4.8

D
3.9

B
35.9

A
18.9

G3-93508

33

3233
54

For
right
63-8776
63-8908
P.D. stick
STICK

MICROFILMED

FEB 09 1969

40 6"

N
40.0

B
35.9

3233

U.S.
B.P.P.
USTICK

B
21.2

A
18.9

I
21.6

J
21.5

T4N

C492
7036

R4A

TV
3
2 N
C
61.0

C492
39C

D
26.8

39 E

36 B

4620
4500

H
15.8

G
25.1

FEB 09 1989

RECEIVED

Form 219-Supp.
6/83

MAY 19 1988

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: John K. Noyes

Date 6/8/84

Owner: Bruce Bartlett

Permit No. 63-8776 & 63-8408

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

Well - 12" casing - 200 ft deep - P.D. NENE SN
Sec. 33 T4N R4W

Measured inside diameter of pipe in inches 0.06"

(A) 6.065"

Size of Annubar used in test 6.065"

State ID No. 091403

Model No. of Annubar Meter Used 75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used 0-10

State ID No. 091470

Date of Last Calibration of Meter 4/27/83

Observed inches of H₂O read on Meter

(B) 9.2

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) .961

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14


(C) 3.85

CALCULATION: $K \frac{(A^2)}{448.8} (\sqrt{B}) C = 0.909 \text{ cfs}$

= .9197 .91 cfs measured

411 GPM

SKETCH (If not shown on Field Report):



$$K = .961$$

$$A^2 = 36.7842$$

$$\sqrt{B} = 3.0331$$

$$C = 3.85$$

$$Q = \frac{.961 \times 36.7842 \times 3.0331 \times 3.85}{448.8} = .9197$$

FEB 09 1989

#3

Form 219-Supp.
6/83State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by:

John K. Noyes

Date

6/8/89

Owner:

Bruce Bartlett

Permit No.

63-8776 & 63-8408

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

Hell - 12 casing - 200ft deep - P.D. SWSESW Sec 33
T4N R4WMeasured inside diameter of pipe in inches 0.08"

(A)

7.981"Size of Annubar used in test 7.981

State ID No.

091414Model No. of Annubar Meter Used 75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used 10-80

State ID No.

091476Date of Last Calibration of Meter 4/27/83Observed inches of H₂O read on Meter

(B)

12"Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K)

1.0256

USE THE FOLLOWING MODELS:

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

CALCULATION: $K \frac{(A^2) (\sqrt{B}) C}{448.8} =$

(C)

3.851.9412 ✓

cfs measured

878 GPM

SKETCH (If not shown on Field Report):


$$K = 1.0256$$

$$R^2 = 63.6963$$

$$\sqrt{B} = 3.4641$$

$$C = 3.85$$

$$Q = \frac{1.0256 \times 63.6963 \times 3.4641 \times 3.85}{448.8} = 1.9412$$



FEB 09 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Mr. J. Landolt
Box 23
Boise, ID 83720

Re: 15476

Dear Mr. Landolt:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

FEB 09 1989

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 63-8746

DATE: Sept 21, 1982

Date Proof Received

213

Proof Due

152

Number of Days Proof Late

61

Priority Date

123

Number of Days Proof Late

61

New Priority Date

184

= July 3, 1977

Remarks

MICROFILMED

FEB 09 1989

_____)_____

PLACE
TEN CENT
STAMP
HERE

Microfilm

FEB 09 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-8776

Name(s) of Permit Holder: Bruce C. Cortell

Post Office Address: Rt 6 Box 323

Caldwell, Ida 83605 Tel. No. 458-7965

Source of Water: Groundwater

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 40 _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/4/82
Date

Bruce C. Cortell
Signature of Permit Holder

NOT RECORDED
FEB 09 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BARTLETT, BRUCE C.
RT. 6
CALDWELL, ID 83605

JUNE 08, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-8776 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED MARCH 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

MICROFILMED

FEB 09 1989

CERTIFICATION OF MAILING

I hereby certify that on June 24, 1982
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Rita F. Clark

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138662

BARTLETT, BRUCE C.
RT. 6
CALDWELL, ID 83605

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8776 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

FEB 09 1989

June 24, 1977

Re: Permit No. 63-8776

Bruce C. Bartlett
Route #6
Caldwell, ID 83605

Dear Mr. Bartlett:

Enclosed is a copy of your approved Application for Permit No.63-8776 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

MAILED
JUN 27 1977
FBI

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8776

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 5-4-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) R.W.H. 5-4-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

R.N.S. Other rights on the same place of use 63-2881

(10) _____

Comments: This app not expressive when
combined w/ lic 63-2881 for the
same land.

(11) if OK

Affidavit of Publication received(date) 5-23-77

(12) _____

Final date for protests 5-30-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

NO Measuring device required

_____ See attached sheet for other conditions of
approval

_____ No special conditions for approval

(15) District W

By W

Date 5-31-77

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN REGION

Cecil D. Anderson
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

May 6, 1977

63-8776

RE: SEE ATTACHED SHEET

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 30, 1977.

Sincerely,

MICROFILMED

Bill submitted
5-23-77
y

PUBLISHED IN NEWS-TRIBUNE, CALDWELL, IDAHO on May 12, 1977 and May 19, 1977

Claims

63-4481 Earl E. Boston
63-4483 Herman H. &/or Alta M. Meyers
63-4485 Clair H. &/or Joanne T. Leavitt

Applications

63-8755 Ben Gahley
63-8756 Floyd J. &/or Ione A. Shelp
63-8757 Virgil Isaacson
63-8761 Fred &/or Hester Gooding
63-8762 Gooding Farms, Inc.
63-8763 Shaw Hereford Ranch, Inc.
63-8764 Pease Farms
63-8765 Albert B. &/or Ada W. Stettler
63-8767 Symms Fruit Ranch
63-8770 Robert M. &/or Jane W. Willcuts
63-8776 Bruce C. Bartlett
63-8777 Jack C. Wolleson
63-8778 Ascuaga Farms, Inc.

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BRUCE G. BARTLETT

Route 6 Caldwell, ID

has on May 3, 1977 submitted Application No. 63-8776

for a permit to appropriate 0.54 cubic feet per second acres ~~XXXXXX~~

~~XXXXXX~~ of water from a groundwater source

by means of well, pump and pipeline

within the SE1/4, NE1/4, Sec 33 T4N-R4W & SE1/4, Sec 5 T3N-R4W

to be used from Apr 1 to Nov 1

for irrigation of 40 acres

within the SW1/4, Sec 5 T3N-R4W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 30, 1977.

C. STEPHEN ALLRED

Acting Director

Published in the News-Tribune, Caldwell, ID

May 12, 1977 and May 19, 1977

MICROFILM