

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NE 1/4 NW 1/4 NE 1/4
 or or or
 NW 1/4 NE 1/4 NE 1/4
 SE 1/4 SW 1/4
 or or
 NW 1/4 NE 1/4

SEC. 27

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vinson Farms Ag
(Applicant) AR Vinson
President

STATE OF IDAHO)

)ss.

COUNTY OF ADA)

Melise Madarieta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of May 12, 1977, and ending with the issue of May 19, 1977.


Melise Madarieta

Subscribed and sworn to before me this 19 th

day of May, 1977.

Stanley Eiguren

Notary Public for Idaho, Residing at Boise, Idaho



OK 121
5-24-77

RECEIVED

RECEIVED

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: JOHN A. DYER
Current Address: RT. 5 Box 5278, NAMPA
2. Accompanied by: SAME
Address: _____
Relationship to Permit Holder: OWNER
3. Source: GROUNDWATER tributary to _____


Permit No. 63-03060
Phone No. 459-2922
Id. 83651
EXAM. DATE: 8-2-88
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: SETTLERS IRRIGATION DISTRICT WATER
63-03060 other well(s) ☐ Copies Attached
2. Other water rights with same point of diversion: NONE (63-02317 = unnamed stream, 8/21/90)
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED
JAN 07 1991


Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

63-08775



63-8775



63-8775



#1

P.D.
LOOKING
SOUTH



#2

P.U.
+
P.D
LOOKING
NORTH WEST

MICROFILMED

JAN 07 1991

3-8775



#3

P.U.
+
WEIR
LOOKING
NORTH

Cipolletti Weir 82 3/21/90

MICROFILMED

JAN 17 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08775

Priority: May 13, 1978

Maximum Diversion Rate: 1.48 CFS
Maximum Diversion Volume:¹ 333.0 AF

This is to certify, that VINSON FARMS INC.

RT. 3

CALDWELL, ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 3, 1977; and has submitted Proof of Beneficial Use on August 9, 1982. An examination indicates that the works have a diversion capacity of 1.680 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.48 CFS	333.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 27, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	27	NENE 37	NWNE 37		74
Total number of acres irrigated:						74

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JAN 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08775

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of DECEMBER, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

JAN 67 1991

Identification No. _____

Application No. 63-8775

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Vinson FARMS, INC. Phone: 459-1387
post office address Route 3 CALDWELL

2. Source of water supply GROUND WATER which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 4 N
Range 1 W B.M. A 124 County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into BOISE RIVER DRAINAGE point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 43.8 for IRRIGATION purpose from MARCH 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 43.8 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 12" WELL 120' DEEP
WITH TURBINE PUMP & WATER IN TO GRAVITY DITCH

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 120' feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 15,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	14	27	40	40	40		30			40									190

Total number of acres to be irrigated 190

c. Describe any other water rights used for the same purposes as described above. SETTLER'S
IRRIGATION DISTRICT

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

78820462

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vinson Farms, Inc.
(Applicant) W. H. Vinson
President

Proposed Priority 5/ 3/77

Received by if Date 5-3-77 Time 1200

Preliminary check by WHM Fee \$ 55.00 # 7683

Receipted by CS Date May 3, 1977

Publication prepared by if Date 5-16-77

Published in Idaho Statesman

Publication dates May 12 & 19

Publication approved if Date 5-24-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WHM

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8775, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1982.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The maximum rate of diversion shall not exceed 3.8 cubic feet per second.

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 day of June 19 77.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 63-8775 IN THE NAME OF
VINSON FARMS, INC.

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-8775 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-8775 to appropriate the public waters of the State of Idaho with a proposed priority of JUNE 01, 1977.

2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.

3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

JAN 67 1991

4. The license examination fee was received on
JUNE 10, 1987, 346 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-8775 should be advanced 346 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 63-8775 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-8775 is advanced to MAY 13, 1978.

Dated this 15th day of November, 1990.

J. Glen Saxton
Chief, Water Allocation Bureau

MICROFILMED

JAN 07 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-8775 IN THE)
NAME OF VINSON FARMS, INC.) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1982; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on June 30, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-8775 be REINSTATED and the priority advanced to June 1, 1977.

Dated this 24th day of August, 1982.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

JAN 07 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-8775

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

JAN 07 1981

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Melise Madarieta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of May 12, 1977, and ending with the issue of May 19, 1977.

Melise Madarieta

Subscribed and sworn to before me this 19 th day of May, 1977.

Stanley Eiguren

Notary Public for Idaho, Residing at Boise, Idaho

OK 121
5-24-77

MICROFILMED

December 18, 1990

VINSON FARMS INC.
RT. 3
CALDWELL, ID 83605

RE: WATER RIGHT NO. 63-08775

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECORDED & INDEXED

JAN 7 1991

November 16, 1990

VINSON FARMS INC.
RT. 3
CALDWELL, ID 83605

RE: WATER RIGHT NO. 63-08775

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

In reviewing Department records, we find that a Snake River Basin Adjudication Claim has not yet been filed on this right. Since this right is located within the boundaries of the adjudication, a claim must be filed to preserve this right when a final decree is issued. We suggest that you contact the Adjudication Bureau of this Department at your earliest convenience to comply with this requirement. The toll-free adjudication hotline number is 1-800-327-7906.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JAN 07 1991

5/2/76

LICENSE REVIEW CHECKLIST

Permit No. 63-8775

Name/Address change? ok ☒

Priority date Advance? yes ☒ no
Memo to advance ☒

Total cfs Order to reinstate needed? yes ☒ no
Limited by fee ☒ ok

Total volume Limited by capacity
Limited by ~~flow~~ amt. rec'd & allowed ☒

Capacity Chart checked for AP rate/ac ☒ 4.5
Actual measurement checked ☒
Theoretical checked ☒ 2.81
If greater than permit, check for other rts ☒

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions Measuring device
W.Master control
Overlap 432
Water quality
Other

Dates/Misc Water district
App Rec'd date ☒
Proof Rec'd date ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer 2 Curtis Date 11-6-90
Review time 12 minutes

PLACE OF USE 1/4 1/4 OVERLAP REPORT

11/07/90

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM				
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
L6308775																											
6300161BC	CONSUMERS WATER CORP.	D	BOISE RIVER	04N	01W	27					:	X	X	:													
6300161G	CONSUMERS WATER CORP.	D	BOISE RIVER	04N	01W	27				X	:	X		X	:												
6300161Z	CONSUMERS WATER CORP.	D	BOISE RIVER	04N	01W	27					:	X	12	:										12			
6302108A	MEYER	L	UNNAMED SLOUGH	04N	01W	27					:				:		10							10			
6302108B	RANDOLPH	L	UNNAMED STREAM	04N	01W	27					:				:	40	40							80			
6303060	SETTLERS IRRIGATION DI	L	GROUNDWATER	04N	01W	27					:				:												
6304979	RAMBO	S	WASTE WATER	04N	01W	27					:	10	30	:										40			
6308775	VINSON FARMS INC.	P	GROUNDWATER	04N	01W	27	40	40	40		:	30		40	:									190			
6308825	JAMES	L	GROUNDWATER	04N	01W	27					:				:					38	36	37	36	147			
6310665	ASUMENDI	P	GROUNDWATER	04N	01W	27					:				:	40	40							80			
6308775	VINSON FARMS INC.	L	GROUNDWATER	04N	01W	27	37	37			:				:									74			
1986	MAPPING DATA	---	COUNTY 1 QUAD X	7	01N	01W	27	42	40	36	39	:	40	42	40	37	:	39	41	41	38	:	39	39	28	37	618

NO T/D ON P/U OVERLAPS

MICROFILMED

JAN 67 1991

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
63-00775	VINSON FARMS INC.	L	05/13/1978		GROUNDWATER	IRR	1.48	1.68	04N	01W	27		NENE
63-02317	BRYCE	L	08/03/1918		UNNAMED STREAM	IRR	1.45		04N	01W	27		NENE
63-00775	VINSON FARMS INC.	P	06/01/1977		GROUNDWATER	IRR	3.80		04N	01W	27		NENE

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 63-8775
FROM: SHARLA CURTIS
RE: PRIORITY ADVANCE REVIEW
DATE: 6-NOV-1990

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	JUNE 01 1977	152
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	JUNE 10 1987	526
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		346 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	JUNE 01 1977	152
Total Days Late:		346 DAY(S)
New Priority Date:	MAY 13 1978	133

MICROFILMED

JAN 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-8775
Permit No.

P.D NENE 27 4N 1W
P.U. WE 1/4 E 1/2 NW 1/4
27 4N 1W

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CF 9-3-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index CF 9-3-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? CF 8-28-87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Det 9/22/88 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent RC 3/21/90 (Initial and date)

Exam Reviewed by Manager of Regional Office Det 3/21/90 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 5-25-90 AT (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1988

A. GENERAL INFORMATION

1. Owner: JOHN A. DYER
Current Address: RT. 5 Box 5278, NAMPA
2. Accompanied by: SAME
Address: _____
Relationship to Permit Holder: OWNER
3. Source: GROUNDWATER tributary to _____


Department of Water Resources
Permit No. 03775
Phone No. 459-2922
Id. 83651
EXAM. DATE: 8-2-88
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: SETTLERS IRRIGATION DISTRICT WATER
63-03060 other well(s) ☐ Copies Attached
2. Other water rights with same point of diversion: NONE (63-02317 = unnamed stream, 8/3/1980)
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM CONSISTS OF A 12" WELL 120 FT DEEP WITH A
P.T.O DRIVEN TURBINE PUMP. A 10" DISCHARGE LINE
DUMPS WATER INTO A CEMENT DITCH.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FARMALL	40	Super M	Amarillo R6 2 gear drive	40A 113554
	TRACTOR		# F-30579J	3:1	
				Verli-line	# 37770940
				Aurora pump	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	27	4N	1W	ADA	USGS QUAD

6. Place(s) of Use:

Indicate Method of Determination ASCS AERIAL PHOTO

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	1W	27	37	37														74	

MICROFILMED

JAN 07 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
WEIR (Cipolletti per photograph #3 R 3/21/90)					1.5'	

2. Measurements:

MEASURED 48 FT OVER 1.5 FT WEIR.
 ⇒ 1.68 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

WEIR: 1.68 cfs 74 ac x .02 cfs/ac = 1.48 cfs

2. Alternate Method for Checking Purposes:

Assume 100' = 2
 eff = .6 (Direct)

THEORETICAL:

$$\frac{H_p \times 8.8 \times .8}{(2.31 \times 0) +} = \frac{(40)(.6)(8.8)}{(2.31 \times 0) + 100} = 2.11 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

N/A NOT ELECTRIC.

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4) R 3/21/90

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = 74 ac x 4.5 afa/ac = 333

V_{D.R.} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = 1.48 cfs x 245 days x 1.9835 = 719.2

V = Smaller of V_{I.R.} and V_{D.R.} = 333

2. Volume Calculations for Other Uses:

N/A

MICROFILMED

JAN 67 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- THIS WELL IS USED FOR SUPPLEMENTAL WATER TO
SETTLERS IRRIGATION DISTRICT WATER.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.48	333
Totals:			1.48	333

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

R
3/21/90

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT

Signature Quentin Nesbitt

Certification Date _____


Field Report Preparation Date 8-22-88


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

5C
11-6-90
MICROFILMED

JAN 07 1991





1A.
20.1

T4N
RIW

1B.
17.8

1563
T610
1-9

1A.
17.7

1611
T1917

X

1.
26.1

1610
T1916

078 T661

1.
21.6

1563
T610 9-9

1B.
11.2

1A.
17.7

2.
24.4

1.
21.4

2.
10.8

4A.
2.5


4B.
4.0

3.
37.6

NOT TO SCALE

A9

63-8775




62-8775



#1

P.D.
LOOKING
SOUTH




#2

P.V.
+
P.D.
- LOOKING
NORTH WEST

MICROFILMED

JAN 07 1991

3-8775



#3

P.U.
J
WEIR
LOOKING
NORTH

Cipolletti Weir 8L 3/21/90

MICROFILMED

3/21/90

4/86

RECEIVED

JUN 11 1987

KEYPUNCHED

For Office Use Only
Fee Received \$125.00
Date 6-10-1987
Receipt # 42546
Receipt by [initials]
Sent to S.O.

63-8775

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

JUL 28 1987

1. Permit No. 63-8775
Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: John A. Dyer

3. Post Office Address: Rt 5, Box 5278, Nampa, Id
83651 Telephone No. 459-2922

4. Source of Water: well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.6 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

6-1977

8. Person to contact to accompany the department representative during the field examination:

Same as above

(Name)

MICROFILMED

(Address)

JAN 07 1991

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

John A. Dyer
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

63-8775
VINSON FARMS INC.
RT. 3
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

MICROFILMED

JAN 17 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Sparehouse
Boise, Idaho 83720
(208) 334-2190

63-8775
VINSON FARMS INC.
29.3
CALLELL, ID 83805

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

JAN 17 1987

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-8775
VINSON FARMS INC.
RT. 3
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720

138839

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and ~~be~~ **Microfilmed** for the department to conduct the field examination, but you can change to another certified examiner.

JAN 07 1991

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JAN 17 1981



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Re:

Dear

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.


Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED
JAN 17 1971

RECEIVED



AUG 9 1982
Department of Water Resources



MICROFILMED

JAN 07 1981

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit 63-8775-

Name(s) of Permit Holder: Vinson Farms, Inc

Post Office Address: Box 3 Caldwell, Idaho 83605-

Tel. No. 459-1387

Source of Water: Well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 60 _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug 4, 1982
 Date

H. R. Vinson
 Signature of Permit Holder

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 63-8775

DATE: Aug. 11, 1982

Date Proof Received June 30, 1982 181
Proof Due 152
Number of Days Proof Late 29

Priority Date May 3, 1977 123
Number of Days Proof Late 29
New Priority Date 152 = June 1, 1977

Remarks

MICROFILMED

JAN 07 1991

PLACE
TEN CENT
STAMP
HERE



MICROFILMED

JAN 07 1991

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

JUN 20 1992

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below Permit No. 63-8775

Name(s) of Permit Holder: Vinson Farms Inc.

Post Office Address: Rt 3

Caldwell, Id 83605 Tel. No. 459-1387

Source of Water: Groundwater

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 190
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-25-82
Date

Vinson Farms, By H. R. Vinson,
Signature of Permit Holder

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

VINSON FARMS INC.
RT. 3
CALDWELL, ID 83605

JUNE 08, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-8775 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED MARCH 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

MICROFILMED

JAN 07 1991

CERTIFICATION OF MAILING
I hereby certify that on June 24, 1982
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Rita Fleck

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138661

VINSON FARMS INC.
RT. 3
CALDWELL, ID 83605

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8775 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

JAN 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

March 19, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.

Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE

Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE

1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE

150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE

92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

JAN 07 1991

June 24, 1977

Re: Permit No. 63-8775

Vinson Farms, Inc.
Route #3
Caldwell, ID 83605

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8775. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8775

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) WAM 5/4/77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) WAM 5/4/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

R.N.S.

Other rights on the same place of use now platted

(10) _____

Comments: _____

(11) if OK

Affidavit of Publication received (date) 5-24-77

(12) _____

Final date for protests 5-30-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

☒ Max rate of diversion shall not exceed 3.8 cfs

_____ No special conditions for approval

(15) District W

By WLA Date 5-31-77

MINOR REVISION



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

May 5, 1977

Re: See attached sheet

63-8775

Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 30, 1977.

Sincerely,

MICROFILMED

Bill submitted
5-24-77
y

PUBLISHED IN THE IDAHO STATESMAN, BOISE, ID ON MAY 12 & 19, 1977

NOTICE OF CLAIMS TO WATER RIGHT

63-4482 Annibale &/or Antonetta DeNinno
63-4484 Orval Revels

NOTICE OF APPLICATION FOR WATER PERMIT

63-8753 John H. &/or Shirley R. Wieneke
63-8771 Lorin C. Saunders
63-8772 Walton R. Farmer, Floating Feather Mobile Home Park
63-8775 Vinson Farms, Inc.
63-8781 Howard &/or Linda C. Freeman

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that VINSON FARMS, INC.

Route 3 Caldwell, ID

has on May 3, 1977 submitted Application No. 63-8775

for a permit to appropriate 3.8 cubic feet per second acre feet
XXXXXXXXXX

per annum of water from
XXXXXXXXXX a groundwater source

by means of well, pump and ditch

within the NE 1/4, Sec 27 T4N-R1W B.M.

to be used from Mar 15 to Nov 15

for irrigation of 190 acres

within the NE 1/4, SW 1/4, E 1/4, Sec 27 T4N-R1W B.M.


If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 30, 1977.

C. STEPHEN ALLRED

Acting Director

Published in the Idaho Statesman, Boise, ID

May 12, 1977 and May 19, 1977



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

May 9, 1977

Vinson Farms, Inc.
Route 3
Caldwell, ID 83605

Gentlemen:

Enclosed is your Receipt No. 7683 in the amount of \$ 55.00
for an application for water permit which was received in
this office on May 3, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

MICROFILMED