


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lloyd C. Colford
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 9 1977

STATE OF IDAHO,)
) SS.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Caldwell, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times

in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 28; May 5, 1977

Verla Harker

Subscribed and sworn to before me this _____

19 77 5th day of May

Adam J. Low
Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTICE OF APPLICATION
FOR WATER PERMIT


Notice is hereby given that
LLOYD C. COLLARD, Route 1,
Parma, ID has on April 18, 1977
submitted Application No. 63-
8697 for a permit to appropriate
1.0 cubic feet per second of
water from a groundwater source
by means of well, pump, pipe
and ditches within the
NE 1/4 NE 1/4, Sec 20 T5N-R4W
B.M., Canyon County to be used
from March 15 to Nov. 15 for the
irrigation of 50 acres within the
N 1/2 NE 1/4 Sec 20 T5N-R4W B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Director of the Idaho Department
of Water Resources, 92
South Cole Road, Boise, Idaho
83705 on or before May 16, 1977.

C. STEPHEN ALLRED
Director
April 28; May 5, 1977

OK 11/8
5-11-77

NOTARIES



MICROFILMED

MAR 09 1987

NOT TO SCALE

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Jan Quover

Date 7/20/83

Owner: DON JOHNSTON

Permit No. 63-8973+

63-8697

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

PUMP W/6" PIPELINE INTO CONCRETE CATCH
BASIN W/TWO OUTLETS. ONE TO 63-8973'S
CEMENT DITCH W/IRRIGATION VIA SIPHON TUBES,
63-8697 ALSO VIA CEMENT DITCH.

Measured inside diameter of pipe in inches

(A) 5.75"

Size of Annubar used in test 6.065"

State ID No. _____

Model No. of Annubar Meter Used 75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used 10-80"

State ID No. 091476

Date of Last Calibration of Meter 4/27/83

Observed inches of H₂O read on Meter

(B) 22"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) 1.022

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 3.85

CALCULATION: $K \frac{(A^2)}{448.8} (\sqrt{B}) C =$


= 1.36 CFS ✓ cfs measured

SKETCH (If not shown on Field Report):

$$\frac{1.022 (33.06)}{448.8} (4.69) 3.85 = \frac{610.08}{448.8} = 1.36 \text{ CFS}$$

MICROFILMED

MAR 09 1987



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8697 Priority May 25, 1977 ^(Late Proof) Amount 0.72 cfs

THIS IS TO CERTIFY, that Lloyd C. Collard
of Parma, Idaho, has complied with the terms and conditions of Permit
No. 63-8697 issued pursuant to Application for Permit dated April 18, 1977,
and has submitted proof to the Department of Water Resources on August 13, 1984,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.36 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u>	at <u>0.72</u> cfs and	<u>166.5</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.72 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
166.5 acre feet per year, said waters to be diverted within the NE 1/4 Section 20,
Twp 5N, Rge 4W in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4W	20	10	27															37

MICROFILMED

MAR 09 1987

Total number of acres irrigated 37

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 14TH day of JANUARY, 1987.

MICROFILMED

MAR 09 1987

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-8697
IN THE NAME OF LLOYD C. COLLARD


)
)
)
)
ORDER

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1984; and,

WHEREAS, notice was not given to the permit holder at the address of record sixty days prior to the date that proof of beneficial use of water was due as required by Section 42-204, Idaho Code;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit the statement of beneficial use of water under Permit No. 63-8697 is extended to September 1, 1984.

Dated this 25th day of June, 1984.



L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUN 27 1984

For Office Use Only
Fee Received <u>15.00</u>
Date <u>7-21-82</u>
Receipt # <u>24497</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

RECEIVED

To provide additional time in which to submit
proof of beneficial use on a water right permit

JUL 8 1982

Department of Water Resources

Lloyd B Ballard
(Name)

of RT1 Palmar, Idaho
(Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 63-8697.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before _____, 19 ____.

That he has heretofore performed the following work described under said permit:

Well has been drilled pump installed
(This must be filled out! If no work has been completed put none.)

access points measuring device has not been installed

Costing \$ 10,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Short on Money

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to June 9, 19 84.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Lloyd B Ballard
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to June 1, 1984.

IT IS FURTHER ORDERED that the permit be reinstated and the priority advanced to May 25, 1977, pursuant to Idaho Code, Sec. 42-218a.

Signed this 22nd day of July, 19 82.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-8697**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 63-8697

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Lloyd C. Collard Phone: 722-5434
post office address Route 1 Parma, ID

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 5N
Range 4W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.0 for irrigation purpose from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.0 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
well, pump, pipe and ditches

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 150 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 10,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
5N	4W	20	10	40															50

Total number of acres to be irrigated 50

c. Describe any other water rights used for the same purposes as described above.

Farmers' Coop


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This is supplemental water to Farmers' Coop.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lloyd C. Colford
(Applicant)

Proposed Priority 4/18/77

Received by rf Date 4-18-77 Time 11.10 am
Preliminary check by rf Fee \$ 25.00
Receipted by rf Date 4-18-77 # 7172
Publication prepared by rf Date 5-16-77
Published in News - Tribune
Publication dates April 28 + May 5
Publication approved rf Date 5-16-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by rf

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8697, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 13 day of June, 19 77.

A. Kenneth Dunn
Deputy Director

AFFIDAVIT OF PUBLICATION

RECEIVED

MAY 9 1977

STATE OF IDAHO,)
) SS.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 28; May 5, 1977

OK 178
5-11-77

Verla Harker

Subscribed and sworn to before me this

19 77 5th day of May

Adam J. Law

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

100-111111



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

~~JOHN V. EVANS~~

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 3, 1987

RE: Permit No. 63-8697

Lloyd C. Collard
Rt. 1
Parma, ID 83660

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 09 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 12, 1986

RE: Permit No. 63-8697

Lloyd C. Collard
Rt. 1
Parma, ID 83660

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 09 1987

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

NOV 18 1984

63-8697
Permit No.

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

DATE

INITIALS

Department of Water Resources REMARKS

☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

N/A

7/18/83
722-6285

JG

JG

7/20/83

10:00 - 2 MI. W. NOTUS THEN RT. ON DON DAVIS RD. & 1ST HOUSE ON RT. MEET DON JOHNSTON THERE.

EXAMINATION

Date 7/20/83

Accompanied by LLOYD COLLARD

Total Q measured 1.36 CFS

Source G.W.

Tributary to

Supp. annubar measurement sheet used? YES

If source is surface water, estimate total flow of source

Methods of measurement ANNUBAR #

Meets permit requirements? YES

EAGLE EYE METER # 0914716

Measurement calculations:

SEE ATTACHED ANNUBAR MEASUREMENT SHEET FOR CFS CALCULATION.

ALLOW 0.72 CFS - SEE REMARKS

37 AC X 4.5 = 166.5 AFA/ANN < 1.98 X 245 X 0.72 = 349.3 AFA/ANN.

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	40	AMARINO	SLNOA	PERLESS	233773	ANNUBAR	A-OK	

System Description PUMP + MOTOR w/ 6" PIPELINE TO CEMENT CATCH BASIN w/ TWO OUTLETS. ONE FOR 63-8973 + ONE FOR THIS PERMIT w/ SYPHON TUBE IRRIGATION.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

IRRIGATION 37 AC

Irrigation requirement = 4.5 AFA/Acre

Q (cfs)

V (afa)

FROM

TO

0.42

166.5

3/15

11/15

0.72

MICROFILMED

MAR 09 1987

Total

0.72 cfs

166.5

Remarks

THIS WELL SERVES TWO PERMITS. 63-8973 IS FOR 33 ACRES. THE TOTAL OF THE TWO PERMITS IS 70 ACRES AT 1.36 CFS. THE PROPORTIONATE AMOUNT ALLOWED FOR 33 ACRES (63-8973) IS 0.64 CFS. THEREFORE, FOR 37 ACRES IT IS 0.72 CFS ALLOWABLE.

[illegible]

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use ✓

[illegible]

☒ None
☐ Other

Date _____

MAR 09 1987

Overlap Review - Rt. 63-8697

per VAX:

p/d - 63-8973 same system -
also being licensed

p/u - 63-2878 - Wilson & Elijah
Drains - Recommend R32

System as used:

$$70 \text{ acres} / 1.36 \text{ cfs} = 0.019 \text{ cfs/ac}$$


$$\begin{aligned} 63-8973 &= 33 \times 0.019 = 0.63 \text{ cfs} - \text{Allow } 0.64 \\ 63-8697 &= 37 \times 0.019 = \underline{0.70 \text{ cfs}} \quad \text{ALLOW } \underline{0.72} \\ &\quad \underline{1.33} \quad \text{CAPACITY} = 1.36 \text{ cfs} \end{aligned}$$

No capacity limiter necessary.

kw
11/7/86

MICROFILMED

MAR 09 1987



MICROFILMED

MAR 09 1987

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by:

Jan Grover

Date

7/20/83

Owner:

DON JOHNSTON

Permit No.

63-89737
63-8697

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

PUMP w/6" PIPELINE INTO CONCRETE CATCH
BASIN w/TWO OUTLETS. ONE TO 63-8973'S
CEMENT DITCH w/IRRIGATION VIA SIPHON TUBES,
63-8697 ALSO VIA CEMENT DITCH.

Measured inside diameter of pipe in inches

(A)

5.75"

Size of Annubar used in test

6.065"

State ID No.

Model No. of Annubar Meter Used

75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used

10-80"

State ID No.

091476

Date of Last Calibration of Meter

4/27/83

Observed inches of H₂O read on Meter

(B)

22"

Flow Correction Factor (From Calibration Graph)

(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K)

1.022

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C)

3.85

CALCULATION: $K \frac{(A^2)}{448.8} (\sqrt{B}) C =$


= 1.36 CFS ✓ cfs measured

SKETCH (If not shown on Field Report):

$$\frac{1.022 (33.06)}{448.8} (4.69) 3.85 = \frac{610.08}{448.8} = 1.36 \text{ CFS}$$

MICROFILMED

MAR 09 1984



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 22, 1984

LLOYD C. COLLARD

RT. 1

PARMA

ID 83660

RE: Permit No. 63-8697

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,

s/Judy Pense
Secretary

MICROFILMED

MAR 09 1987

October 1, 1984

Lloyd C. Dollard
Route 1
Parma, ID 83660

Dear Mr. Collard:

Re: Permit No. 63-8697

This office acknowledges receipt of the statement of beneficial use postcard.

It is my understanding that a field inspection has been completed by one of our regional representatives. Based on his/her findings, a water right license will be issued.

If you have any questions concerning your permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

MICROFILMED

PLACE
13 CENT
STAMP
HERE

RECEIVED
AUG 13 1984



Department of Water Resources
Western Regional Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

1984 AUG 13 11:00 AM

FIELD EXAM
COMPLETED JG

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 123-8697.

Name(s) of Permit Holder:

LLOYD C. COLLARD

Post Office Address:

ROUTE #1, PARMA, ID

Tel. No.

722-5434

Source of Water:

GROUNDWATER

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

80

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/13/84
Date

MICROFILMED

Lloyd C. Collard
Signature of Permit Holder

June 29, 1984

Lloyd C. Collard
Route 1
Parma, ID 83660

CERTIFIED MAIL

138925

Dear Mr. Collard:

Re: Permit No. 63-8697

PROOF DUE NOTICE

One of the conditions of approval of your water permit No. 63-8697 was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1984. This date, however, has been changed to by the enclosed order. Also enclosed is a postcard which may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time provided the delay is for reasonable cause as described in Section 42-204, Idaho Code. If you have been prevented from proceeding by a government agency or by litigation, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either the beneficial use postcard or a request for an extension of time must be received by this department on or before the above-described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures



August 2, 1982

Lloyd C. Collard
Route 1
Parma, ID 83660

Dear Mr. Collard:

Re: Permit No. 63-8697

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to June 1, 1984.

Please note that the permit has been reinstated with an advance in priority since the extension of time request was submitted after the proof due date.

Also enclosed is Receipt No. 24497 in the amount of \$15.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File #

DATE: July 22, 1982

^{Ext.}
Date Proof Received 7/8

Proof Due

^{Ext.}
Number of Days Proof Late

Priority Date 4/18

Number of Days Proof Late

New Priority Date

189
152
37

108
37
145

= May 25, 1977

Remarks

RECEIVED
JUL 22 1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

COLLARD, LLOYD C.
RT. 1
PARMA, ID 83660

JUNE 08, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-8697 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED MARCH 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

CERTIFICATION OF MAILING
I hereby certify that on 6/24/1982
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.
[Signature]

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Sawtooth
Boise, Idaho 83720

REASON CHECKED
Unclaimed... Refused...
Unknown...
Insufficient address...
Moved, Left no address...
No such office in state...
Do not remail in this envelope
POSTAGE DUE CENT.

RETURNED
TO
WRITER

PAID CHECK
NO.

56068

☐ HOLD

DATE

APR 22 1982

POST OFFICE

RETURN

Returned from
Post Office
Boise, Idaho

Department of Water Resources

PAID
APR 22 1982
83668

RECEIVED

Per Assessor
5-7-82 AS
No Address

MAIL
138615

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

COLLARD, LLOYD C.
RT. 1
PARMA, ID 83660

MARCH 31, 1982


DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8697 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,



RITA FLECK
SR. SECRETARY

ENC: 1

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138615

COLLARD, LLOYD C.
RT. 1
PARMA, ID 83660

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8697 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 19, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED

June 15, 1977

Re: Permit No. 63-8697

Lloyd C. Collard
Route #1
Parma, ID 83660

Dear Mr. Collard:

Enclosed is a copy of your approved Application for Permit No. 63-8697 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WKM 4/18/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) WKM 4/18/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____ RMS

Other rights on the same place of use none
platted

(10) _____

Comments: _____

(11) rf OK

Affidavit of Publication received (date) 5-16-77

(12) _____

Final date for protests 5-16-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By WJL Date 5-16-77

Supplemental
RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Carl D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 25, 1977

Mr. Lloyd G. Collard
Route 1
Parna, ID 83660

Dear Mr. Collard:

Enclosed is your Receipt No. 7172 in the amount of \$ 25.00
for Application for Permit No. 63-8697 which was received in
this office on April 18, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 22, 1977

Re: See attached sheet

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 16, 1977.

Sincerely,

Bill submitted
5-16-77
y

RECEIVED

PUBLISHED IN THE NEWS-TRIBUNE APRIL 28 & MAY 5, 1977

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

63-3532 Don A. Hulme

NOTICE OF CLAIM TO A WATER RIGHT

63-4472 Marle &/or Freeda Javaux

63-4476 E. E. &/or Bessie L. Powell

NOTICE OF APPLICATION FOR WATER PERMIT

63-8687 Saxton Fruit Farms, Inc.

63-8688 Green Acres Farms

63-8689 Fred W. &/or Clara P. Anderson

63-8697 Lloyd C. Collard

63-8699 Charles A. &/or Zelda M. Nickel

63-8700 L. W. &/or Barbara Ragains

63-8701 Ray Obendorf

63-8702 Harold G. &/or Harriett A. Crosby

63-8703 H. J. Batt, Wilder Land Co., LTD

63-8704 City of Middleton, Idaho

63-8705 Phillips Farms

63-8706 Robert B. Morford

63-8709 C. J. Westcott

63-8708 Fred C. &/or Irene Hertig

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LLOYD C. COLLARD

Route 1 Parma, ID

has on April 18, 1977 submitted Application No. 63-8697

for a permit to appropriate 1.0 cubic feet per second ~~consent~~

~~per annum~~ of water from a groundwater source

by means of well, pump, pipe and ditches

within the NE1/4 Sec 20 T5N-R4W B.M., Canyon County

to be used from Mar 15 to Nov 15

for the irrigation of 50 acres

within the NE1/4 Sec 20 T5N-R4W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 16, 1977.

C. STEPHEN ALLRED

~~Acting~~ Director

Published in the News-Tribune - Caldwell, ID

April 28, 1977

and May 5, 1977

MICROFILMED

IDENT. NO. 63-8697

WATER RIGHT
DATA ENTRY LOG

[illegible]