


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Blicherstopp
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 9 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press,
a daily, (except Sunday) newspaper published in the City of
Nampa, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Nampa, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times

in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 28; May 5, 1977

Verla Harker

Subscribed and sworn to before me this _____

_____ 5th day of May, 1977.

Adam D. Kane
Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
RONALD BLICKENSTAFF,
Route 7, Box 7133, Nampa, ID
has on April 18, 1977 submitted
Application No. 63-8694 for a per-
mit to appropriate 4.64 cubic
feet per second of water from a
groundwater source by means of
well, pump and ditches within
the SE 1/4 SW 1/4, SW 1/4 SW 1/4 Sec 28
T2N-R2W B.M., Canyon County
to be used from Jan. 1 to Dec. 31
for domestic purposes and from
March 15 to Nov. 15 for
irrigation of 230 acres within the
S 1/2 NW 1/4, SW 1/4 Sec 28 T2N-R2W
B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Director of the Idaho Depart-
ment of Water Resources, 92
South Cole Road, Boise, Idaho
83705 on or before May 16, 1977.

C. STEPHEN ALLRED
Director


April 28; May 5, 1977

OK 1978
5-11-77

NOT RECORDED



NOT TO SCALE



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08694

Priority: April 18, 1977

Maximum Diversion Rate:
Maximum Diversion Volume:¹

2.15 CFS
914.7 AF

This is to certify, that RONALD BLICKENSTAFF

RT. 7 BOX 7133

NAMPA, ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 18, 1977; and has submitted Proof of Beneficial Use on June 1, 1982. An examination indicates that the works have a diversion capacity of 2.150 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.15 CFS	913.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	2.15 CFS	914.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 28, Township 02N, Range 02W
SWSW , Sec. 28, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 02W 28	SWNW 31	SENW 37	NESW 36	
	NWSW 31	SWSW 32	SESW 36	203

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 02W 28 SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

AUG 23 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 63-08694

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of July, 1989.

Acting for


R. Keith Higginson, Director

MICROFILMED

AUG 27 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-8694**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 63-8694

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Ronald Blickenstaff Phone: 466-3828
post office address Rt. 7, Box 7133, Nampa, ID 83651

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 2N
Range 2W B.M. Canyon County; additional points of diversion if any: _____
SWSW, Sec. 28, T. 2N., R. 2W., B.M.

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 4.6 for Irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)

Amount .04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

a. 4.64 cfs cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, and ditches

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 250 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 7500.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 2N
Range 2W B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

RECEIVED
FEB 10 1964
IDAHO DEPT. OF WATER RESOURCES
BOISE, IDAHO

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	28							30	40	40	40	40	40					230

Total number of acres to be irrigated 230

c. Describe any other water rights used for the same purposes as described above.

Boise-Kuna Irrigation


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Blicherstopp
(Applicant)

Proposed Priority 4/18/77

Received by S Date 4/18/77 Time 3:30 pm
Preliminary check by THA Fee \$ 65.00
Receipted by rf Date 4-18-77 7180
Publication prepared by rf Date 4-22-77
Published in Idaho Free Press
Publication dates Apr 28, May 5
Publication approved rf Date 5-16-77
Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by THA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8694, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. Other: Measuring devices of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.
The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 13 day of June 19 77.

[Signature]
Deputy Director

AFFIDAVIT OF PUBLICATION

RECEIVED

MAY 9 1977

STATE OF IDAHO,)
) SS.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press,
a daily, (except Sunday) newspaper published in the City of
Nampa, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Nampa, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times

in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 28; May 5, 1977

Verla Harker

Subscribed and sworn to before me this

19 77 5th day of May

Adam Q. Kane
Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

RECEIVED

OK 188
5-11-77

July 25, 1989

RONALD BLICKENSTAFF
RT. 7 BOX 7133
NAMPA, ID 83651

RE: PERMIT NO. 63-08694

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 23 1989

March 17, 1989

RONALD BLICKENSTAFF
RT. 7 BOX 7133
NAMPA, ID 83651

RE: PERMIT NO. 63-08694

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 23 1989

MEMORANDUM

TO:FILE #63-8694

FROM:ROXANNE MCCARTHY

RE: CHANGES TO FIELD EXAM RECOMMENDATIONS

DATE: 22-DEC-1988

The measured diversion capacity of this system is 2.15 cfs.
This is the allowable maximum.

The diversion rate in this system is not additive. The
allowable maximum is 2.15 cfs.

MICROFILMED

AUG 23 1989

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
6308694	02N	02W	28	SE	SW			GROUNDWATER	BLICKENSTAFF,
6308694	02N	02W	28	SW	SW			GROUNDWATER	BLICKENSTAFF,

MICROFILMED

AUG 23 1989

10 DAY ✓

no fee reg'd.

WATER RIGHT NO. 63-08694

Priority: April 18, 1977 ✓

Amount:

(4.64) CFS

2.15 ✓

914.7 afg ✓

This is to certify, that RONALD BLICKENSTAFF ✓
RT. 7 BOX 7133 ✓
NAMPA, ID 83651 ✓

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated April 18, 1977, and 6/1/82 ✓
has submitted proof to the Department of Water Resources on January 1, 1980, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 2.15 cfs of water from a source and that a water right has been established as follow: 2.15 ✓

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

VOLUME

IRRIGATION

03/15 to 11/15 ✓

(4.60) CFS

913.5 afg ✓

DOMESTIC

01/01 to 12/31 ✓

0.04 CFS ✓

1.2 afg ✓

Totals

(4.64) CFS

914.7 afg ✓

LOCATION OF POINT OF DIVERSION(S):

SESW, Sec. 28, Township 02N, Range 02W
SWSW, Sec. 28, Township 02N, Range 02W
CANYON County ✓

PLACE OF USE: IRRIGATION ✓

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

02N 02W 28 ✓

SWNW 30 31.0 ✓

SENW 40 37.0 ✓

NESW 40 36.0 ✓

NWSW 40 31.0 ✓

SWSW 40 32.0 ✓

SESW 40 36.0 ✓

Total number of acres irrigated:

230 203.0 ✓

PLACE OF USE: DOMESTIC ✓

TWN RGE SEC

02N 02W 28

SWSW ✓

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

AUG 23 1989

WATER RIGHT NO. 63-08694

CONDITIONS/REMARKS:

3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install and access port or other device as specified by the Department.

delete

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this _____ day of _____, 19____.

Director

4. <<R32>> ✓

RECEIVED
AUG 23 1989

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 20 1986

Department of Water Resources

63-8694

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	2/19/82	jp	no appt. made
☒ Telephone call made (List Telephone No. used)	2/27/84 466-3828	Jg	Mr. Blichenstaff re- quested appt. after he heard Norm Shovel 63-8844 was having his completed.
☒ Appointment scheduled for: (Date, time, location)	8/2/84 10:30 - Bennett Rd.		

EXAMINATION

Date 8/2/84 Accompanied by RON BLICHENSTAFF Total Q measured 963 gpm (2.15 cfs)
Source G.W. Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement 8" ORIFICE PLATE IN 10" PIPELINE Meets permit requirements? YES

Measurement calculations:

MEAS. 8 1/2" ON PLASTIC TUBE = 963 gpm (see Water
Measurement Booklet)
 $963 \div 448.8 = 2.15 \text{ cfs}$
 $4.5 \text{ AFA} \times 203 \text{ AC} = 913.5 \text{ AFA} \leftarrow 2.2 \text{ cfs} \times 1.98 \times 245 \text{ dup} = 1067.2 \text{ afa}$

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	30	U.S. ELEC	R214776	WELLING	T77564	ORIFICE PLATE - 8"		OK

System Description Pump & motor with 10" pipeline open
discharge into cement ditch with irrigation
via siphon tubes & gravity flow.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation - 203 acres	2.2 cfs	913.5 afa	3-15	11-15
Domestic - 1 home w/ lawn	.04 cfs	1.6 afa	1-1	12-31
		1.2		
		914.7		
		915.1 afa		
Total	2.24 cfs			

Remarks Supplemental to ditch water.

MICROFILMED

AUG 23 1989

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 SW 1/4, SW 1/4 SW 1/4, SEC. 28, T. 2N, R. 2W.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	28							31	37	36	31	32	36					203
																			203

NOT REFILED


Recommended Amendments:


- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

AUG 23 1989

Examiner's Signature Jan Grover
 Checked by 625
 Approved by Bruno McCarthy

Date 4/10/85
 Date 11/15/86
 Date 12/19/88







State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

July 18, 1982

Ronald Eichenstauff
Route 17 Box 7133
Kampa, Idaho 83651

RE: 63-8094

Dear Mr. Eichenstauff:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720

Unclaimed
Address: Unknown
Insufficient postage
No such street
No such office or name
Do not return to sender
enclosure
RECEIVED
APR 15 1982
DEPT. OF WATER RESOURCES

9170


APR 15 1982

RECEIVED

APR 22 1982

Department of Water Resources

138614



Returned to sender
5/4/82
JH

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-8694.

Name(s) of Permit Holder:

Rand Blikenstey

Post Office Address:

Rt 7 Box 7133 Nampa Idaho

Tel. No. _____

Source of Water:

Under ground

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

240

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-27-82

Date


Rand Blikenstey

Signature of Permit Holder

R. Bluckstaff

Rt #7

Lampas, Idaho



RECEIVED



JUN 1 1982

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138614

BLICKENSTAFF, RONALD
RT. 7 BOX 7133
NAMPA, ID 83651

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8694 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

NOTED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 19, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

WATER RIGHT NUMBER 63-8694

WATER RIGHTS EDIT REPORT

09/13/79

PAGE 101

ACT
ION

N OWNER LAST NAME - BLICKENSTAFF

FIRST NAME - RONALD

N ADDRESS LINE 1 - RT. 7 BOX 7133

N SOURCE - GROUNDWATER

CITY - NAMPA

STATE - ID ZIP CODE - 83651

N STAGE - PERMIT

PRIORITY - 04-18-1977 COUNTY - CANYON

TOTAL DIV. RATE - 4.6400CFS

N DIVERSION POINT - SESW 28 02N 02W

SWSW 28 02N 02W

N FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - 4.6000CFS

N FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0400CFS

N USE - IRRIGATION

PLACE OF USE - TWN 02N RNG 02W SEC 28 TRACT SNNW

AC 30 TRACT SENW

AC 40

N TRACT NESW

AC 40 TRACT NWSW

AC 40

N TRACT SWSW

AC 40 TRACT SESW

AC 40

N USE - DOMESTIC

PLACE OF USE - TWN 02N RNG 02W SEC 28 TRACT SWSW

N OTHER RIGHTS FOR SAME USE - BOISE-KUNA IRR.

N PROOF DUE - 06-01-1982 PERMIT/DENIED - 06-13-1977

N COND. OF APPRVL - 01 03A

N DIVERSION MEANS - WELL, PUMP & DITCHES.

1417511/2
Moore Business Forms, Inc. sv

IDENT. NO. 63-8694

IDENT. NO. 63-8694

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 163-8694
Old No. New No.

Record

1. Original Owner: Ronald Blickenstaff

Present Owner: _____

2. Address: Rt. 7 Box 71333. City: Nampa State: ID Zip: 836514. A. Source of Water: gwr

B. Tributary of: _____

5. A. Stage (A,P,L,D,S,J): P

B. Status (D,L,R,C,A,I,F - leave blank if valid): _____

C. Priority Date: 4-18-1977D. County: 27E. Total Diversion Rate: 4.64

F. Total Diversion Volume: _____

G. Transfer/Amendment (P,T of A or blank): _____

H. Water District: _____

I. DLE/Carey Act (D,C or blank): _____

J. Right Basis (for adjudication claims A,B,C only): _____

	Tract	Sec.	Twp.	Rge.	Gov't Lot	Rediv.
6. A. Point of Diversion	<u>SESW</u>	<u>28</u>	<u>2N</u>	<u>2W</u>	_____	_____
	<u>SWSW</u>	<u>28</u>	<u>2N</u>	<u>2W</u>	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____

7. Period of Use, Use, Diversion Rate/Volume:

from 3-15 to 11-15 for A purposes. Amount 4.6
(cfs or AC-FT/yr)from 1-1 to 12-31 for D purposes. Amount .04

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

8. Use Code: A

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A.
B.
C.
D.
E.

11. Other Uses (Non-irrigation explanatory information):

12. Other Rights for Same Use:

Boise - Kuna Inn.

13. A. Proof Due Date: 6-1-1982

B. Date Permit Approved or Denied: 6-13-1977

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: 01 03A

14. Diversion Means (brief narrative):

well, pump & ditches.

June 15, 1977

Re: Permit No. 63-8694

Ronald Blickenstaff
Route #7, Box 7133
Nampa, ID 83651

Dear Mr. Blickenstaff:

Enclosed is a copy of your approved Application for Permit No. 63-8694 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WJA 4-19-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) WJA 4-19-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) if OK

Affidavit of Publication received (date) 5-16-77

(12) _____

Final date for protests 5-16-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device S required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By WJA

Date 5-16-77

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 22, 1977

Re: See attached sheet

Idaho Free Press
P. O. Box 88
Nampa, ID 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 16, 1977.

Sincerely,

Bill submitted
5-16-77
y

PUBLISHED IN THE IDAHO FREE PRESS ON April 28 & May 5, 1977

NOTICE OF AMENDED APPLICATION FOR PERMIT

63-8610 Virgil E. &/or Mabel Farnar

NOTICE OF CLAIM TO A WATER RIGHT

63-4474 Dwayne Kirkham

63-4475 Howard &/or Laurine Ahrens

NOTICE OF APPLICATION FOR WATER PERMIT

63-8686 Blaine Devlin

63-8690 Charles &/or Richard Reineke

63-8692 Arroway Farms, Inc.

63-8693 B.H.P., Inc.

63-8694 Ronald Blickenstaff

63-8696 V. H. &/or Mae Gafford

63-8711 Lonnie Skogsberg

63-8612 Delbert &/or Dave &/or Eldred Baum

63-8713 Myron J. Simpson

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that

RONALD BLICKENSTAFF

Route 7, Box 7133 Nampa, ID
has on April 18, 1977 submitted Application No. 63-8694
for a permit to appropriate 4.64 cubic feet per second acre feet
XXXXXXXX per annum of water from a groundwater source
by means of well, pump and ditches
within the SE $\frac{1}{4}$, SW $\frac{1}{4}$ Sec 28 T2N-R2W B.M., Canyon County

to be used from Jan 1 to Dec 31
for domestic purposes and from Mar 15 to Nov 15 for irrigation of 230
acres
within the SE $\frac{1}{4}$, SW $\frac{1}{4}$ Sec 28 T2N-R2W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 16, 1977.

C. STEPHEN ALLRED

Acting Director

Published in the

Idaho Free Press, Nampa, ID

and

April 28, 1977

May 5, 1977