

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



 P.P.
 31

T. 4 N.

R. 2 W. B. m.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arroway Farms Inc.
by Archib Yamamoto pres.
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 9 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 28; May 5, 1977

Verla Harker

Subscribed and sworn to before me this _____

19 77 5th day of May

Adam D. Kaur

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

MICROFILMED


OK 128
5-11-77

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that ARROWAY FARMS, INC., Rt. 5, Nampa, ID has on April 15, 1977 submitted Application No. 63-8692 for a permit to appropriate 3.0 cubic feet per second of water from a groundwater source by means of well, pump & pipeline within the SE 1/4 NW 1/4 Sec 31 T4N-R2W B.M., Canyon County to be used from March 15 to Nov. 15 for the irrigation of 160 acres within the NW 1/4 Sec 31 T4N-R2W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 16, 1977.

C. STEPHEN ALLRED
Director
April 28; May 5, 1977




4	39.28	N. 89° 38' E.	79.64	S. 89° 52' W.
	(19.64)	(100.00)	40.00	79.78
1	39.31	80	180	
2	39.35	Sec. 30		Sec. 29
3	39.38	80	180	
4	39.42	N. 89° 48' E.	79.71	N. 89° 54' W.
	(19.71)	(100.00)	40.00	80.00
1	39.42	80	180	
2	39.19	Sec. 31		Sec. 32
3	38.96	80	180	
4	38.73	(19.73)	(100.00)	40.00
		79.25		

RECEIVED

OCT 09 1987

MADE F

CH



PERMIT No. 63-8692



PT. OF DIVERSION
SHOWING RULER
& PLASTIC TUBE.
WATER PUMPED INTO
CANAL HERE.
LOOKING SOUTHEAST.



PT. OF DIVERSION
W/ MOTOR & SOME
PLACES OF USE IN
BACKGROUND.
LOOKING WEST.

MICROFILMED

OCT 09 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-8692

Priority: April 15, 1977 Amount: 1.76 CFS 396.0 AFA

This is to certify, that ARROWAY FARMS INC.

RT. 5 BOX 5813

NAMPA, ID 83651

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated April 15, 1977, and has submitted proof to the Department of Water Resources on May 4, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 2.61 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	1.76 cfs	396.0 afa

LOCATION OF POINT OF DIVERSION(S): LOT 2(SENW), Sec. 31, Township 4N, Range 2W
Canyon County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
4N	2W	31	NENW 1	LOT 1(NWNW)32	LOT 2(SWNW)27	SENW 28	88

Total number of acres irrigated: 88

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of SEPTEMBER, 1987.

RECORDED

Acting for the Director

OCT 09 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8692

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED

Identification No. _____

Application No. 63-8692

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant ARROWAY FARMS, INC. Phone: 466-7192
post office address Rt. 5, Nampa, ID 83651

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 4N
Range 2W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 3.0 for irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.0 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 100 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 6,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
4N	2W	31					40	40	40	40									160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.

Pioneer Irrigation District


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This water will be supplemental to irrigation district water.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arroway Farms Inc.
by Archie Yamamoto pres.
(Applicant)

Proposed Priority 4/15/77

Received by rf Date 4-15-77 Time 1:00 pm

Preliminary check by WMM Fee \$ 45.00

Receipted by rf Date 4-18-77 # 7177

Publication prepared by CS Date April 21, 1977

Published in Idaho Free Press

Publication dates April 28 1977 + May 3 1977

Publication approved rf Date 5-16-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WMM

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8692, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 17 day of June 19 77.


Deputy, Director

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 9 1977

STATE OF IDAHO,)
County of Canyon.) ss.

Department of Water Resources
Western Regional Office

Verla Harker
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 28; May 5, 1977

Verla Harker

Subscribed and sworn to before me this

19 77 5th day of May

Adam D. Kain

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

MICROFILMED

OK 11/8
5-11-77

September 28, 1987

ARROWAY FARMS INC.
RT. 5 BOX 5813
NAMPA, ID 83651

RE: Permit No. 63-8692

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILED

OCT 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

*see attached copy of Water
Meas. Bulletin No. 52 -*

58" - 6" orifice / 8" pipe = 1170 gpm

1170 gpm ÷ 448.8 = 2.606 ≈ 2.61 cfs

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{4.5 = 396.0}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{855.3}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

- c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: *Pioneer Ave. gw* 63-2529, *Pioneer Ave. Wilson Slough* 63-2891, *Pioneer Ave. Mason Ck.* 63-2276,
Pioneer Ave. Five Mile Ck. 63-2294

- b) Other water rights with same point of diversion: *none*

- c) Analysis: *Recommend R32*

RECEIVED

OCT 09 1987

10 day

- Allowable Maximums: 1.76 cpm 396.0 AFA

- Date**

MICROFILMED

OCT 09 1987

Date 8/26/87

September 3, 1987

ARROWAY FARMS INC.
RT. 5 BOX 5813
NAMPA, ID 83651

RE: Permit No. 63-8692

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

OCT 09 1987

46	284	224	429	396	837	659	1045	944	1401	2363	3334	46
46.5	285	225	432	399	842	663	1051	948	1409	2375	3351	46.5
47	287	227	434	401	847	666	1056	953	1416	2387	3368	47
47.5	289	228	437	403	851	669	1062	958	1424	2399	3389	47.5
48	290	229	440	405	855	672	1067	963	1431	2411	3405	48
48.5	292	230	442	407	859	676	1073	967	1439	2423	3426	48.5
49.5	293	231	444	409	863	679	1078	972	1446	2434	3443	49
49.5	294	232	446	411	868	683	1084	977	1454	2444	3460	49.5
50	296	234	448	413	872	686	1089	982	1461	2454	3477	50
50.5	298	235	450	415	876	690	1095	986	1469	2564	3494	50.5
51	300	236	453	417	880	693	1100	991	1476	2474	3511	51
51.5	301	237	455	419	884	697	1105	996	1484	2486	3527	51.5
52	302	238	457	421	888	700	1110	1000	1491	2498	3544	52
52.5	303	239	459	423	892	704	1115	1005	1499	2510	3560	52.5
53	304	240	461	425	896	707	1120	1009	1506	2522	3575	53

NOT REPRODUCED
OCT 19 1951

Table (continued). Flow through pipe orifices with free discharge in gallons per minute.

Head in inches	3" Orifice		4" Orifice		5" Orifice		6" Orifice		7" Orifice	8" Orifice	9" Orifice	10" Orifice	Head in inches
	4 in. pipe	6 in. pipe	6 in. pipe	8 in. pipe	6 in. pipe	8 in. pipe	8 in. pipe	10 in. pipe	10 in. pipe	10 in. pipe	12 in. pipe	12 in. pipe	
53.5	205	241	463	427	900	711	1125	1014	1513		2534	3591	53.5
54	307	243	465	429	904	714	1130	1018	1520		2545	3602	54
54.5	309	244	467	431	908	718	1135	1023	1527		2555	3618	54.5
55	310	246	469	433	912	721	1140	1027	1534		2565	3634	55
55.5	311	247	471	435	915	725	1145	1032	1541		2575	3650	55.5
56	313	248	472	437	919	727	1150	1036	1548		2586	3667	56
56.5	314	249	474	439	923	730	1155	1040	1554		2597	3684	56.5
57	315	250	476	441	927	733	1160	1044	1560		2608	3702	57
57.5	316	251	478	443	930	736	1165	1046	1567		2619	3719	57.5
58	317	252	480	445	934	739	1170	1052	1574		2630	3736	58
58.5	319	253	482	447	938	742	1175	1056	1580		2641	3752	58.5
59	320	254	485	449	942	745	1180	1060	1586		2653	3768	59
59.5	321	256	487	451	945	748	1185	1064	1592		2665	3784	59.5
60	323	257	489	453	948	751	1190	1068	1598		2676	3800	60
60.5	324	258	491	455	951	754	1195	1072					60.5
61	325	259	492	457	955	757	1200	1076					61
61.5	326	261	494	459	958	760	1205	1080					61.5
62	328	262	496	461	961	763	1209	1084					62
62.5	329	263	498	463	964	766	1214	1088					62.5
63	330	264	500	465	968	769	1218	1092					63
63.5	331	265	502	467	971	772	1223	1096					63.5
64	333	266	504	469	974	775	1227	1099					64
64.5	334	267	507	471	977	778	1232	1103					64.5
65	335	268	509	472	981	781	1236	1106					65
65.5	336	269	511	474	984	784	1241	1110					65.5
66	338	271	513	475	988	787	1245	1113					66
66.5	339	272	515	477	991	790	1250	1117					66.5
67	340	273	517	479	995	793	1254	1120					67
67.5	341	274	518	481	998	796	1259	1124					67.5
68	343	275	520	483	1002	799	1263	1127					68
68.5	344	276	521	485	1005	802	1268	1131					68.5
69	346	277	523	487	1009	805	1272	1134					69
69.5	347	278	524	489	1012	808	1276	1137					69.5
70	349	280	525	491	1016	811	1280	1140					70

From Water Meas. Bulletin #52

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

KEYPUNCHED

63-8692

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	1/3/83	jp	no appointment made
	8/13/86	[Signature]	
☐ Telephone call made: (List Telephone No. used)			
☒ Appointment scheduled for: (Date, time, location)	8/26/86 10:00 AM	[Signature]	

EXAMINATION

Date 8/26/86 Accompanied by MR. YAMAMOTO? Total Q measured 2.16 CFS CAPACITY
If source is surface water, estimate total flow of source _____
Methods of measurement ORIFICE PLATE & PLASTIC TUBE Meets Permit requirements? YES

Measurement calculations:

58" - 16" ORIFICE / 8" PIPE = 1175 GPM ÷ 448.8 = 2.6 CFS.
FROM WATER MEAS. BULLETIN NO. 552. ALLOW 1.76 CFS (88 AC. X .02)
88 AC X 4.5 = 396 AFA < 1.76 CFS X 1.98 X 245 DYS = 853.7 AFA

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	40	HOLLAND	UNKNOWN		95976	6" ORIFICE IN 8" PIPE		
			COULD NOT READ	WELLINE				

System Description ROCKFORD ENG. MODEL NO PTA 41079, SER. NO. 377109 DRIVES
MOTOR & PUMP. PUMPS INTO OPEN DITCH WITH GRAVITY IRRIGATION.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>IRRIGATION - 88 ACRES</u>	<u>1.76 CFS</u>	<u>396 AFA</u>	<u>3/15</u>	<u>11/15</u>
Total	<u>1.76 CFS</u>	<u>396 AFA</u>	<u>3/15</u>	<u>11/15</u>

Remarks

ALSO HAVE PIONEER IRRIG. DISTRICT WATER & THIS
WELL IS USED AS A SUPPLEMENTAL SOURCE.

AREA OUTLINED IN BLUE WAS WHAT I WAS TOLD THE
WELL ITSELF IS USED ON.

MICROFILMED

OCT 09 1987

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 NW 1/4, S. 31, T. 11N, R. 2W.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2W	31					1	32	27	28									28
								1.1	1.2										
																			28

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other
- OCT 09 1987

Examiner's Signature Jan Thunte

Checked by DW

Approved by

Date 5/5/87

Date 5/13/87

Date

657
720
217
C

E 116
153

A
4.3

A
20.8


B
210

D
59.0

E
37


108

ED



CH


MAILED
OCT 09 1987
MADE F



PERMIT No. 63-8692



PT. OF DIVERSION
SHOWING RULER
& PLASTIC TUBE.
WATER PUMPED INTO
CANAL HERE.
LOOKING SOUTHEAST.



PT. OF DIVERSION
W/ MOTOR & SOME
PLACES OF USE IN
BACKGROUND.
LOOKING WEST.

REPROFILMED

OCT 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-8692
Permit No.

RECEIVED

MAY 26 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat yes

Department of Water Resources

Check of P/D index JA 8/26/86 (Initial and date)

Overlap? ☒ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index JA 8/26/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? NO

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: PIONEER IRRIG DISTRICT - OK

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? 8/13/86 JA (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed JA Shute 5/11/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office DM 5/13/87 (Initial and date)

Exam Date Entered in Computer JA 5/22/87 (Initial and date)

Exam sent to State Office JA 5/22/87 (Initial and date) OCT 09 1987

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File JA 5/22/87 (Initial and date)



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

MEMORANDUM

TO: 63-8692

FROM: David Tuthill, Manager *DET*
Western Regional Office

DATE: July 30, 1986

RE: Field Examination Fee

Based on the letter in the above referenced water right file from the permit holder, Archie Yamamoto, President of Arroway Farms, Inc., it appears that the department did previously conduct a beneficial use field exam on this water right. Thus, a fee should not be required at this time and an "R" should be entered in the Flag-1 category, signifying the need for a re-exam.

[Faint, illegible stamp or signature]

July 29, 1986

Dept. of Water Resources
attn. Dave Futhill

Dear Sir,

I have recieved notice that my well was not examined.

In 1982 at the Depts. request I installed a measuring device, a restriction orifice and a elevated tube. Some one from the Dept- came out and was started the pump and he examined and measured the water flow - I do not remember his name nor could I describe him. 63-8692 is the app. no. I would be available at any time for reexamination - phone 466-7192 -

Sincerely
Arroway Farms, Inc.
by Archie Yamamoto pres.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

63-8692
ARROWAY FARMS INC.
RT. 5 BOX 5813
Nampa, ID 83651

138821

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED - 1973



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

December 7, 1982

Arroway Farms, Inc.
Route 25 P.O. Box 5947
Hanna, Idaho 83651

Re: 53-8692

Dear Mr. Yaremova:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

RECEIVED
DEC 10 1982
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 13-8692.

Name(s) of Permit Holder: ARROWAY FARMS, INC.

Post Office Address: ROUTE 5 BOX 5813

NAMPA, IDAHO 83651 Tel. No. 466-7192

Source of Water:

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>147</u>	(acres)
☐ Other	_____	

Measuring Device:	Required?	☐ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-30-82
Date

Archie Yamamoto
Signature of Permit Holder

STAMP COVERED AGAIN
CANCELLATION NOT VALID

ARROWAY FARMS INC

ROUTE 5

NAMPA, IDAHO 83651

RETURNED FOR POSTA

PLACE
TEN CENT
STAMP
HERE

RECEIVED

MAY 4 1982



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138612

ARROWAY FARMS INC.
RT. 5
NAMPA, ID 83651

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8692 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC:

Microfilm



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 19, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

June 20, 1977

Re: Permit No. 63-8692

Arroway Farms, Inc.
Route #5
Nampa, ID 83651

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8692. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED
JUN 21 1977
WATER RIGHTS

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WMM 4-15-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) WMM 4-15-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none
platted

(10) _____

Comments: _____

(11) y OK

Affidavit of Publication received (date) 5-16-77

(12) _____

Final date for protests 5-16-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By WMM Date 5-16-77

NOTIFIED
Supplemental

RECEIVED BY THE STATE OF IDAHO DEPT. OF WATER RESOURCES ON April 28 & May 5, 1977



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 25, 1977

Arroway Farms, Inc.
Route 5
Hampa, ID 83651

Gentlemen:

Enclosed is your Receipt No. 7177 in the amount of \$ 45.00
for Application for Permit No. 63-8692 which was received in
this office on April 15, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ARROWAY FARMS, INC.

Rt. 5, Nampa, ID
has on April 15, 1977 submitted Application No. 63-8692
for a permit to appropriate 3.0 cubic feet per second acre feet
XXXXXXXXXX per annum of water from a groundwater source
by means of well, pump, & pipeline
within the SE 1/4 NW 1/4 Sec 31 T4N-R2W B.M., Canyon County

to be used from Mar 15 to Nov 15
for the irrigation of 160 acres

within the NW 1/4 Sec 31 T4N-R2W B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before May 16, 1977.

C. STEPHEN ALLRED

Acting Director

Published in the Idaho Free Press,
XXXXXXXXXXXX, Nampa, Idaho

April 28, 1977 and May 3, 1977

MICROFILMED

