


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal $\frac{1}{4}$ mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.
March 30, 1977

Richard C. Lynde
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
APR 22 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that RICHARD O. VYCITAL 925 Park Hill Court Boise, ID has on April 1, 1977 submitted Application No. 63-8654 for a permit to appropriate 4.3 cubic feet per second of water from Alkali Drain & unnamed drains trib. Boise River by means of ditch and pumps within the NE 1/4 SE 1/4 Sec 24; SE 1/4 SE 1/4 (3 pts) Sec 24 T5N-R6W B.M., Canyon County to be used from Jan. 1 to Dec. 31 for recreation and wild fowl propagation and from April 1 to Oct. 15 for irrigation of 113.80 acres within the NE 1/4 SE 1/4, S 1/2 SE 1/4 Sec 24 T5N-R6W and SW 1/4 SW 1/4 Sec 19 T5N-R5W B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 2, 1977.

C. STEPHEN ALLRED
Director
April 14, 21, 1977

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 14, 21, 1977

OK 11
5-2-77
J

Verla Harker

Subscribed and sworn to before me this

21st day of April,
19 77.

Cedaw O Kaur
Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

RECEIVED
APR 22 1977

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1990
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: RICHARD O. VYCITAL Permit No. 63-8654
Current Address: 925 PARK HILL COURT Phone No. 343-2655
BOISE ID 83702
2. Accompanied by: RICHARD VYCITAL EXAM. DATE: 10-7-88
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: UNN. DRAIN tributary to BOISE RIVER.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUL 15 1991


Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated _____ excellent _____ good ~~fair~~ _____ poor

2. Remarks: SOFT BOTTOM

3. Width: 8' Area: 12.04 Discharge in cubic feet per second: 6.14


10-7-88
DATE

Kelly K. Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT

C. DIAGRAMS

1. Measurement Location


Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____

ALL SECTIONS 1' WIDE



D. SUMMARY INFORMATION


1. Measurement rated _____ excellent _____ good X fair _____ poor

2. Remarks: DITCH BOTTOM SOFT FLOW WASN'T STEADY

3. Width: 8' Area: 9.7 Discharge in cubic feet per second: 4.78

10-7-88
DATE

Kelly Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT



R6W

63-08654

TSN

P/O #2
RETURN FLOW

P/O

P/O #1

63-8654

UNNAMED DRAIN

NESE

MICROFILMED
JUL 15 1981

FEET (IDAHO) 57'30"

MN
19°
338' MILS

NETIC NORTH
R OF SHEET

FOR SALE BY U.S. G
A FOLDER

63. 08654

P/O #1



POND #1



RE FILMED

OCT 15 1991

63-08654

POND #2



MICROFILMED

JUL 15 1991

63-08654

POND #3


EXIT BACK TO DITCH



POND #4



JUL 15 1991



M. Ashworth
1975-1976

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08654

Priority: April 1, 1977

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume:¹ 13.5 AF

This is to certify, that RICHARD K. VYCITAL
11996 W. FLINTLOCK DR.
BOISE, ID 83704

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 1, 1977; and
has submitted Proof of Beneficial Use on April 6, 1987. An examination indicates
that the works have a diversion capacity of 10.920 cfs of water from:

UNNAMED DRAIN tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
WILDLIFE STORAGE	01/01 to 12/31		13.5 AF
RECREATION STORAGE	01/01 to 12/31		13.5 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.00 CFS	
	Totals	1.00 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 24, Township 05N, Range 06W
CANYON County

PLACE OF USE: WILDLIFE STORAGE
TWN RGE SEC

05N 06W 24 NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 63

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 63-08654

CONDITIONS/REMARKS:

6. Two points of diversion are located within the NESE, S24,
T5N, R6W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of JULY, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

JUL 15 1991

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
JUN 24 1991

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-08654

Department of Water Resources

Date of Priority: April 1, 1977

Maximum Diversion Rate:

1.00 CFS

Maximum Diversion Volume:¹

13.5 AF

Comes now

RICHARD O. VYCITAL

925 PARK HILL COURT

BOISE, ID 83702

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-08654, and requests that the permit be changed as follows:

Source: UNNAMED DRAIN

tributary to BOISE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
WILDLIFE STORAGE	01/01 to 12/31		13.5 AF
RECREATION STORAGE	01/01 to 12/31		13.5 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.00 CFS	
	Totals	1.00 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE, Sec. 24, Township 05N, Range 06W
CANYON County

PLACE OF USE: WILDLIFE STORAGE

TWN RGE SEC

05N 06W 24

NESE

MICROFILMED

JUL 15 1991

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise Id, this 17th day of June, 1991.

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08654

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by Jy Date 6-24-91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-08654 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 63
6. Two points of diversion are located within the NESE, S24, T5N, R6W.

Witness my hand this 9TH day of July, 1991.

Acting for

R. Keith Higginson, Director

MICROFILMED

JUL 15 1991

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	63-08654	Richard O. Vycital	4.30
Full Assignment	63-08654	Richard K. Vycital	4.30

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources

RECEIVED
JUN 24 1991

ASSIGNMENT OF PERMIT

Department of Water Resources

I, RICHARD O. VYCITAL, hereby assign to RICHARD K. VYCITAL
of 11996 W. FLINTLOCK DR. BOISE, IDAHO 83704
Address

All my right, title, and interest in and to Permit No. 63-08654
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this 21st day of June, 1991.

X Richard O. Vycital
Permit Holder

Ann M. Vycital
Spouse of Permit Holder

State of Idaho)
County of Ada) ss

On this 21st day of June, 1991, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.

Ann M. Ertstad

Notary Public residing at

Boise, Idaho

seal

My commission expires:

4/9/1997

MICROFILMED

JUL 15 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-8654 IN THE)
NAME OF RICHARD O. VYCITAL)
_____)

ORDER

WHEREAS, on May 31, 1977, the Department of Water Resources issued Permit No. 63-8654 in the name of Richard O. Vycital with a condition of approval which states:

Measuring devices of a type approved by the Director shall be permanently installed and maintained as part of the diverting works;

and,

WHEREAS, on June 1, 1981, the Department changed the measuring device requirement to:

The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department;

and;

WHEREAS, on April 6, 1987, the Department received a request from the permit holder to remove the measuring device requirement; and,

WHEREAS, the Department of Water Resources has determined that a device is not required for the development actually completed by the permit holder;

NOW, THEREFORE, IT IS ORDERED that the condition of approval on said water right requiring that a measuring device be installed is REMOVED.

Dated this 6th day of May, 1987.

MICROFILMED

JUL 07 1987

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

For Office Use Only	
Fee Received	15.00
Date	4-5-82
Receipt #	22697

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
To provide additional time in which to submit
proof of beneficial use on a water right permit

RECEIVED
MAR 8 1982

Department of Water Resources

Richard O. Vycital, M.D. of 925 Parkhill Ct. Boise,
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 63-8654.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before May 1, 1982.

That he has heretofore performed the following work described under said permit: _____
(This must be filled out! If no work has been completed put none.)

Three ponds constructed, new fencing installed around and through
property, soil testing and water level and drainage studies done
in past, more to be accomplished.

Costing \$ 18,000.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:
Insufficient time to complete project. Further studies required
because of water level and soil condition.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to May 1, 19 87.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Richard O. Vycital
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to May 1, 1987.

Signed this 8th day of April, 19 82.

J. Glen Saxton
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8654

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 63-8654

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant RICHARD O. VYCITAL Phone: 343-2655
post office address 925 Park Hill Court, Boise, Idaho
2. Source of water supply unnamed drains & Alkali Drain which is a tributary of Boise River
p.o.d. (1)
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 5 N.
Range 6 W B.M. Canyon County; additional points of diversion if any:
points of diversion (p.o.d.) 2,3 and 4 are in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, T. 5 N.,
R. 6 W., B.M., Canyon County, Idaho
- b. If water is not consumed, it will be discharged into drains ~~at p.o.d. (1)~~ points of diversion
of $\frac{1}{4}$ of Section Township Range B.M.
4. Water will be used for the following purposes:
Amount 2.3 for irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.0 for recreation and wild fowl propogation purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.3 cubic feet per second and/or
b. acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
p.o.d. (1): Ditch diverting from drain, capacity 2.0 c.f.s.
p.o.d. (2): Pump in drain, H.P.10, capacity 2.0 c.f.s.
p.o.d. (3): Pump in drain, H.P.10, capacity 2.0 c.f.s.
p.o.d. (4): Ditch diverting from drain, capacity 2.0 c.f.s.
b. Height of storage dam none feet, active reservoir capacity acre feet; total reservoir
capacity acre feet, materials used in storage dam see "Remarks, 10", p.o.d. (1)
Period of year during which storage will occur to inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is inches; proposed depth of well is feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ estimated under \$5,000
8. Description of proposed uses:
a. If water is **not** for irrigation: **at p.o.d. (1)**
(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 5 N.
Range 6 W. B.M.
(2) Amount of power to be generated: N.A. hp under feet of head.
(3) List number of each kind of livestock to be watered N.A.

(4) Name of municipality to be served N.A., or number of families to be
supplied with domestic water .
(5) If water is to be used for other purposes describe: wild fowl propogation and migratory
water fowl hunting. Three duck ponds have been constructed in the NE $\frac{1}{4}$
SE $\frac{1}{4}$, Section 24, T.5N., R.6W., comprising a total area of approximately
two acres. Pond depth is approximately three feet.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5 N	5 W	24													38		40	33.88	111.88
5 N	5 W	19											1.92						1.92

113.80

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above._____

9. a. Who owns the property at the point of diversion Applicant *

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

(* No person is believed to have an ownership interest in the drains other than the applicant.)

10. Remarks p.o.d. (1) for 2.0 c.f.s. is exclusively for maintaining 2 acres in ponds for wild fowl and migratory water fowl propogation and hunting (NE¼SE¼), water flow is controlled by inlet to ponds, no consumptive use, in flow is equal to out flow, storage capacity of ponds is approximately 6 acre feet.

p.o.d. (2) for 2.0 c.f.s. is for: (a) irrigation of balance of NE¼SE¼ not in ponds, 38 acres, (b) irrigation of SE¼SE¼ which lies northwesterly of drain, 33.88 acres, and (c) irrigation of SW¼SE¼, 40.0 acres, and irrigation of 1.92 acres in SW¼SW¼, Sec. 19


p.o.d. (3) for 2.0 c.f.s. is for irrigation of SE¼SE¼ to supplement water from p.o.d. (2)

p.o.d. (4) for 2.0 c.f.s. is for irrigation of SE¼SE¼ to supplement water from p.o.d. (2) and (3)

The water available at each p.o.d. is subject to variation depending on the time of year and upstream prior rights. Water diverted from each p.o.d. will vary. The amounts set forth above at each p.o.d. are the estimated maximum quantities to be diverted at each point.

Pump horsepower will increase if sprinkler irrigation is employed, quantities to be diverted at each point are not expected to change.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal $\frac{1}{4}$ mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.
March 30, 1977

Richard C. Lynch
(Applicant)

Proposed Priority 4/ 1/77

Received by ls Date 4/1/77 Time 10:30

Preliminary check by P.W.N. Fee \$ 65.00 #9110

Received by CS Date April 4, 1977

Publication prepared by if Date 4-2-77

Published in Newsp. Tribune

Publication dates April 14 & 21

Publication approved if Date 5-2-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W.S.G.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8654, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.
- c. Other: Measuring devices of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31 day of May, 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
 County of Canyon.)

Verla Harker
 of Caldwell, Canyon County, Idaho, being first duly
 sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
 in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 14, 21, 1977

Verla Harker

Subscribed and sworn to before me this _____

19 77 21st day of April

Edmund O. Kaur

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

Notice is hereby given that RICHARD O. VYCTAL 935 Park Hill Court Boise, ID has on April 1, 1977 submitted Application No. 63-8654 for a permit to appropriate 4.3 cubic feet per second of water from Alkali Drain & unnamed drains trib. Boise River by means of ditch and pumps within the NE 1/4 SE 1/4 Sec 24; SE 1/4 SE 1/4 (3 pts) Sec 24 T5N-R6W B.M., Canyon County to be used from Jan. 1 to Dec. 31 for recreation and wild fowl propagation and from April 1 to Oct. 15 for irrigation of 113.80 acres within the NE 1/4 SE 1/4, SW 1/4 SE 1/4 Sec 24 T5N-R6W and SW 1/4 SW 1/4 Sec 19 T5N-R5W B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 2, 1977.

OK 5-2-77

July 9, 1991

RICHARD K. VYCITAL
11996 W. FLINTLOCK DR.
BOISE, ID 83704

RE: WATER RIGHT NO. 63-08654

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JUL 15 1991

June 4, 1991

RICHARD O. VYCITAL
925 PARK HILL COURT
BOISE, ID 83702

RE: WATER RIGHT NO. 63-08654

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JUL 15 1991

Richard K. Vycital (son) called & asks that license be issued in his name since he has purchased the property - an assignment form has been sent for this purpose - he will submit it with the amendment. SC 6/18/91

LICENSE REVIEW CHECKLIST

Permit No. 63-8654

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance

Order to reinstate needed? yes no ✓

Total cfs Limited by fee ✓

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked none ✓

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓

More than one per 44? Remember remark ✓

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 ✓

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device 20'

W.Master control not

Overlap

Water quality

Other

Dates/Misc. -

Water Dist 63

App Rec'd ✓

Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed ok

Filed - needs amended

Add'l fee required

Not filed -

Not needed

NOTIFIED

Comments/Changes to Examiner's Recommendations: JUL 15 1991

License 10-day

30-day ✓

Back of field report signed? ✓

Reviewer S. Curtis Date 4/19/91 Review time 10 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-8654
Permit No.

Flow meter Removed.

NE 1/4 - f SE 1/4 Sec. 24. T.5N R.6W

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval *Areas Devise Reg't Removed 5/6/87*

☐ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index RJP 5/23/88 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or usas to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index RJP 5/23/88 (Initial and date)

Overlap? ☒ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 11-22-88 Kelly K. Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent RL 2/22/90 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 2/21/90 (Initial and date)

Exam Data Entered in Computer 2/22/90 (Initial and date)

Exam sent to State Office 3-9-90 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECORDED
MAR 18 1990
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: RICHARD O. VYCITAL Permit No. 63-8654
Current Address: 925 PARK HILL COURT Phone No. 343-2655
BOISE ID 83702
2. Accompanied by: RICHARD VYCITAL EXAM. DATE: 10-7-88
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: UNN. DRAIN tributary to BOISE RIVER.

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUL 15 1991

Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS 5 PONDS WITH WATER DIVERTED FROM THE DRAIN AND FLOWING THROUGH POND #1 TO POND 2 TO POND 4 TO POND 3 AND THEN BACK TO THE DRAIN. WATER IS DIVERTED FROM THE DRAIN AT A POINT NORTH OF FIRST DIVERSION PT. INTO POND 5 AND THEN BACK TO THE DRAIN WITHOUT ENTERING ANY OTHER PONDS. POND DEPTH WAS ESTIMATED AT 3 TO 4 FEET. FOR ALL PONDS.
NO ACRES IRRIGATED.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
P/D #1			NE	SE	24	5N	6W	CANYON	QUAD MAP
P/D #2			NE	SE	24	5N	6W	CANYON	QUAD MAP

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	6W	24													W				
															R				

MICROFILMED

JUL 15 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
CURRENT METER	PYGMY	SCI. INST		90198		

2. Measurements: SEE OPEN CHANNEL DISCHARGE MEASUREMENT NOTES
- | | | | | | | |
|--------|----------|----------|--------------------------|---|-----|------|
| P/D #1 | MEASURED | 6.14 CFS | ACRE SIZE OF PONDS (EST) | 1 | .36 | ACRE |
| P/D #2 | MEASURED | 4.78 CFS | | 2 | .95 | |
| | | | | 3 | .53 | |
| | | | | 4 | .71 | |
| | | | | 5 | .83 | |

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

TOTAL 3.38 ACRE
(SURFACE AREA)

1. Measured Method: SEE NOTES.
2. Alternate Method for Checking Purposes: NOT MADE

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

SURFACE AREA OF PONDS 3.38 ACRES
AVE DEPTH 4'
13.52 ACRE/FEET

MICROFILMED

JUL 15 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PROJECT HAS SCALED DOWN SINCE PERMIT. ONLY USE IS
THE DIVERSION THROUGH THE PONDS IN THE NE/SE OF SEC 24

FEES PAID FOR 1 CFS ONLY

A FEW WOOD DUCK NESTS HAVE BEEN CONSTRUCTED
TO ATTRACT DUCKS. HE DID NOT KNOW HOW MANY BIRDS
USE THE PONDS.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DIVERSION TO STORAGE	1-1	12-31	1 CFS	
STORAGE FOR WILDLIFE	1-1	12-31		13.5 AFA
STORAGE FOR RECREATION	1-1	12-31		13.5 AFA
Totals:			1 CFS	13.5 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other BEN. USE.
(NATURE OF USE)

J. AUTHENTICATION

Field Examiner's Name

KELLY K. CHRISTENSEN

Signature

Kelly K. Christensen

Certification Date

Field Report Preparation Date

11-22-88


CONSULTANT SEAL

gl 2/22/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 15 1991



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-8654

Water Right No.
(if applicable)

No 1

Open Channel Discharge Measurement Notes

A. GENERAL INFORMATION

1. Name of stream or ditch: DRAIN DITCH
2. Location: ENTRY TO POND No 1 (16' from main ditch)
3. Person conducting measurement: KELLY K. CHRISTENSEN
4. Date and time of measurement: 1:30 SEPT 7, 1988
5. Accompanied by: RICHARD D. UYCITAL
6. Measuring device size and ID no.: 90198 PYGMY METER
7. Spin test before measurement OK? YES after measurement OK? YES
8. Purpose of measurement: DETERMINE DIVERSION RATE

B. MEASUREMENT DATA


[illegible]

MICROFILMED
JUL 15 1981

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated _____ excellent _____ good ~~A~~ fair _____ poor

2. Remarks: SOFT BOTTOM

3. Width: 8' Area: 12.64 Discharge in cubic feet per second: 6.14

10-7-88
DATE

Kelly Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT

63-8654
Water Right No.
(if applicable)

No 2

.90

1. Name of stream or ditch: DRAIN DITCH .92
2. Location: 12' from MAIN DITCH
3. Person conducting measurement: K CHRISTENSEN .94
4. Date and time of measurement: 2:00 PM 10-7-88 ;
5. Accompanied by: NO ONE .96
6. Measuring device size and ID no.' 90198 PYGMY METER
7. Spin test before measurement OK? yes after measurement OK? yes .97
8. Purpose of measurement: Determine diversion rate .98

.99


[illegible]

REF ID: A66087

C. DIAGRAMS

1. Measurement Location


Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____

ALL SECTIONS 1' WIDE



D. SUMMARY INFORMATION

1. Measurement rated

_____ excellent

_____ good

☒ fair


_____ poor

2. Remarks: DITCH BOTTOM SOFT FLOW WASN'T STEADY

3. Width: 8' Area: 9.7 Discharge in cubic feet per second: 4.78

10-7-88
DATE

Kelly Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT



MICROFILMED
JUL 15 1991

19
338 MILES

MAGNETIC NORTH
OF SHEET

FOR SALE BY U.S. G.
A FOLDER

63-08654

P/O #1



POND #1



FILMED

15 1991

63-08654

POND #2



MICROFILM

JUL 15 1991

63-08654

POND #3

EXIT BACK TO DITCH



POND #4



JUL 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-8654

Name(s) of Permit Holder(s): RICHARD O. VYCITAL

Post Office Address: 925 PARKHILL CT

BOISE, IDAHO 83702

Tel. No. 343-2655

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1976 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/16/83
Date

Richard O. Vycital
Signature of Permit Holder

RICHARD P. VICTOR
925 PARKHILL CT
BOISE, IDAHO 83702



MICROFILMED

JUL 15 1991

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MAILED
MAY 18 1991
STATEHOUSE

June 17, 1987

Richard O. Vycital
925 Park Hill Court
Boise, ID 83702

Dear Mr. Vycital:

Re: Permit No. 63-8654

With the submittal of the proof of beneficial use, you requested that the department remove the measuring device requirement. Enclosed is an order which does that.

The next step is for the department to conduct a field inspection of the proposed water use. This inspection will be conducted by the regional office. I cannot tell just when this examination will be conducted, but the regional office will contact you to schedule a convenient time.

If you have any questions concerning this field inspection, please contact the Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUL 07 1987

RECEIVED
APR 8 1987
Department of Water Resources
Western Regional Office

RECEIVED
APR 06 1987

For Office Use Only
Fee Received 100
Date 4/6/87
Receipt # 42308
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 4/1/87

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-8654

Name(s) of Permit Holder: RICHARD O. VYCITAL ✓

Post Office Address: 925 PARK HILL COURT, BOISE, ID 83702

Telephone No. 343-9655

Source of Water: UNN. RILAIN ✓

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark RECREATION ✓

WILDLIFE PROPAGATION ✓

Total rate and/or volume for which proof is submitted 1.0 ✓ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4/1/77
(450 GPM)

Measuring Device: Required? REMOVAL REQUESTED Yes _____ No _____
Installed? Yes _____ No _____ Fee enclosed \$ 100 ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ✓ Yes _____ No _____
Installed? Yes _____ No _____

Person to contact to accompany the Department representative during the field examination:

Richard O. Vycital 343-9655
(Name) (Telephone Number)

JAME
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 4/6/87 Signature of Permit Holder (and title, if appropriate) [Signature] ✓

RECEIVED RECEIVED

APR 9 1987

APR 06 1987

4/6/87

Department of Water Resources
Western Regional Office

Department of Water Resources

I, RICHARD O. VECITAL, DO HEREBY REQUEST REMOVAL OF THE MEASURING DEVICE REQUIREMENT FOR PERMIT NO. 63-8654 DUE TO THE FACT THAT THE UNNAMED DRAIN HAS WATER SUBBING INTO IT THROUGH-OUT MY PROPERTY, PLUS WATERS FROM OUTLYING LAND SURROUNDING THE DRAIN ALSO FLOW INTO THE PONDS USED FOR WILDLIFE & RECREATION. THE WATER SUBBING UP FROM MY LAND IS ALSO USED TO PROMOTE WILDLIFE AND MEASUREMENT OF THIS WATER WOULD BE IMPOSSIBLE.


Richard O. Vecital

NOTE: THERE IS NO IRRIGATION UNDER THIS PERMIT DEVELOPED & NONE PLANNED. THE WATER IS USED FOR PONDS FOR RECREATION & WILDLIFE & THE LANDS WITH SUB-WATER FOR WILDLIFE.

RECEIVED

JUL 07 1987

OK
LCS



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
FEBRUARY 28, 1987

138794

VYCITAL, RICHARD O.
925 PARK HILL CT.
BOISE, ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 63-8654

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 07 1987

April 8, 1982

Richard O. Vycital, M.D.
925 Parkhill Ct.
Boise, ID 83702

Dear Sir

Re: Permit No. 63-8654

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to May 1, 1987.

Also enclosed is receipt No. 22697 in the amount of \$15.00.

Sincerely

Rita Fleck
Sr. Secretary

Enclosures

RF/ps

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

RECEIVED
MAY 24 1982
Department of Water Resources

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 16, 1982

RE: Permit No. 63-8654

Richard O. Vycital, M.D.
925 Parkhill Ct.
Boise, ID 83702

Dear Dr. Vycital:

Thank you for returning the request for extension in which to submit proof to beneficial use of water under Permit No. 63-8654. We cannot, however, approve your request because the \$15.00 filing fee was not included with the request.

We will hold your request for extension of time form here. Please submit the \$15.00 fee on or before May 1, 1982.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

Dear Mr. Johnson:

Please accept my apology. Enclosed is my filing fee check for \$15.00. Thank you very much.

Sincerely yours,

Richard O. Vycital, M.D.

ROV:tb
Enc.

RECEIVED

RICHARD O. VYCITAL, M.D., F.A.C.S.

201 EAST BANNOCK STREET

BOISE, IDAHO 83702



Dept. of Water Resources
Att: Jim Johnson
Water Distribution Supervisor
Statehouse
Boise, Idaho 83720

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 16, 1982

RE: Permit No. 63-8654

Richard O. Vycital, M.D.
925 Parkhill Ct.
Boise, ID 83702

Dear Dr. Vycital:

Thank you for returning the request for extension in which to submit proof to beneficial use of water under Permit No. 63-8654. We cannot, however, approve your request because the \$15.00 filing fee was not included with the request.

We will hold your request for extension of time form here. Please submit the \$15.00 fee on or before May 1, 1982.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138371

VYCITAL, RICHARD O.
925 PARK HILL CT.
BOISE, ID 83702

FEBRUARY 28, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8654 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

FEB 23 1982

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

June 6, 1977

Re: Permit No. 63-8654

Richard O. Vycital
925 Park Hill Court
Boise, ID 83702

Dear Mr. Vycital:

Enclosed is a copy of your approved Application for Permit No. 63-8654. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit



DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
Papers Sent

(1) R.W.H. 4-5-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) R.W.H. 4-5-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Col Other rights on the same place of use none

(10) _____

Comments: _____

(11) rf OK

Affidavit of Publication received(date) 5-2-77

(12) _____

Final date for protests 5-2-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device 5 required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By JJA Date 5-4-77



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 12, 1977

Richard O. Vycital
925 Park Hill Court
Boise, ID 83702

Dear Mr. Vycital:


Enclosed is your Receipt No. 7110 in the amount of \$ 65.00
for Application for Permit No. 63-8654 which was received in
this office on April 1, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 11, 1977

Re: Notice of Correction of Application for Water Permit No. 63-8536 - ROHRBACHER
63-8471 - M & W Farms
Notice of Application for Water Permit No. 63-8654 - Richard O. Vycital

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 2, 1977.

Sincerely,

Bill submitted
5-2-77
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that

~~RICHARD O. VIGITAL~~

~~925 Park Hill Court Boise, ID~~

has on ~~April 1, 1977~~ submitted Application No. ~~63-8654~~

for a permit to appropriate ~~4.3~~ cubic feet per second ~~XXXXXXX~~ acre feet

per annum of water from ~~Alkali Drain & unnamed drains trib. Boise River~~

by means of ~~ditch and pumps~~

within the ~~NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 24; SE $\frac{1}{4}$ SE $\frac{1}{4}$ (3 pts) Sec 24 T5N-R6W B.M., Canyon County~~

to be used from ~~Jan 1 to Dec 31~~

for ~~recreation and wild fowl propogation and from Apr 1 to Oct 15~~

~~for irrigation of 113.80 acres~~

within the ~~NE $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 24 T5N-R6W and SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 19 T5N-R5W B.M.~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before ~~May 2, 1977~~.

C. STEPHEN ALLRED

~~Acting~~ Director

Published in the ~~News-Tribune, Caldwell, ID~~

~~April 14, 1977~~ and ~~April 21, 1977~~

COLLINS & MANLY
ATTORNEYS AT LAW
705 NORTH 8TH STREET
P. O. BOX 2794
BOISE, IDAHO 83701

WILLIAM D. COLLINS
HOWARD F. MANLY

TELEPHONE 345-2811
AREA CODE 208

March 31, 1977

Department of Water Resources
Western District
Statehouse Annex No. 2
Boise, Idaho 83707

APR 1 1977
Department of Water Resources
Western Regional Office

Department of Water Resources

Gentlemen:

Please find enclosed an Application for Permit we are submitting on behalf of our client, Richard O. Vycital. I have also enclosed our firm check in the amount of \$65.00 to cover the Application fee.

Dr. Vycital is now out of the country and I would ask that all correspondence be returned to my office.

Very truly yours,

COLLINS & MANLY

William D. Collins

WDC/cd
cc: Dr. Vycital
Enclosures

DIRECTOR	
PLANNING	
WATER PLAN	
TECH SERVICES	
CONSTRUCTION	
ADMINISTRATION	
FINANCE	
LEGAL	
RECORDS	
TRAINING	
OTHER	