


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donnell Campbell
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
APR 22 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that DONALD &/or MARILYN COMFORT, Rt. 6, Caldwell, ID have on March 30, 1977 submitted Application No. 63-8640 for a permit to appropriate 1.2 cubic feet per second of water from a groundwater source by means of well, pump & concrete ditch within the SW 1/4 SE 1/4 Sec 21 T4N-R4W B.M., Canyon County to be used from March 15 to Nov. 15 for the irrigation of 76 acres within the S 1/4 SE 1/4 Sec 21; SW 1/4 SW 1/4 Sec 22; T4N-R4W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 2, 1977.

C. STEPHEN ALLRED
Director
April 14, 21, 1977

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 14, 21, 1977

OK
5-2-77

Verla Harker

Subscribed and sworn to before me this

21st day of April,
19 77.

Adam J. Kato

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

RECEIVED

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM				
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
L6308640																											
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	04N	04W	21					:				:				:								
6302529	PIONEER IRRIGATION DIS	L	GROUNDWATER	04N	04W	21					:				:				:								
6302891	PIONEER IRRIGATION DIS	L	WILSON SLOUGH DRAIN	04N	04W	21					:				:				:								
6304459	GREENLEAF FARMS INC.	S	GROUNDWATER	04N	04W	21					:				:		30	40	:				70				
6304460	GREENLEAF FARMS INC.	S	GROUNDWATER	04N	04W	21					:				:		30	40	:				70				
6304962	JENNINGS	S	GROUNDWATER	04N	04W	21					:				:	2			:				2				
6308640	COMFORT	P	GROUNDWATER	04N	04W	21					:				:				:		36	36	72				
6310543	RODCO INC.	P	GROUNDWATER	04N	04W	21					:				:		40	38	:				78				
L6308640	COMFORT	L	GROUNDWATER	04N	04W	21					:				:				:		36	36	72				
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X	4	04N	04W	21	35	39	38	39	:	41	40	42	40	:	41	42	38	40	:	38	33	39	40	625
L6308640																											
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	04N	04W	22					:				:				:								
6302529	PIONEER IRRIGATION DIS	L	GROUNDWATER	04N	04W	22					:				:				:								
6302891	PIONEER IRRIGATION DIS	L	WILSON SLOUGH DRAIN	04N	04W	22					:				:				:								
6304022	MUNN LAND CO. INC.	S	WEST END DRAIN	04N	04W	22	40			40	:				:				:				80				
6304765	ROBERTS	S	SPRING	04N	04W	22					:				:				:	4			4				
6308640	COMFORT	P	GROUNDWATER	04N	04W	22					:				:		4		:				4				
L6308640	COMFORT	L	GROUNDWATER	04N	04W	22					:				:		4		:				4				
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X	4	04N	04W	22	41	40	39	40	:	39	37	36	37	:	39	38	34	37	:	39	38	39	37	610

NO P/D on P/U OVERLAPS

RECEIVED
JAN 6 7 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: DONALD AND/OR MARILYN Comfort Permit No. 63-8640
Current Address: Rt 6 Box 186 CALDWELL, IDAHO 83605 Phone No. 459-4861
2. Accompanied by: Don Comfort AND Sons EXAM. DATE: 7/21/88
Address: Same Phone No. -
Relationship to Permit Holder: Holder
3. Source: WELL tributary to -

B. OVERLAP REVIEW

1. Other water rights with same place of use: ~~None~~ Wilder Irrigation
DISTRICT WATER. ☐ Copies Attached N/A
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED


Scale: 1" = 1/8 mile.


JAN 17 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

8640-21 4 N 4 yr.







Enlargement

7E-SNAKE

20N

3



POINT OF DISCHARGE



← CONCRETE
LINED
DITCH

JAN 1964

↑ MR Comfort's foot IS
ON 6" DISCHARGE LINE
FROM PUMP



Place of Use

Westerly view from Booster Pump.



Place of Use.

NNE view from Road
Along Main line
East of House

UNRECORDED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08640

Priority: June 6, 1978

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume:¹ 342.0 AF

This is to certify, that DONALD COMFORT
MARILYN COMFORT

RT. 6 BOX 186

CALDWELL, ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 30, 1977; and has submitted Proof of Beneficial Use on May 3, 1982. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.00 CFS	342.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 21, Township 04N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	04W	21	SWSE 36	SESE 36		72
		22	SWSW 4			4

Total number of acres irrigated: 76

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECEIVED

JAN 17 1981

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-08640

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of DECEMBER, 1990.

Notary


R. Keith Higginson, Director

RECEIVED
JAN 9 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 63-8640 IN THE NAME OF
DONALD &/OR MARILYN COMFORT

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-8640 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-8640 to appropriate the public waters of the State of Idaho with a proposed priority of APRIL 01, 1977.

2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.

3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

RECEIVED

JAN 07 1991

4. The license examination fee was received on
SEPTEMBER 03, 1987, 431 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-8640 should be advanced 431 day(s).


ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 63-8640 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-8640 is advanced to JUNE 06, 1978.

Dated this 15th day of November, 1990.


Chief, Water Allocation Bureau



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-8640**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-8640)
)
IN THE NAME OF DONALD &/OR MARILYN COMFORT)

)

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before May 1, 1982; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to taken to make said proof; and,


WHEREAS, the Department has notified the permit holders that the permit has lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on May 3, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-8640 be REINSTATED and the priority advanced to April 1, 1977.

Dated this 19th day of May, 1982.



L. GLEN SAXTON

Chief, Operations Bureau

Identification No. _____

Application No. 63-8640

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Donald &/or Marilyn Comfort Phone: 459-4861
post office address Rt. 6, Caldwell, ID
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 4N
Range 4W B.M. Canyon County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.20 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, & concrete ditch.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5,500.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
4N	4W	21															36	36	72
		22											4						4

Total number of acres to be irrigated 76 acres

c. Describe any other water rights used for the same purposes as described above. Land also irrigated with Wilder Irrigation District Water.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donna Campbell
(Applicant)

Proposed Priority 3/30/77

Received by BDF Date 3-30-77 Time 3:00 pm

Preliminary check by BDF Fee \$ 35.00

Received by j Date 3/30/77 #6890

Publication prepared by cs Date April 7, 1977

Published in News Tribune

Publication dates April 14, 1977 & April 21, 1977

Publication approved rf Date 5-2-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 128 jo

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8640, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 9 day of May 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Water Conservation

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Caldwell, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times

in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 14, 21, 1977

OK
5-2-77
M

Verla Harker

Subscribed and sworn to before me this _____

21st day of April,
19 77.

Adam D. Kato

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

Notice is hereby given that
DONALD E. /or MARILYN
COMFORT, R1. 6, Caldwell, ID
have on March 30, 1977 sub-
mitted Application No. 63-8840
for a permit to appropriate 1.2
cubic feet per second of water
from a groundwater source by
means of well, pump & concrete
ditch within the SW 1/4 Sec 21;
T4N-R4W B.M., Canyon Coun-
ty to be used from March 15 to
Nov. 15 for the irrigation of 76
acres within the SW 1/4 Sec 21;
SW 1/4 Sec 22; T4N-R4W
B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Director of the Idaho Depart-
ment of Water Resources, 92
South Cole Road, Boise, Idaho
83725 on or before May 3, 1977.
C. STEPHEN ALRED

December 18, 1990

DONALD COMFORT
MARILYN COMFORT
RT. 6 BOX 186
CALDWELL, ID 83605

RE: WATER RIGHT NO. 63-08640

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

JAN 17 1991

November 16, 1990

DONALD COMFORT
MARILYN COMFORT
RT. 6 BOX 186
CALDWELL, ID 83605

RE: WATER RIGHT NO. 63-08640

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

In reviewing Department records, we find that a Snake River Basin Adjudication Claim has been filed on this right. Issuance of a license as reflected in the enclosed draft does not confirm use of water. Further investigations may be conducted for this right. Therefore, the license is subject to revision prior to a final decree issued in the Snake River Basin Adjudication.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECORDED

JAN 17 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-8640

Name/Address change? ok ☒

Priority date Advance? yes ☒ no
Memo to advance
Order to reinstate needed? yes ☒ no

Total cfs Limited by fee ok
Limited by capacity ☒

Total volume Limited by flow
Chart checked for AF rate/ac ☒ 4.5

Capacity Actual measurement checked ☒
Theoretical checked
If greater than permit, check for other rts N/A

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 44? Remember remark
Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap

Remarks More than one p/d in 44
Description of non-irrig uses
Special overlap condition

Conditions Measuring device
W.Master control
Overlap R32
Water quality
Other

Dates/Misc Water district
App Rec'd date ☒
Proof Rec'd date ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer J. Curtis Date 11-6-90
Review time 13 minutes

PLACE OF USE 1/4 1/4 OVERLAP REPORT

11/07/90

12/01/90																								
WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM	
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
L6308640																								
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	04N	04W	21				:				:				:						
6302529	PIONEER IRRIGATION DIS	L	GROUNDWATER	04N	04W	21				:				:				:						
6302891	PIONEER IRRIGATION DIS	L	WILSON SLOUGH DRAIN	04N	04W	21				:				:				:						
6304459	GREENLEAF FARMS INC.	S	GROUNDWATER	04N	04W	21				:				:			30 40	:			70			
6304460	GREENLEAF FARMS INC.	S	GROUNDWATER	04N	04W	21				:				:			30 40	:			70			
6304962	JENNINGS	S	GROUNDWATER	04N	04W	21				:				:		2		:			2			
~~6308640~~	~~COMFORT~~	~~P~~	~~GROUNDWATER~~	~~04N~~	~~04W~~	~~21~~				:				:				:			~~72~~			
6310543	RODCO INC.	P	GROUNDWATER	04N	04W	21				:				:			40 38	:			78			
~~L6308640~~	~~COMFORT~~	~~L~~	~~GROUNDWATER~~	~~04N~~	~~04W~~	~~21~~				:				:				:			~~72~~			
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X	4	04N	04W	21	35	39	38	39	41	40	42	40	41	42	38	40	38	33	39	40	625
L6308640																								
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	04N	04W	22				:				:				:						
6302529	PIONEER IRRIGATION DIS	L	GROUNDWATER	04N	04W	22				:				:				:						
6302891	PIONEER IRRIGATION DIS	L	WILSON SLOUGH DRAIN	04N	04W	22				:				:				:						
6304022	MUNN LAND CO. INC.	S	WEST END DRAIN	04N	04W	22	40			40				:				:			80			
6304765	ROBERTS	S	SPRING	04N	04W	22				:				:				:	4		4			
~~6308640~~	~~COMFORT~~	~~P~~	~~GROUNDWATER~~	~~04N~~	~~04W~~	~~22~~				:				:			4	:			~~4~~			
~~L6308640~~	~~COMFORT~~	~~L~~	~~GROUNDWATER~~	~~04N~~	~~04W~~	~~22~~				:				:			4	:			~~4~~			
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X	4	04N	04W	22	41	40	39	40	39	37	36	37	39	38	34	37	39	38	39	37	610

NO P/D or P/U OVERLAPS

MICROFILMED

JAN 67 1991

WR0722NP
(OD-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 11/07/90
PAGE: 1

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
63-08640	COMFORT COMFORT	P	04/01/1977		GROUNDWATER	IRR	1.20		04N	04W	21		SWSE
L63-08640	COMFORT COMFORT	L	06/06/1978		GROUNDWATER	IRR	1.00	1.00	04N	04W	21		SWSE

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 63-8640

FROM: SHARLA CURTIS

RE: PRIORITY ADVANCE REVIEW

DATE: 6-NOV-1990

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 01 1977	91
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	SEPTEMBER 03 1987	611
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		431 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	APRIL 01 1977	91
Total Days Late:		431 DAY(S)
New Priority Date:	JUNE 06 1978	157

MicroFILMED

JAN 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-8640
Permit No.

SW 1/4 of SE 1/4 of Sec 21, T4N, R4W

AND SW 1/4 of SW 1/4 of Sec 22

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D Index RDP 5/23/88 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U Index RDP 5/23/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☒ Add P/D's surface water, irrigation district - 92 5/16/90
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? 7/8/88 RDP (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Rolliff 8/1/88 (Signature of examiner and date)
Exam Reviewed by Senior Water Resources Agent R 5/16/90 (Initial and date)
Exam Reviewed by Manager of Regional Office Doc 5/17/90 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office 5-55-90 st (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990

Department of Water Resources
Permit No. 63-18640

A. GENERAL INFORMATION


1. Owner: DONALD AND/OR MARILYN Comfort Phone No. 459-4861
Current Address: Rt 6 Box 186 CALDWELL, IDAHO 83605
2. Accompanied by: Don Comfort And Sons EXAM. DATE: 7/21/88
Address: Same Phone No. -
Relationship to Permit Holder: Owner
3. Source: WELL tributary to -

B. OVERLAP REVIEW

1. Other water rights with same place of use: ~~NONE~~ Wilder Irrigation DISTRICT WATER. ☐ Copies Attached N/A
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



UNFILLED

Scale: 1" = 1/8 mile.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 D.A.R. Confront uses WILSON IRRIGATION DISTRICT WATER. ^{Drinking} Years of low flow He supplements the water with this permit. Water is pumped from ^{well} 48 feet ^{deep} through a ~~under~~ ground line to canal where BOOSTER pump ~~delivers~~ ^{delivers} WATER to FIELDS.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. ELECT ^{MOTOR}	15hp	PC-9082-03-140	VERTI LINE ANKORA Pump	V77-86224

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	—	SE	SW	SE	21	4N	4W	CANYON	U.S.G.S. Map Lic. Pld to 1/4-1/4 only per permit

6. Place(s) of Use:

Indicate Method of Determination U.S.G.S. Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	4W	21															36	36	72
		22										4							4

76 AC.

Do not use this space

MICROFILMED

JAN 07 1991

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
MANOMETER ANNUNCIATOR		ANNUNCIATOR	9251-26 65	191125	6"	

2. Measurements:

13.8 Low	24.9 HIGH	11.1"	Ann. taken from
9.8	20.9	11.1"	Manometer Ann. No.
			changes in Reading.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

ANNUNCIATOR

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 48' ft (2)

Total Head: (1) + (2) = 48' (3)

: Flow rate: 1.002 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 5.465 (5)

Meter Input KW: 3.6 x 37.6 KH x 1 CTR or 1 MULT x 1 PTR x 1 N/ 6.7 T = 3095 (6)

Meter Input HP: (6) x 1.34 = 41.47 (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)

Panel Input HP: (6) x 1.34 = (7)

Efficiency: (5)/(7) x 100 = %

meter type: WA-665

meter no. 57 750 058

box 2150

12-4/2150 for 12-4/2150

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = 1/6 x 4.5 = 342 AFA

V_{D.R.} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = 1.002 x 245 x 1.9835 = 486.0 AFA

V = Smaller of V_{I.R.} and V_{D.R.} = 342 AFA

2. Volume Calculations for Other Uses:

MICROFILMED

JAN 07 1991

322-2030
Steve Gammone
IDA, Power

5/16/90

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlap exists for Point of Diversion.

Woods Irrigation District is also used at the site.

Pump Diversion 1.002 cfs

PAID for 1.2 cfs on 77 acres.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~Domestic~~	~~1/1~~	~~10/31~~	~~0.00 cfs~~	~~0.00~~
IRRIGATION	4/1	11/1	1.00 cfs	342 afa
	3/15	11/15		
	5% per permit			
Totals:			1.00 cfs	342 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

RANDALL J. PIAFF

Signature

Randy Piaff

Certification Date


Field Report Preparation Date

7/28/88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

11-6-90




MICROFILMED


JAN 07 1991


63-08640

T4N R4W sec 21, 22

8640-21 4 N 4 W.







63-0864 R.5W.
T.4N R.4W
S.21 & S.22

Enlargement

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Randy Platt

Date 7/21/88

Owner: Dan Comfort

Permit No. 63-8640

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Pump Delivers water to Concrete Ditch Approximately
80 feet from Pump.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 6''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6

State ID No. 091406

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	<u>3.75</u>
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 21.9"

Low Reading = 10.8

High - Low = H = 11.1"

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(6'')^2 \cdot (\sqrt{11.1}) \cdot (3.75)}{448.8} = 1.002 \text{ cfs}$$

SKETCH (If not shown on Field Report)

MICROFILMED

JAN 07 1991

Pump Efficiency DATA:

Total Head: 48'

Nameplate HP = 15hp

Flow Rate: 100 cfs

$$\text{Water HP} = \frac{48 \times 1.0}{8.8} = 5.465$$

Meter Input KW:

$$\text{w/ Booster pump} \quad \frac{3.6 \times 57.6 \times 1}{6.7} = 30.95$$

1 Rev/6.7 sec

$$\text{Booster Pump} \quad \frac{3.6 \times 57.6 \times 1}{21} = 9.87$$

1 Rev/21 sec

$$\text{Difference (well pump)} \quad 30.95 - 9.87 = 21.08 \text{ KW}$$


$$\text{Meter Input HP} = 21.08 \times 1.34 = 28.25$$

$$\text{efficiency} = \frac{5.465}{28.25} \times 100 = \underline{\underline{19\%}}$$

Note: Since the Deep well AND Booster pump were operating at the time of Flow measurement, it was necessary to measure the Booster Pumps Meter Input KW to reflect the Power consumption due to just the Deep well Pump.

MICROFILMED

JAN 07 1991



POINT OF DISCHARGE



← CONCRETE
LINED
DITCH

THE...

↑ MR Comfort's foot IS
ON 6" DISCHARGE LINE
FROM PUMP



Place of Use Westerly view from Booster Pump.



Place of Use. NNE view from Road
Alena Main line
East of House

REPRODUCED

4/86

RECEIVED

SEP 03 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

DEC 17 1987

Department of Water Resources

Office Use Only

Fee Received 125Date 9/14/87Receipt # 43914Receipt by [Signature]Sent to S.O. [Signature]

KEYPUNCHED

1. Permit No. 63-8640

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Donall and Marilyn Comfort3. Post Office Address: Rental Box 186 Caldwell, Idaho 83605Telephone No. (208) 459-48614. Source of Water: Well

5. Extent of Use:

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)Irrigation 77 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 1.2 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1977

8. Person to contact to accompany the department representative examination:

Donall Comfort or Robert Comfort
(Name)

JAN 67 1987

Rt 6 Box 186 Caldwell, Idaho 83605
(Address)(208) 459-4861
(Telephone Number)☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date _____

Donall Comfort - owner
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

Department of Water Resources
2735 Airport Way
Borah, Idaho

Callwell Idaho
Aug 26 1987
RECEIVED
SEP 03 1987

Department of Water Resources
Western Regional Office

Dear Sir:

Enclosed find a check for \$125.00 for
examination fee of our irrigation well.

We are paying this under protest because
when we paid application fee in March of 1977
we were told it would be inspected and a
permanent permit issued within 5 years.
We feel you didn't keep your end of the deal.

We received a letter in 1978 which state
we should install a weir for measurement of
the water so we spent the money for a weir.

In Jan of 1981 we received a letter that
told us the weir was no longer acceptable
Now we should install access ports
But in 1981 we still haven't been
inspected.

Then in 1986, almost 10 years after
the application date we received a letter
to send another fee.

JAN 07 1987

Donald Comfitt

1216 Box 186

Callwell, Idaho 83605



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

63-8640
COMFORT, DONALD
COMFORT, MARILYN
RT. 6 BOX 136
CALDWELL, ID 83605

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

JAN 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

63-8640
COMFORT, DELANEY
COMFORT, MARTLYN
ET. AL BOX 130
CALDWELL, ID 83405

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

JAN 17 1987

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

63-8640
COMFORT, DONALD
COMFORT, MARILYN
RT. 6 BOX 136
CALDWELL, ID 83605

138811

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, nor can you change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

RECEIVED

JAN 6 7 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED
JAN 10 1981

JAN 10 1981

WRD417

WATER RIGHTS PROOF READING REPORT

05/16/85

PAGE 1

WATER RIGHT NUMBER 63-8640

OWNER LAST NAME - COMFORT

FIRST NAME - DONALD

ORIG OWNER -

OWNER LAST NAME - COMFORT

FIRST NAME - MARILYN

ORIG OWNER -

ADDRESS LINE 1 - RT. 6

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - CALDWELL

STATE - ID ZIP CODE - 83605

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - PERMIT

STATUS -

PRIORITY - 04-01-1977 COUNTY - CANYON

TOTAL DIV. RATE - 1.2000 -CFS

TOTAL DIV. VOLUME -

.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSE 21 04N 04W LOT

REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE -

1.2000

CFS

USE DIV. VOLUME -

.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 04W SEC 22 TRACT SWSW LOT AC 04

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 04W SEC 21 TRACT SWSE LOT AC 36 TRACT SESE LOT AC 36

DECREE NAME -

DATE -

TOTAL ACRES 76

REMARKS - REINSTATED 5-19-1982.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - WILDER IRR. DIST.

PROOF DUE - 05-01-1982 PERMIT/DENIED - 05-09-1977 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - 03A 01B

DIVERSION MEANS - WELL, PUMP & DITCH.

VERIFIED FE



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

December 7, 1982

Donald &/or Marilyn Comfort
Route #6 P.O. Box 186
Caldwell, Idaho 83605

Re: 63-8640

Dear Mr. and Mrs. Comfort:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-8640

Name(s) of Permit Holder: Donald or Marilyn Cornfoot

Post Office Address: RT 6 Box 186

Caldwell Idaho 83601 Tel. No. 459-4861

Source of Water: Well

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	(acres)
☐ Other	

Measuring Device: Wier

Required?	☐ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	☒ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-29-82
Date

Donald Cornfoot
Signature of Permit Holder


Donall Corbett

Rt 6 Box 86

Chubbuck Idaho



83605



RECEIVED

MAY 1992



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DELETED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138365

COMFORT, DONALD & MARILYN
RT. 6
CALDWELL, ID 83605

FEBRUARY 28, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8640 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

May 11, 1977

Re: Permit No. 63-8640

Donald &/or Marilyn Comfort
Route #6
Caldwell, ID 83605

Dear Mr. and Mrs. Comfort:

Enclosed is a copy of your approved Application for Permit No. 63-8640. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8640

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) WAM 3-31-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) WAM 3-31-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels: no close obs wells

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

cat Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) rf OK

Affidavit of Publication received(date) 5-2-77

(12) _____

Final date for protests 5-2-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By JLS

Date 5-3-77

Supplemental



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 8, 1977

RE: SEE ATTACHED SHEET

New-Tribune
P. O. Box 1179
Caldwell, ID 83605

63-8640

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 2, 1977.

Sincerely,

RECEIVED

Bill submitted
5-2-77
y

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that DONALD &/or MARILYN COMFORT
RT. 8, Caldwell, ID
has on March 30, 1977 submitted Application No. 63-8640
for a permit to appropriate 1.2 cubic feet per second ~~xxxxxx feet~~
~~per annum~~ of water from a groundwater source
by means of well, pump, & concrete ditch.
within the SW, SE, Sec 21 T4N-R4W B.M., Canyon County

to be used from Mar 15 to Nov 15
for the irrigation of 76 acres

within the ~~SW, SE, Sec 21 T4N-R4W B.M.~~ SW, SE, Sec 21; SW, SW, Sec 22;
T4N-R4W B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before May 2, 1977.

C. STEPHEN ALLRED

~~Acting~~ Director

Published in the News-Tribune, Caldwell, ID 83605
April 14, 1977 and April 21, 1977.