


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stewart Farms Inc
(Applicant)
By J. J. Stewart
Vice - President

AFFIDAVIT OF PUBLICATION

RECEIVED
APR 11 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

Verla Harker

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 31; April 7, 1977

OK
4-18-77
jy

Verla Harker

Subscribed and sworn to before me this _____

19 77 7th day of April

Adam D. Kew

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Stewart Farms, Inc. Rt. 3, Nampa, ID has on March 22, 1977 submitted Application No. 63-8606 for a permit to appropriate 4.0 cubic feet per second of water from a groundwater source by means of pump and ditches within the NE 1/4 SE 1/4 NW 1/4 SE 1/4 Sec 19 T2N-R1W B.M. Canyon County to be used from April 1 to Oct. 15 for irrigation of 240 acres within the W 1/2 NE 1/4 E 1/2 NW 1/4 N 1/2 SE 1/4 Sec 19 T2N-R1W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before April 18, 1977.

C. STEPHEN ALLRED
Acting Director
March 31; April 7, 1977

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8606 Priority March 22, 1977 Amount 4.0 cfs

THIS IS TO CERTIFY, that Stewart Farms, Inc.
of Nampa, Idaho, has complied with the terms and conditions of Permit
No. 63-8606 issued pursuant to Application for Permit dated March 22, 1977,
and has submitted proof to the Department of Water Resources on April 23, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.78 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from March 15 to November 15</u>	<u>at 4.0 cfs</u>	<u>and 938.3 acre feet</u>
_____	<u>from _____ to _____</u>	<u>at _____ cfs</u>	<u>and _____</u>
_____	<u>from _____ to _____</u>	<u>at _____ cfs</u>	<u>and _____</u>

(both dates inclusive)

Subject, however, to the condition that no more than 4.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
938.3 acre feet per year, said waters to be diverted within the (2 points) NE $\frac{1}{4}$ SE $\frac{1}{4}$
Section 19, Twp 2N, Rge 1W in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2N	1W	19	37	38		25			37						35	37			209

Total number of acres irrigated 209

Acres actually irrigated = 208.5

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 4.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 4TH day of

APRIL, 19 84.

Acting for the Director

Norman C Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8606

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau

RECEIVED

Identification No. _____

Application No. 63 8606

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Stewart Farms, Inc. Phone: 466-6996
post office address Route 3, Box 3638 Nampa, ID
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 2N
Range 1W B.M. Canyon County; additional points of diversion if any: _____
NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 19 T2N-R1W B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4 for irrigation purpose from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
pumped into our present irrigation system (ditches)
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 12,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1 W	19		40	40		40			40					40	40			240

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above.

Present water comes from Boise-Kuna irrigation district


9. a. Who owns the property at the point of diversion Applicant- Stewart Farms, Inc.

b. Who owns the land to be irrigated or place of use Stewart Farms, J. A. & J. J. Stewart

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This well is to be used for supplementary purposes in the event the Boise-Kuna Irrigation District cannot deliver the normal flow of water.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stewart Farms Inc
(Applicant)
By J. J. Stewart
Vice - President

Proposed Priority 3/22/77

Received by WJ Date 3-22-77 Time 11:35am

Preliminary check by WJ Fee \$ 55.00

Received by WJ Date 3-22-77 # 7048

Publication prepared by CS Date 3-24-77

Published in Idaho Free Press

Publication dates 3-31-77 & 4-7-77

Publication approved WJ Date 4-18-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8606, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.

c. Other: Measuring devices of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 11 day of May, 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) SS.
County of Canyon.)

Verla Harker

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 31; April 7, 1977

Verla Harker

Subscribed and sworn to before me this _____

19 77 ^{7th} day of April,

Adam D. Kato

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

Notice is hereby given that Stewart Farms, Inc. Rt. 3, Nampa, ID has on March 22, 1977 submitted Application No. 63-8606 for a permit to appropriate 4.0 cubic feet per second of water from a groundwater source by means of pump and ditches within the NE 1/4 SE 1/4 NW 1/4 Sec 19 T2N R1W B.M. Canyon County to be used from April 1 to Oct. 15 for irrigation of 240 acres within the W 1/2 NE 1/4 E 1/2 NW 1/4 N 1/2 SE 1/4 Sec 19 T2N R1W B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before April 18, 1977.

C. STEPHEN ALLRED

OK
4-18-77
[Signature]

RECEIVED
APR 18 1977
CLERK OF DISTRICT COURT
IDAHO

WRD417

WATER RIGHTS PROOF READING REPORT

05/21/85

PAGE 1

WATER RIGHT NUMBER 63-8606

OWNER LAST NAME - STEWART FARMS INC.

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 - RT. 3 BOX 3638

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - NAMPA

STATE - ID ZIP CODE - 83651

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 03-22-1977 COUNTY - CANYON

TOTAL DIV. RATE - 4.0000 -CFS

TOTAL DIV. VOLUME - 938.30 AFA TRFR/AMEND -

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - NESE 19 02N 01W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - 4.0000 CFS USE DIV. VOLUME - 938.30 AFA

USE - IRRIGATION

PLACE OF USE - TWN 02N RNG 01W SEC 19	TRACT NWNE LOT	AC 37	TRACT SWNE LOT	AC 38
	TRACT NENW LOT	AC 25	TRACT SENW LOT	AC 37
	TRACT NESE LOT	AC 35	TRACT NWSE LOT	AC 37
DATE -			TOTAL ACRES	209

DECREE NAME -

REMARKS - 2 P/D IN NESE, SEC. 19, T02N, R01W.

AC. ACTUALLY IRR. = 209.5.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - BOISE-KUNA IRR. DIST.

PROOF DUE - 05-01-1982 PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL - R27

DIVERSION MEANS - PUMP & DITCHES.

VERIFIED PE

April 5, 1984

RE: Permit No. 63-8606

Stewart Farms, Inc.
Rt. 3, Box 3638
Nampa, ID 83651

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

March 14, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 63-8606

Stewart Farms, Inc.
Rt. 3, Box 3638
Nampa, ID 83651

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-8606, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 4.0 cfs Source: groundwater

The maximum quantity diverted shall not exceed 938.3 acre feet per year.

Point(s) of diversion: (2 points) NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 19, Twp 2N, Rge 1W

Beneficial Use: Irrigation of 208.5 acres within NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, Twp 2N, Rge 1W

Priority date established: March 22, 1977

Conditions (if any): This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

RECEIVED
MAR 16 1984
WATER RESOURCES
DIVISION

INTER-DEPARTMENT MEMO — 1

FROM Kay Walker

DATE 2/28/84

TO File 63-8606

SUBJECT field exam measurement #2.

Per discussion with Lee Sisco & Jan Grover it was determined that on the measurement for p/d #2 that Carl Morris (examiner) measured 0.14' feet prior to the pump being turned on and the 0.40' feet after pump was running. Therefore, that's how he got the $2.98 - .62 = 2.36$ cps determination.

OVER

Kay

SIGNATURE

@ 0.14' in head

$$3' \text{ weir} = 0.528 \text{ cfs}$$

$$4' \text{ weir} = 0.706 \text{ cfs}$$

$$\underline{\hspace{1cm}} \\ 0.178 \text{ difference}$$

$$\frac{1}{2} = 0.089$$

$$\begin{array}{r} 0.528 \\ + 0.089 \\ \hline 0.617 \end{array}$$

$$\begin{array}{r} .706 \\ - .089 \\ \hline .617 \end{array}$$

$$= 0.62 \text{ cfs} \text{ \#2 measurement}$$

@ .40' in head

$$3' \text{ weir} = 2.53 \text{ cfs}$$

$$4' \text{ weir} = 3.36 \text{ cfs}$$

$$\underline{\hspace{1cm}} \\ 0.83 \text{ difference}$$

$$\frac{1}{2} = 0.415$$

$$\begin{array}{r} 2.53 \\ + 0.415 \\ \hline 2.945 \end{array}$$

$$\begin{array}{r} 3.36 \\ - 0.415 \\ \hline 2.945 \end{array}$$

$$= 2.95 \text{ cfs}$$

#2 measurement

$$2.95 - 0.62 = 2.33 \text{ cfs for \#2 diversion.}$$

MEASURED

Flowmeter

Stewart Farms, Inc.

PD: WSE, S. 19

+ 2N, R 1W

irrig. - 240 acres.

State of Idaho

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

8:30 AM

turn south on STA 7 miles
DEER FLAT west $\frac{1}{2}$ mile

first southside

63-8606

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	4/29/81	h/h	no appt. made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 4 June 1981 Accompanied by MR. Stewart Total Q measured 4.81 4.78 cfs

If source is surface water, estimate total flow of source

Methods of measurement Flow meter / Cipolletti well Meets Permit requirements? yes

Measurement calculations:

#1 ~~Flow~~ From Flow meter = 2.95 CFS
#2 .14' 3.5' Cipolletti = .62 CFS
.40' " " " " " " = 2.98 CFS
2.98 - .62 = 2.36 CFS
2.33 cfs
2.95 + 2.33 = 4.78 cfs
2.45 + 2.36 = 4.81 cfs
4.5 x 208.5 = 938.25

(see memo of 2/28/84 - kw)

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	10	U.S. Motor	2216541	Vert Line	29614	McCrone 481 & 831	good	
	15			Vert Line		Weir	acceptable	3.5' Cipolletti

System Description Pumps into gravity irrigation system into re-lift pond

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 4.5 AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

irrigation4.17938.253/154/15Allow 4.0 cfs - per permit4.0938.34.0938.3

Total

4.17938.25Remarks 45 from canal & cipolletti#2 .14 3.5' Cipolletti From ditch.40 TOTAL315' deep BOWLS @ 120'

The water goes into concrete ditch system, waste water is stored in pond and re-lifted so little if any water is wasted.

Applicants came in to file on extra water to cover the area not covered by this permit

MAP (Attach Aerial Photo)

MICROFILMED

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE SE 519 2N 2W ✓

Place(s) of Use ✓ Less Acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1W	19		37	38		25			37					39.5	37			208.5 ✓


Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Carl E. Mann
 Date 5 June 1982

Checked by 665
 Date 4/23/82

Approved by 665 Ray Walker
 Date 4/23/82 2-28-84



Overlap Review for 63-8606

per permit: Boise-Kuna cr. district -
Recommend R16 (4.5)

per micro-fische 2/28/84:

p/d - 63-9743 gw

p/u - none

63-9743 - permit, exam not completed yet -
no overlap

kw



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 25, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

April 29, 1981

Stewart Farms, Inc.
Rt. 3, Box 3638
Naupa, Idaho 83651

RE: Permit No. 63-8606

Dear Gentlemen:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit
holder(s) has completed development to the extent shown below of Permit No. 63-8606

Name(s) of Permit Holder: Stewart Farms, Inc.

Post Office Address: Route 3, Box 3638

Nampa, ID Tel. No. 466-6996

Source of Water: Groundwater

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>240</u>	(acres)
☐ Other	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Apr. 23, 1981

Date

J. A. Stewart Pres.
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

APR 23 1981

RECEIVED

Department of Water Resources

IDENT. NO. 63-8606

WATER RIGHT
DATA ENTRY LOG

Initials	Date	Item
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
D.W.	9.11.79 4/10/84	LP License update

May 13, 1977

Re: Permit No. 63-8606

Stewart Farms, Inc.
Route #3, Box 3638
Nampa, ID 83651

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8606 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit



DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8606

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WAM 3-22-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) WAM 3-22-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels: no close obs well

_____ Declining, _____ Stable, _____ Increasing

(comment) Depth to water 8 mi west $\approx$ 250'

(9) _____

ok Other rights on the same place of use none
platted

(10) _____

Comments: _____

(11) rf OK

Affidavit of Publication received (date) 4-18-77

(12) D _____

Final date for protests 4-18-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device S required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By JJA

Date 4-19-77

Microfilm
supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 29, 1977

J. J. Stewart
Stewart Farms, Inc.
Route 3, Box 3638
Nampa, ID 83651

Dear Mr. Stewart:

Enclosed is your Receipt No. 6-7048 in the amount of \$ 55.00
for Application for Permit No. 63-8606 which was received in
this office on March 22, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 25, 1977

Re: Notice of Application for Water Permit No. 63-8603 - Harlan &/or Emma
Buckholder
63-8606 - Stewart Farms, Inc.

Idaho Free Press
P. O. Box 88
Nampa, ID 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before April 18, 1977.

Sincerely,

Bill submitted
4-18-77
ry

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stewart Farms, Inc.
Rt. 3, Nampa, ID
has on March 22, 1977 submitted Application No. 63-8606
for a permit to appropriate 4.0 cubic feet per second ~~XXXXXXXXXX~~
~~XXXXXXXXXX~~ of water from a groundwater source
by means of pump and ditches
within the ~~XXXXXXXXXXXX~~ NE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 19 T2N-R1W B.M. Canyon County

to be used from Apr 1 to Oct 15
for irrigation of 240 acres

within the W $\frac{1}{2}$ NE $\frac{1}{4}$ E $\frac{1}{2}$ NW $\frac{1}{4}$ N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 19 T2N-R1W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before April 18, 1977.

~~XXXXXXXXXXXXXXXXXXXX~~ C. STEPHEN ALLRED
~~XXXXXXXXXX~~ Acting Director

Published in the Idaho Free Press, Nampa, ID
March 31, 1977 and April 7, 1977

RECEIVED
MAY 1 1977
IDAHO DEPARTMENT OF
WATER RESOURCES
BOISE, IDAHO



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 16, 1977

Re: Application for Permit

Stewart Farms, Inc.
c/o J. J. Stewart
Route 3, Box 3638
Nampa, ID 83672

Dear Mr. Stewart:

We have taken the liberty of re-typing your application for permit to appropriate groundwater. We have completed it as nearly as we can from your letter and application.

We are enclosing this application for your review and signature. Please make any changes on the application and return it to us along with a \$55.00 filing fee.

If we can be of further assistance, please contact this office.

Sincerely,

Robert W. Hamilton
ROBERT W. HAMILTON,
Supervisor of Water Distribution

RWH:rf

Enc.

UNRECORDED

*Thank you very kindly - We
appreciate your help
Mr. Stewart*

*Only correction necessary is this well is in Canyon
county -*

March 16, 1977

Re: Application for Permit

Stewart Farms, Inc.
c/o J. J. Stewart
Route 3, Box 3638
Nampa, ID 83672

Dear Mr. Stewart:

We have taken the liberty of re-typing your application for permit to appropriate groundwater. We have completed it as nearly as we can from your letter and application.

We are enclosing this application for your review and signature. Please make any changes on the application and return it to us along with a \$55.00 filing fee.

If we can be of further assistance, please contact this office.

Sincerely,


ROBERT W. HAMILTON,
Supervisor of Water Distribution

RWH:rf

Enc.

NOTED

I do not understand how to Fill in No. 8B AND HAVE TRIED VERY UNSUCCESSFULLY TO GIVE THE INFORMATION TO THIS QUESTION AT THE BOTTOM OF THE REMARKS COLUMN. LET ME TRY TO EXPLAIN WITH LITTLE CONFUSION AS POSSIBLE WHAT I'VE DONE.



SEC 19-2-1
W 1/2 NE
SEC 19-2-1
W 1/2 NE
SEC 19-2-1
LT 2 SE, NW, NE, NW

THE AREA LINED IN RED IS THE TOTAL LAYOUT OF OUR PROPERTY (360 ACRES), THE SQUARE REPRESENTING 1 sq. mile SECTION. THE * MARKS THE POINT OF DIVERSION. I HAVE LISTED THE SECTION NO. AND DESCRIPTION, BUT DO NOT UNDERSTAND IT. ON APPLICATION SHEET I LISTED THEM AS NAMES AND SECTIONS AS WE PURCHASED THEM. QUESTION NO. 11 WANTED TO KNOW

RECEIVED

the point of diversion (marked with an X) AND WHERE THE WATER IS TO BE USED. USING THE NAMES OF SECTIONS, THE EVANS AND HOME PLACE OUT OF OUR INTIRE 320 ACRES WILL BE THE ONLY GROUND IRRIGATED BY THE WELL. THE 80 ACRES CALLED THE ROAST PLACE WILL NOT BE IRRIGATED WITH THE WELL.

I truly hope this helps clear up what I've done. PLEASE NOTIFY US IF THERE ARE FURTHER QUESTIONS

Thank you

Mrs. J.J. STEWART

RECEIVED
JAN 10 1964
FBI