



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Coop
(applicant)



PERMIT 63-8548 INIT KKC
T. R. S. Q/Q
P/D 5N 4W 24 NE/NE
SCALE W-54 PARMA, SE

AND REEVE
JUN 11 2002

13 IS 1987 flight

13 18
24 19

T1645

PICTURE # 1
LOCATION # 2

P/D

T2088

SEE
J-5

T1083

PICTURE # 3
LOCATION # 4

T1122

3 WHEEL
LINES

8" LINE
ON THE
SURFACE

T1675

T1886

T1797

T1776

MICROFILM
JUN 11 2002

24 19
25 30

This picture shows the well and two pumps. The booster pump was only used once and the use caused too great of pressure therefore it is no longer used nor is it planned to be used in the future. This picture is looking southeast across a portion of the P/U. The main line is buried for about 3/8ths of a mile and then is on the surface to the south end of the P/U.



MICROFILMED

JUN 11 2002

PERMIT 63-8548

PICTURE # 2

This picture set shows the P/U and is looking south from the P/D. Barely visible is the wheel lines shown in picture # 4. The wheel lines are in the southern most field covered by this right.



MICROFILMED

JUL 1 2002

PERMIT 63-8548

PICTURE # 3

This picture is looking northeast toward the P/D. This picture and picture # 4 also identify the 4.5 acres that are in the SE/NE which requires an amendment.

P/D



PICTURE # 4

This picture was taken from the same spot as picture # 3 but is looking southeast. This picture shows three wheel lines operating on the southern end of the P/U. The harvested field to the right of the raised road is not a portion of the P/U but the weedy area in the left foreground is.



MICROFILMED
JUN 11 2002



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

(Office at the corner of
Franklin and Cole Roads)

(208) 384-2190

August 5, 1979

James Coop
Route #5, Box 5064
Caldwell, ID 83605

RE: Permit No. 63-8548

Dear Mr. Coop:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Friday, August 24th at 10:00 am

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker

Kay Walker
Secretary

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

NOTICE OF PUBLICATION
WATER PERMIT

Notice is hereby given that JAMES COOP, Route 5, Caldwell, Idaho has on March 7, 1977 submitted Application No. 63-254 for a permit to appropriate 2.2 cubic feet per second of water from a groundwater source by means of well, pump & pipeline within the NE1/4 Sec. 24, T3N-R4W, S4M, Canyon County to be used from March 15 to Nov. 15 for irrigation of 125 acres within the NE1/4, NW1/4 Sec. 24 T3N-R4W, S4M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 4, 1977.

R. NEITH HIGGINSON
Director

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 17, 24, 1977

Verla Harker

Subscribed and sworn to before me this

19 77 24th day of March

Adam O. Law
Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-08548

Priority: October 13, 1980

Maximum Diversion Rate: 2.14 CFS

It is hereby certified that EDWARD M GOODSON
22670 GOODSON RD
PARMA ID 83660-6738 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated February 24, 1977; and has
submitted Proof of Beneficial Use on July 03, 1979. An examination indicates that the works have a
diversion capacity of 2.58 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

DIVERSION RATE

2.14 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24, Twp 05N, Rge 04W, B.M., CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N 04W 24		16.0	38.0	2.0			4.0						11.0	36.0			107.0

Total Acres: 107

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 482 af at the field headgate for the lands above.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
3. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
4. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-08548

5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 7th day of JUNE, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED

JUN 11 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08548

RECEIVED

JUN - 5 2002

Department of Water Resources

Date of Priority: October 13, 1980

Maximum Diversion Rate:

2.14 CFS

Maximum Diversion Volume:

482.0 AF

Comes now EDWARD M GOODSON
19736 GALLOWAY RD

CALDWELL ID 83605 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-08548, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	2.14 CFS	482.0 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW¼NE¼ Sec. 24, Twp 05N, Rge 04W, B.M., CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N 04W 24	16.0	38.0	2.0				4.0						11.0	36.0			107.0

Total Acres: 107

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 5 day of June, 2002

E. M. Goodson
(Signature)

MICROFILMED

JUN 11 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08548

FOR DEPARTMENT USE ONLY
Preliminary check by KW Fee = \$50.00 Receipted by jm # C062464 Date 6/5/02

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-08548 with the following:

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 482 af at the field headgate for the lands above.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
3. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
4. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

Witness my hand this 7TH day of June, 2002.


Acting for KARL J. DREHER
Director

MICROFILMED

JUN 11 2002

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF PERMIT)
NO. 63-08548 IN THE NAME OF)
EDWARD M. GOODSON)
_____)

**ORDER CHANGING MEASURING
DEVICE REQUIREMENT**

This matter having come before the Department of Water Resources ("Department") to remove a measuring device requirement, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On April 26, 1977, the Department issued Permit 63-08548 ("permit") to James Coop with a condition of approval requiring the installation of a measuring device as part of the diversion works.
2. On May 16, 1986, the Department received an assignment of permit changing the ownership of the permit to E. M. Goodson ("permit holder").
3. On May 9, 2002, the Department reviewed the permit for licensing purposes and determined that the measuring device condition was not applicable for the water use.
4. Installation of a measuring device for the permit is not necessary at this time but may be necessary in the future.

CONCLUSIONS OF LAW

1. Beneficial Use Examination Rule 35.02.d. (IDAPA 37.03.02.35.02.d.) provides for the waiver of a measuring device requirement by the Department.
2. The Department should waive the measuring device requirement until such time it is necessary for regulation of the water right by the watermaster.

ORDER

IT IS THEREFORE HEREBY ORDERED as follows:

The condition of permit approval that requires the permanent installation and maintenance of a measuring device as part of the diversion works for the permit, is **MODIFIED** to read as follows:

MICROFILMED

JUN 11 2002

"Upon specific notification by the Department, the right holder shall install a measuring device and lockable controlling works of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion."

Dated this 9th day of May, 2002.


L. GLEN SAXTON, P.E.
Chief, Water Allocation Bureau

MICROFILMED

JUN 11 2002

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 63-8548 IN THE NAME OF
E.M. GOODSON

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-8548 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-8548 to appropriate the public waters of the State of Idaho with a proposed priority of FEBRUARY 24, 1977.
2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

MAR 13 1990

4. The license examination fee was received on
FEBRUARY 15, 1990, 1326 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-8548 should be advanced 1326 day(s).


ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 63-8548 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-8548 is advanced to OCTOBER 13, 1980.

Dated this 28th day of February, 1990.

J. Shw Saylor
Chief, Water Allocation Bureau



WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	63-8548	Coop, James	2.7
Full Assignment	63-8548	Goodson, E. M.	2.7

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, JAMES COOP, hereby assign to E M Goodson
of Rt 5 Caldwell Idaho
Address

CHECK ONE

- ☒ All my right, title, and interest in and to Permit No. 63-8548
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 14 day of May, 19 86.

James Coop
Permit Holder

Erdene Coop
Spouse of Permit Holder

State of Idaho)
County of Anderson) ss.

On this 15th day of May, 19 86, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Charles E. Harris Jr.
Notary Public residing at
Caldwell, Idaho

My commission expires:

Lifetime

RECEIVED
MAY 13 1986

Department of Water Resources
Caldwell, Idaho

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit no. 63-8548

Name(s) of Permit Holder: James Coop

Post Office Address: Rt 5 Box 15064

Caldwell Idaho 83605

Source of Water: Deep well

Extent of Use: ☐ Domestic (number of households)

☐ Stockwater (number and type of stock)

☒ Irrigation (acres) 110

☐ Other


Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/2/79
Date

James Coop
Signature of Permit Holder



Identification No. _____
Application No. 63-8548

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant James Coop Phone: 459-7012
post office address Route 5, Caldwell, Idaho 83605
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 24 Township 5N
Range 4W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.7 cfs for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.7 cfs cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 500 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 53,000.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water: _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4W	24	5	20	40	15									15	40			135

Total number of acres to be irrigated 135

c. Describe any other water rights used for the same purposes as described above.

Black Canyon Irrigation District


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Coop
(Applicant)

Proposed Priority 2/24/77

GLS 3/7/77 10:30AM

Received by S Date 2/24/77 Time 1:30 pm

Preliminary check by LS Fee \$ 45.00 # 6777

Received by GLS Date 3/7/77

Publication prepared by ip Date 3/10/77

Published in Idaho Tribune - Caldwell

Publication dates March 17 & March 24, 1977

Publication approved ip Date 4-4-77

Priority reduced to 1 Reason _____

Protests filed by: _____

Copies of protests forwarded by: _____

Hearing held by: _____ Date: _____

Recommended for approval denial by MSR

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8548, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 26 day of April, 19 77.


Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 11, 2002

EDWARD M GOODSON
22670 GOODSON RD
PARMA ID 83660-6738

RE: License No. 63-8548 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

JUN 11 2002

CERTIFICATE OF SERVICE

I hereby certify that on June 11, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-8548

**EDWARD M GOODSON
22670 GOODSON RD
PARMA ID 83660-6738**


**Kari Lynn Townsend
Secretary**

**MICROFILMED
JUN 11 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JUN 11 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 11 2002

RECEIVED

JUN - 5 2002

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

CHANGE IN ADDRESS

This form can be used to notify the Department of a change in
address of the owners of record for the listed water rights.
(Please print or type)

[] Water Right Number(s): 63-8548

[] Name(s): EDWARD M GOODSON

[] Old Mailing Address: 19736 GALLOWAY RD
CALDWELL ID 83605

[] New Mailing Address: 22670 GOODSON RD
PARMA ID 83660-6738

Telephone Number

(208) 722-5578

[] Signature(s) of Owner(s) E. M. Goodson

(Include your title if on behalf of company or organization)

Date:

6/5/02

NOT RECORDED
JUN 11 2002

database updated - Ket - 6.6.02



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 3, 2002

EDWARD M GOODSON
22670 GOODSON RD
PARMA ID 83660-6738

RE: Water Right Permit 35-07060

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed. I have not yet received the amendment. If I do not receive it within **10 days**, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Please note that there is a **\$50.00** filing fee for this amendment. A copy of the Application for Amendment is enclosed for your convenience.

If you have any questions regarding this matter, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

MICROFILMED

JUN 11 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

Re: Service Requested

Permit # 63-8548
Mail report to address
on yellow Postoffice
label. Address Change
form included.

Kari Lynn
5.15.02

RECEIVED

MAY 15 2002

Department of Water Resources

0000/36* 0300/2007 1001 05 05/13/02
RETURN TO SENDER
000050N: EDWARD
22070 000050N RD
PARMA ID 83660-6736
RETURN TO SENDER

CAAGTMS3356/0336

|||||

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 10, 2002

EDWARD M GOODSON
19736 GALLOWAY RD
CALDWELL ID 83605

RE: Water Right Permit No. 63-08548

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☒ Point of Diversion ☒ Place of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also enclosed, for your information, is an "Order Changing the Measuring Device Requirement" for this water right. If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosures

MICROFILMED

MAY 10 2002

Comment Report

63-8548

1. kwalker 5/8/2002 Place of Use

Comment: When I went into ArcView and Gisd this place of use I found the same number of acres recommended by the examiner but found different acreage amounts in the 40 acre tracts.

2. kwalker 5/8/2002 Measuring Device

Comment: This permit had a condition requiring a measuring device when issued. Since I did not know which condition to use on the license I went into the measuring device flow chart to see what was needed and found that we should use condition 01M (if this were a new application for permit). I have added condition due to the results of the measuring device flow chart. See order changing measuring device requirement in file.

MICROFILMED
JUN 11 2002

LICENSE REVIEW CHECKLIST

Permit No. 63-8548 Date: 5-8-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: Change

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 3.7 cfs

Fee Limit 3.0 cfs

Measured _____ cfs

Theoretical 3.58 cfs

Recommended Total Diversion Rate 2.14

Water Uses OK

Change (P46)

Season of Use per new Standards

3-1 11-15

Irrigation 2.14 cfs 482.0 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 2.14 cfs 482.0 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

≤1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

2.14 cfs x 1.9835 x 240 days = 1103.6 af (vs) 107 acres x 4.5 (FHR) = 481.5 af ~482.

3.5(con)

Remarks:

Additional Conditions

Watermaster Control

OK GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

yes-pending

Adjust memo

Ksee comment report

Amend Letters

P87, S06

Second Amendment Notice

P49

S06

[illegible]

RECEIVED

FEB 17 2001

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 19 1991

Form 216
6

RECEIVED

JUN 16 1994

WATER RESOURCES
DIVISION

A. GENERAL INFORMATION

Department of Water Resources

Permit No.

63-8348

Phone No.

459-4015

1. Owner: EM. GOODSONCurrent Address: 19736 GALLOWAY2. Accompanied by: SAMEEXAM. DATE: 7-26-90

Address: _____

Phone No. _____

Relationship to Permit Holder: OWNER3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH CO. ONLY☐ Copies Attached2. Other water rights with same point of diversion: NONE☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

MICROFILMED

JUN 11 2002

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS A 100HP PUMP AND A SMALLER CENTRIFUGAL PUMP TIED INTO AN 8" MAINLINE (BURIED) A 6" LINE TAP AT THE PUMPING STATION EXISTS TO CONNECT A HANDLINE (THIS LBS POINTS NORTH) (THE CENTRIFUGAL PUMP IS NOT OPERATIONAL USE 5GPM FLOW CONTROL TIPS ON 5 WHEEL LINES THE WHEEL LINES ARE > THAN 1/4 MI ON THE SOUTH END & LESS THAN THAT ON THE NORTH END.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
MAIN LIFT PUMP	GE	100	ENJ629-21	JOHNSON	8"
BOOSTER	US Motors		D-9604719-27	BERKELEY	7837642 (6")
IN OPERABLE					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			*	NE	24	5N	4W	CANYON	AERIAL PHOTO & ORTHO PHOTO
			↑						

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO.

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4W	24		16	37	1				5*					10	38			107
										↑									

* ASTERICK INDICATES AN AMENDMENT REQUIRED

MICROFILMED

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

NO MEASUREMENT MADE, THE SYSTEM IS CAPABLE OF PRODUCING GREATER THAN THE LEGAL VOLUME LIMIT. (SEE ATTACHMENT)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

107 ACRES x .02 = 2.14 allowable Q

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 107 \times 4.5 = 481.5$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.14 \times 246 \times 1.9835 = 1044.2$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 481.5$

2. Volume Calculations for Other Uses:

* CALCULATION USING THEORETICAL DIV. RATE
NO - use allowable rate here.

MICROFILMED

2013 1 2000

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE ONLY P/U OVERLAP IS WITH BLACK CANYON
IRRIGATION DISTRICT WATER.
NO P/D OVERLAP FOUND.

PERMIT = IRRIGATION OF 135A @ 2.7 CFS
FEES PAID FOR 3.00 CFS MAX

FOUND = IRRIGATION OF 107A AND 3.46 THEORETICAL
THEREFORE DIVERSION RATE
LEGAL LIMIT = AFA ONLY @ 481.5

- * Note name change as provided by assignment (in file)
- * Note Amendments.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	~~N/A~~ 2.14	481.5
Totals:			2.14	481.5

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above

- ☐ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN

CJH-23-91 Signature Kelly K. Christensen

Certification Date

Field Report Preparation Date 10-1-90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
1990

Permit No. 63-8548

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

- ✓ 107 AERIAL PHOTO ✓ 481.5
1.
$$\frac{110}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{495}{\text{AFA}}$$
 2.
$$\frac{(100) \text{ HP} * 8.8 * (.7) \text{ EFF}}{2.40 \text{ Dyn Level} + (2.3 * \{60\} \text{ PSI})} = \frac{3.46 \text{ CFS}}{\text{Theor. Div. Rate at 100'}}$$
 3.
$$\frac{3.46}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{1688}{\text{AFA}}$$

1258 Dynamic

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒

Calculation data sources:

Found acres = (AERIAL PHOTO)
HP = 100 HP PUMP 100 HP BOOSTER NOT USED
Dyn Level = 40' PER PERMIT HOLDER - PROBABLY Static level.
PSI = 60' SPRINKLER SYSTEM

MICROFILMED

JUN 1 2002

T. 6 N.

T. 5 N.

4850

6

PERMIT 63-8548 INIT KKC
T. R. S. Q/Q
P/D SW 4W 24 NE/NE
SCALE W-54 PARMA, SE

4849

47' 30"

4848

4847

18

4846

2556

4845

4844



13 IS 1987 flight

13 18 24 19

T1645

PICTURE # 1
LOCATION # 2

P/D

T2088

2
12.0

3
52.9

T1083

SEE
J-5

PICTURE # 3
LOCATION # 4

3
25.4

2
14.6

T1122

3 WHEEL
LEADS 2

8" LINE
ON THE
SURFACE

1
44.5

5
45.4

2
5.5

5
10.8

MICRO

JUN 1 1987

8
7.8

9
1.5

6
18.5

4
15.8

5
6.2

6
15.7

24 19

T1886

1
5.5

14.6

3
10.4

T1776

51.4

This picture shows the well and two pumps. The booster pump was only used once and the use caused too great of pressure therefore it is no longer used nor is it planned to be used in the future. This picture is looking southeast across a portion of the P/U. The main line is buried for about 3/8ths of a mile and then is on the surface to the south end of the P/U.




MICROFILMED

APR 11 2002

PERMIT 63-8548

PICTURE # 2

This picture set shows the P/U and is looking south from the P/D. Barely visible is the wheel lines shown in picture # 4. The wheel lines are in the southern most field covered by this right.



PERMIT 63-8548

PICTURE # 3

This picture is looking northeast toward the P/D. This picture and picture # 4 also identify the 4.5 acres that are in the SE/NE which requires an amendment.

P/D



PICTURE # 4

This picture was taken from the same spot as picture # 3 but is looking southeast. This picture shows three wheel lines operating on the southern end of the P/U. The harvested field to the right of the raised road is not a portion of the P/U but the weedy area in the left foreground is.



MICROFILMED
JAN 1 1969

Walker, Kay

From: Walker, Kay
Sent: Wednesday, October 04, 2000 10:32 AM
To: Shurte, Jan
Subject: RE: Licensing of 63-08548

Hi, Jan... I pulled the file and the original exam is not in there. It was returned to Western in 1994 because they had not filed a claim in the SRBA. I know that's not the region's problem now so if you can locate the original exam and get it sent over I'll pursue licensing. Have a good day!! Kay

-----Original Message-----

From: Shurte, Jan
Sent: Wednesday, October 04, 2000 9:54 AM
To: Walker, Kay
Subject: Licensing of 63-08548

Hi Kay - I received a request for a license on 63-08548. Looks like the exam was done in 1990 and sent to SO in 1991. I think this came in on my last office day. I believe part of the situation was that the point of diversion was in the wrong legal and when I looked at the file, it was supposed to be amended during licensing. The claim shows the owners as Goodson rather than Coop. I hope they have it set up now that Goodson's can sign the amendment or something. Don't kill yourself on this one - maybe just put it in one of the next bunches? Thanks, Jan.

MICROFILMED

OCT 11 2002

MEMORANDUM

TO: Western Region
FROM: Brenda Chapman
DATE: June 15, 1994
RE: Returned Exam / Permit 63-08548
E. M. Goodson

=====

I am returning the field exam to the regional office. An Adjudication Claim was required and has not been filed.

MICROFILMED
2004 7 1 2002



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 7, 1990

RE: Permit No. 63-8548

E.M. Goodson
19736 Galloway
Caldwell, ID 83605

Dear Mr. Goodson:

Enclosed is a copy of the Order of Reinstatement which advances the date of priority of the above referenced permit to October 13, 1980 due to late submittal of the exam fee.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 13 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 63-8548

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 26-FEB-1990

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	FEBRUARY 24 1977	55
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	FEBRUARY 15 1990	1506
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		1326 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	FEBRUARY 24 1977	55
Total Days Late:		1326 DAY(S)
New Priority Date:	OCTOBER 13 1980	286

MICROFILMED

MAR 13 1990

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 150.00
Date 2/15/90
Receipt # C014237
Receipt by J. Johnson
Sent to S.O. _____

RECEIVED

FEB 15 1990

1. Permit No. 63-8548

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: E. M. Goodson

3. Post Office Address: 19236 Galloway
Caldwell Id 83605 Telephone No. 459-4015

4. Source of Water: WELL

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 110 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.70 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

As of 1979. See Proof statement. Proof Filed in 1979.

8. Person to contact to accompany the department representative during the field examination:

SAME E. M. Goodson (Name)

19236 Galloway Caldwell Id (Address) 459-4015 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box marked, complete items 1 thru 7.)

RECEIVED

MAR 13 1990

Date

2/15/90

E. M. Goodson owner Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: C014737

Date: 02/15/90
Time: 15:21:48

Received

From: GOODSON, ED/MAHALA

Type of Payment	Program Acct Class	Amount
EXAMINATION FEE(638548)	0620121 1238 6490	\$150.00
Total		\$150.00

CHECK 3256

Idaho Department of Water Resources

Region: STATE

Signature: J. Jarmon

RECORDED

MAR 13 1990

I certify that file No. 63-8548 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

K. Walker
Signature

12-16-88
Date



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mall, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

April 22, 1988

63-8548
Goodson, E.M.
Rt. 2, Box 663
Caldwell, ID 83605

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit lapsed and became of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before June 21, 1988, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
P.O. Box 100
 Boise, Idaho 83720

*Pt. 2 B663
Caldwell, ID.*

3-8-48
INDEXED
JUL 11 1948

Canyon

27

under

RECEIVED
MAY 17 1987

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

63-8548
GOODSON, E. W.
RT. 5
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

67-4548
GUTHRIE, E. M.
Pl. 5
CALDWELL, ID 83605

September 15, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tutthill Jr.

David R. Tutthill, Jr. P.E.
Manager, Western Regional Office

Enclosure

June 25, 1986

RE: Permit No. 63-3548

E. M. Goodson
Rt. 5
Caldwell, ID 83605

Dear Permit Holder(s):

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

In reviewing the permit, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permit will be for our regional office to examine your water right system.

As new owners of the permit, you should be aware that on April 30, 1986 the Department sent an Examination Fee Notice to the previous owner(s) requiring them to submit within 60 days an examination fee or a statement from a certified examiner stating that he has been retained to do the examination. Enclosed for your information is a copy of the Examination Fee Notice correspondence. To date, we have not received any response to this letter.

IN ORDER TO KEEP THIS PERMIT IN GOOD STANDING, YOU MUST RESPOND TO THE EXAMINATION FEE NOTICE AS SOON AS POSSIBLE. If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

63-8548
COOP, JAMES
RT. 5
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720

138792

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region
Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region
Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Deputy

(206) 384-2190

August 5, 1979

James Coop
Route #5, Box 5064
Caldwell, ID 83605

RE: Permit No. 63-8548

Dear Mr. Coop:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Friday, August 24th at 10:00 am

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Ray Walker

Ray Walker
Secretary

April 28, 1977

Re: Permit No. 63-8548

James Coop
Route #5
Caldwell, ID 83605

Dear Mr. Coop:

Enclosed is a copy of your approved Application for Permit No. 63-8548 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

STATE OF IDAHO,)
) ss.
County of Canyon.)

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
_____ in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

- 4. That said notice was published the following dates:**

March 17, 24, 1977

Subscribed and sworn to before me this.

24th day of March 1977

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Conrad D. Anderson
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 11, 1977

RE: SEE ATTACHED SHEET

63-8548

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before April 4, 1977.

Sincerely,

Bill submitted
4-4-77
JF

PUBLISHED IN THE NEWS-TRIBUNE, CALDWELL, IDAHO, ON MARCH 17, 1977 AND
MARCH 24, 1977.

63-4431	Frank Bartles
63-4433	Leon Search
63-8533	Marjorie K. Fretwell
63-8534	Marjorie K. Fretwell
63-8536	Dan &/or Carol Rohrbacher
63-8537	James G. &/or Grace J. Roll
63-8538	James G. &/or Grace J. Roll
63-8540	William Pease
63-8541	Klahr & Klahr, Inc.
63-8542	James Trunbull
63-8543	Klahr & Klahr, Inc.
63-8544	Austin M. &/or Annie K. Goodson
<u>63-8548</u>	James Coop
63-8549	Edward H. Goodson
63-8550	James G. &/or Grace J. Roll
63-8553	Doris &/or Frank Bartles
63-8554	Sun Valley Farms
63-8555	Frank Bartles
63-8556	Huston Farms, Inc.
63-8557	Trueblood Farms, Inc., Burt or Mary Trueblood
63-8558	Phillip Breshears
63-8560	John A. Mitchell
63-8563	Huston Farms, Inc.
63-8565	Nona &/or Voney W. Hickox, Jr.
63-8567	Yoshie Yamada
63-8568	John D. &/or Joy F. Holden
63-8570	Tamura Brothers
63-8571	Tamura Brothers
63-8572	Wendell B. Platt
63-8574	Floyd Eason

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JAMES COOP
Route 5 Caldwell, Idaho
has on March 7, 1977 submitted Application No. 63-8548
for a permit to appropriate 2.7 cubic feet per second ~~XXXXXX~~
~~XXXXXXXXXX~~ of water from A groundwater source
by means of well, pump & pipeline
within the NE1/4, Sec 24, T5N-R4W, B.M., Canyon County
to be used from Mar 15 to Nov 15
for irrigation of 135 acres
within the NE1/4, N1/2SE1/4 Sec 24 T5N-R4W, B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
April 4, 1977.

R. KEITH HIGGINSON

Director

Published in the News-Tribune Caldwell, Idaho
on March 17, 1977 and March 24, 1977.