


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 15 1987
KEYPUNCHED

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: J.R. Simplot Permit No. 63-8515
Current Address: P.O. Box 27 Boise ID 83707 Attn: R.N. Graves Phone No. (208) 336-2110
2. Accompanied by: Roy Falen EXAM. DATE: 7/10/86
Address: Falen Fruit Ranch Route 4 box 770 Caldwell ID Phone No. 459-8352
Relationship to Permit Holder: employee
3. Source: Ground water tributary to


KEYPUNCHED
7-1-5-87

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-5252 Claim to (2) domestic wells on the properties ☐ Copies Attached
2. Other water rights with same point of diversion: 63-5252 claim to (2) domestic wells on the properties ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
SEP 20 1986

Scale: 1" = 1/4 mile (approximately)

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

AFFIDAVIT OF PUBLICATION

RECEIVED
MAR 18 1977

Department of Water Resources
Western Regional Office

STATE OF IDAHO,)
) SS.
County of Canyon.)

Verla Harker
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press,
a daily, (except Sunday) newspaper published in the City of
Nampa, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Nampa, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times
in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 10, 17, 1977

Verla Harker

Subscribed and sworn to before me this _____

17th day of March
19 77

Adam D. Lash

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTICE OF APPLICATION FOR WATER PERMIT


Notice is hereby given that
J.R. SIMPLOT, P.O. Box 27,
Boise, Idaho, has on Feb. 28,
1977, submitted Application No.
63-8515 for a permit to ap-
propriate 2.50 cubic feet per
second of water from a ground-
water source by means of
pump, ditches and mainlines
within the NE 1/4 SE 1/4 Sec. 7 T2N-
R3W, Canyon County, to be used
from April 1 to October 31 for
irrigation of 280 acres, within
the NE 1/4, NE 1/4 NW 1/4, N 1/2 SE 1/4
Sec. 7 T2N-R3W.


If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water
Resources, Statehouse, Boise,
Idaho, 83720, on or before March
28, 1977.

R. KEITH HIGGINSON
Director
March 10, 17, 1977

MICROFILMED

R.W.H.
3-21-77







63-8515

RECORDED

SEP 28 1961





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

April 30, 1982

J. R. Simplot

P. O. Box 27

Boise, Idaho 83707

RE: 63-8515

Dear Customer:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-8515

Priority: February 28, 1977 Amount: 1.38 CFS 670.6 AFA

This is to certify, that J. R. SIMPLOT

P.O. BOX 27

BOISE, ID 83707

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 28, 1977, and has submitted proof to the Department of Water Resources on February 18, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 1.38 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	1.38 cfs	670.6 afa

LOCATION OF POINT OF DIVERSION(S): NESE , Sec. 7, Township 2N, Range 3W
Canyon County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
2N	3W	7	NENE 7	NWNE 17	SWNE 34	SENE 27	
			NENW 33	NESE 34	NWSE 31		183

Total number of acres irrigated: 183

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 11TH day of SEPTEMBER, 1987.

REGISTERED

SEP 28 1987

Director

Identification No. _____

Application No. 63-8515

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriates the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant J. R. SIMPLOT Phone: (208) 336-2110
post office address P.O. Box 27, Boise, ID 83707, ATTN: R. N. Graves
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 2N
Range 3W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into irrig. ditch at a point in NE $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 7 Township 2N Range 3W B.M. _____
4. Water will be used for the following purposes:
Amount 2.50 cfs for irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.50 cfs cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 150 HP diesel pump
16" diameter well, pump into pond 20'x30' then drain into
2 ditches, each $\frac{1}{4}$ mile in length, then drain into mainlines,
one 5" in diameter, and two 4" in diameter
b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 30,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	3W	7	40	40	40	40	40								40	40			280

Total number of acres to be irrigated 280

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion J. R. Simplot

b. Who owns the land to be irrigated or place of use J. R. Simplot

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water to be used as supplemental water for irrigation.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 2/28/77

Received by if Date 2-28-77 Time 12:10 pm

Preliminary check by WJ Fee \$ 45.00

Receipted by if Date 2-28-77 # 16743

Publication prepared by SP Date March 3, 1977

Published in Idaho Free Press

Publication dates March 10, 1977 + March 17, 1977

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8515, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April, 1977.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8515

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUN 11 1981
WATER RESOURCES
DIVISION
BOISE, IDAHO

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

Verla Harker
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press,
a daily, (except Sunday) newspaper published in the City of
Nampa, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Nampa, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times
in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 10, 17, 1977

Verla Harker

Subscribed and sworn to before me this

17th day of March,
19 77

Adam D. Kach

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

Notice is hereby given that
J.R. SIMPLOT, P.O. Box 27,
Boise, Idaho, has on Feb. 28,
1977, submitted Application No.
63-8315 for a permit to ap-
propriate 2.50 cubic feet per
second of water from a ground-
water source by means of
pump, ditches and mainlines
within the NE 1/4 Sec. 7 T2N-
R3W, Canyon County, to be used
from April 1 to October 31 for
irrigation of 280 acres, within
the NE 1/4, NE 1/4 NW 1/4, N 1/2 SE 1/4
Sec. 7 T2N-R3W.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water
Resources, Statehouse, Boise,
Idaho, 83720, on or before March
28, 1977.

R. KEITH HIGGINSON

September 15, 1987

J. R. SIMPLOT
P.O. BOX 27
BOISE, ID 83707

RE: Permit No. 63-8515

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

SEP 28 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 6, 1987

RE: Permit No. 63-8515

Bruce L. Belzer
J.R. Simplot Co.
Box 27
Boise, ID 83707

Dear Bruce:

I am in receipt of your correspondence regarding the above referenced permit and the proposed rate of diversion for the license.

The field examination report identified that a two foot cipolletti had been installed in the ditch in which the groundwater and irrigation district water passed.

Two measurements were taken; one with the well pump turned off and the second with the well pump running. With the well pump turned off, the head of water passing over the weir crest was measured at 0.18 ft. or 0.512 cfs (see the attachment for table). With the well pump turned on, the head of water was measured at 0.43 ft. or 1.89 cfs.

The flow in the ditch would have to be greater than 3.05 cfs before the weir capacity would be exceeded.

Since the irrigation district flow at the time of the examination was so small, there is no doubt that the difference between the two measurements taken is a true reflection of the water diverted by the well.

I hope this adequately addresses your client's concern. If not, please feel free to contact me. If we do not hear from you within 30 days, we will assume you are satisfied with the explanation and the license will be issued as previously indicated.

SEP 26 1987

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

CORPORATE HEADQUARTERS

April 23, 1987

Mr. Jim Johnson
Water Rights Supervisor
Department of Water Resources
Statehouse
Boise, ID 83720

RE: Permit No. 63-8515


Dear Jim:

This a follow-up to my March 24th letter to you on this subject. I apologize for the delay, but Mr. Falen's return to Idaho was delayed by an extensive hospital stay in Tuscon, Arizona. I visited with him today on the proposed license, and he expressed great concern regarding the proposed rate of diversion. Mr. Falen does not recall the specific rate of diversion from just the well, but he is afraid that the examiner has reduced the tested diversion rate from the well by reason that the full well diversion rate and the full irrigation district diversion rate will not both flow through the weir. For example, assume the well discharged 1.5 cfs and the irrigation district water was .62 cfs but the weir only handled 2 cfs, the well discharge would be reduced to 1.38 cfs ($2.0 - .62 = 1.38$). This approach would be fine as long as maximum irrigation district water was always available. However, in the event of short years or delivery system problems, the license should be for the full capacity of the well (1.5 cfs in the example), since we have put this amount to beneficial use on various occasions.

Can you ascertain whether such approach was used and whether Mr. Falen's concern is valid.

Thank you.

Sincerely,



BRUCE L. BELZER
Assistant General Counsel

0051v

RECEIVED
SEP 28 1987

RECEIVED
APR 24 1987

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 30, 1987

RE: Permit No. 63-8515

Bruce L. Belzer, Asst. General Counsel
J.R. Simplot Co.
Box 27
Boise, ID 83707

Dear Bruce:

We are in receipt of your letter regarding licensing of the above referenced permit.

Will will delay further action on processing until April 15, 1987, per your request.

If Mr. Falen returns earlier than expected, please have him contact us confirming that he has no objections, if this is the case, so that we may continue without further delay.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

RECEIVED
SEP 28 1987

CORPORATE HEADQUARTERS

RECEIVED
MAR 26 1987

Department of Water Resources

March 24, 1987


Jim Johnson
Department of Water Resources
Statehouse Mail
Boise, Idaho 83720

RE: 63-8515

Dear Jim:

This will acknowledge receipt of your March 16th letter advising us of the proposed license. Mr. Roy Falen is the most knowledgeable person concerning this water, and accompanied the Department's representative during the examination. Unfortunately, Mr. Falen is in Mexico and will not be back in Idaho until sometime in early April. I'd appreciate it if you could give us the opportunity to have Mr. Falen verify the contents of the proposed license. Please call if you have any questions. Thanks.

Sincerely,



BRUCE L. BELZER
Assistant General Counsel

BLB/ch
6002B

cc: Roy Falen

MICROFILMED

SEP 28 1987

March 16, 1987

J. R. SIMPLOT
P.O. BOX 27
BOISE, ID 83707

RE: Permit No. 63-8515

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

UNRECORDED
FILMED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 63-8515Phone No. (208) 336-2110

A. GENERAL INFORMATION


1. Owner: J.R. SimplotCurrent Address: P.O. Box 37 Boise ID 83707 Attn: R.N. Graves2. Accompanied by: Roy FalenEXAM. DATE: 7/10/86Address: Falen Fruit Ranch Route 4 box 770 Caldwell IDPhone No. 459-8352Relationship to Permit Holder: employee3. Source: Groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-5252 Claim to (2) domesticWells on the properties☐ Copies Attached2. Other water rights with same point of diversion: 63-5252 claim to (2) domesticWells on the properties☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.
- ☐
- Alternative diagram attached

Scale: 1" = 1/4 mile (approximately)

- 2.
- ☒
- Copy of U.S.G.S. Quadrangle Attached
-
- Showing location(s) of point(s) of diversion and
-
- place(s) of use (required).

- ☒
- Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

- ☒
- Aerial Photo Attached
-
- (required for irrigation of 10 acres or more).

MICROFILMED

SEP 20 1986

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 150 HP Diesel Engine supplies power to a Johnston pump. The well casing is 16" and is drilled down to 474 feet. 16" ditches divert the water for irrigation as shown on the diagram. A 25 HP Booster Pump is also used for the irrigated acres to the north east of the well. The southern 160 acres are irrigated via an 8" mainline which feeds a sprinkler system. The weir used for the measurements was located within 6 feet of the open discharge pipe. Total acreage is 182.5 → 183.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main well	GM Diesel	150	5K4236X	Johnston	8"
Booster Pump	GE	25	5K4236X	-	-

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	7	2N	3W	Canyon	Topographic Map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	3W	7	~~34~~	~~34~~	~~34~~	~~34~~									~~34~~	~~34~~			182.5
			7	17	34	27	33								34	31			183

MICROFILMED

SEP 28 1987

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Cipoletti Weir	-	-	-	-	2'	-

2. Measurements:

Irrigation District Weir: Pump off .19 ft = .512 cfs

Pump on .43 ft = 1.89 cfs

1.89 - .512 cfs = 1.38 cfs ✓

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: WEIR measurement 1.38 cfs

2. Alternate Method for Checking Purposes: None calculated, Lift (Z) not known

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

N/A

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{183}{182.5} \times 4.5 = 823.5$
 $V_{I.R.} = 821.25 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.38 \times 213 \times 1.98 = 582.0 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 582.0 \text{ afa}$

2. Volume Calculations for Other Uses:

MICROFILMED
SEP 28 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap 63-5252 Small domestic wells for farm houses
on the property. Not used in irrigation of lands

Note: This well is used as a supplemental to surface
water irrigation.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	1.38 cfs	582.0
Totals:			1.38 cfs	582.0

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name Richard J Gempert

Signature Richard J Gempert

Certification Date _____

Field Report Preparation Date 7/10/86


DRX B/3/86


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 28 1987





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No.

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

2. **Overlap Review**

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis: ✓

10 day

- Date _____

RECEIVED
SEP 28 1987

WNSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
02N	02W	36				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
			SWNW			43	63-2596	TROBAUGH	C	L	04-30-1942	GROUNDWATER
02N	03W	02				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
		03				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
		04				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
			SENE		10	01	63-8610	FARNER	C	P	03-24-1977	GROUNDWATER
								FARNER	C			
			NNNW		35	01	63-8455	MOWRER	C	L	02-16-1977	GROUNDWATER
								MOWRER	C			
			SWNW		35	01	63-8455	MOWRER	C	L	02-16-1977	GROUNDWATER
								MOWRER	C			
			SENW		04	01	63-8687	SAXTON FRUIT FARMS	C	L	04-14-1977	GROUNDWATER
			NESW		39	01	63-8687	SAXTON FRUIT FARMS	C	L	04-14-1977	GROUNDWATER
			SESW		39	01	63-8687	SAXTON FRUIT FARMS	C	L	04-14-1977	GROUNDWATER
			NESE		40	01	63-8610	FARNER	C	P	03-24-1977	GROUNDWATER
								FARNER	C			
			NWSE		21	01	63-8687	SAXTON FRUIT FARMS	C	L	04-14-1977	GROUNDWATER
			SWSE		31	01	63-8687	SAXTON FRUIT FARMS	C	L	04-14-1977	GROUNDWATER
			SESE		40	01	63-8610	FARNER	C	P	03-24-1977	GROUNDWATER
								FARNER	C			
			SESE			04	63-8610	FARNER	C	P	03-24-1977	GROUNDWATER
								FARNER	C			
		05				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
			NENE	01	34	01	63-8613	FARNER	C	P	03-24-1977	GROUNDWATER
								FARNER	C			
			SENE		40	01	63-8613	FARNER	C	P	03-24-1977	GROUNDWATER
								FARNER	C			
			NENW		34	01	63-9939	NAFESINGER FARMS IN	C	L	02-22-1977	GROUNDWATER
			NNNW		29	01	63-9939	NAFESINGER FARMS IN	C	L	02-22-1977	GROUNDWATER
			SWNW		39	01	63-9939	NAFESINGER FARMS IN	C	L	02-22-1977	GROUNDWATER
			SENW		39	01	63-9939	NAFESINGER FARMS IN	C	L	02-22-1977	GROUNDWATER
			NESE		37	01	63-8457	KLINGINSMITH FARMS	C	L	02-16-1977	GROUNDWATER
			NWSE		39	01	63-8457	KLINGINSMITH FARMS	C	L	02-16-1977	GROUNDWATER
			SWSE		38	01	63-8457	KLINGINSMITH FARMS	C	L	02-16-1977	GROUNDWATER
			SESE		38	01	63-8457	KLINGINSMITH FARMS	C	L	02-16-1977	GROUNDWATER
		06				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
			NNNE	02		01, 04, 43	63-0020	ANDERS	C	D	02-01-1947	GROUNDWATER
								ANDERS	C			
			SWNE			01, 04, 43	63-0020	ANDERS	C	D	02-01-1947	GROUNDWATER
								ANDERS	C			
			NENW	03		01, 04, 43	63-0020	ANDERS	C	D	02-01-1947	GROUNDWATER
								ANDERS	C			
		07				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
			NENE		40	01	63-8515	SIMPLLOT	C	P	02-28-1977	GROUNDWATER
			NNNE		40	01	63-8515	SIMPLLOT	C	P	02-28-1977	GROUNDWATER
			SWNE			43	63-5252	PAYETTE FARMS CO.	C	S	01-01-1948	GROUNDWATER
			SWNE		40	01	63-8515	SIMPLLOT	C	P	02-28-1977	GROUNDWATER
			SENE			43	63-5252	PAYETTE FARMS CO.	C	S	01-01-1948	GROUNDWATER
			SENE		40	01	63-8515	SIMPLLOT	C	S	02-28-1977	GROUNDWATER
			NNNE			43	63-5252	PAYETTE FARMS CO.	C	S	01-01-1948	GROUNDWATER

J15

56

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

PAGE 489
01/04/1986

TOWNSHIP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBERS	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
D2N	03W	07	NENN		40	01	63-85 5	SIMPLIT	C	P	02-28-1977	GROUNDWATER
			NESE		40	01	63-85 5	SIMPLIT	C	P	02-28-1977	GROUNDWATER
			NHSE		40	01	63-85 5	SIMPLIT	C	P	02-28-1977	GROUNDWATER
			SESE		29	01	63-3298	RAWLINGS	C	L	06-12-1962	GROUNDWATER
								RAWLINGS	C			
		08				01	63-2388	U.S. DEPT. OF INTE	C	L	08-18-1924	BOISE RIVER
			NENE		30	01	63-8444	LYONS FARMS INC.	C	L	02-14-1977	GROUNDWATER
			NINE		38	01	63-8444	LYONS FARMS INC.	C	L	02-14-1977	GROUNDWATER
			SWNE		11	01,43	63-3031	RUTHERFORD	C	L	03-14-1955	GROUNDWATER
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					27	01	63-8444	LYONS FARMS INC.	C	L	02-14-1977	GROUNDWATER
					40	01,43	63-3010	KNAPP	C	L	11-29-1954	GROUNDWATER
					02	01	63-8444	LYONS FARMS INC.	C	L	02-14-1977	GROUNDWATER
					30	01	63-8444	LYONS FARMS INC.	C	L	02-14-1977	GROUNDWATER
					08	01,43	63-3031	RUTHERFORD	C	L	03-14-1955	GROUNDWATER
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					30	01	63-8444	LYONS FARMS INC.	C	L	02-14-1977	GROUNDWATER
					40	01,43	63-3031	RUTHERFORD	C	L	03-14-1955	GROUNDWATER
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			
								RUTHERFORD	C			
								LYONS	C			
								LYONS	C			
					40	01,43	63-3031	RUTHERFORD	C			

MICROFILMED
SEP 28 1987



63-8515

SEP 27 1963

SEP 27



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-8515
Permit No.

RECEIVED
JAN 15 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index RDG 7/8/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index RDG 7/8/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? 6/28/86 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Richard G. [Signature] (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 2/21/86 (Initial and date)

Exam Reviewed by Manager of Regional Office Dec 12/9/86 (Initial and date)

Exam Date Entered in Computer 1-5-87 (Initial and date)

Exam sent to State Office 1-15-87 (Initial and date) SEP 28 1987

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File 12-12-86 (Initial and date)

4/86
RECEIVED
MAY 19 1986

Department of Water Resources
Western Regional Office

357770
MAY 19 1986
Department of Water Resources
Eastern District Office

STATE OF IDAHO
RECEIVED
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

KEYPUNCHILL
For Office Use Only

Fee Received 150.00
Date 6/3/86
Receipt # 44338
Receipt by JP
Sent to S.O. 6/12/86

RECEIVED
MAY 13 1986

1. Permit No. 63-8515 Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: J. R. Simplot Company

3. Post Office Address: P. O. Box 27, Boise Idaho 83707 Attn. R. N. Graves
Telephone No. 208-336-2110

4. Source of Water: Ground water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 280 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.5 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
4- -1977

8. Person to contact to accompany the department representative during the field examination:

Le Roy Falen Mgr.

(Name)

R-4 Box 790 Caldwell, Idaho

(Address)

208-459-8352

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

May 8, 1986

Date

J. R. SIMPLOT COMPANY

Donald W. Granger
Signature of Permit Holder (and title, if appropriate)

SEP 28 1987
- Secretary



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

63-8515
SIMPLON, J. R.
P.O. BOX 27
BOISE, ID 83707

138784

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190


Sincerely,


L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECORDED

SEP 28 1967



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

(208) 334-2190

Phone

April 30, 1982

J. R. Shipton

P. O. Box 27

Boise, Idaho 83707

RE: 63-0515

Dear Customer:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Fense

Judy Fense
Secretary

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this as a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 63-8515

Name(s) of Permit Holder: J. R. Simplot

Post Office Address: P.O. Box 27, Boise, Idaho 83707

Tel. No. (208)336-2110

Source of Water: 16" well - groundwater

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/17/82

J. R. Simplot
by Kenneth J. [Signature]
Signature of Permit Holder

J. R. SIMPLOT

P.O. Box 27

Boise, Idaho 83707

RECEIVED
MICROFILMED



FEB 18 1982 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Identification No. _____

Permit No. 63-8515

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 18 1982

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder J. R. Simplot
b) Post Office Address P.O. Box 27 Boise, Idaho 83707 Attn. Ron N. Graves
2. Permit Number 63-8515
3. Date of Priority that you are prepared to establish 7-20-77
4. a) Source from which water was appropriated Ground water
b) Location of the point of diversion: N E ¼ N W ¼, Section 7
Township 24, Range 3½ Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 2.50 cfs for Irrigation purposes from April 1 to Oct. 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 150 HP Diesel pump 16" Dia. Well, pump into pond
20'X30' then drain into mainlines, one 5" Dia., and 2 4" in Dia.
b) Describe the type and size of measuring device which you have installed at your point of diversion: 1½ well on couplers with 1½ plug access port
c) Give well driller's name and address and the date the well was completed: K and H Well Drilling Todd Knie
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	3W	7	40	40	40	40	40								40	40			280

Total number of acres irrigated 280

10. Remarks: Water to be used for supplemental water for irrigation.

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/17/82
(Date)

[Signature]
(Signature)

State of Idaho)
) ss.
County of Ada)

On this 17th day of February, 19 82, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Laurel J. Walker
Notary Public residing at Boise, Idaho

My commission expires Lifetime

MICROFILMED

RONALD N. GRAVES

ATTORNEY AT LAW

999 Main Street Suite 1300

P.O. Box 27

Boise, Idaho 83707

Department of Water Resources

State of Idaho

Statehouse

Boise, Idaho 83720

11/1/77

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138203

SIMPLOT, J. R.
C/O R. N. GRAVES
P.O. BOX 27
BOISE, ID 83707

JANUARY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8515 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
JAN 31 1982



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED
JUN 10 1980
WATER RESOURCES
STATE OF IDAHO

April 19, 1977

Re: Permit No. 63-8515

J. R. Simplot
P.O. Box 27
Boise, ID 83707
Attn.: R. N. Graves

Dear Sir,

Enclosed is a copy of your approved Application for Permit No. 63-8515. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED
APR 20 1977
WATER RIGHTS
DIVISION

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8515

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) YH 3-1-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) YH 3-1-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) Depth to water in excess of 200'

(9) _____

Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) rf OK

Affidavit of Publication received(date) 3-21-77

(12) o _____

Final date for protests 3-28-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By

YH

Date 3-29-77

PROPERTY



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 7, 1977

Ronald N. Graves
Attorney at Law
One Capital Center
999 Main Street
Boise, ID 83701

Dear Mr. Graves:

Enclosed is your Receipt No. 6743 in the amount of \$ 45.00
for an application for permit which was received in
this office on February 28, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 4, 1977

RE: SEE ATTACHED SHEET

63-8515

Idaho Free Press
P. O. Box 88
Nampa, ID 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 28, 1977.

Sincerely,

Bill submitted
3-21-77
y

MICROFILMED

PUBLISHED IN THE IDAHO FREE PRESS, NAMPA, ID ON MARCH 10, 1977, AND
MARCH 17, 1977

63-8515

J. R. Simplot

63-8499

Norman R. Cole &/or Ken Cole &/or Jerry Summerall

63-8498

Harry D. Miller

63-8523

Alfred &/or Lorraine Boehlke

63-8522

Alfred &/or Lorraine Boehlke

63-8524

Paul Jesenko

63-8527

Spencer Farms, Inc.

RECEIVED
MARCH 17 1977
FBI - IDAHO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that J. R. SIMPLOT

P. O. Box 27 Boise, Idaho

has on Feb. 28, 1977 submitted Application No. 63-8515

for a permit to appropriate 2.50 cubic feet per second XXXXXXX
~~acres feet~~

~~XXXXXXX~~ of water from A GROUNDWATER SOURCE

by means of pump, ditches and mainlines

within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 7 T2N-R3W, Canyon County

to be used from April 1 to October 31

for irrigation of 280 acres

within the NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 7 T2N-R3W

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before March 28, 1977.

R. KEITH HIGGINSON

Director

Published in the Idaho Free Press - Nampa, Idaho

on March 10, 1977 and March 17, 1977

RONALD N. GRAVES
ATTORNEY AT LAW
One Capital Center
999 Main Street
Boise, Idaho 83701

P. O. Box 2777
Telephone (208) 336-2110

February 25, 1977

State of Idaho
Department of Water Resources
92 South Cole Road
Boise, Idaho 83705

Gentlemen:

Enclosed is an Application for Permit from J. R. Simplot, which I am forwarding for filing together with a check in the amount of \$45.00 covering your filing fee.

If you have any questions regarding the enclosed, please contact the undersigned.

Sincerely,


RONALD N. GRAVES

RNG/jw
Enclosures

cc: Roy Falen


Department of Water Resources
Western Regional Office

RECEIVED

PAYEE: DETACH THIS STATEMENT BEFORE DEPOSITING CHECK

FALEN FRUIT RANCH

No 15199

EMPLOYEE'S NAME
OR SOCIAL SECURITY NO.

PAY PERIOD	HOURS	RATE	GROSS	DEDUCTIONS					NET PAY
				FWHT	SWHT	FICA	OTHER	TOTAL	
	REG. HRS.								
	OVRTM. HRS.								

VENDOR NO.	INVOICE NO.	DESCRIPTION	GROSS	DISCOUNT	NET	LOC. CODE	ACCT. CODE
					\$45.00	461	9085-27

MICROFILMED

