


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ed Trussell
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

RECEIVED
MAR 18 1977

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

Department of Water Resources
Western Field Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that ED &/or CARRIE TRUESDELL, Rt. 2, Wilder, Idaho, has on February 28, 1977, submitted Application No. 63-8511 for a permit to appropriate 2.4 cubic feet per second of water from a groundwater source by means of pump with sprinkler &/or gravity flow within the SE 1/4 SW 1/4 Sec. 26 T4N-R5W B.M., Canyon County, to be used from March 15 to Nov. 15 for irrigation of 120 acres within the SE 1/4 SW 1/4, Sec. 26, E 1/2 NW 1/4 Sec. 35, T4N-R5W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho 83720, on or before March 28, 1977.

R. KEITH HIGGINSON
Director
March 10, 17, 1977.

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 10, 17, 1977

Verla Harker

Subscribed and sworn to before me this _____

17th day of March,
19 77

Adam S. Law

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

MICROFILMED

RW.H
3-21-77

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Carrie Truesdell Permit No. 63-8511
Current Address: Route 2, Wilder ID 83676 Phone No. ~~482~~ 482-7478
2. Accompanied by: Carrie Truesdell EXAM. DATE: 7-8-87
Address: same as above Phone No. 482-7478
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Surface water
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached also




Scale: 1" = 2'

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

NOV 14 1989




T 4N


R 5W

MICROFILMED

NOV 14 1989



+8511-26



63-8511



P. D.
Looking
Northwest at
the pumphouse
sugar beet field
in the background
is irrigated from
the well.



P. U.
Looking West
at concrete
ditch with
groundwater
flowing over
irrigation
district's weir.

MICROFILMED

NOV 14 1989



MICROFILMED

NOV 14 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-08511

Priority: February 28, 1977

Maximum Diversion Rate: 2.02 CFS
Maximum Diversion Volume:¹ 517.5 AF

This is to certify, that ED TRUESDELL
CARRIE TRUESDELL

RT. 2 24788 MIDDLE RD.
WILDER, ID 83676

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 28, 1977; and has submitted Proof of Beneficial Use on March 2, 1982. An examination indicates that the works have a diversion capacity of 2.020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.02 CFS	517.5 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 26, Township 04N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	05W	26	NESW 4	SESW 35		39
		35	NENW 38	SENW 38		76

Total number of acres irrigated: 115

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

NOV 14 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08511

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd
day of November, 1989.

Betty D. Fleener for
R. Keith Higginson, Director

RECEIVED
NOV 14 1989

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08511

Date of Priority: February 28, 1977

Maximum Diversion Rate: 2.02 CFS
Maximum Diversion Volume: 517.5 AF

Comes now

ED TRUESDELL
CARRIE TRUESDELL

RT. 2
WILDER, ID 83676

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-08511, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.02 CFS	517.5 AF

LOCATION OF POINT(S) OF DIVERSION: SESW, Sec. 26, Township 04N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 05W 26	NESW 4	SESW 35		39
35	NENW 38	SENW 38		76

Total number of acres irrigated: 115

Department of Water Resources

SEP 14 1989

RECEIVED

MICROFILMED

NOV 14 1989

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Wilder, Id., this 13 day of Sept., 1989.

Carrie Truesdell
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08511

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by CP Date 9/14/89
2011621

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-08511 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 2nd day of November, 1989.

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED

NOV 14 1989

Identification No. _____

Application No. 63-8511

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant ED &/or CARRIE TRUESDELL Phone: 482-7478
post office address Rt. #2, Wilder, ID
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 26 Township 4N
Range 5W B.M. Canyon County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.4 for Irrigation purpose from Mar 15 to Nove 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump with sprinkler &/or
gravity flow.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 40 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	5W	26											40						40
4N	5W	35					40			40									80


Total number of acres to be irrigated. 120

c. Describe any other water rights used for the same purposes as described above.
Boise Irrigation Project

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks This is a supplemental water right, the total amount used not to exceed .02 c.f.s./acre.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ed Trussell
(Applicant)

Proposed Priority 2/28/77

Received by BA Date 2-28-77 Time 12^{PM}

Preliminary check by HA Fee \$ 45⁰⁰ 6734

Receipted by CS Date February 28, 1977

Publication prepared by CS Date 3-2-77

Published in News-Tribune

Publication dates March 10, 1977 + March 17, 1977

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8511, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April, 19 77.

V. Howard Sum
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8511

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUN 11 1981

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
 County of Canyon.)

1977

Verla Harker
 of Caldwell, Canyon County, Idaho, being first duly
 sworn, deposes and says:

Notice is hereby given that Verla Harker
 &/or CARRIE TRUESDELL,
 Rt. 1, Wilder, Idaho, has on
 February 28, 1977, submitted
 Application No. 63-8614 for a per-
 mit to appropriate 2.4 cubic feet
 per second of water from a
 groundwater source by means of
 pump with sprinkler &/or
 gravity flow within the
 SE 1/4 SW 1/4 Sec. 26 T4N-R5W
 B.M. Canyon County, to be used
 from March 15 to Nov. 15 for
 irrigation of 120 acres within the
 SE 1/4 SW 1/4 Sec. 26 E 1/2 NW 1/4
 Sec. 35 T4N-R5W B.M.
 If issued, this permit will be
 subject to all prior water rights.
 Protests against the granting of
 the permit must be filed with the
 Idaho Department of Water
 Resources, Statehouse, Boise,
 Idaho 83720, on or before March
 28, 1977.

D. KEITH HIGGINSON

1. That I am a citizen of the United States of America, and at all
 times hereinafter mentioned was over the age of twenty-one years,
 and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
 a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
 the said newspaper is in general circulation in the said County of
 Canyon, and in the vicinity of Caldwell, and has
 been uninterruptedly published in said County during a period of
 seventy-eight consecutive weeks prior to the first publication of the
 notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
 published in said newspaper

Two Times

in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 10, 17, 1977

Verla Harker

Subscribed and sworn to before me this _____

17th day of March,
 19 77

Adam D. Law

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTARY PUBLIC
 ADAM D. LAW
 NAMPA, IDAHO
 MY COMMISSION EXPIRES
 JUNE 23, 1979

November 3, 1989

ED TRUESDELL
CARRIE TRUESDELL
RT. 2 24788 MIDDLE RD.
WILDER, ID 83676

RE: PERMIT NO. 63-08511

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor


JJ:sc

Enclosure

RECORDED

NOV 14 1989

Truesdell
Rt 2 24788 Middle Rd
Wilder Id 83676



NOV 14 1989

MICROFILMED
not processed
for

Dept. of Water Resources
Statehouse
Boise, Id 83720

August 30, 1989

ED TRUESDELL
CARRIE TRUESDELL
RT. 2
WILDER, ID 83676

RE: PERMIT NO. 63-08511

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 14 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
6308511	04N	05W	26	SE	SW			GROUNDWATER	TRUEDELL, ED

RECEIVED

NOV 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-8511
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

PD
SE SW 26 2N SW

NE NW 35

RECEIVED

FEB - 9 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index QW 5-12-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index QW 5-12-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☒ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Carter Lintz 7-8-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent SW 1/18/88 (Initial and date)
Exam Reviewed by Manager of Regional Office MS 1/15/88 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office SW 2/2/88 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-8511
Phone No. ~~482~~ 482-7478
1. Owner: Carrie Truesdell
Current Address: Route 2, Wilder ID 83676
2. Accompanied by: Carrie Truesdell EXAM. DATE: 7-8-87
Address: same as above Phone No. 482-7478
Relationship to Permit Holder: owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: surface water
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached also



Scale: 1" = 2'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOV 14 1989

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system has a 12" cased well of unknown depth. A 40 H.P. turbine pump discharges into an 8" pipe that increases to a 10" pipe to deliver water to an 18" concreted ditch and a 16" concrete ditch. The water was flowing over the Wilder Irrigation District's 2' Cipolletti weir into the 18" concrete ditch that irrigates the SE 1/4 SW 1/4 Sec 26, 4N 5W (35.0 acres)

☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Motors	40	R-8885-02-066	Johnston	17838 8" discharge

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	26	4N	5W	Canyon	Aerial Photo

6. Place(s) of Use:

Indicate Method of Determination Aerial Photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	5W	26									4			35					39
4N	5W	35					38			38									76
																			115

MICROFILMED

NOV 14 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
staff gauge					1'	
Cipolletti weir					2'	

2. Measurements:

.45' of head over a 2' crest length Cipolletti weir.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.45' = 2.02 cfs from table 4.

2. Alternate Method for Checking Purposes:

$$\frac{40 (8.8) (.8)}{100 + 2.3(10)} = \frac{281.6}{123} = 2.29 \text{ cfs}$$

Est. 100' lift and 10 psi pressure approx. ~~25'~~ increase in elevation from the well to the discharge point. (From topographic map)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 10 psi x 2.31 = 23 ft (1); Dynamic pumping level: 100 ft (2)

Total Head: (1) + (2) = 123 (3)

: Flow rate: 2.02 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 28.2 (5)

Meter Input KW: 3.6 x 57.6 KH x _____ CTR or _____ MULT x _____ PTR x 20 N/ 102 T = 40.7 (6)

Meter Input HP: (6) x 1.34 = 54.5 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 52 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{115 \times 4.5 = 517.5 \text{ afa}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{2.02 \times 245 \times 1.98 = 979.9 \text{ afa}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{517.5 \text{ afa}}$

2. Volume Calculations for Other Uses:

MICROFILMED

NOV 14 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

and 3.9 acres in the NE 1/4 SW 1/4 Sec 26, 4N 5W, at the time of the exam. This water supplements the Wilder Irrigation District's surface water. However, due to the weed seed carried by the surface water Mrs. Truesdell states that the groundwater is used almost exclusively on approximately 80 acres of the 115 acres of irrigated land. Sugar beets were ~~the~~ being grown on ~~the~~ the land this year. The necessary pipe connections are in place to sprinkler irrigate the land in sec. 26. However, siphon tubes were in use at the time of the exam. Ed Truesdell is deceased.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	3-15	11-15	2.02	517.5
Totals:			2.02	517.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None
- ☐ Change P.U. as reflected above
 ☒ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature


Certification Date

Field Report Preparation Date

Carter Fritschle

Carter Fritschle

7-8-87



CONSULTANT SEAL


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

condition R32

JOM 5/8/89


Microfilm

NOV 14 1989




RECORDED

NOV 14 1989




+8511-26



GREENLEAF 2.7 MI.
PAIDWELL 9.6 MI.

63-8511



P. D.

Looking
Northwest at
the pumphouse

Sugar beet field
in the background
is irrigated from
the well.



P. U.

Looking West
at concrete
ditch with
ground water
flowing over
irrigation
district's weir.

MICROFILMED

NOV 14 1989

SHNH	10	01	01.43	02-2276	SCHMELZEL	L	01-07-1964	SNAKE RIVER
SHNH				57-2001K	GEM IRRIGATION DIS	L	06-13-1906	SUCCOR CREEK
					NAPTON			
					NAPTON			
					MUELLER			
					PATCH			
SHNH	40	01.04	01.04	57-7265	SCHMELZEL	P	07-31-1980	UNNAMED DRAIN
					ECHENARRIA			
					ECHENARRIA			
					MURPHY			
					MURPHY			
SHNH	04	01	01.04	02-2276	FARMERS HOME ADMIN		01-07-1964	SNAKE RIVER
SHNH	40	01.04	01.04	57-7265	GEM IRRIGATION DIS	P	07-31-1980	UNNAMED DRAIN
					ECHENARRIA			
					ECHENARRIA			
					MURPHY			
					MURPHY			
SHNH	06	01.43	01.43	57-2001D	FARMERS HOME ADMIN	L	06-13-1906	SUCCOR CREEK
					MUELLER			
					CRUSE			
					PATCH			
					NAPTON			
					NAPTON			
SENH	34	01	01.04	02-2276	GEM IRRIGATION DIS	L	01-07-1964	SNAKE RIVER
SENH	41	01.04	01.04	57-7265	ECHENARRIA	P	07-31-1980	UNNAMED DRAIN
					ECHENARRIA			
					MURPHY			
					MURPHY			
SESH	6	01	01.43	02-2276	FARMERS HOME ADMIN	L	01-07-1964	SNAKE RIVER
SESH				57-2001F	GEM IRRIGATION DIS	L	06-13-1906	SUCCOR CREEK
					MUELLER			
					MUELLER			
					IRWIN			
					IRWIN			
					PATCH			
					PATCH			
					NAPTON			

DIS

PU

63-8511

1555
1987

NRRI56

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

PAGE 15
07/02/19

TNSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER STAGE CODE	PRIORITY DATE	SOURCE OF WATER
-------	-----	-----	-------	-----	-------	------	--------------------	-----------	------------------	---------------	-----------------

(POU CONTINUED FROM PREVIOUS PAGE)

04N	05W	32	NESH		01.43		57-2001F	NAPTON	0		
								NAPTON			
								NAPTON			
								NAPTON			
NASH	05	01			02-2276	GEM IRRIGATION DIS	L	01-07-1964	SNAKE RIVER		
SESH	20	01			02-2276	GEM IRRIGATION DIS	L	01-07-1964	SNAKE RIVER		
SESH		01.43			57-2001J	NAPTON	L	06-13-1906	SUCCOR CREEK		
						NAPTON					
						NAPTON					
						MUELLER					
						PATCH					
						TRACY					
NESE	03	20	01.43		02-2436	MC CORHICK	L	10-21-1907	SNAKE RIVER		
NESE		01			02-2276	GEM IRRIGATION DIS	L	01-07-1964	SNAKE RIVER		
NESE	01	01			02-7420	WILSON	P	04-11-1986	SNAKE RIVER		
						WILSON					
NESE	05	5	01.43		02-7117	NAPTON	L	04-12-1973	SNAKE RIVER		
NESE	05				57-2001F	MUELLER	L	06-13-1906	SUCCOR CREEK		
						IRWIN					
						PATCH					
						NAPTON					
						NAPTON					
SESE	04	21	01.04		02-7198	LASSELLE	L	02-26-1975	SNAKE RIVER		
					63-2388	U.S. DEPT. OF INTE	L	08-18-1924	BOISE RIVER		
SENE	38	01			63-8841	PATR ACRES INC.	P	05-10-1977	GROUNDWATER		
SHNH	40	01			63-8853	BUTLER	P	05-17-1977	GRIFFITH DRAIN		
						BUTLER					
NESH	35	01.43			02-2434	PAINE	L	01-18-1907	SNAKE RIVER		
SHSH	01	23	01.43		02-2434	PAINE	L	10-18-1907	SNAKE RIVER		
SHSH	04	02	01.04		02-7188	LASSELLE	L	02-26-1975	SNAKE RIVER		
SESH	02	35	01.43		02-2434	PAINE	L	01-18-1907	SNAKE RIVER		
					63-2388	U.S. DEPT. OF INTE	L	08-18-1924	BOISE RIVER		
NASH	32	01			63-8930	CHURCH	L	05-31-1977	GROUNDWATER		
						CHURCH					
SHSH	34	01			63-8930	CHURCH	L	05-31-1977	GROUNDWATER		
						CHURCH					
SENE	40	01			63-8511	U.S. DEPT. OF INTE	L	08-18-1924	BOISE RIVER		
					63-8511	TRUESDELL	P	02-28-1977	GROUNDWATER		
NENH	13	01			63-8511	TRUESDELL	L	02-28-1977	GROUNDWATER		
						ITANO					
NENH	16	01			63-8565	HICKOY	L	02-08-1977	GROUNDWATER		
						HICKOY					
SHNH	39	01			63-8517	ITANO	L	02-28-1977	GROUNDWATER		
						ITANO					
SENH	40	01			63-8517	TRUESDELL	P	02-28-1977	GROUNDWATER		
						TRUESDELL					
SHSH	15	01			63-9963	NOE	P	02-23-1980	WASTE WATER		

State of Idaho
License and Certificate of Water Right

Water License No. 16098

Amount 300 second feet

Water District No.

Priority August 18, 1924

ACTING THROUGH H. H. ST. TEMYER, DISTRICT COUNSEL,

THIS IS TO CERTIFY FOR THE UNITED STATES OF AMERICA, DEPARTMENT OF RECLAMATION

made and issued for a period to appertain, to
August 18 1924 that License No. 16098
was issued under and in pursuance of the laws of Idaho, in compliance of works, with a carrying capacity of
300 second feet, for the purpose of irrigation, on October 21 1929 following the completion of works
were completed on the 18th day of September 1929 that on the 18th
day of September

H. H. ST. TEMYER, DISTRICT COUNSEL
UNITED STATES OF AMERICA / DEPARTMENT OF RECLAMATION

of Boise, State of Idaho, made proof to the satisfaction of the
Commissioner of Reclamation of Idaho, of the right to use the waters of Boise River
contributing to Snake River for the purpose of irrigation
under License No. 16098 of the Commissioner of Reclamation
and that the right to the use of said water has been perfected in accordance with the laws of Idaho, and is
hereby confirmed by the Commissioner of Reclamation of Idaho, and entered of record in Volume 7
of license and maps 4006, on the 18th day of March, 1940;

The right hereby confirmed dates from August 18 1924;

The Right of Use is located in Lot 9

Section 3, T. 2 N., R. 3 E., P. M., Ada County

That the use of the water hereby confirmed is limited and hereby confirmed, for the purposes aforesaid,
which use of water and the water right is hereby used for said purposes, and shall not exceed 300
second feet of water.

Hereby confirmed for the purpose of the Snake River Project

By the Commissioner of Reclamation
[Signature] Secretary

RECEIVED
MAY 14 1940

The right to the use of the water aforesaid hereby confirmed is restricted to the uses or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Commissioner of Reclamation, affixed at Boise, Idaho,
May 14 1940

JAMES SPOTTON

Name of applicant

United States Reclamation Service

Source of water supply

Boise River

Location of point of diversion: Is in the

Lot 9

of Section

5

T.

2 N

R.

3 E.

County of

Ada

4. Describe works as they exist, giving dimensions and capacities of same.

Works consist of rock riprap, concrete parapet wall, new canal lining, and relining of older lining where necessary to increase carrying capacity of canal to its present Max Capacity of 2800 Second feet. (with water at gage 572 2785 S.F. have been carried)

5. Water is used for

Irrigation

6. State whether or not water has been turned into works of diversion:

yes

Last legal subdivisions of lands to be irrigated: If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. Describe manner and place of use if for other than irrigation: Lands under the Boise Irrigation Project of the U.S. Reclamation Service

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriate finally reach?

Snake River

Remarks

U.S.R.S. records show 195000 has been expended to date in the prosecution of this work

This filing is for water supplemental to prior demands on canal capacity as follows viz:

Certificate of completion of work Let No 430 for 1697 Sec 9th.

" " 4800 " 639 " "

Contact with New York Land Co. to carry

Total prior demand - 2500 Sec 9th.

219.1
2300.1

Present capacity 2800 - 2500 = 300 S.F. still available

DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF ENGINEER

Permit No.

This proof is for

In Water District No.

1. Name of applicant

2. Source of water supply

3. Location of point of diversion. Is in the

of Section

T. 2 S.

R. 3 E.

County of

4. Describe works as they exist, giving dimensions and capacities of same:

*Diversion dam
of cyclopean masonry at head of "New York canal."
Enlargements and improvements to the system
designed to increase the carrying capacity thereof.
See Remarks*

5. Water is used for:

6. State whether or not water has been turned into works of diversion:

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. Describe manner and place of use if for other than irrigation:


104,572 acres of land in the Snake River

(Submit map on attached plat, showing location and details of above description)

8. What large stream would the water here appropriated finally reach?

Remarks

Snake River
Upon May 5th & 6th 1939
Measurements made by the United States
Geological Service showed a minute flow of 2390
second feet a day average of 2360 see It.




4/86



STATE OF IDAHO

Department of Water Resources
Western Regional Office
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 150.00
Date 5-8-86
Receipt # 40276
Receipt by D. Taylor
Sent to S.O. 5/21/86



1. Permit No. 63-8511

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: CARRIE TRUESDELL

3. Post Office Address: R.R.#2 WILDER, IDAHO 83676

Telephone No. 482-7478

4. Source of Water: UNDERGROUND

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 120 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.4 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

CARRIE TRUESDELL OR EDDIE TRUESDELL
(Name)

R.R.#2 WILDER, IDAHO 482-7478
(Address) (Telephone Number)

- ☐ I choose to have the field examination conducted by a _____ night examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MICROFILMED

NOV 14 1989

Date 5/6/86

Carrie Truesdell Sup. Treas.
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

63-8511
TRUEDELL, ED
TRUEDELL, CARRIE
RT. 2
WILDER, ID 83676

Mailing address:
Statehouse
Boise, Idaho 83720

138783

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may submit the fee to another certified examiner.

MICROFILMED

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

NOV 14 1981



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

RE:

Dear

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-2511.

Name(s) of Permit Holder: TRUESDELL Eder-Parrie

Post Office Address: Wilder, IDA R.R. #2

Tel. No. 582-7478

Source of Water: Well

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>115 A.</u> (acres)
☐ Other	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No WEIR

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-2-82
Date

Edward A. Truesdell
Signature of Permit Holder

RECEIVED

MAR 2 1982

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

CE
TEN CENT
STAMP
HERE

NOTED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138201

TRUESDELL, ED & CARRIE
RT. 2
WILDER, ID 83676

JANUARY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8511 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED
JUN 10 1980
WATER RESOURCES
DIVISION

IDENT. NO. 63-8511

WATER RIGHT
DATA ENTRY LOG[illegible]

April 21, 1977

Re: Permit Nos. 63-8509
63-8510
63-8511

Ed &/or Carrie Truesdell
Route #2
Wilder, ID 83676

Dear Mr. and Mrs. Truesdell:

Enclosed are copies of your approved Applications for Permit Nos. 63-8509, 63-8510, and 63-8511. We direct your attention to the conditions of approval as listed on the fourth page.


Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure



DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8511

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1)

144

2-28-77

In form to receipt

(2)

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3)

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4)

144

2-28-77

In form for advertising

(5)

Platted on Map No. _____

(6)

Located within Water District No. _____

(7)

Critical groundwater area: yes _____ no ☒

(8)

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9)

Other rights on the same place of use none platted

(10)

Comments: _____

(11)

rf

OK

Affidavit of Publication received(date) 3-21-77

(12)

Final date for protests 3-28-77

Protests received: yes _____ no ☒

(13)

All requested information received from agencies or applicant: yes _____ no _____

(14)

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15)

District W

By 144

Date 3-29-77



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 4, 1977

RE: See Attached Sheet

63-8511

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 28, 1977.

Sincerely,

Bill submitted
3-21-77
rf

PUBLISHED IN THE NEWS-TRIBUNE, CALDWELL, ID, ON MARCH 10, 1977 AND
MARCH 17, 1977.

63-4422	Robert M. &/or Danniele Sundberg
63-4423	ROBERT M. &/or Danniele Sundberg
63-4425	M. A. &/or Margret E. Watkins
63-4426	E. T. &/or Mellie Shiley
63-4428	Wendell Batt
63-4429	Wayne A. Warren
63-4430	Wayne A. Warren
63-8505	Elmer W. &/or Emma Mark
63-8506	Elmer W. &/or Emma Mark
63-8509	Ed &/or Carrie Truesdell
63-8510	Ed &/or Carrie Truesdell
~~63-8511~~	Ed &/or Carrie Truesdell
63-8512	Edward H. Goodson
63-8514	James E. &/or Deborah K. Kapicka
63-8517	James K. &/or Mabel Y. Itano
63-8521	John I. Hass, Inc.
63-8528	Story Farms, Inc.,-Earl Story, Chairman
63-8530	Rim Ranches, Inc.
63-8529	Story Farms, Inc. - Ear Story, Chariman
63-8531	Rim Ranches, Inc.
63-8532	John M. Stam

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ED &/or CARRIE TRUESDELL
Rt. 2, Wilder, ID
has on February 28, 1977 submitted Application No. 63-8511
for a permit to appropriate 2.4 cubic feet per second ~~XXXXXX~~
~~XXXXXX~~ of water from a groundwater source
by means of pump wit sprinkler &/or gravity flow
within the SE1/4 Sec 26 XXXXW T4N-R5W B.M., Canyon County
to be used from Mar 15 to Nove 15
for Irrigation of 120 acres
within the SE1/4 Sec 26, E1/4 Sec 35, T4N-R5W B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
March 28, 1977.

R. KEITH HIGGINSON

Director

Published in the News-Tribune, Caldwell, ID
on March 10, 1977 and March 17, 1977.

FILED
MAR 10 1977
IDAHO DEPT. OF WATER RESOURCES
BOISE