


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas P. Murray
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

RECEIVED

SEP 09 1994

SEP 09 1994



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 114847

Name(s) of Permit Holder: Tom J. Hunsley

Post Office Address: 11111 N. 1st St.

Tel. No. 234-1234

Source of Water:

Extent of Use:

☐ Domestic

☐ Stockwater

☒ Irrigation

☐ Other 114847

(number of households)

(number and type of stock)

(acres)

Measuring Device:

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☒ Yes ☐ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date 11/1/77

Signature of Permit Holder Tom J. Hunsley



12" well
15 HP submersible
pump

Irrigation
system



SEP 09 1994

Tom Munn
147 Bay 3726
London Idaho



RECEIVED



MAR 3 1982
IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water STATEHOUSE
BOISE, IDAHO 83720

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-08480

Priority: October 25, 1980

Maximum Diversion Rate: 0.60 CFS
Maximum Diversion Volume: 135.9 AF

This is to certify, that THOMAS P MURRAY
LOIS ANN MURRAY

RT 3 BOX 3826
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 1977; and has submitted Proof of Beneficial Use on March 3, 1982. An examination indicates that the works have a diversion capacity of .840 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.60 CFS	135.9 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 12, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	12	SWNW 11.5	SENW 18.7		30.2

Total number of acres irrigated: 30.2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


SEP 09 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-08480

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of AUGUST, 1994.

Acting for


R. Keith Higginson, Director



SEP 09 1994

Identification No. _____

Application No. 63-8480

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriately the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Thomas P. &/or Lois Ann Murray Phone: 466-6919
post office address Route 3, Box 326 Nampa, ID
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 12 Township 2N
Range 2W B.M. Canyon County; additional points of diversion if any: _____
b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.6 for irrigation purpose from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.6 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works
a. Description of ditches, flumes, pumps, headgates, etc. _____
well, pump and ditch system
b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ (Mo. Day) inclusive.
c. Proposed well diameter is 10 inches; proposed depth of well is 109 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years
b. Estimated construction cost is \$ _____
8. Description of proposed uses
a. If water is not for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be _____
(5) If water is to be used for other purposes describe _____

b. If water is for irrigation, indicate acreage in each section in the table below.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	12					12.10	18.40											80

Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above.

No other wells Nampa-Meridian -- surface water


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Application is submitted for supplemental water

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas P. Murray
(Applicant)

Priority 2/22/77
Received by JH Date Feb 22, 1977 Time 1:50 P.M.
Preliminary check by JH Fee \$ 35.00
Received by JH Date _____
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Priority reduced to _____ Reason _____
Protests filed by _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8480 and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.
- c. Other: A measuring device of atype approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April 19 77


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 63-8480 IN THE NAME OF
THOMAS P. &/OR LOIS ANN MURRAY

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-8480 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-8480 to appropriate the public waters of the State of Idaho with a proposed priority of FEBRUARY 22, 1977.
2. On APRIL 17, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 16, 1986.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

MAR 13 1990

4. The license examination fee was received on
FEBRUARY 16, 1990, 1340 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-8480 should be advanced 1340 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 63-8480 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-8480 is advanced to OCTOBER 25, 1980.

Dated this 28th day of February, 1990.

J. Glen Saxton
Chief, Water Allocation Bureau

MICROFILMED

MAR 13 1990

4/1
RECEIVED

FEB 16 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 100.00
Date 2-16-90
Receipt # 0014765
Receipt by C. Wong
Sent to S.O.

1. Permit No. 63-8480

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: TOM P. MURPHY

3. Post Office Address: RT #3 BOX 3826 NAMPA, ID.

Telephone No. 466-6919

4. Source of Water: GROUND WATER

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 32 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.64 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Prior to
As of May 1982 when proof was submitted

8. Person to contact to accompany the department representative during the field examination:

SAME AS ABOVE (Name)

(Address) (Telephone Number)

MICROFILMED

MAR 13 1990

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

Tom P. Murphy
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING }
DEVICE REQUIREMENT FOR PERMIT NO. 63-0430 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:
"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 1, 1994

THOMAS P MURRAY
LOIS ANN MURRAY
RT 3 BOX 3826
NAMPA ID 83651

RE: WATER RIGHT NO. 63-08480

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

SEP 09 1994

JR0750NP
(00-138)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT

DATE: 08/19/94
PAGE: 1

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6308480	T02N R02W S12 GROUNDWATER																	
	:									11.5	18.7							29
6302388	BOISE RIVE :																	30.2
A6302388	BOISE RIVE :																	
6307101	GROUNDWATE :													35	33			68
A6307101	GROUNDWATE :													35	33			68
~~6308480~~	~~GROUNDWATE :~~							12	10	18	40							80
(A6308480	GROUNDWATE) CLAIM									16	16							32
6308944	GROUNDWATE :							10	16									26
A6308944	GROUNDWATE :							10	16									26
6311175	GROUNDWATE :													24				24
A6320931	UNNAMED DR :							30										30

No Overlaps

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-8480 DATE 8-19-94

NAME	Yes ☐	No ☒	Or Address Change? ☐
PRIORITY DATE	☒	☐	Advance? <u>YES</u> Advanced to: <u>Oct 25, 1980</u> Order to reinstate needed? <u>Done</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐	☒	Amendment needed? ☐
	☐	☒	Overlaps? ☐
PLACE OF USE	☐	☒	Amendment needed? ☐
	☐	☒	Overlaps? ☐
DIV RATE	☐	☒	Measurement Q = <u>30.2 X .02 = .60</u> Theoretical Q = <u>.84</u> Capacity: <u>.84</u> Combined rates exceed capacity ☐ (Permit) fee limits: <u>1.0</u> Allowable: <u>.60</u>
ANNUAL VOLUME	☐	☒	Season of use: <u>D/4.5</u> Calculations: <u>30.2 x 4.5 = 135.9</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable ☐
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>WB3</u>	☒	Multiple p/d(s) in 1/4 1/4? ☐ Other <u>Nampa/Median IRR Dist</u>
CONDITIONS	<u>R32</u>	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS:	<u>Reduce acres/claim filed for 32 acres and rate</u>		

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.60</u>	<u>135.9</u>	ADJUSTMENT MEMO NEEDED ☐
_____	_____	_____	1ST AMENDMENT LETTER ☐
TOTALS	_____	_____	FINAL AMENDMENT LETTER ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 13 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-08480

1. Owner: Thomas + Lois Ann Murray Phone No. 466-6919

Current Address: Rt 3 Box 3826 Nampa 83651

2. Accompanied by: Tom EXAM DATE: 11/22/93

Address: _____ Phone No. _____

Relationship to Permit Holder: owner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	12	2N	2W	Canyon	USGS Quad 15C5 Photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	12							11.5	18.7									30.2

SEP 6 9 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

SEP 09 1994

E. NARRATIVE/REMARKS/COMMENTS

A 12" well with a 15 HP submersible pump supplies water to 30.2 acres via gated pipe. Tanga/Meridian Irrigation water is also used on the property. No other water rights were used.

63-08944, listed on the profile report as an overlapping P/D, is a licence for separate acres North of the canal and a separate P/D.


(SRBA claim A63-08480 was required and filed for 63-08480).

Have conditions of permit approval been met? ☒ yes ☐ no

20 1994




SCALE 1:24,000



T2N
R2W
SEC 12

SEP 09 1994



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-08480
2. OWNER: Tom Murray Phone: 466-6919
Address: Rt 3 Box 3826 Nampa
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 12, Se 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Broomfield Lic. No. 29
When Drilled? 6/6/77
5. WELL CONSTRUCTION:
Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 319 ft. Method Drilled cable
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 46 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

SEP 09 1994

POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Don Gnanu
Signature of Dept. Representative & Title

11/22/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

SEP 09 1994

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

RECEIVED

WELL DRILLER'S REPORT

JUN 14 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Don Murray
Address St. 3 Yampa Ave.
Owner's permit No. 63-8460

7. WATER LEVEL

Static water level 446 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow
Temperature ° F. Quality
Artesian closed in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☒ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other
Discharge (G.P.M.) Draw Down Hours Pumped
Not Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes, No
	From	To		
10"	0	17	Sand F-lens V.S.	✓
16"	17	45	Loam	✓
16"	45	63	Sandy Brown Clay	✓
12"	63	108	Mud. Sand, pebbles	✓
12"	108	162	Coarse Sand	✓
12"	162	165	clay. clay	✓
12"	165	184	Sandy hard clay	✓
12"	184	208	Mud. Sand	✓
12"	208	212	Sandy clay	✓
12"	212	215	clay. Sand, pebbles	✓
12"	215	330	Salt clay shale	✓

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Aug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 12 inches Total depth 330 feet
Casing schedule: ☐ Steel ☐ Concrete
Thickness 120 inches Diameter 12 inches From 4 feet To 319 feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches
Number From feet To feet
perforations feet feet
perforations feet feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel
Placed from feet to feet

Surface seal depth 4.5 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Shurry pit ☐ Temporary surface casing
☒ Overbars to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location



Subdivision Name
Lot No. Block No.

County Canyon
S.E. 1/4 NW 1/4 Sec. 12 T. 2 N. S. R. 2 W. 11

10.

Work started April 12 finished June 6 1977

11. DRILLERS CERTIFICATION

Firm Name Carl Brownfield Firm No. 29
Address 147 Muffin Date 4/12/77
Signed by (Firm Official) Carl Brownfield
and
Operator Same

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT



12" well
15 HP submersible
pump



Irrigation
system

SEP 09 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 7, 1990

RE: Permit No. 63-8480

Thomas P. &/or Lois Ann Murray
Rt. 3, Box 3826
Nampa, ID 83651

Dear Mr. and Mrs. Murray:

Enclosed is a copy of the Order of Reinstatement which advances the date of priority of the above referenced permit to October 25, 1980 due to late submittal of the exam fee.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT RECORDED

MAR 13 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 63-8480

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 26-FEB-1990

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	FEBRUARY 22 1977	53
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 17 1986	107
Exam Fee/Info Sheet Received Date:	FEBRUARY 16 1990	1507
Exam Fee or Info Due Date:	JUNE 16 1986	167
Days Late:		1340 DAY(S)
 NEW PRIORITY DATE		
Original Priority Date:	FEBRUARY 22 1977	53
Total Days Late:		1340 DAY(S)
 New Priority Date:	OCTOBER 25 1980	298

MICROFILMED

MAR 13 1990

INTER-DEPARTMENT MEMO — 1

FROM

Beta Fleck

DATE 4-11-1988

TO

File 63-8480

SUBJECT

*Note the address on each of the notices.
There is an incorrect box #. Sent as
Rt 3 Box 326, should be Rt. 3, Box 3826.
however, since there is no returned mail
in the file, I'm going to assume proper
notice was given.*

SIGNATURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUMM
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

63-1440
MURRAY, THOMAS P.
MURRAY, LOIS ANN
47. 3 BOX 326
NAMPA, ID 83651

April 17, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be on no further force nor effect on June 17, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 17, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 17, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

If you have questions, please contact any office of the Department.

Sincerely,

Glen Saxton
GLEN SAXTON, Chief
Operations Bureau



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-2190

43-4480
MURRAY, THOMAS P.
MURRAY, LOIS ANN
RT. 3 BOX 326
NAMPA, ID 83651

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Deputy

Mailing address:
Statehouse
Boise, Idaho 83720

63-8480
MURRAY, THOMAS P.
MURRAY, LOIS ANN
RT. 3 BOX 326
HAMPA, ID 83651

April 17, 1986

CERTIFIED MAIL

138333

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region
Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region
Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



JOHN V. EVANS
Governor

A. Kenneth Dunn
Director

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

(Office at the corner of
Franklin and Cole Roads)

(208) 334-2190

RE:

Dear _____

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

DEPARTMENT OF WATER RESOURCES

The State Department of Water Resources will consider this card as a statement that the permit holder has completed development to the extent shown below of Permit No. 11-18807

Name(s) of Permit Holder: John J. ...

Post Office Address: ...

Tel. No. ...

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other ...

Measuring Device:

Pressure ☐ Yes ☐ No

Installed? ☐ Yes ☐ No

Access Port:

Pressure ☒ Yes ☐ No

Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date ...

Signature of Permit Holder ...

RECEIVED

MAR 8 1962

IDAHO DEPARTMENT OF WATER RESOURCES
Department of State HOUSE
BOISE, IDAHO 83720

SECRET
DEPARTMENT OF AGRICULTURE

STATEHOUSE
DUISE, IOWA 53120
(208) 334-4440
CERTIFIED MAIL

MURRAY, THOMAS P. & DREW ANN
Rt. 3 Box 320
NARNA, ID 83651

JANUARY 11, 1982

DEAR VENUEE HILBERT:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 030480 WAS THAT EVIDENCE OF THE PATENT OR DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 1, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE REASON IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IOWA CODE, APPENDIX. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR DELEGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

ENTER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 90 DAYS.

STATEHOUSE

WITA FLECK
DE. SECRETARY

PAGE 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN

Director

December 16, 1981

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

Thomas P. &/or Lois Ann Murray
Route 3, box 326
Nampa, Id 83651

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

A handwritten signature in dark ink, reading "David R. Tuthill Jr." with a stylized flourish at the end.

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

April 19, 1977

Re: Permit 63-8480

Thomas P. &/or Lois Ann Murray
Route 3, Box 326
Nampa, ID

Dear Mr. and Mrs. Murray,

Enclosed is a copy of your approved Application for Permit No. 63-8430. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

Verla Harker
of Nampa, Canyon County, Idaho, being first duly sworn,
deposes and says:

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that THOMAS P. &/or LOIS ANN MURRAY, Route 3, Box 326, Nampa, Idaho, has on February 22, 1977, submitted Application No. 63-8480 for a permit to appropriate 1.8 cubic feet per second of water from a groundwater source by means of well, pump and ditch system within the SE 1/4 NW 1/4 Sec. 12 T2N-R2W S.M., Canyon County, to be used from March 15 to Nov. 15 for irrigation of 80 acres within the NW 1/4 Sec. 12 T2N-R2W S.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83726, on or before March 21, 1977.

R. KEITH HIGGINSON
Director
March 2, 1977.

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 3, 10, 1977

Subscribed and sworn to before me this

10th day of March, 19 77

Adams J. Kaur
Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

OK
3-21-77
A



Cecil D. Andrus
Governor

R. Keith Higginson
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

February 25, 1977

Re: See Attached Sheet

Idaho Free Press
P. O. Box 83
Hampa, ID 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 21, 1977.

Sincerely,

Bill submitted
3-21-77
y

Published in the IDAHO FREE PRESS on March 3, 1977 and March 10, 1977

63-8466	Jerry Hopper
63-8467	Clyde D. Schuster
63-8473	Codr, Inc.
63-8477	C. Richard &/or Marilyn Gunning
63-8479	LeRoy M. &/or S. Matena Ulrich
63-8480	Thomas P. &/or Lois Ann Murray
63-8481	Ted W. Lewis
63-8482	Dean R. &/or Alice J. Harrison
63-8483	Leonard Tiegs
63-8485	Edmond A. Anderson
63-8488	R. E. &/or Janice Cassidy
63-8489	R. E. &/or Janice Cassidy
63-8490	Lewis &/or Elfredia Cassidy
63-8494	Tiegs Farms, Inc.
63-8495	Tiegs, Farms, Inc.
63-8496	Tiegs Farms, Inc.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that THOMAS P. &/or LOIS ANN MURRAY
Route 3, Box 526 Nampa, ID
has on February 22, 1977 submitted Application No. 83-6480
for a permit to appropriate 1.6 cubic feet per second ~~XXXXXX~~
~~XXXXXXXXXX~~ of water from a groundwater source
by means of well, pump and ditch system
within the SE 1/4 Sec 12 T2N-R2W B.M., Canyon County

to be used from Mar 15 to Nov 15
for irrigation of 80 acres

within the NW 1/4 Sec 12 T2N-R2W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before March 21, 1977.

R. KEITH HIGGINSON
Director

Published in the Idaho Free Press, Nampa, ID
on March 3, 1977 and March 10, 1977.