


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert D. Shaz
(Applicant)

) ss.

COUNTY OF ADA)

Melvin Madarieta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of February 24, 1977, and ending with the issue of March 3, 1977.

Melise Madaneta
Subscribed and sworn to before me this 3rd
day of March, 1977.

Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
MAR 3 1961

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT V. &/or ELIZABETH L. DESHAZO, Route 2, Kuna, ID., has on February 15, 1977, submitted Application No. 63-8435 for a permit to appropriate 4.8 cubic feet per second of water from a groundwater source by means of well, pump and pipe within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 33; NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 34 TIN-RIE B.M., Ada County to be used from April 1 to Nov. 1 for irrigation 240 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 33; NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 34 TIN-RIE B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before March 3, 1977.

R. KEITH HIGGONSON
Director
Pub. Fed. 24 & March 3, 1977

719

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 7 1988

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Arthur Donald Watkins Permit No. 63-8435
Current Address: 8828 Clovis Dr., Boise, ID 83709 Phone No. 375-1414
2. Accompanied by: "Don" Watkins EXAM. DATE: 8-20-87 & 9-15-87
Address: same as above Phone No. 375-1414
Relationship to Permit Holder: owner - assignee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3013 63-3014 63-7047 and 63-7055A ☒ Copies Attached
2. Other water rights with same point of diversion: 63-3013 63-3014 63-7047 and 63-7055A ☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached also



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED

JUN 27 1990

TIN RIE

27 26
35


28 27
33 34

40

JUN 27 1990

RECEIVED

21 35
32



Published by the Geological Survey

C&GS

Photographs by ER-55 plotter
1958. Aerial photographs taken 1955


27 North American datum
Idaho coordinate system, west zone
Inverse Mercator grid ticks,

Compiled from aerial photographs
Location not field checked

UTM GRID AND 1971 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

TIN RIE

SCALE 1:24000



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

63-8435


THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

QUADRANT

63-8435




P.D. Well #3
Looking North



P.U. Looking
Southeast from
the farm's
entrance at the
south end of
Cloverdale Road.

RECORDED
JUN 27 1990

63-8435



P.D. Well #1
Looking North-
west



P.D. Well #2
Looking South-
east

REPRODUCTION
JUN 27 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle Date 9-15-87
Owner: Don Watkins Permit No. 63-8435

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #3; Located in the SW 1/4 of the NE 1/4 of Sec. 34
Twp 1N Rge 1E.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 38.25
T = Pipe Thickness in Inches = 0.125
ID = 2 [(0.1592 X CIR) - T] = ... 11.9

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 12"
State ID No. 091434

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.99

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)


High Reading = 37.2
Low Reading = 10.8
High - Low = H = ... 26.4

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(11.9)^2 \cdot (\sqrt{26.4}) \cdot (3.99)}{448.8} = \underline{6.47 \text{ CFS}}$$

SKETCH (If not shown on Field Report) Scale 1" = 4'



State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle Date 8-20-87
Owner: Don Watkins Permit No. 63-8435

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #2; Located in the NE 1/4 of the NE 1/4 of Sec. 33
Twn 1 N Rge 1 E.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 38.25
T = Pipe Thickness in Inches = 0.125
ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 11.9

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 12"
State ID No. 091434

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.99

DIFFERENTIAL PRESSURE READING IN INCHES OF H2O (H)

High Reading = 27.3
Low Reading = 13.7
High - Low = H = 13.6

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$


$$Q = \frac{(11.9)^2 \cdot (\sqrt{13.6}) \cdot (3.99)}{448.8} = 4.64 \text{ CFS}$$

SKETCH (If not shown on Field Report)

Scale 1" = 4'

MICROFILMED

JUN 27 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle

Date: 8-20-87

Owner: Don Watkins

Permit No. 63-8435

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #1; Located in the NW 1/4 of the NW 1/4 of Sec 34
Twn 1 N Rge 1 E.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 31.75

T = Pipe Thickness in Inches = 0.125

ID = 2 [(0.1592 X CIR) - T] = ... 9.9

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 10"

State ID No. 091424

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

* columns were fluctuating

* High Reading = 27.0

* Low Reading = 19.0

High - Low = H = ... 8.0

CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(9.9)^2 \cdot (\sqrt{8}) \cdot (3.94)}{448.8} = \underline{2.43} \text{ cfs}$$

MICROFILMED

JUN 27 1990

SKETCH (If not shown on Field Report) Scale 1" = 4'



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-08435

Priority: April 13, 1977

Maximum Diversion Rate: 2.84 CFS
Maximum Diversion Volume:¹ 711.0 AF

This is to certify, that ARTHUR DONALD WATKINS
8828 CLOVIS DR.

BOISE, ID 837090000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 15, 1977; and
has submitted Proof of Beneficial Use on February 25, 1987. An examination indicates
that the works have a diversion capacity of 13.540 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.84 CFS	711.0 AF

LOCATION OF POINT(S) OF DIVERSION:
NENE , Sec. 33, Township 01N, Range 01E
NWNW , Sec. 34, Township 01N, Range 01E
SWNE , Sec. 34, Township 01N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	01E	33	NWNE 13	SWNE 22	NENW 37	
			SENE 38			110
		34	NENW 23	NESW 25		48

Total number of acres irrigated: 158

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUN 27 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-08435

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The maximum combined rate of diversion under this right & Rights 63-3013, 63-3014, 63-7047 & 63-7055A shall not exceed 13.54 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of JUNE, 1990.

Acting for R. Keith Higginson, Director

JUN 27 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08435

APPROVED

Date of Priority: April 13, 1977 Maximum Diversion Rate: 2.84 CFS
Maximum Diversion Volume:¹ 711.0 AF

Comes now ARTHUR DONALD WATKINS
8828 CLOVIS DR.
BOISE, ID 837090000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-08435, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.84 CFS	711.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 33, Township 01N, Range 01E
NWNW , Sec. 34, Township 01N, Range 01E
SWNE , Sec. 34, Township 01N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N 01E 33	NWNE 13	SWNE 22	NENW 37	
	SENE 38			110
34	NENW 23	NESW 25		48

Total number of acres irrigated: 158

MICROFILMED

JUN 27 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 20th day of March, 1990.

Arthur Donald Watkins
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-08435

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by as Date 6/5/90
3-20-90

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-08435 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The maximum combined rate of diversion under this right & Rights 63-3014, 63-7047 & 63-7055A shall not exceed 13.54 cfs.

Witness my hand this 21st day of June, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director



Jim

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	63-8435	DeShazo, Robert V. Elizabeth L.	4.8
Full Assignment	63-8435	Watkins, Arthur Donald	4.8

MICROFILMED

MAR 20 1987

RECEIVED

FEB 03 1987

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

I, ROBERT V. DeSHAZO and, hereby assign to ARTHUR DONALD WATKINS,
ELIZABETH L. DeSHAZO
of 8828 Clouis Dr. Boise, Idaho 83709
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 63-8435
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)


Made this 20 day of September, 19 84.

Robert V. DeShazo
Permit Holder

Elizabeth L. DeShazo
Spouse of Permit Holder

State of Idaho)
County of ADA) ss.

On this 20 day of September, 1984, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.



Nita L. Wilson
Notary Public residing at
Boise, Idaho

My commission expires:
8/14/87

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only	
Fee Received	_____
Date	_____
Receipt #	_____

REQUEST FOR EXTENSION OF TIME
To provide additional time in which to submit
proof of beneficial use on a water right permit

RECEIVED

APR 27 1982

Department of Water Resources

ROBERT V. AND/OR ELIZABETH of RT. 2, KONA, ID 83634
(Name) L. DESHAZO (Address)

State of IDAHO, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 63-8435.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before 1 MARCH, 1982.

That he has heretofore performed the following work described under said permit: WE DRILLED
(This must be filled out! If no work has been completed put none.)
A WELL THAT TESTED AT 300 INCHES
IT'S A 20 INCH DIAMETER, 618 FEET DEEP.

Costing \$ \$19,280.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:
FARM PRICES AND HIGH INTEREST RATES

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to 1 MARCH, 1987.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Robert V. Deshazo
(Signature)

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to March 1, 1987.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to April 13, 1977, pursuant to Idaho Code, Sec. 42-218a.

Signed this 6th day of May, 19 82.

J. Glen Saptor
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8435

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 63-8435

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert V. &/or Elizabeth L. DeShazo Phone: _____
post office address Route 2, Kuna, ID 83634
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 1N
Range 1E B.M. Ada County; additional points of diversion if any: _____
NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 34 T1N-R1E
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.8 for irrigation purpose from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.8 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
well, pump and pipe
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 30,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

RECEIVED
APR 1 1963
IDAHO DEPT. OF WATER RESOURCES

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above. _____
None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert V. D. Sharp
(Applicant)

Proposed Priority 2/15/77

Received by WMA Date 2-15-77 Time 4:00

Preliminary check by WMA Fee \$ 65.00

Receipted by WMA Date 2-15-77 # 66667

Publication prepared by WMA Date 2-17-77

Published in Idaho Statesman

Publication dates Feb 24 + March 3

Publication approved WMA Date 3-7-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WMA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8435, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.
- c. Other: Measuring devices of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 29th day of March, 19 77.



Director

DESHAZD

RT 2

UNA, ID 83634

RECEIVED



DEPT. OF WATER RESOURCES
STATEHOUSE
BOISE, ID 83720

STATE OF IDAHO)

) ss.

Melvin Madasuta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of February 24, 1977, and ending with the issue of March 3, 1977.

Melise Madaraka

Subscribed and sworn to before me this 3rd
day of March, 1977.

Notary Eugene
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
MAR 3 1964

Department of Water Resources
Western Regional Office

MICROFILMED

June 25, 1990

ARTHUR DONALD WATKINS
8828 CLOVIS DR.
BOISE, ID 837090000

RE: PERMIT NO. 63-08435

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

INDEXED

JUN 27 1990

WR-NUMBER	NAME	STG	SOURCE	NE																SUM	
				T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
L6308435																					
6307047	DESHAZO	L	GROUNDWATER	01N	01E	33	40	24	16	40	:									120	
6308435	WATKINS	P	GROUNDWATER	01N	01E	33		16	24	:	40		40	:	40			40		200	
L6308435	WATKINS	L	GROUNDWATER	01N	01E	33		13	22	:	37		38	:						110	
	NO MAPPING INFO AVAILABLE																				
L6308435																					
6303013	WHEELER	L	GROUNDWATER	01N	01E	34	20	35	35	35	:							35	35	40	270
6303014	WHEELER	L	GROUNDWATER	01N	01E	34					:	40	40	:	10	12	40	40	:	182	
6307055A	DE SHAZO	L	GROUNDWATER	01N	01E	34	19	34	27	40	:	17	37	40	:	4				218	
6308435	WATKINS	P	GROUNDWATER	01N	01E	34					:	40		:						40	
L6308435	WATKINS	L	GROUNDWATER	01N	01E	34					:	23		:	25					48	
	NO MAPPING INFO AVAILABLE																				

UNRECORDED

JUN 27 1990

January 23, 1990

ARTHUR DONALD WATKINS
8828 CLOVIS DR.
BOISE, ID 837090000

RE: PERMIT NO. 63-08435

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 27 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
6308435	01N	01E	33	NE	NE	GROUNDWATER	DE SHAZO, ROBERT V.
6307047						GROUNDWATER	DESHAZO, ELIZABETH L
6307055A						GROUNDWATER	DE SHAZO, ROBERT V.
6308435	01N	01E	34	NW	NW	GROUNDWATER	DE SHAZO, ROBERT V.
6307047						GROUNDWATER	DESHAZO, ELIZABETH L
6307055A						GROUNDWATER	DE SHAZO, ROBERT V.

MICROFILMED

JUN 27 1990

South
Cloverdale Rd.

Sec 33 T 1 N R 1 E

Sec. 34 T 1 N R 1 E

~~63-8435~~ 37 ac	63-7047 24 ac ~~63-8435~~ 13 ac	63-7047 40 ac Well #2	Well #1 63-3014 40 ac 63-7055A 37 ac	63-7055A 17 ac 63-8435 23 ac	63-3013 35 ac 63-7055A 34 ac	63-3013 20 ac 63-7055A 19 ac
63-8435 38 ac	63-7047 16 ac 63-8435 22 ac	63-7047 40 ac	63-3014 40 ac 63-7055A 40 ac	Feedlot	63-3013 35 ac Well #3 63-7055A 27 ac	63-3013 35 ac 63-7055A 40 ac
Not Irrigated			63-3014 12 ac 63-7055A 4 ac	63-3014 10 ac 63-8435 25 ac	63-3013 35 ac	63-3013 35 ac
			63-3014 40 ac	63-3014 40 ac	63-3013 40 ac	63-3013 35 ac

Scale 1" = 1/4 mile

Existing Licenses

63-3013	3.3 cfs	270 ac	0.012 cfs/ac	
63-3014	2.74 cfs	182 ac	0.015 cfs/ac	
63-7047	2.40 cfs	120 ac	0.02 cfs/ac	0.04 Dom. 0.09 stock
63-7055A	4.36 cfs	218 ac	0.02 cfs/ac	0.07 stock

MICROFILMED

JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 7 1988

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-8435

1. Owner: Arthur Donald Watkins

Phone No. 375-1414

Current Address: 8828 Clovis Dr., Boise, ID 83709

2. Accompanied by: "Don" Watkins

EXAM. DATE: 8-20-87 & 9-15-87

Address: same as above

Phone No. 375-1414

Relationship to Permit Holder: owner - assignee

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3013 63-3014 63-7047 and 63-7055A ☒ Copies Attached

2. Other water rights with same point of diversion: 63-3013 63-3014 63-7047 and 63-7055A ☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached also



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECORDED
JUL 27 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system has 3 wells that are interconnected with a system of underground mainlines and laterals. Well #1 is 400' deep with a 125 H.P. turbine pump. Well #2 is 418' deep with a 350 H.P. turbine pump. Well #3 is 402' deep with a 350 H.P. turbine pump. Static water level is approximately 270' in each well. Most of the land is sprinkler irrigated with wheel lines and hand lines, however some gated pipe is in use. Mr.

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	GE	125	DFJ401106	Layne Bowler	4486
#2	GE	350	DJJ425012	Layne	10" Discharge
#3	US Motors	350	1277846	Johnston	JT 3050

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1			NWNW		34	1N	1E	Ada	Aerial Photo
#2			NENE		33	1N	1E	Ada	Aerial Photo
#3			SWNE		34	1N	1E	Ada	Aerial Photo

6. Place(s) of Use:

Indicate Method of Determination Aerial Photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	1E	33		13	22		37			38									110
1N	1E	34					23				25								48
																			153

158 CA 8-19-88

Do not use this space

JUN 27 1990

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar		Dover	7517-316-55	091424	10"	
Annubar		Dover	7517-316-55	091434	12"	
Manometer		IDWR		#1	48"	

2. Measurements: see attachments

Total Q of 13.54 cfs applied to approx. 750 acres =
 0.018 cfs/acre. $158 + 33 \times 0.018 = 2.39$ cfs ^{CA 8-19-88}
 The system will operate approximately 1550 Nelson
 4 gpm even flow heads
 $4 \text{ gpm} \times 1550 = 6200 \text{ gpm} \quad \frac{6200}{448.8} = 13.81 \text{ cfs}$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: $2.43 + 4.64 + 6.47 = 13.54 \text{ cfs}$

2. Alternate Method for Checking Purposes: Est. 280 lift and 50 psi at well heads

$$\frac{125 \times 8.8 \times .8}{280 + 2.3(50)} = 2.23 \text{ cfs} \quad \frac{350 \times 8.8 \times .8}{280 + 2.3(50)} = 6.24 \text{ cfs} \quad 2.23 + 6.24 + 6.24 = 15.51 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional) Meters were not accessible

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{158}{133} \times 4.5 = 598.5 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{2.84}{2.39} \times 215 \times 1.9835 = 1019.2 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 598.5 \text{ afa} \quad 711 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Watkins is making continuing improvements (rock removal) and when the improvements are complete the land is planted to grain or hay. The balance of the irrigated land is in native grasses or was planted to turnips for fall and winter pasture, with the exception of the land in the NWSE and NESW of sec. ~~34~~³³ which has not been irrigated. The NWNW of sec 34 is already licensed at 0.02 cfs per acre, however the NENW is licensed for 17 acres and 40 acres were found to be irrigated. Therefore, I am recommending the p.u. include 23 acres in the NENW of sec. ~~34~~³³. Mr. Watkins also irrigates 35 acres in the

I. RECOMMENDATIONS

1. Recommended Amounts ^{NESW of sec. ~~34~~³³ and only 10 acres are licensed in this 1/4 1/4. Therefore, I am also recommending this right include 25 acres in the NESW of sec. ~~34~~³³.}

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
Irrigation	3-15 4-11	2.84 ~~2.39~~ cfs	598.5 ~~711~~ afa


Totals: ~~2.39~~ 2.84 cfs 598.5 711 afa
 at 8-19-88

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☒ Add P.D. as reflected above
- ☐ None
- ☐ Change P.U. as reflected above
- ☒ Add P.U. as reflected above
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Carter Fritschle
 Signature Carter Fritschle
 Certification Date _____
 Field Report Preparation Date 9-15-87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Condition R 32

The maximum combined rate of diversion under this right and Water Right No.s 63-3013, 63-3014, 63-7047 and 63-7055A shall not exceed 13.54 cfs.

MICROFILMED

JUN 27 1990

TIN RIE

38/34

27/36
35

40

JUN 27 1960

RECEIVED


37.9

35

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6307047	DESHAZO	L	GROUNDWATER	01N	01E	33	40	24	16	40	:	:	:	:	:	:	:	:	:	:	120		
6308435	WATKINS	P	GROUNDWATER	01N	01E	33		16	24		:	40		40	:	40			:	40	200		
L6308435	WATKINS	L	GROUNDWATER	01N	01E	33		~~16~~ 24			:	~~40~~		~~40~~	:	~~40~~			:	~~40~~	200		
	NO MAPPING INFO AVAILABLE							13	22			37		38						110			
6303013	WHEELER	L	GROUNDWATER	01N	01E	34	20	35	35	35	:	:	:	:	:	:	:	:	:	35 35 40 35	270		
6303014	WHEELER	L	GROUNDWATER	01N	01E	34					:	40	40	:	10	12	40	40	:	182			
6307055A	DE SHAZO	L	GROUNDWATER	01N	01E	34	19	34	27	40	:	17	37	40	:	4			:	218			
6308435	WATKINS	P	GROUNDWATER	01N	01E	34					:	40		:				:	40				
L6308435	WATKINS	L	GROUNDWATER	01N	01E	34					:	23	40	:	25			:	40				
	NO MAPPING INFO AVAILABLE																		48				

JUN 22 1990

MICROFILMED



Published by the Geological Survey

C&GS

Photographs by L.R. 65 plotter
1958. Aerial photographs taken 1955


27 North American datum
Idaho coordinate system, west zone
Inverse Mercator grid ticks,

Compiled from aerial photographs
Location not field checked

UTM GRID AND 1971 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

T IN R I E

SCALE 1:24000



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

63-8435

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

QUADRANT

MEMO TO FILE 63-8435


DATE 8-19-1988

FROM Carter Fritschle

Mr. Watkins visited the State Office on this date. He stated that 35 acres had been irrigated in the NESW of Sec. 34. Since his earlier water right only covered 10 acres in this quarter-quarter section, I decided to modify the field exam and recommend 25 acres in the NESW of Sec. 34 be included in this water right. This also increased the diversion rate recommended 2.84 cfs, and the annual volume recommended to 711 afa. This is assuming the diversion rate per acre is still approximately 0.018 cfs.

It should be noted that this land was not being irrigated at the time of the field exam, but it had been tilled.

Carter Fritschle



63-8435



P.D. Well #3
Looking North




P.U. Looking
Southeast from
the farm's
entrance at the
south end of
Cloverdale Road.

RECORDED
JUN 27 1990

63-8435



P.D. Well #1
Looking North-
west



P.D. Well #2
Looking South-
east

RECEIVED
JUN 27 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle Date 9-15-87
Owner: Don Watkins Permit No. 63-8435

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #3; Located in the SW 1/4 of the NE 1/4 of Sec. 34
Twp 1N Rge 1E.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 38.25
T = Pipe Thickness in Inches = 0.125
ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 11.9

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 12"
State ID No. 091434
Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.99

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)


High Reading = 37.2
Low Reading = 10.8
High - Low = H = 26.4

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(11.9)^2 \cdot (\sqrt{26.4}) \cdot (3.99)}{448.8} = \underline{6.47 \text{ CFS}}$$

SKETCH (If not shown on Field Report) Scale 1" = 4'



MICROFILMED

JUN 7 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle Date 8-20-87
Owner: Don Watkins Permit No. 63-8435

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #2; Located in the NE 1/4 of the NE 1/4 of Sec. 33
Twn 1 N Rge 1 E.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 38.25
T = Pipe Thickness in Inches = 0.125
ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 11.9

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 12"
State ID No. 091434

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.99

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)


High Reading = 27.3
Low Reading = 13.7
High - Low = H = 13.6

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(\text{ID})^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(11.9)^2 \cdot (\sqrt{13.6}) \cdot (3.99)}{448.8} = 4.64 \text{ CFS}$$

SKETCH (If not shown on Field Report) Scale 1" = 4'



State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle

Date 8-20-87

Owner: Don Watkins

Permit No. 63-8435

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #1; Located in the NW 1/4 of the NW 1/4 of Sec 34
Twn 1 N Rge 1 E.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 31.75

T = Pipe Thickness in Inches = 0.125

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 9.9$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 10"

State ID No. 071424

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

* columns were fluctuating

* High Reading = 27.0

* Low Reading = 19.0

High - Low = H = 8.0


CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(9.9)^2 \cdot (\sqrt{8}) \cdot (3.94)}{448.8} = 2.43 \text{ CFS}$$

SKETCH (If not shown on Field Report)

Scale 1" = 4'



March 5, 1987

Arthur Donald Watkins
8828 Clovis Drive
Boise, ID 83709

Dear Mr. Watkins:

Re: Permit No. 63-8435

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

The department also acknowledges receipt of the proof of beneficial use form. Before the department can issue a license, a representative will need to conduct a field inspection of the water distribution system to determine the extent of use and amount of water diverted. I cannot tell you just when this examination will be done, but our representative will contact you to set up a convenient time.

If you have any questions concerning this matter, please feel free to contact the Western Regional office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: region

MICROFILMED

MAR 20 1987

RECEIVED
FEB 25 1987

For Office Use Only
Fee Received \$200.00
Date 2-25-87
Receipt # 41485
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 13-487

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-8435

Name(s) of Permit Holder: Arthur Donald Watkins

Post Office Address: 8828 Clovis Drive, Boise, Idaho 83709
(currently in Arizona)
Telephone No. 375-1414 (602-982-6601)

Source of Water: Ground water

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)
Irrigation 240 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 4.8 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: Prior to Sept. 1, 1984

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 200.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Dan Watkins
(Name)

375-1414
(Telephone Number)

8828 Clovis Dr. Boise, Idaho 83709
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 20 1987

Feb 10, 1987

Date

Arthur Donald Watkins
Signature of Permit Holder (and title, if appropriate)

Permit No. 63-8435

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? Yes
2. Notary? Yes
3. a. Full Assignment? Yes
b. Partial Assignment?
4. "No assignment" condition on permit? NO
5. Commencement of Works received? - B/u rec'd
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? NO
7. Extension granted due to litigation? N/A
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region. ✓

Shavla —

Shavla —

Send us/ B/u RITA

Date 3-7-87

Employee Jim

MICROFILMED

MAR 20 1987

FROM

Pete Fleck

TO

File 63-8435


SUBJECT

*Returned Bk Notice*DATE *1-20-1987*

*The notice is being forwarded to
1964 Beacon Light Rd, Eagle, Id 83616
per returned notice envelop.*

MICROFILMED

MAR 20 1987




SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED


JAN 07 1987



Department of Water Resources

1964 Beacon Light Rd.
Eagle ID 83614

MAILED
JAN 10 1987



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1986

138598

DE SHAZO, ROBERT V. & ELIZABETH L.
RT. 2
KUNA, ID 83634

PROOF DUE NOTICE

RE: PERMIT NO. 63-8135

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAR 20 1987

May 6, 1982

Robert V. & Elizabeth L. Deshazo
Rt. 2
Kuna, ID 83634

Dear Sir

Re: Permit No. 63-8435

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to March 1, 1987.

Please note that the permit has been reinstated with an advance in priority since the extension of time request was submitted after the proof due date.

Also enclosed is receipt No. 22786 in the amount of \$15.00.

Sincerely

Rita Fleck
Sr. Secretary

RF/ps

Enclosures

RECEIVED
MAY 11 1982

INTER-DEPARTMENT MEMO — 1

FROM

JIM

DATE

5-4-82

TO

File

SUBJECT

REQUEST FOR EXTENSION DATED 4-27-82

Extension Request RECEIVED
 Proof Due Date

4-27-82

3-1-82

JULIAN DATE

117

60

57 DAYS LATE

PRIORITY DATE

2-15-77

+46

NEW PRIORITY DATE

4-13-77

103

MICROFILMED

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DE SHAZO, ROBERT V. & ELIZABETH L.
RT. 2
KUNA, ID 83634

MARCH 02, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-8435 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED DECEMBER 31, 1981.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

CERTIFICATION OF MAILING

I hereby certify that on 3-22-1982
a copy and original of this document was
deposited in the United States mail,
postage prepaid addressed to the
recipient named above.

[Signature]

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138034

DE SHAZO, ROBERT V. & ELIZABETH L.
RT. 2
KUNA, ID 83634

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8435 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 18, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED
JUN 21 1981
WATER RESOURCES

April 1, 1977

Re: Permit No. 63-8435

Robert V. &/or Elizabeth L. DeShazo
Route #2
Kuna, ID 83634

Dear Mr. and Mrs. DeShazo:


Enclosed is a copy of your approved Application for Permit No. 63-8435. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit



DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8435

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) YH 2-15-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) YH 2-15-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) Depth to water over 400' deep

(9) _____

Other rights on the same place of use None 63-7048 is Super

(10) _____

Comments: License 63-7047 includes the ironing of land in some of the same 40's as this app, but different acres in those 40's

(11) CS 3-7-77

Affidavit of Publication received (date) 3-3-77

(12) _____

Final date for protests March 14, 1977

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device Required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By YH Date 3-11-77



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Anderson
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

February 18, 1977

Re: See attached sheet

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 14, 1977.

Sincerely,

Bill Submitted
3-7-77

RECEIVED
MARCH 14 1977
DEPARTMENT OF WATER RESOURCES
BOISE, IDAHO

TO BE PUBLISHED IN THE IDAHO STATESMEN ON FEBRUARY 24, 1977 AND MARCH 3, 1977.

63-4418 - Kenneth &/or Norma Blevins
63-8441 - Carl W. &/or Lois E. Birch

63-8439 - Cala &/or Leonard Starkey
63-8438 - Roy A. Holoday
63-8437 - Keith Ricks
63-4419 - Blancha Starr
63-8447 - Robert B. &/or Jennifer Kandler
63-8450 - Virgil C. Caldwell
63-8451 - Micheal Thorton
63-8442 - C. Frank &/or E. Johnson
63-8435 - Robert V. &/or Elizabeth L. DeShazo
63-8433 - Boise Water Corporation
63-8432 - Boise Water Corporation
63-8431 - W. L. &/or Lowell D. Grim
63-4415 - Keith Ricks
63-4414 - Boise Water Corporation

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT V. &/or ELIZABETH L. DESHAZO
Route 2 Kuna, ID
has on February 15, 1977 submitted Application No. 63-8435
for a permit to appropriate 4.8 cubic feet per second ~~XXXXXX~~
~~XXXXXX~~ of water from a groundwater source
by means of well, pump and pipe
within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 33, NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 34 T1N-R1E B.M., Ada County
to be used from Apr 1 to Nov 1
for irrigation 240 acres
within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 33; NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 34 T1N-R1E
B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before March 3, 1977.

R. KEITH HIGGINSON
Director

Published in the Idaho Statesman, Boise, ID
on February 24, 1977 and March 3, 1977.