

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

GEO RESOURCES CORPORATION

By James B. Cunningham
President

Applicant

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Geo Resources Corporation, Salt Lake City, Utah has on December 9, 1976 submitted Application No. 63-8393 for a permit to appropriate 0.20 cubic feet per second of water from A caved mine tunnel trib. of Grimes Creek by means of collection tank and pipeline within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 23 T8N-R5E, B.M., Boise County to be used from Jan 1 to Dec 31 for domestic use for 5 families within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ -Sec 23 T8N-R5E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before January 3, 1977.

R. KEITH HIGGINSON
Director

Published in the Idaho World, Idaho City, Id, on December 17, 1976 and December 24, 1976.

OK
1-6-77
J

RECEIVED
JAN 6 1977

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Boise

Julie Ross, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for

2 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

12-17, 1976 and ending with the issue of 12-24

1976

Julie Ross


Subscribed and sworn to before me
Subscribed and sworn to before

me this 4th day of Jan 1977

Robert D. Tuffield
Clk of Dist Court

MICROFILMED

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NW 1/4, SEC. 23, TWP. 8N, RGE. 5E, B.M.

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8N	5E	23					X												
							(5 HOMES)												
							1 BATHHOUSE												

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by DBS

Approved by Lay Walker

Date 1/21/83

Date 2/1/83

Date 9-30-85

WATER RIGHT LICENSE

that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.20 cfs of water from a spring tributary to Grimes Creek, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use _____ Period of Use _____ Rate of Diversion _____ Annual Volume _____

Domestic (5 Units) from January 1 to December 31 at 0.20 cfs and 6 acre feet

from _____ to _____ at _____ cfs and _____

from _____ to _____ at _____ cfs and _____

(both dates inclusive)

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 6.0 feet per year, said waters to be diverted within the SE 1/4 Section 23, Twp 8N, Rge 5E in the County of Boise

Description and location of place of use:

[illegible]

Total number of acres irrigated _____

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 11TH day of OCTOBER, 19 85.

Acting for the Director

Norm C Young

128✓

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8393

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____
Application No. 63-1393

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Geo Resources Corporation Phone: 801-3597996 - SLC office
737 Hilltop Road, Salt Lake City, Utah 84103 - office
post office address Golden Age Mine, Pioneerville Rt. Idaho City ID 83631 - mine
2. Source of water supply caved mine tunnel which is a tributary of Grimes Creek
spring
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 8N
Range 5E B.M. Boise County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into Grimes Creek at a point in NE $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 23 Township 8N Range 5E B.M. Boise Co.
4. Water will be used for the following purposes:
Amount 0.20 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2" pipe line from collecting tank
near caved portal of mine tunnel to houses.
- b. Height of storage dam none feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is none inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
has been completed
5 years
b. Estimated construction cost is \$ 200.00
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 8N
Range 5E B.M. Boise
(2) Amount of power to be generated: none hp under _____ feet of head.
(3) List number of each kind of livestock to be watered none
- (4) Name of municipality to be served none, or number of families to be
supplied with domestic water 5 maximum
- (5) If water is to be used for other purposes describe: none

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated none

c. Describe any other water rights used for the same purposes as described above. none

9. a. Who owns the property at the point of diversion Geo Resources

b. Who owns the land to be irrigated or place of use Geo Resources

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

10. Remarks _____

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

GEO RESOURCES CORPORATION

By James B. Cunningham
President

Applicant

Proposed Priority 12-09-76

R.W.H. 12-9-76 2:25 P.M.
Received by ce Date 10/28/76 Time 8:30
Preliminary check by R.W.H. Fee \$ 10.00 # 6128
Received by CS Date December 9, 1976
Publication prepared by CS Date Dec 10, 1976
Published in The Idaho World
Publication dates Dec 17, + Dec 24, 1976
Publication approved if Date 1-6-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 12/8

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8393, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 82.


c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of January 19 77.

R. Kirk Higin
Director

10.53



OK
1-6-74
J

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Boise }

Julius Ross, being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for

2 consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

12-17, 1976 and end-
ing with the issue of 12-24

1976
Julius Ross

Subscribed and sworn to before me
Subscribed and sworn to before
me this 4th day of Jan 1977

Robert T. Tuffield
Clerk of Dist Court

RECEIVED
JAN 6 1977

Department of Water Resources
Western Regional Office

RECEIVED

WRR100
63-8393

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS PROOF READING REPORT

PAGE 1
12-NOV-1985 22:39:52

01 WATER RIGHT NUMBER - 63-8393

02 OLD (D) NUMBER -

03001 - GEO RESOURCES CORP. ✓
LAST NAME

04001 - FIRST NAME

05001 - C ORIG. OWNER

06 ADD LINE 1 - GOLDEN AGE MINE ✓

07 ADD LINE 2 - PIONEERVILLE RT.

08 ADD LINE 3 -

09 CITY - IDAHO CITY

10 STATE - ID

11 ZIP - 83631

12 STAGE - L LICENSE ✓

13 STATUS -

14001 - SPRING ✓
SOURCE

15001 - GRIMES CREEK ✓
TRIBUTARY OF

16 DIVERSION MEANS - PIPELINE & TANK.

17 COUNTY - 15 BOISE

18 DIVERSION CAPACITY - .200 ✓

19 TOTAL DIVERSION RATE - .200 ✓

20 TOTAL DIVERSION VOLUME - 6.00 ✓

21 WATER DISTRICT -

----- DIVERSION POINTS -----																						
TRACT	SEC	TWN	RNG	LOT	RFLG	S	T	R	E	A	M	I	N	D	E	X	F	I	E	L	D	S
22001 -	NENW	23001 - 23	24001 - 08N	25001 - 05E	26001 -	27001 -																
				28001 -	0	272.0	312.0	84.0	17.0	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	27.6

29 NON-IRRIGATION USE - D/5 HOMES.

----- PLACE OF USE -----							
USE CODE / USE	TWN	RNG	SEC	TRACT	ACRES	LOT	
30001 - 43 DOMESTIC ✓	31001 - 08N	32001 - 05E	33001 - 23	34001 - NENW	35001 -	36001 -	
							TOTAL ACRES: 0

----- WATER USE -----				
PERIOD FROM	PERIOD TO	USE CODE / USE	DIVERSION RATE	DIVERSION VOLUME
37001 - 0101	38001 - 1231	39001 - 43 DOMESTIC ✓	40001 - 0.200	41001 - 6.00

42 DECREE PLAINTIFF NAME -

43 DECREE DEFENDANT NAME -

44001 -
REMARKS

APPROVAL CONDITIONS: 45001 -

46 OTHER RIGHTS FOR SAME USE -

----- D A T E S -----			----- D A T E S -----			----- F L A G S -----		
47 PRIORITY	-	9-DEC-1976	55 LICENSE	-	11-OCT-1985	63 TRANSFER/AMENDED	-	
48 PROOF DUE	-	1-JAN-1982	56 APPL RECEIVED	-		64 DLE/CAREY ACT	-	
49 PROOF MADE	-	1-JAN-1900	57 FIELD EXAM MADE	-		65 FLAG_1	-	
50 APPROVE/DENIED	-	15-JAN-1977	58 DECREE	-		66 FLAG_2	-	
51 PROTESTED	-		59 START WORK	-		67 FLAG_3	-	
52 HEARING	-		60 ORDER SHOW CAUSE	-				
53 VERIFIED	-		61 DATE_1	-				
54 LAST UPDATE	-	12-NOV-1985	62 DATE_2	-				

October 15, 1985

RE: Permit No. 63-8393

Geo Resources Corp.
Golden Age Mine
Pioneerville Rt.
Idaho City, ID 83631

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", written in dark ink.

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

63-8393
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	N/A		
☐ Telephone call made: (List Telephone No. used)	9/22/82	jc	MR. OGDEN PHONED TO MAKE APPT. FOR EXAM
☐ Appointment scheduled for: (Date, time, location)	9/25/82 10:00	jc	GOLDEN AGE MINE - BRIMES PASS AREA

EXAMINATION

Date 9/25/82 Accompanied by Tom OGDEN Total Q measured NONE est. 0.20
If source is surface water, estimate total flow of source CARETAKER WORKING FOR
GEO RESOURCES CORP.
Methods of measurement NONE Meets Permit requirements?

Measurement calculations:

DOMESTIC - 5-HOMES, 1-BATHHOUSE = 0.20 CFS ✓
(NO BATHS)

IRRIGATION - 1 AC = INCLUDED IN DOMESTIC SYSTEM

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
		GRAVITY		FLOW				

* System Description WATER RISES IN DUG IN PORTION OF AN OLD MINING SHAFT W/ 1/2" PVC PIPE
FROM MINE SHAFT HOLE TO 100 GALLON STORAGE TANK. SCREENING SYSTEM IN
HOLE. WATER FLOWS DOWNHILL 800' THRU 1" PIPELINE TO HOUSES. BATHHOUSE
HAS A 100 GALLON STORAGE TANK. APPROX. ELEVATION DROP FROM STORAGE TANK TO CAMP
*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 15.130' AFA/Acre APPROX.

USE	Q (cfs)	V (afa)	FROM	TO
DOMESTIC - 5 HOMES ✓	0.20 cfs ✓	6.0 AF ✓	1/1 ✓	12/31 ✓
BATHHOUSE - 1				
IRRIGATION - 1 ACRE - INCLUDED IN DOMESTIC				
Total	0.20 CFS ✓	6.0 AF ✓	1/1	12/31


Remarks

* THERE IS A PRESSURE TANK IN BATHHOUSE W/ HOT WATER HEATER. ALSO
IRRIGATION IS JUST BY PIPELINE PLACED ON LAWNS - GRAVITY IRRIGATION.
THERE WAS NO WAY TO MEASURE WATER AS EACH HOME HAD A SEPARATE
PIPELINE FROM T-UNIONS IN VARIOUS PLACES WHICH COULD NOT BE DIS-
CONNECTED FOR A MEASUREMENT DUE TO THE HEAVY INSULATION SURROUNDING
THE PIPE & CONNECTIONS.
→ SOURCE HAS BEEN DESIGNATED AS SPRING BECAUSE THE MINE SHAFT WAS DUG
& FLOODED & DESERTED. THEIR WATER WAS DEVELOPED AS A DOMESTIC USE.

MICROFILMED

LICENSE SHOULD BE MAILED TO GEO RESOURCES CORP c/o Tom OGDEN, GOLDEN AGE MINE, IDAHO CITY, ID

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NW 1/4, SEC. 23, TWP. 8N, RGE. 5E, B.M.

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8N	5E	23					X												
							(SHOMES)												
							1 BATHHOUSE												

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

Examiner's Signature Jan Graver Date 1/21/83
 Checked by DBS Date 2/1/83
 Approved by Lay Walker Date 9-30-85



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

RE:

Dear

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

Tom Ogden
Golden Age Mine, Pioneer
Idaho City, ID 83631

At _____

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources

NOV 5 1981

RECEIVED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JAN 5 1982

MICROFILMED

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-8393

Name(s) of Permit Holder: Geo Resources Corp

Post Office Address: Golden Age Mine

Idaho City, ID 83631

Tel. No. none

Source of Water: Spring - Caved mine tunnel portal

Extent of Use: ☒ Domestic 5 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Road: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No



The above information is a true statement of the extent to which the above numbered permit has been developed.

N 3 1981

Date

Tom Ogden Bretaker
Signature of Permit Holder

Tom Ogden
Golden Age Mine, Pioneerville Rt.
Idaho City, ID 83631



Ida Dept. of Water Resources
Statehouse
Boise ID 83720

MICROFILMED

Sent to:

Town Ogden
Golden Age Mine
Pioneerville Rd.
Idaho City, Id.

December 23, 1981

Geo Resources Corp.
Golden Age Mine
Idaho City, ID 83631

Gentlemen:

Re: (Unknown)

Enclosed is the statement of beneficial use postcard received in this office on November 5, 1981.

We have been unable to locate the file for this one since there is no water right number identifying it. Please review your records and return it with the proper water right number.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138782

GEO RESOURCES CORP.
GOLDEN AGE MINE
PIONEERVILLE RT.
IDAHO CITY, ID 83631

OCTOBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8393 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

IDENT. NO. 63-8393

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 30, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

January 17, 1977

Re: Permit No. 63-8393

Geo Resources Corporation
737 Hilltop Road
Salt Lake City, UT 84103

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8393 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

December 12, 1976

Western Regional Office


a/t Mr Robert Hamilton

Dear Sir:

Regarding the application submitted by
Geo Resources signed by Mr. James Cunningham:

You indicated to me that there would be furthur ~~correspondence~~
correspondence soon. This is to request that you
correspond with the undersigned instead of the
Salt Lake Office since I as caretaker am familiar
with the details here at the mine site.

Yours Truly,


Thomas B. Ogden
Caretaker, Golden Age Mine
Idaho City ID 83631

Pioneerville Rt.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8393

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

In form to receipt

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

In form for advertising

Platted on Map No. _____

Located within Water District No. _____

Critical groundwater area: yes _____ no _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

Other rights on the same place of use

Comments: _____

Affidavit of Publication received(date) 1-16-77

Final date for protests 1-3-77

Protests received: yes _____ no ☒

All requested information received from agencies or applicant: yes _____ no _____

Action recommended:

☒ Approve ☐ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

NO Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By WJA Date 1-6-77

*Not recommended
to be approved!*



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

December 14, 1976

Geo Resources Corp.
737 Hillton Road
Salt Lake City, UT 84103

Gentlemen:

Enclosed is your Receipt No. 6128 in the amount of \$ 10.00
for Application for Permit No. 63-8393 which was received in this
office on December 9, 1976.

Sincerely,

RITA BENDELE
Senior Clerk

RB

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

December 10, 1976

RE: Notice of Application for Water Permit No. 63-8393 Geo Resources Corporation
65-7779 - Ivergene &/or Collene E. Dewey
65-7780 - Dewey Wells Water Group
65-7781 - Loren &/or Sylvia Wetzel
65-7787 - Clyde E. Shaul

The Idaho World
c/o Julie Darmell
P. O. Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

Sincerely,

(Signature of Claimant)

Bill Submitted

1-6-77

z

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Geo Resources Corporation
Salt Lake City, Utah
has on December 9, 1976 submitted Application No. 63-8393
for a permit to appropriate 0.20 cubic feet per second ~~XXXXXX~~
~~XXXXXX~~ of water from A caved mine tunnel trib. Of Grimes Creek
by means of collectin tank and pipeline
within the NE¹/₄NW¹/₄ Sec 23 T8N-R5E, B.M., Y Boise County

to be used from Jan 1 to Dec 31

for domestic use for 5 families

within the NE¹/₄NW¹/₄ Sec 23 T8N-R5E B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
January 3, 1977.

R. KEITH HIGGINSON

Director

Published in the The Idaho World, Idaho City, ID
on December 17, 1976 and December 24, 1976.

October 29, 1976

RE: Application for Permit
to Appropriate Public Water

Geo Resources
Pioneerville Rt.
Idaho City, ID 83631

C/O Thomas B. Ogden

Dear Mr. Ogden:

We are returning your application for permit and check no. 92-6 in the amount of \$10.00 for additional information.

You have signed the application as caretaker and the application must be signed by an officer of the company.

Please take care of this matter and return the application and check to us for processing.

Sincerely,

ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:cs

enclosure

RECEIVED
OCT 31 1976