


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 26

•

T4N. R3E

Boise County



CRAZY WOMAN SUBDIVISION


441 Crazy Woman Way
Boise 83716

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

45 = Davis
Grigalva

4a Ed Kelly neighbor
922-4572

live there
bultime



5'x4'x5' 1.5" PVC
spring box

MICROFILMED

MAR 15 1999

open path - lot 20



spring Box

PVC pipe



MICROFILMED
MAR 15 1999



Temple 2 site

pk under
construction



MICROFILMED
MAR 15 1999

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-08366

Priority: September 7, 1976

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that JOHN A ARANT

6477 FAIRVIEW AVE

BOISE ID 83704

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 7, 1976; and has submitted Proof of Beneficial Use on September 22, 1981. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to ASHTON GULCH

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWNE , Sec. 26, Township 04N, Range 03E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 03E 26

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for a camping retreat and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 12th day of

FEBRUARY, 1999.


KARL J. DREHER, Director

MICROFILMED

MAR 15 1999

Identification No. _____

Application No. 63-8366

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant JOHN A. ARANT
post office address 6477 Fairview Ave., Boise, Idaho 83704
2. Source of water supply Ground (Spring) which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 4 N.
Range 3 E B.M. Boise County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.02 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.02 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Will install a collection box of about
2000 gallon capacity at source of water, and will use $\frac{1}{2}$ HP electric pump
to pressurize system.

b. Height of storage dam _____ feet, active reservoir capacity 2000 gallon ~~acre feet~~; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur Jan. 1 to Dec. 31 inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 1,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 4 N.
Range 3 E B.M. Boise County, Idaho.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 5.
(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion John Arant
- b. Who owns the land to be irrigated or place of use ”
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

Sec	26
.	
T4N.	R3E
Boise County	

(Applicant) *John Smith*

Proposed Priority 9-7-76

9-7-76

Received by lw Date 7/28/76 Time 10:30
Preliminary check by CSB Fee \$ 10.00 # 5140
Receipted by LS Date Sept 7, 1976
Publication prepared by RF Date 9-9-76
Published in Idaho Statesman
Publication dates Sept 16 & 23
Publication approved sf Date 9-29-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJ DF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8366, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1981.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of November, 1976.

R. Karl Hjort
Director

Department of Water Resources

Melisi Madarista, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of September 16 1976, and ending with the issue of September 23 1976.

Melusi Madarieta

Subscribed and sworn to before me this 23rd
day of September, 1976.

Sorathy Evguren

Notary Public for Idaho, Residing at Boise, Idaho

DECLASSIFIED

LICENSE REVIEW CHECKLIST

PERMIT NO.

63-08366

DATE

2/4/99

REVIEWER: SHARLA

NAME

Change/OK

Address

SOURCE

Does change clarify orig. intended source? If no, Void permit

POINT OF DIV

OK Change (P39 /P47)

Add (P45/P42)

Feds - P40

W32 (multiple in 1/4)

W36 (overlap)

W59 (subd. desc)

Overlaps:

Right(s):

File reviewed

Profile reports printed

PLACE OF USE

OK Change (P41/P47)

Add (P41/P42)

Feds - P43

W60 (subd. desc)

W27 (ppu acre limit)

Lot 20, Crazy Woman Subd.

Overlaps:

Right(s):

File reviewed

Profile reports printed

PD & PU amend (P37)

Feds - P48

RATE OF DIV

Permitted Rate .02 cfs

Fee limit

N/A cfs

Measured

--- cfs

Theoretical

--- cfs

Recommended Total Div Rate .02 cfs

WATER USES

Change (P46)

Dom

.02 cfs

.6 af

Irrig -

overlap (R58-R61, R62-R65, R66-R69)

supp. gw (WB7/065/079)

overlap spec. combined rts (W35)

<1acre (W31)

Domestic (W01/WB5/070/071/075)

(W42 or W43/025/027/R22 or R23)

Power (042)

Fire (077)

Wtr Quality (081/R07)

TOTALS

--- cfs

--- af

Flow rate

cfs X

days X 1.98 =

af

REMARKS

camping retreat

ADD'L CONDITIONS

Watermaster Control WD#

GW Measurement/Measuring Device

Others Trust (052/R55 - remove 051)

Non-trust (048/049)

Advance Priority

yes

☒ no

SRBA Claim

Adjust Memo

Amend letters

not regd - not filed
OK



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

February 12, 1999

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

JOHN A ARANT
6477 FAIRVIEW AVE
BOISE ID 83704

RE: WATER RIGHT NO. 63-08366

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

MAR 15 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.


MICROFILMED

MAR 15 1999

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 37-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of **February, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 63-08366

JOHN A ARANT
6477 FAIRVIEW AVE
BOISE ID 83704


Kari Lynn Townsend
Secretary

MICROFILMED

MAR 15 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 12 1969

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-08366

1. Owner: John Arant Phone No. 322-5300

Current Address: 6477 Fairview Ave Boise ID 83704

2. Accompanied by: Ed Kelly EXAM DATE : 7/25/98

Address: Boise **Phone No.** 922-4572

Relationship to Permit Holder: Neighbor

3. Source: Spring tributary to Ashton Gulch

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination Same as above

[illegible]

MAR 15 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED PHOTOS

- Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
- N Aerial Photo Attached (required for irrigation of 10+ acres).
- Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** Pump not on site. System components found capable of 1" diversion of spring water. Found: 1.5" pvc, springbox (5'x4'x5'deep).

E. NARRATIVE/REMARKS/COMMENTS

John Arant no longer owns the p/u and p/d described on this permit. The property is also know as lot 20, Crazy Woman Subdivision. The current owners are "The Open Path", 3203 Treasure, Boise ID 83703. Chris DesJardins represents The Open Path and stated that they use the spring during camping retreats. They've been slowly building a retreat on the property per available funds. Currently, water is diverted via bucket for camping purposes. During construction, pump and pvc pipe are used. No other water rights are used. An SRBA claim is required but has not been filed on this permit.

Chris DesJardins' phone numbers are 344-4243-hm, 331-9848-wk.

Have conditions of permit approval been met? x yes ___ no

MICROFILMED
MAR 15 1999

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:**

Domestic use: .6 afa

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.02</u>	<u>.6</u>
Totals:			<u>.02</u>	<u>.6</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name Lon Gramer Date 1/4/99

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 15 1999



CRAZY WOMAN SUBDIVISION


#4 Crazy Woman Way
Boise 83716

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

U5 = Davis
Grigalva

U4 Ed Kelly neighbor
922-4572

line there
bulltime



5x4x5' 1.5" PVC
spring box

MICROFILMED

MAR 15 1999

open path - lot 20

The Open Path
3203 Treasure
Boise, ID 83703

August 10/1998


Water Resources Board

To whom it may concern:

The Open Path has been using its property in Crazy Woman Subdivision for camping retreats .
Water is hauled up from the holding tank in buckets.

We are presently raising funds to continue work on the building on the property. We would like to resume construction next summer.

Sincerely,



Chris DesJardins
Vice-chairman
344-4243

MICROFILMED
MAR 15 1999



spring Box



PVC pipe

MICROFILMED
MAR 15 1999



Temple site

ph under
Construction



MICROFILMED
MAR 15 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

WESTERN REGIONAL OFFICE
450 W. STATE ST.
BOISE, IDAHO 83720
(208) 334-2190
JUNE 20, 1986

ARANT, JOHN A.
6477 FAIRVIEW AVE.
BOISE, ID 83704

FIELD EXAM NOTICE

RE: PERMIT NO. 63-8366

DEAR PERMIT HOLDER:

WE ARE PLANNING TO CONDUCT WATER RIGHT EXAMINATIONS IN THE VICINITY OF THE ABOVE - REFERENCED PERMIT DURING THE WEEK OF JUNE 30, 1986. AN EXAMINATION IS NEEDED TO VERIFY YOUR WATER USE IN ORDER TO ISSUE A WATER RIGHT LICENSE.

IN ORDER TO CONDUCT YOUR EXAM AS EFFICIENTLY AS POSSIBLE WE ASK THAT YOU CALL THIS OFFICE TO SCHEDULE A DAY AND TIME CONVENIENT FOR YOU.

IF THERE IS A PROBLEM WITH SCHEDULING OR CONDUCTING THE EXAMINATION AT THIS TIME, PLEASE CALL AND OTHER ARRANGEMENTS CAN BE MADE.

SINCERELY,

JAN SHURTE
SENIOR WATER RESOURCE AGENT

MICROFILMED
MAR 15 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

March 31, 1982

John A. Arant:
3175 N. Cole Rd.
Boise, Idaho 83704

RE: 63-9644

Dear Arant:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9644.

Name(s) of Permit Holder: JOHN ARANT

Post Office Address: 6477 FAIRVIEW AVE BOISE 83704

Tel. No. 333-378-0300

Source of Water: SPRING

Extensive Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/14/81

Date

[Signature]
 Signature of Permit Holder



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

ACKNOWLEDGED

SEP 22 1981

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

ARANT, JOHN A.
6477 FAIRVIEW AVE.
BOISE, ID 83704

#138530

AUGUST 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8366 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

November 9, 1976

Re: Permit No. 63-8366

John A. Arant
6477 Fairview Ave.
Boise, ID 83704

Dear Mr. Arant:

Enclosed is a copy of your approved Application for Permit No. 63-8366 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

Spring

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature?
☒ Fee

Needs pre exam

(1) ECB 2 Sept 76

In form to receipt

(2) af 10-5-76

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) ECB 2 Sept 76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) af OK

Affidavit of Publication received(date) 9-29-76

(12) _____

Final date for protests _____

Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

NO Measuring device required

_____ See attached sheet for other conditions of approval

GLS Pre-permit exam

_____ No special conditions for approval

(15) District W

By JSJ

Date 10-4-76

RECEIVED

MEMORANDUM

FROM: Lee Sisco *LS*

Date: October 20, 1976

TO: File 63-8366

RE: Pre-permit exam

On October 19, 1976, I accompanied Mr. Arant to his property for a pre-permit exam on a spring. The spring is located in a small gulley that runs through the property. It starts as a small marshy area and gradually picks up water for several hundred yards.

This spring, if developed properly, would provide the 0.02 cfs Mr. Arant has filed on.

RECOMMENDATIONS:

1. approve permit

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
801 Reserve Street
Boise, Idaho 83702

October 13, 1976

RECEIVED

OCT 15 1976

MEMORANDUM

TO: L. Glen Saxton
FROM: David Sanders
SUBJECT: Application for Permit No. 63-8366
John A. Arant

RECEIVED
Department of Water Resources
OCT 20 1976

Department of Water Resources
Western Regional Office

The Central District Health Department must approve this proposed water system prior to its construction.

We are informing the applicant that he must obtain this approval prior to constructing the water system.

David Sanders

DS/rb

11/10/76

October 5, 1976

Re: Application for Permit No. 63-8366 - John A. Arant

David Sanders
Environmental Services
Department of Health & Welfare
Statehouse
Boise, ID 83720

Dear Mr. Sanders:

We are enclosing a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.


Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

Enc.

RECEIVED
OCT 10 1976



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

Statehouse
Boise, Idaho 83720
(208) 384-2190

R. Keith Higginson
Director

September 10, 1976

Re: Notice of Application for Permit No. 63-8366 - John A. Arant

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

Sincerely,

(Signature of Claimant)

Bill Submitted
9-29-76
[Signature]

RECEIVED
SEP 10 1976
IDC/CHL/MEN

NOTICE OF APPLICATION FOR WATER PERMIT IN BOISE COUNTY

Notice is hereby given that JOHN A. ARANT,
Boise, ID
has on September 7, 1976 submitted Application No. 63-8366
for a permit to appropriate 0.02 cubic feet per second ~~0.000000~~
~~0.000000~~ of water from a spring
by means of collection box and pump
within the SW 1/4 Sec 26 T4N-R3E B.M., Boise County

to be used from Jan 1 to Dec 31
for domestic purposes

within the SW 1/4 Sec 26 T4N-R3E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before October 4, 1976.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, ID
on September 16, 1976 and September 23, 1976.

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

September 9, 1976

John A. Arant
6477 Fairview Avenue
Boise, ID 83704

Dear Mr. Arant:

Enclosed is your Receipt No. 5140 in the amount of \$ 10.00
for ~~Application for Permit No. 63-8366~~ which was received in this
office on September 7, 1976.

Sincerely,

RITA BENDELE
Senior Clerk

RB

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

RECEIVED

AUG 10 1976

Department of Water Resources

August 4, 1976

Re: Application for Permit

Mr. John A. Arant
6477 Fairview Avenue
Boise, ID 83704

Dear Mr. Arant:

Before we can process your application, we must have a \$10.00 filing fee. Please submit it to us as soon as possible.

Sincerely,

Robert W. Hamilton
ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:rb

August 4, 1976

Re: Application for Permit

Mr. John A. Arant
6477 Fairview Avenue
Boise, ID 83704

Dear Mr. Arant:

Before we can process your application, we must have a \$10.00 filing fee. Please submit it to us as soon as possible.

Sincerely,

ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:rb

RECEIVED
AUG 11 1976
WATER DIVISION