

AFFIDAVIT OF PUBLICATION

RECEIVED

JUN 14 1976

STATE OF IDAHO,)
County of Canyon.) ss.

Department of Water Resources

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that CITY OF NAMPA has on May 25, 1976 submitted Application No. 63-8312 for a permit to appropriate 0.89 cubic feet per second of water from a groundwater source by means of well and pump within the NE 1/4 SE 1/4 Sec 20 T3N-R2W B.M., Canyon County to be used from April 15 to Oct. 15 for irrigation of 25 acres within the NE 1/4 SE 1/4 Sec 20 and 20 acres within the S 1/2 NE 1/4 & NW 1/4 SE 1/4 Sec 20 T3N-R2W.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before June 21, 1976.

R. KEITH HIGGINSON
Director
June 3, 10, 1976

Verla Harker
of Nampa, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 3, 10, 1976

OK
6-14-76
RB

Verla Harker

Subscribed and sworn to before me this

10th day of June, 19 76


Adam & Kane

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

INDEXED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ernest E. Story
(Applicant)
Mayor, City of Nampa, Idaho

Hand-drawn diagrams on graph paper showing two types of P.D. (Polar Diagram) plots.

The top diagram is a shaded circle with a horizontal line through its center, labeled "P.D.".

The bottom diagram is a shaded, elongated shape with a horizontal line through its center, labeled "P.D." and "20".

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]☒ Other

~~change to~~
~~MUNICIPAL USE~~

Date 5/13/82

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8312 Priority May 24, 1976 Amount 0.50 cfs

THIS IS TO CERTIFY, that City of Nampa
of Nampa, Idaho, has complied with the terms and conditions of Permit
No. 63-8312 issued pursuant to Application for Permit dated May 24, 1976,
and has submitted proof to the Department of Water Resources on May 27, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.78 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from April 15 to October 15</u>	<u>at 0.50 cfs</u>	<u>and 112.5 acre feet</u>
_____	_____	_____	_____
_____	_____	_____	_____

Subject, however, to the condition that no more than 0.50 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
112.5 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 20, Twp.
3N, Rge. 2W in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW¼				SW¼				SE¼				Totals
			NW¼	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	
3N	2W	20			1	5											4	25	

Total number of acres irrigated 25

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 4.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28 day of
June, 19 82.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-0012

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

AFFIDAVIT OF PUBLICATION

RECEIVED

STATE OF IDAHO,
County of Canyon.

)
) ss.
)

Department of Water Resources

Verla Harker
of Nampa, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 3, 10, 1976

OK
6-14-76
RB

Verla Harker

Subscribed and sworn to before me this

10th day of June, 19 76

Adam & Laro

Notary Public, Residing at Nampa, Idaho

Identification No. _____

Application No. 63-8312

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Nampa, Idaho Phone: 466-9221
post office address City Hall Nampa, Idaho 83651

2. Source of water supply Ground Water which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 3N
Range 2W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into N/A at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.89 for Irrigation purpose from April 15 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.89 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 12" diameter well to be equipped
with a hollow shaft vertical turbine pump capable of delivering 400 gpm.,
or equal. Pump shall discharge directly into pressure irrigation distribution
system.

b. Height of storage dam N/A feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 120 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is Five years.

b. Estimated construction cost is \$ 10,000.

8. Description of proposed uses:

a. If water is **not** for irrigation: N/A

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
T.3N	R.2W	20			X	X									25	X			25 Acres
(An additional 20 + acres in the E 1/2 of Section 20 adjacent to the NE 1/4 SE 1/4 as same is added to the Municipal Irrigation System of the City of Nampa)																			20 Acres

Total number of acres to be irrigated 45

c. Describe any other water rights used for the same purposes as described above. This property presently has water rights from the Nampa and Meridian Irrigation District and the Pioneer Irrigation District. However, the water rights are inadequate for residential development and the lots within the area are not graded for use of a flood irrigation system.


9. a. Who owns the property at the point of diversion It is within a public utility and irrigation easement within a residential lot.

b. Who owns the land to be irrigated or place of use Individual residential lot owners.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. The City of Nampa is attempting to eliminate the utilization of the municipal domestic water system for lawn irrigation purposes. Therefore, in newly developed areas the City is requiring a separate irrigation system. The system will be turned over to the City of Nampa for maintenance and operation.

10. Remarks SEE EXHIBIT "A"

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ernest E. Starn
(Applicant)
Mayor, City of Nampa, Idaho

Proposed priority: 5/24/1976

Received by ALB Date 5-20-76 Time 8:25am
Preliminary check by JH Fee \$ 25.00
Receipted by RB Date 5-24-76 # 5004
Publication prepared by RB Date 5-27-76
Published in Idaho Free Press
Publication dates June 3 & 10
Publication approved RB Date 6-14-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JH DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8312, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before JUNE 1, 19 81.

c. Other: 1) A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2) No more water may be diverted under this permit, when combined with other rights appurtenant to the lands in question, than one miner's inch for acre of land served.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of June 19 76.



Director

EXHIBIT "A"

Application for Permit
NE1/4 SE1/4, Section 20, T. 3N., R. 2W., B.M.

The proposed well as described in this application will initially be used to supply sprinkler irrigation water to 53 residential lots within Morgan First and Morgan Second Subdivisions in Nampa, Idaho. The service area for the proposed well will ultimately be expanded by connecting the system to a major irrigation system network being formulated by the City of Nampa. It is anticipated that a total of 45 acres would be encompassed in the ultimate service area. The City of Nampa is requiring this supplemental irrigation system in order to eliminate the use of the municipal water system for lawn irrigation purposes. The present irrigation water available for this property from the Nampa and Meridian Irrigation District and the Pioneer Irrigation District is not available in sufficient quantity or at close enough intervals to properly serve the residents within the area and therefore an adequate source of supply is being made available for the irrigation system with the said well.

In reference to item 3.b of this permit, it is not anticipated that there will ever be any water supplied by this system which will not be utilized and consumed for irrigation purposes.

In reference to item 5 of this permit, the 0.89 cfs was based upon the City of Nampa requirement that for large service areas, each lot served by the pressure irrigation system shall be supplied with 5 gpm at a pressure of 45 psi. It is proposed that this system will ultimately serve 80 residential lots upon connection to the City's irrigation system network. The actual acre feet per annum which would be utilized by this sprinkler irrigation system would be difficult to determine until after the system has been placed in operation.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 630,312
Name(s) of Permit Holder(s): CITY OF NAMPA
Post Office Address: 203 12TH AVE SO
NAMPA, ID 83651 (208) 466-9221

- ☐ I hereby certify that construction of diverting works for the above referenced permit began on 1976. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.



July 13, 1980
Date

Ramy Bellahar
Signature of Permit Holder

City of Nampa

203 12th Ave. S.

Nampa, ID 83651



MICROFILMED

JUL 26 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

July 6, 1982

RE: Permit No. 63-8312

City of Nampa
City Hall
Nampa, ID 83651

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

June 7, 1982

RE: Permit No. 63-8312

City of Nampa
City Hall
Nampa, ID 83651

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-8312, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.50 cfs Source: groundwater

The maximum quantity diverted shall not exceed 112.5 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, Twp. 3N, Rge. 2W, Canyon County

Beneficial use: Irrigation of 25 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20,
Twp. 3N, Rge. 2W

Priority date established: May 24, 1976

Conditions (if any): This right when combined with all other rights shall
provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre for the
lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

M. JOHNSON

Water Distribution Supervisor

JJ:kw

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

City of Nampa
PD - NESE Sec 20
T3N, R2W

Irrigation - 45 acres
63-8312
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	7/30/81	jp	no appt made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 29 May 1981 Accompanied by Chuck Bayless Total Q measured .78 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Flow Records Meets Permit requirements? yes

Measurement calculations:
350 gpm From Records = .78 cfs capacity
448.8
Allow .02 cfs/ac 25 ac x .02 = .5 cfs ✓ OK
V = 25 x 4.5 = 112.5 ✓ or .5 x 1.9835 x 214 = 212.2

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	20	GE	FLT 61326	Vertline	N.A.	Spring Formula	Broken	

System Description 6" pipe well, pump into sprinkler system for subdivision

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	AFA/Acre	FROM	TO
<u>IRRIGATION</u>	<u>Q (cfs) 0.50 ✓</u>	<u>V (afa) 112.50 ✓</u>	<u>4/15</u>	<u>10/15</u>
<u>Amend to municipal</u>	<u>.78</u>	<u>212.2</u>	<u>4/15</u>	<u>10/15</u>
	<u>.50</u>	<u>112.50</u>		
Total	<u>.78</u>	<u>112.50</u>		


Rem 350 gpm 60 PSI 50 feet
25 acres irrigated on permit but is hooked into city irrigation system

Recommend Amendment to municipal so it can be treated for use in the city limits w/ no storage or volume restrictions

Q must be reduced to 0.50 if irrigation remains.
Municipal use - Do not Amend see Remarks of Permit

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NESE 5'20 3N 2W

Place(s) of Use: this should be N

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	20			1	5									15	4			23
						OR													
						CITY LIMITS OF NAMPA													

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

None

☒ Other Change To MUNICIPAL USE

Examiner's Signature

Checked by DSS

Approved by [Signature]

Date 20 May 1981

Date 10/29/81

Date 5/13/82



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

July 23, 1981

City of Nampa
City Hall
Nampa, ID 83651

RE: 63-8312

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit
holder(s) has completed development to the extent shown below of Permit No. 63-8312.

Name(s) of Permit Holder:

City of Nampa

Post Office Address:

City Hall Nampa Idaho
#8

Tel. No. 83651

Source of Water:

Well

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

.89 cfs

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☐ No

Installed?

☒ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has
been developed.

Date

May 26, 1981

Signature of Permit Holder

Larry Bledsoe

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

DECEMBER

MAY 27 1981

Department of Water Resources

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CITY OF NAMPA
CITY HALL
NAMPA, ID 83651

138878

MARCH 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8312 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

IDENT. NO. 63-8312

WATER RIGHT
DATA ENTRY LOG[illegible]

June 28, 1976

Re: Permit No. 63-8312

City of Nampa
City Hall
Nampa, ID 83651

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8312 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8312

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JH 5-24-76

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) JH 5-24-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels: no obs wells in vicinity.
_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use N/A - similar to municipal use in this case

(10) _____

Comments: _____

(11) RB OK

Affidavit of Publication received (date) 6-14-76

(12) _____

Final date for protests 6-21-76

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

Supplementary _____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By

JH

Date

6-21-76



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andres
Governor

R. Keith Higginson
Director

Statthouse
Boise, Idaho 83720
(208) 384-2190

May 27, 1976

Re: Notice of Application for Permit No. 63-8312 - City of Nampa
63-8314 - Leslie &/or Edna Cline

Idaho Free Press
P. O. Box 83
Nampa, ID 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Sincerely,

Bill submitted
6-14-76
RB

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CITY OF NAMPA
has on May 25, 1976 submitted Application No. 63-8312
for a permit to appropriate 0.89 cubic feet per second acres feet
~~per annum~~ of water from a groundwater source
by means of well and pump
within the NE1/4 Sec 20 T3N-R2W B.M., Canyon County

to be used from Apr 15 to Oct 15 / Sec 20
for irrigation of 25 acres within the NE1/4 and 20 acres
within the SE1/4 & NW1/4 Sec 20 T3N-R2W

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
June 21, 1976.

R. KEITH HIGGINSON

Director


Published in the Idaho Free Press, Nampa, ID
on June 3, 1976 and June 10, 1976.

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that CITY OF NAMPÁ has on May 25, 1976 submitted Application No. 63-8312 for a permit to appropriate 0.89 cubic feet per second of water from a groundwater source by means of well and pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 20 T3N-R2W B.M., Canyon County to be used from April 15 to Oct. 15 for irrigation of 25 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 20 and 20 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$ & NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 20 T3N-R2W.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before June 21, 1976.

R. KEITH HIGGINSON
Director
June 3, 10, 1976.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

May 26, 1976

Dave Westmark
Action Realty
1214 2nd St. South
Nampa, ID 83651

Enclosed is your Receipt No. 5004 in the amount of \$ 25.00
for Application for Permit No. 63-8312 which was received in this
office on May 24, 1976.

Sincerely,

RITA BENDELE
Senior Clerk

RB

Enclosure