


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gordon S. Bowes
(Applicant) Director, Park Department

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

about steady. Russets washed 2 in or 4 oz min U.S. No. 1.50 lb cartons 80-100s 10.50-11.50, mostly 11.00; 10 lb mesh sacks per cwt nonsize A 8.00-8.50, few 7.35; 100 lb sacks size A and nonsize A too few sales to quote; 10 oz min 8.50-8.75; U.S. No. 2 4.00-4.25.

Onions: Demand moderate, market about steady. Yellow sweet Spanish 3 in and larger 3.00, occasionally 3.25; 2-3 in 2.25-2.75.

LIVESTOCK

OMAHA, Neb. (AP)(USDA) — Livestock quotations Wednesday:

Hogs: 4,000; barrows and gilts fairly active, 50 to mostly 75 lower, instances 1.00 off; except limited volume over 300 lb, weak to 50 lower; U.S. 1-3, 190-250 lb 47.00-47.50; sows steady to 25 higher; 350-600 lb 43.50-44.50.

Cattle and calves: 2,300; slaughter steers and heifers active, 50-75 higher; cows fairly active, firm; choice 975-1,225 lb steers 35.25-36.50; a load mostly choice 1,050 lb for Canadian shipment 36.00; choice 875-1,050 lb heifers 34.00-35.50; utility and commercial cows 26.00-28.00, a few high-dressing 28.50; canner and cutter 20.00-26.00.

Rosemary Marble, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of February 26, 1976, and ending with the issue of March 4, 1976.

Rosemary Marble
Subscribed and sworn to before me this 4th day of March, 1976.

Sorady Eiguren
Notary Public for Idaho, Residing at Boise, Idaho


RECEIVED

MAR 9 1976

Department of Water Resources

RECORDED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SESE 521 3N 2E ✓

Place(s) of Use ✓ less acreage

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	21																4	4

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

Examiner's Signature *[Signature]*
 Date 24 June 1984

Checked by 6K 1500
 Date 2/25/82

Approved by Kay Walker
 Date 2-21-84

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8263 Priority February 11, 1976 Amount 0.50 cfs

THIS IS TO CERTIFY, that Boise City (Parks Department)
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-8263 issued pursuant to Application for Permit dated February 11, 1976,
and has submitted proof to the Department of Water Resources on January 27, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.50 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>0.50</u> cfs and <u>18.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 0.50 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
18.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 21,
Twp 3N, Rge 2E in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals	
			NEW	NW¼			SW¼			SE¼						
3N	2E	21	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	4	4

Total number of acres irrigated 4

Place of use also known as Shoshone Park.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27th day of

April, 19 84.

Acting for the Director

Norman C. Young

Identification No. _____

Application No. 63-8263

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

\$ 20.00

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK) *P.O. # 17080*

Reg # 438.1-63

APPROVED

1. Name of applicant Boise City - Park Department (Shoshone Park)
post office address 1104 Royal Blvd., Boise, Idaho 83706
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 3N.
Range 2E. B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into N/A Sprinkler Irrig. at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.8 for irrigation purpose from April 1 to Oct. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.8 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with submersible pump
pipd to buried sprinkler system in Park

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 20,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

*I Certify That The Foregoing Amount
Is Just And Correct; That The
Amount Claimed Is Legally Due After
Allowing All Just Credits; And That
No Part Of Same Has Been Paid.*

Signed: Bobby D. Flemer

\$25.00

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	21																5.5	5.5

Total number of acres to be irrigated 5.5

c. Describe any other water rights used for the same purposes as described above. none known


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Water will be used for night irrigation of Shoshone Park lawn and planting areas. The amount applied for exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during long daylight-hours days in the summer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gordon S. Bowen
(Applicant) Director, Park Department

Proposed Priority 2-11-76

Received by BDF Date 2-11-76 Time 2:00pm
Preliminary check by BDF Fee \$ 2500 # 3390, 3391
Receipted by yl Date 2-17-76
Publication prepared by CK Date 2-19-76
Published in Idaho Statesman
Publication dates Feb. 26 & March 4
Publication approved ab Date 3-8-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by THJ DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8263, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1981.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 day of March 1976.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8263

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

STATE OF IDAHO)

)ss.

COUNTY OF ADA)

Rosemary Marble, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of February 26, 1976, and ending with the issue of March 4, 1976.

ok
39-16
W

Rosemary Marble

Subscribed and sworn to before me this 4th day of March, 1976.

Stanley E. Eguen
Notary Public for Idaho, Residing at Boise, Idaho

200-100

Revised 1975

WATER RIGHT NUMBER 63-8263

OWNER LAST NAME - CITY OF BOISE ✓
ADDRESS LINE 1 - DEPT. OF PARKS ✓
ADDRESS LINE 2 - 1104 ROYAL BLVD. ✓
ADDRESS LINE 3 -
CITY - BOISE ✓
STATE - ID ZIP CODE - 83702
SOURCE - GROUNDWATER ✓
STAGE - LICENSE ✓
STATUS -
TOTAL DIV. VOLUME - 18.00 AFA TRFR/AMEND -
PRIORITY - 02-11-1976 COUNTY - ADA ✓
WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SESE 21 03N 02E LOT REDIV -
FROM - 03-15 TO - 11-15 USE - IRRIGATION ✓
USE DIV. RATE - .5000 CFS USE DIV. VOLUME - 18.00 AFA
USE - IRRIGATION ✓
PLACE OF USE - TWN 03N RNG 02E SEC 21 TRACT SESE LOT AC 04 ✓
DATE -
DEGREE NAME -
REMARKS - P/U ALSO KNOWN AS SHOSHONE PARK. ✓
NON IRRIG USE -
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 03-01-1981 PERMIT/DENIED - 03-23-1976 PROTESTED -
PROOF MADE - P FLD EXAM - COND. OF APPROVAL - 01
DIVERSION MEANS - WELL, PUMP, PIPELINE & SPRINKLERS.

TOTAL DIV. RATE - .5000 -CFS
TOTAL ACRES - 4

HEARING -
OLD NO. -

May 1, 1984

RE: Permit No. 63-8263

Boise City (Parks Dept.)
City Hall
Boise, ID 83702

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 3, 1984

RE: Permit No. 63-8263

Boise City (Parks Dept.)
City Hall
Boise, ID 83702

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-8263, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.50 cfs Source: groundwater

The maximum quantity diverted shall not exceed 18.0 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, Twp 3N, Rge 2E

Beneficial Use: Irrigation of 8 acres within SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, Twp 3N, Rge 2E
(Place of use also known as Shoshone Park)

Priority date established: February 11, 1976

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

MICROFILMED

need waiver

State of Idaho

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Boise City Parks (Shoshone Park)

PD: SESE, sec. 21

 T_{3N}, R_{2E}

irrigation- 5.5. acres.

63-8263

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	2/5/81	nea	enc appt. made.
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 23 JUNE 1982 Accompanied by PAIK'S PERSONAL Total Q measured .5 CFS ✓
If source is surface water, estimate total flow of source _____
Methods of measurement HP CALCULATION Meets Permit requirements? YES IF WAIVED

Measurement calculations:

$$\frac{20 \text{ Hp} \times .8 \times 8.8}{280 \text{ DH} + \frac{1}{.93}} = .5 \text{ CFS} \checkmark$$

$$\frac{140.8}{282.3} = 0.498 \approx 0.50 \text{ cfs}$$

[illegible]

System Description well pump into sprinkler system

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE

IRRIGATION ✓

$$V = 4 \times 4.5 = 18.0 \text{ AF} \checkmark$$

$$V = .5 \times 1.9835 \times 245 = 243.0$$

Irrigation requirement = 4.5 AFA/Acre

Q (cfs)

V. (afa)

FROM

TO

545

128

~~14~~ ✓

26/30 ✓

3/15 11/15

ser W. U.

handbook

245 dam

Total

5 ✓

18 ✓

Rem: 200 T0H 200 gpm @ 75 PSI
27 x 9 0' 14 x 13.5 @ 50 PSI

26 X 8 gpm = 208 gpm at 50 psi largest amount of water directed
16" well 3" pipe into control system

4 Acres of Irrigation

permit was issued for .8 cfs for 5.5 acres = 0.145 cfs
per acre

$$4 \times 0.145 = 0.58 - \text{allow } 0.50 \checkmark$$

MICROFILMED

MAP (Attach Aerial Photo)

MICROFILMED																			

Handwritten notes on map: 2E, 3N, 2E, P.O. 4 ACRES, P.O.

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SRSE 521 3N 2E ✓

Place(s) of Use ✓ 1000 acreage

TWP.	RGE.	SEC.	NEX				NWEX				SWEX				SEX				TOTALS
			NEX	NWEX	SWEX	SEX	NEX	NWEX	SWEX	SEX	NEX	NWEX	SWEX	SEX	NEX	NWEX	SWEX	SEX	
3N	2E	21																4	4

Recommended Amendments:

☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None

☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature [Signature] Date 24 June 1984
 Checked by 6K 1500 Date 2/25/82
 Approved by Kay Walker Date 2-21-84



RECEIVED

JUN 26 1981

Department of Water Resources

BOISE CITY, IDAHO

RICHARD R. EARDLEY
MAYOR

COUNCIL MEMBERS

JOY BUERSMEYER, COUNCIL PRESIDENT

RALPH McADAMS, COUNCIL PRO-TEM

MARGE EWING

GLENN SELANDER

MIKE SILVA

KEITH ANDERSON

June 24, 1981

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720

Attn: Rick Moraes

Dear Rick:

The Boise City Park Department would like to request a waiver concerning the metering of the Shoshone Park Well. This request was found necessary because of the poor accessability of the flo-meter located in a concrete vault with an unhinged concrete lid.

We would like to suggest an alternate means of testing if at all possible. Any consideration you could give to this request would be appreciated.

Sincerely,

Dennis L. Meyers
Dennis Meyers,
Manager

/mf

RECEIVED

JUN 30 1981

Department of Water Resources
Western Regional Office

MICROFILMED

3/79

IDENT. NO. 63-8263

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

February 5, 1981

Boise City Park Department
1104 Royal Blvd
Boise, Idaho 83706

RE: Permit No. 63-8263

Dear Sir:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) intend to develop and development to the extent shown below of Permit No. 63-826

NAME of Permit Holder: Boise City Park Department

Post Office Address: 1104 Royal Blvd.

Boise, Idaho 83706 Tel. No. 384-4240

Source of Water: Well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 4 acres (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/21/81

Date


Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

JAN 27 1981


Dept. of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

BOISE CITY
PARKS DEPARTMENT
104 ROYAL BLVD.
BOISE, IDAHO 83706

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720



Idaho Department of Water Resources
MICROFILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

BOISE CITY
PARK DEPT.
1104 ROYAL BLVD.
BOISE, ID 83706

138735

DECEMBER 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8263 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 11, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

March 23, 1976

Re: Permit No. 63-8263

Boise City - Park Department (Shoshone Park)
1104 Royal Blvd.
Boise, ID 83706

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8263. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63 - 8263

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 2-17-76

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) R.W.H. 2-17-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) RB ok

Affidavit of Publication received(date) 3-9-76

(12) _____

Final date for protests _____

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve

RECEIVED
Deny

_____ Proposed Priority

MAR 16 1976

_____ Reason for Reduction Department of Water Resources

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By TH

Date 3-15-76

Field Checked by _____

Date _____

Comments _____



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN DISTRICT — A INEX 3

Cecil D. Andrus
Governor

R. Keith Hargraves
Director

Stations
Boise, Idaho 83726
(203) 342-1111

February 19, 1976

The Idaho Statesman
Box 40
Boise, ID 83707

RE: Application for Permit No. 63-8262 - Dr. Donna L. Peterson
63-8263 - Boise City - Park Department

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Bill submitted

3-9-76
rh

Sincerely,

Cathy L. Shaw

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BOISE CITY - PARK DEPARTMENT
1004 Royal Blvd., Boise, ID
has on Feb. 11, 1976 submitted Application No. 63-8263
for a permit to appropriate 0.8 cubic feet per second ~~zero feet~~
~~per second~~ of water from a groundwater source
by means of well, pump and sprinkler system
within the SE¹SE⁴, Sec. 21, T. 3 N, R. 2 E, B.M. Ada County

to be used from April 1 to Oct. 30
for irrigation of 5.5 acres

within the SE¹SE⁴, Sec. 21, T. 3 N, R. 2 E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before March 15, 1976.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, ID
on Feb. 26, 1976 and March 4, 1976.