

27

⊕ P.D + Place of use

T. 5N

R. 3 w.B.m.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Richard G. Swaney
(Applicant)

FEB 1 1976

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

January 22, 29, 1976

Verla Harker

Subscribed and sworn to before me this

29th day of January, 19 76

Adam D. Kow

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that RICHARD SWEANEY 2404 Ray Ave., Caldwell, ID has on Jan. 8, 1976 submitted Application No. 63-8250 for a permit to appropriate 0.88 cubic feet per second of water from a groundwater source by means of well and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 5 N, R. 3W, B.M. Canyon County to be used from Jan. 1 to Dec. 31 for domestic purposes within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 5N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Feb. 9, 1976.

R. KEITH HIGGINSON
Director
January 22, 29, 1976

CCB
2-2-76

MICROFILMED

63-8250

Permit No.

DATE _____

INITIALS

REMARKS

- | | | | | |
|-------------------------------------|--|---------|-----|------------------|
| ☒ | Appointment letter mailed: | 1/23/81 | nek | no appt. made. ✓ |
| ☐ | Telephone call made:
(List Telephone No. used) | | | |
| ☐ | Appointment scheduled for:
(Date, time, location) | | | |

Date 26 May 1981 Accompanied by Richtad Sweeney Total Q measured .56 *ots*

If source is surface water, estimate total flow of source _____

Methods of measurement flow meter Meets Permit requirements? yes

Measurement calculations:

$\frac{250}{448} \text{ gpm} = .56 \text{ cfs}$ *Capacity* $\frac{10 \text{ domestic users}}{= .15 \text{ cfs}}$ *per admin memo dated 6-4-80*

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	15	RED JACKET	3506R1		6486	Flow meter	good	#78-4-88

System Description well pump and pipeline to ~~1022~~ domestic
homes

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE

DOMESTIC

Irrigation requirement = _____ AFA/Acre

 Q (cfs)

15

V (afa)

12.0

FROM

///

TO

12/31

Total

15

12. 


Remarks 150' deep 85' (pump) gravel pack

11 lots including well lot

12" casing 4" line into 9 pressure tanks


1211 C

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 27 527 5N 3W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	3W	27											X						

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature W.E. M...
 Checked by bhs
 Approved by [Signature]

Date 28 May 1981
 Date 9/27/82
 Date 9/28/82

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8250 Priority January 8, 1976 Amount 0.15 cfs

THIS IS TO CERTIFY, that Richard Sweaney
of Caldwell, Idaho, has complied with the terms and conditions of Permit
No. 63-8250 issued pursuant to Application for Permit dated January 8, 1976,
and has submitted proof to the Department of Water Resources on December 9, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.56 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (10 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.15</u> cfs and	<u>12.0</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.15 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
12.0 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 27, Twp.
5N, Rge. 3W in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	3W	27													

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27TH day of
October, 19 82.

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8250

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 63-8250

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Richard; Sweeney Phone: 459-0471
post office address 2404 Ray Ave. Caldwell, Idaho 83605
2. Source of water supply IGroundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 5 North
Range 3 West B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into N/A at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.88cfs for Domestic purpose from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.88 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
1 drilled well

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 10 inches; proposed depth of well is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 5 N
Range 3 W B.M.
(2) Amount of power to be generated: 15 hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Country Club Subdivision number of families to be
supplied with domestic water 22.
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

Black Canyon Irrigation District

9. a. Who owns the property at the point of diversion Richard Sweeney

b. Who owns the land to be irrigated or place of use Richard Sweeney

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Richard G. Sweeney
(Applicant)

Proposed Priority 1-08-1976

Received by RWH Date 1-8-1976 Time 11:50 A.M.
Preliminary check by RWH Fee \$ 25.00 memo 3617
Received by ala Date 1-8-76
Publication prepared by C/S Date 1-15-76
Published in News-Tribune
Publication dates Jan. 22 & 29
Publication approved C/S Date 2-2-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJH DR

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8250, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 81.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13 day of February, 19 76.

P. Karl Hjort
Director

FEB 1 1976

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

January 22, 29, 1976

Verla Harker

Subscribed and sworn to before me this

29th day of January, 19 76

Adam D. Kau

Notary Public, Residing at Nampa, Idaho

CCB
1-2-76

WATER RIGHT NUMBER 63-8250

OWNER LAST NAME - SWEANEY
ADDRESS LINE 1 - 2019 FAIRVIEW AVE.
ADDRESS LINE 3 -
SOURCE - GROUNDWATER
STAGE - LICENSE
TOTAL DIV. VOLUME - 12.00 AFA
DIVERSION POINT - SWSW 27 05N 03W LOT
FROM - 01-01 TO - 12-31
USE - DOMESTIC
DECREE NAME -
REMARKS - P/U IN COUNTRY CLUB SUBD.
NON IRRIG USE - D/10 HOMES.
OTHER RIGHTS FOR SAME USE - BLACK CANYON IRR. DIST.
PROOF DUE - 02-01-1981
PROOF MADE - P FLD EXAM -
DIVERSION MEANS - WELL, PUMP & PIPELINE.

FIRST NAME - RICHARD
ADDRESS LINE 2 -
CITY - CALDWELL
TRIBUTARY OF -
PRIORITY - 01-08-1976
WATER DIST. -
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
USE DIV. RATE -
PLACE OF USE - TWN 05N RNG 03W SEC 27 TRACT SWSW LOT
DATE -

ORIG OWNER -
STATE - ID ZIP CODE - 83605
COUNTY - CANYON
DLE/CAREY ACT -
RIGHT BASIS -
TOTAL DIV. RATE - .1500 -CFS
USE DIV. VOLUME - 12.00 AFA
TOTAL ACRES - 0

HEARING -
OLD NO. -

November 27, 1982

RE: Permit No. 63-8350

Richard Sweaney
2019 Fairview Ave.
Caldwell, RD 83605

Dear Mr. Sweaney:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
NOV 29 1982



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 8, 1982

RE: Permit No. 63-8250

Richard Sweaney
2017 Fairview Ave.
Caldwell, ID 83605

Dear Mr. Sweaney:

A representative of this Department has made an examination of the works covered by your Permit No. 63-8250, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.15 cfs Source: groundwater

The maximum quantity diverted shall not exceed 12.0 acre feet
per year.

Point(s) of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, Twp. 5N, Rge. 3W, Canyon County

Beneficial use: Domestic use for 10 units within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27,
Twp. 5N, Rge. 3W

Priority date established: January 8, 1976

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

63-8250
Permit No.

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	1/23/81	neh	no appt. made. ✓
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

Date 26 May 1981 Accompanied by Richard Saweary Total Q measured .56 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement flow meter Meets Permit requirements? yes

Measurement calculations:

$\frac{250}{448} \text{ gpm} = 56 \text{ cfs}$ capacity

$\frac{10 \text{ domestic users}}{1} = .15 \text{ cfs}$ per admin memo dated 6-4-80


System Description well pump and pipeline to ~~to~~ domestic
homes.

Irrigation requirement = AFA/Acre

Q (cfs)	V (afa)	FROM	TO
<u>.15</u>	<u>12.0</u>	<u>1/1</u>	<u>12/31</u>


11 lots including well but
pressing these into 1 pressure tanks

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 34 S27 SW 34

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>SW</u>	<u>34</u>	<u>27</u>											<u>X</u>						

Recommendations:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above ☒ None
☐ Add P.U. as reflected above ☐ Other

Examiner's Signature [Signature]

Checked by [Signature]

Approved by [Signature]

Date 28 May 1981

Date 9/27/82

Date 9/28/82

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

- DATA ENTRY -

Record

1. Original Owner: Richard Swenson
-
- Present Owner: _____
-
2. Address: 2404 Ray Ave.
3. City: Colwell State: SD Zip: 83605
4. A. Source of Water: GW
- B. Tributary of:
5. A. Stage (A,P,L,D,S,J): P
- B. Status (D,L,R,C,A,I,F - leave blank if valid):
- C. Priority Date: 1-8-1976
- D. County: 27
- E. Total Diversion Rate: .88
- F. Total Diversion Volume:
- G. Transfer/Amendment (P,T of A or blank):
- H. Water District:
- I. DLE/Carey Act (D,C or blank):
- J. Right Basis (for adjudication claims A,B,C only):

	<u>Tract</u>	<u>Sec.</u>	<u>Twp.</u>	<u>Rge.</u>	<u>Gov't Lot</u>	<u>Rediv.</u>
6. A. Point of Diversion	<u>SWSW</u>	<u>27</u>	<u>5N</u>	<u>3W</u>		

- 7. Period of Use, Use, Diversion Rate/Volume:**

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

January 22, 1981

Richard Sweeney
2017 Fairview Avenue
Caldwell, Idaho 83605

RE: Permit No. 63-8250

Dear Mr. Sweeney:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-2760.

Name(s) of Permit Holder: Richard J. Swamy

Post Office Address: 2019 Fairview Ave

Call, Id. Tel. No. 459-2834

Source of Water: Aquifer

Extent of Use: ☒ Domestic 11 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No


Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/3/80
Date

Richard J. Swamy
Signature of Permit Holder

Richard A. Sweeney
2019 Treasurer
Call, Id. 83605



DEC 1980

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SWEANEY, RICHARD
2404 RAY AVE.
CALDWELL, ID 83605

138675

NOVEMBER 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8250 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Richard Sweeney
Address Route 7 Caldwell
Owner's Permit No. 63-8250

7. WATER LEVEL

Static water level 45 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality 13 G.R. Hardness 3/10 lpm
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>250</u>		<u>5</u>

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☒ Other (specify type) Sub
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 95 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250W</u> inches	<u>10</u> inches	<u>2</u> feet	<u>93</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 25 Material used in seal ☐ Cement grout☒ Padding clay ☒ Well cuttingsSealing procedure used ☒ Shurry pit ☐ Temporary surface casing☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location. (3)



Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon

NW 1/4 Sec. 27, T. 5 N. R. 3 E

10.

Work started 3-17-76 finished 3-23-76

11. DRILLERS CERTIFICATION

Firm Name Bill Doty Well Drilling Firm No. 42Address Route 7 Caldwell Date 6-28-76Signed by (Firm Official) Bill Doty

and

(Operator) Ernie Berg



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 27, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

February 18, 1976

Re: Permit No. 63-8250

Richard Sweaney
2404 Ray Avenue
Caldwell, ID 83605

Dear Mr. Sweaney:

Enclosed is a copy of your approved Application for Permit No. 63-8250. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8250

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) PJC 1-12-76

(2) PJC 1-12-76

(3) PJC 1-12-76

(4) PJC 1-12-76

(5) _____

(6) _____

(7) DJA 2-11-76

(8) _____

(9) _____

(10) _____

(11) U/S 2-2-76

(12) _____

(13) _____

(14) _____

In form to receipt

Send Copies to:

☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☐ Bureau of Land Management

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

In form for advertising

Platted on Map No. _____

Located within Water District No. _____

Critical groundwater area: yes _____ no ☒

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

Other rights on the same place of use

Comments: _____

Affidavit of Publication received(date) OK

Final date for protests _____

Protests received: yes _____ no ☒

All requested information received from agencies or applicant: yes _____ no _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By WJA Date 2-2-76

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT
January 28, 1976

MEMORANDUM

TO: L. Glen Saxton

FROM: David Sanders

SUBJECT: Application for Permit No. 63-8250 - Richard Sweaney

Our department must review and approve the engineering plans for this domestic water supply well and water distribution system. As of this date we have not received the plans.

A handwritten signature in cursive script, reading "David Sanders", is written over a horizontal line.

DS/dj



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

January 15, 1976

David Sanders
Environmental Services
Department of Health & Welfare
Statehouse
Boise, ID

RE: Application for Permit No. 63-8250 - Richard Sweaney

Dear Mr. Sanders:

We are enclosing a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.

Sincerely,

Cathy L. Shaw

CATHY L. SHAW
Senior Clerk

CLS:cs

Enclosure

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

January 15, 1976

News-Tribune
P.O. Box 1179
Caldwell, ID 83605

RE: Application for Permit No. 63-8250 - Richard Sweaney
63-8253 - George &/or Charlotte Johnson

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

Sincerely,

(Signature of Claimant)

Bill Submitted

2-2-76
CLS

ca

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
RICHARD SWEANEY 2404 Ray
Ave., Caldwell, ID has on Jan. 8,
1976 submitted Application No.
63-8250 for a permit to ap-
propriate 0.88 cubic feet per
second of water from a
groundwater source by means
of well and pump within the
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 5 N, R.
3W, B.M. Canyon County to be
used from Jan. 1 to Dec. 31 for
domestic purposes within the
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 5N, R.
3W, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water
Resources, Statehouse, Boise,
Idaho, 83720, on or before Feb. 9,
1976.

R. KEITH HIGGINSON
Director
January 22, 29, 1976

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that RICHARD SWANEY
2404 Ray Ave., Caldwell, ID
has on Jan. 8, 1976 submitted Application No. 63-8250
for a permit to appropriate 0.88 cubic feet per second ~~acres feet~~
~~per acre~~ of water from a groundwater source
by means of well and pump
within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 5 N, R. 3 W, B.M. Canyon County

to be used from Jan. 1 to Dec. 31
for domestic purposes

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 5 N, R. 3 W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Feb. 9, 1976.

R. KEITH HIGGINSON

Director

Published in the News-Tribune, Caldwell, ID
on Jan. 22, 1976 and Jan. 29, 1976.