


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

State of Idaho)
County of Ada) ss.

On this first day of October, in the year of 1975, before me personally appeared Charles V. Bird, known to me to be the person whose name is subscribed to the within instrument, and acknowledged to he that he executed the same.

Commission expires 4-9-78

CITY OF KUNA
Charles V. Bird
(Applicant)
Charles Bird - Mayor (Notarized)

Arden R. Richards
Notary - State of Idaho

COUNTY OF ADA)

Subscribed and sworn to before me this 21st
day of November, 1975.

Notary Public for Idaho, Residing at Boise, Idaho

Department of Water Resources

179

REFORMED

paper fault

R. KEITH HIGGINSON -
Director
Pub. Oct 23; Oct 30, 1975 945

Patricia E. Levitt

Sarahy E. Jensen

Not
OK
CIS
11-4-75

MAGROFIED




Diagram of System

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER OF WATER RIGHT
TRANSFER NO. 69087

This is to certify that: CITY OF KUNA
PO BOX 13
KUNA ID 83634
(208)922-5546

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Change

<u>Right</u>	<u>Origin/Basis</u>	<u>Priority</u>	<u>Rate</u>	<u>Volume</u>	<u>Acres</u>	<u>Total</u>	<u>Source</u>
63-11970	WR/License	12/28/1992	3.78 cfs			N/A	GROUND WATER
63-8215	AJC/License	10/02/1975	3.90 cfs			N/A	GROUND WATER
63-3266	AJC/License	03/21/1962	1.34 cfs			N/A	GROUND WATER

Purpose of Transfer (Changes Proposed)


<u>Current Number</u>	<u>Split</u>	<u>POD</u>	<u>POU</u>	<u>Add POD</u>	<u>Period of Use</u>	<u>Nature of Use</u>
63-11970	NO	NO	YES	YES	NO	NO
63-8215	NO	NO	YES	YES	NO	NO
63-3266	NO	NO	YES	YES	NO	NO

Summary of Water Rights After the Approved Change

<u>Existing Right</u>	<u>New No. (changed portion)</u>	<u>Transfer Rate</u>	<u>Transfer Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>New No. (remaining portion)</u>	<u>Remaining Rate</u>	<u>Remaining Volume</u>	<u>Remaining Acre Limit</u>	<u>Remaining Total Acres</u>
63-11970	63-11970	3.78 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
63-8215	63-8215	3.90 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
63-3266	63-3266	1.34 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
TOTALS		9.02 cfs					N/A	N/A	N/A	N/A

Detailed Water Right Description(s) attached

Dated this 27th day of June, 2001


Chief, Water Allocation Bureau

MICROFILMED
AUG 6 8 2001

WATER RIGHT NO. 63-11970
As Modified by Transfer No. 69087

In accordance with the approval of Transfer No. 69087, Water Right No. 63-11970 is now described as follows.

Right Holder: CITY OF KUNA
 PO BOX 13
 KUNA ID 83634

Priority Date: 12/28/1992

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	3.78 CFS	
			3.78 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SESE	Sec. 23 Twp 02N	Rge 01W ADA County
GROUND WATER	SWNE	Sec. 23 Twp 02N	Rge 01W ADA County
GROUND WATER	SWSW	Sec. 23 Twp 02N	Rge 01W ADA County

PLACE OF USE: MUNICIPAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	01W	1									X	X	X	X					
01N	01W	2	X	X	X	X	X			X					X	X		X	
			L1	L2			L3												

CONDITIONS OF APPROVAL

1. The total instantaneous diversion of water from all points of diversion under Rights 63-3266, 63-8215 and 63-11970 shall not exceed 9.02 cfs.
2. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
3. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
4. The place of municipal use authorized by this approval includes land specifically described above upon which wastewater may be applied for irrigation purposes to satisfy water quality requirements. Water diverted under this approval shall not be used for irrigation unless the water is first used in the municipal system within the City of Kuna and service area as authorized by these water rights.

MICROFILMED

303 0 8 2001

WATER RIGHT NO. 63-11970


As Modified by Transfer No. 69087

CONDITIONS OF APPROVAL

5. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this right.
6. Use of water under this approval shall comply with applicable water quality standards of the Department of Environmental Quality.
7. Approval of Transfer 69087 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
8. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 27th day of June, 2001



Chief, Water Allocation Bureau

MICROFILMED

JUN 08 2001

WATER RIGHT NO. 63-3266
As Modified by Transfer No. 69087

In accordance with the approval of Transfer No. 69087, Water Right No. 63-3266 is now described as follows.

Right Holder: CITY OF KUNA
 PO BOX 13
 KUNA ID 83634

Priority Date: 03/21/1962

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	1.34 CFS	
			1.34 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SESE	Sec. 23 Twp 02N	Rge 01W ADA County
GROUND WATER	SWNE	Sec. 23 Twp 02N	Rge 01W ADA County
GROUND WATER	SWSW	Sec. 23 Twp 02N	Rge 01W ADA County

PLACE OF USE: MUNICIPAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	01W	1									X	X	X	X					
01N	01W	2	X	X	X	X	X			X					X	X		X	
			L1	L2			L3												

CONDITIONS OF APPROVAL

1. The total instantaneous diversion of water from all points of diversion under Rights 63-3266, 63-8215 and 63-11970 shall not exceed 9.02 cfs.
2. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
3. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
4. The place of municipal use authorized by this approval includes land specifically described above upon which wastewater may be applied for irrigation purposes to satisfy water quality requirements. Water diverted under this approval shall not be used for irrigation unless the water is first used in the municipal system within the City of Kuna and service area as authorized by these water rights.

MICROFILMED

AUG 8 2001


WATER RIGHT NO. 63-3266
As Modified by Transfer No. 69087

CONDITIONS OF APPROVAL

5. Use of water under this approval shall comply with applicable water quality standards of the Department of Environmental Quality.
6. Approval of Transfer 69087 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
7. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 27th day of June, 2001


Chief, Water Allocation Bureau

MICROFILMED
AUG 08 2001

WATER RIGHT NO. 63-8215
As Modified by Transfer No. 69087

In accordance with the approval of Transfer No. 69087, Water Right No. 63-8215 is now described as follows.

Right Holder: CITY OF KUNA
 PO BOX 13
 KUNA ID 83634

Priority Date: 10/02/1975

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	12/31	3.90 CFS	
			3.90 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SESE Sec. 23 Twp 02N Rge 01W ADA County

GROUND WATER SWNE Sec. 23 Twp 02N Rge 01W ADA County

GROUND WATER SWSW Sec. 23 Twp 02N Rge 01W ADA County

PLACE OF USE: MUNICIPAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	01W	1									X	X	X	X					
01N	01W	2	X	X	X	X	X			X					X	X		X	
			L1	L2			L3												

CONDITIONS OF APPROVAL

1. The total instantaneous diversion of water from all points of diversion under Rights 63-3266, 63-8215 and 63-11970 shall not exceed 9.02 cfs.
2. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
3. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
4. The place of municipal use authorized by this approval includes land specifically described above upon which wastewater may be applied for irrigation purposes to satisfy water quality requirements. Water diverted under this approval shall not be used for irrigation unless the water is first used in the municipal system within the City of Kuna and service area as authorized by these water rights.

MICROFILMED
 AUG 08 2001


WATER RIGHT NO. 63-8215
As Modified by Transfer No. 69087

CONDITIONS OF APPROVAL

5. Use of water under this approval shall comply with applicable water quality standards of the Department of Environmental Quality.
6. Approval of Transfer 69087 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
7. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 27th day of June, 2001


Chief, Water Allocation Bureau

MICROFILMED
AUG 08 2001

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that CITY OF KUNA, IDAHO

Total number of acres irrigated _____

MICROFILMED

Identification No. _____
Application No. 63-8215

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Kuna, Idaho
post office address Kuna, Idaho 83634
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 23 Township 2 N.
Range 1 W. B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 6.5 for municipal purpose from Jan. 1 to Dec. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 6.5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. One well and pump

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 14 inches; proposed depth of well is 500 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 year
b. Estimated construction cost is \$ 35,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 23 Township 2 N.
Range 1 W. B.M.
(2) Amount of power to be generated: 100 hp under 300 feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served City of Kuna, Idaho, or number of families to be
supplied with domestic water 950 (1990 population approx. 2300)
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below: N/A

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____
City of Kuna has two wells and high level storage system under present use.

Permit No. 6-30287


9. a. Who owns the property at the point of diversion City of Kuna, Idaho

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing municipal service

10. Remarks Place of use will be within the City of Kuna for domestic service.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

State of Idaho)
County of Ada) ss.

On this first day of October, in the year of 1975, before me personally appeared

Charles V. Bird, known to me to be the person whose name is subscribed to the within instrument, and acknowledged to he that he executed the same.

Commission expires 7-9-78

CITY OF KUNA

Charles V. Bird
(Applicant)

Charles Bird - Mayor (Notarized)

Ardis R. Richards
Notary - State of Idaho

Proposed Priority 10-02-1975

Received by CK Date 10/2/75 Time 10:15 A.M.

Preliminary check by PLH Fee \$ 85.00

Receipted by CK Date 10/8/75 # 1341

Publication prepared by CK Date 10/16/75 CK 11-7-75

Published in Oct. 23 & 30 Nov. 13 & 20

Publication dates Idaho Statesman

Publication approved CK Date 11-4-75 CK 11-26-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by PLH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8215, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 77.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 5 day of December 19 75.


Director

[illegible]

Two insertions, beginning with the issue of November 13, 1975, and ending with the issue of November 20, 1975.

Verna L. Johnson
Subscribed and sworn to before me this 21st
day of November, 1975.

OK
OK
11-26-75

Alarado Eguen
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

NOV 20

Department of Water Resources

NOTED

1987

papers
fault

two insertions, beginning with the issue of October 23, 1975, and ending with the issue of October 30, 1975.

Patricia E. Levitt

Subscribed and sworn to before me this 3/21
day of October, 1975.

Sarah E. Egner

Notary Public for Idaho, Residing at Boise, Idaho

Not OK
CIS
11-4-75

NOTES

MEMORANDUM

TO: FILE 63-8215
FROM: VAULT
RE: TRANSFER # 69087
DATE: 6.27.01

=====

**Original Transfer Application, Form and correspondence regarding the above
referenced Transfer is located within:**

FILE # 63-3266

MICROFILMED
AUG 08 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

December 19, 2000

Tim Burgess P. E.
Civil Survey Consultants
100 S. Adkins Way, Suite 101
Meridian ID 83642

Re: City of Kuna: Land Application of Wastewater

Dear Mr. Burgess:

We recently discussed water right issues related to a new land application site for the City of Kuna. The best recommendation I can offer involves changing all the municipal water rights held by the City except Permit No. 63-09668. That permit is an irrigation water right with a minor municipal component. A water right mostly described as irrigation use is probably not suited for inclusion in a land application scenario due to expansion of use considerations normally associated with irrigation.

The City holds four water rights described solely by municipal use. Changing the four rights to include a new land application site would include the following steps:

1. File an Application for Transfer to change License Nos. 63-03266, 63-08215 and 63-11970. The transfer fee for the sum of the licenses (9.02 cfs) is \$610.
2. File an Application for Amendment to change Permit No. 63-12394. The amendment fee is \$50.
3. The transfer and amendment steps could add the proposed land application site to the municipal place of use. The nature of use in the water rights would not change – it would remain as municipal use for the City service area plus for a defined site (identified by section $\frac{1}{4}$ $\frac{1}{4}$'s) outside of the normal service area of the City.

The City might want to consult legal counsel regarding alternatives to the above suggestion. In any event, some type of water right protection is needed for the new land application site. The protection is not evident within limits of existing water rights held by the City.

I have enclosed forms and related information for your consideration of the transfer and amendment steps. Please let me know if you need more information in this regard.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Water Rights Supervisor

MICROFILMED

Enclosure

AUG 08 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 3, 1979

Re: Water Right No. 63-8215

City of Kuna, Idaho
City Hall
Box 13
Kuna, Idaho 83634

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 13, 1979

Re: Permit No. 63-8215

City of Kuna, Idaho
City Hall
Box 13
Kuna, Idaho 83634

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 63-8215 on February 11, 1979, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.90 cfs Source: groundwater

The maximum quantity diverted shall not exceed N/A acre feet per
year.

Point of diversion: SW 1/4, Sec. 23, Twp. 2N, Rge. 1W, B. M.

Beneficial use: Municipal use within the City of Kuna, Idaho

Priority date established: October 2, 1975

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

MICROFILMED

FIELD REPORT

Post office address City Hall, Kuna, ID, Box 13 Phone

Person to contact Deane Yamamoto, Mayor Phone

Tributary to _____

Other uses: _____

Permit No.

63-8215

b7c

Max Rate of Diversion 6.50 cubic feet per second and annual volume _____ AF/Annum.

Other Points of Diversions: _____

Description of diverting works: 1700 gpm pump size, 80 hp motor, 16" casing, 471' deep

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use. **City of Kuna**

TOTAL ACREAGE _____

SECRET




Diagram of System

DATE OF EXAM 2/11/77

ACREAGE
Found 0
Recommended 0

Irrigation Requirement 0 Ac Ft/Ac

USE
Irrigation Q= c.f.s. V= AF/Ann. from to
Domestic Q= c.f.s. V= AF/Ann. from to
Livestock Q= c.f.s. V= AF/Ann. from to
Municipal 3.89 cfs 1/1 12/31

Is water co-mingled? yes X no

Name source: water is used in same system as other existing municipal wells for
Twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
the City of Kuna County

Exchange? yes no X

Name source exchanged with:
Twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
County

Point of injection:
Twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
County

Point of exchange:
Twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
County

Total Q measured 1750 gal/min = ^{3.90} 3.89 cfs Method of measurement in-line flow meter

Total Q recommended ^{3.90} 3.89 cfs Meter No. 104428 Type Spring Condition operational

Total V recommended

Recommended Amendments:

P.D.
Place of Use
Other
None ✓

MEASUREMENT CALCULATION:
Spring meter # 104428 on 12" main line at 1750 gpm

SYSTEM DESCRIPTION:
16" well 471 ft deep with GE 75HP motor Model # 5K625BX41A Serial #
CMJ310423 on Layher pump # 45735. into main lines that furnish
water to the city limits. well located in pump house has 4196
500,000 gal storage tank. well pumps into storage tank then
has three booster water to pump into system. 2 pumps are 125 HP and
the third is a 75 HP.

REMARKS:
Used for municipal water for the City of Kuna
approx. 950 people. A large amount of new homes
are now under construction to the North and
west of the city. These new developments are
going to be served by city water

Examiner's Signature G.L. SISCO Date 2/17/77

Checked by MS Date 2-23-77

Approved by Date

November 23, 1976

Re: Permit No. 63-8215

City of Kuna
City Hall, Box 13
Kuna, Idaho 83634

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in **Boise**.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 16 1976

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder City of Kuna, Idaho
b) Post Office Address City Hall, Kuna, Idaho P.O. Box 13
2. Permit Number 638215
3. Date of Priority that you are prepared to establish November 1, 1976
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SW ¼ NE ¼, Section 23
Township 2 N., Range 1 W. Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 6.5 for municipal purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6.5 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: The City's water departments maintain a flow recorder with charts.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
N/A
b) Describe the agreement or understanding by which you take water from the works:
N/A
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump size = 1700 GPM; Motor = 80 hp; 16" casing;
Depth = 471'
b) Describe the type and size of measuring device which you have installed at your point of diversion:
Sparling Masterflo Magnetic Drive Tube and Saddle - Type 8" meter with an
indicating, totalizing, and recording instrument
c) Give well driller's name and address and the date the well was completed:
W. D. Stevens & Sons
3709 Hawthorne Drive
Boise, ID 83703 2/12/76
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
Place of use will be within the City of Kuna for domestic service.

Examined 11/23/76

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

N/A

[illegible]

Total number of acres irrigated

10. Remarks: City of Kuna has two wells and high-level storage system under present use under Permit No. 6-30287.

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-12-76

(Date)

Dean H. Gandy
(Signature)
Mayor

(Signature)

922-5546

State of Idaho)

) ss.

County of **Ada**)

On this 12 day of November, 1976, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Therese Kramer

Notary Public residing at Kuna, Idaho

My commission expires 2-19-78

October 29, 1976

CERTIFIED MAIL

138044

Re: Permit No. 63-8215

City of Kuna, Idaho
Kuna,
Idaho 83634

Gentlemen:

One of the conditions of approval of your water Permit No. 63-8215 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

FEB 12 WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name City of KunaAddress Kuna City HallOwner's Permit No. 638215

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

All measurements taken 2' above ground level

Diameter of hole 16 inches Total depth 471 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.375 inches	16 inches	2 feet	317 feet
.312 inches	10 inches	296 feet	385 feet
.312 inches	10 inches	416 feet	422 feet
.312 inches	10 inches	442 feet	448 feet
.312 inches	10 inches	468 feet	471 feet

Was casing drive shoe used? ☐ Yes ☐ NoWas a packer or seal used? ☐ Yes ☐ NoPerforated? ☐ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name JohnsonType stainless steel Model No. 304Diameter 10" Slot size 20 Set from 385 feet to 416 feetDiameter 10" Slot size 20 Set from 422 feet to 442 feetDiameter 10" Slot size 20 Set from 448 feet to 468 feetGravel packed? ☒ Yes ☐ No Size of gravel #8 sandPlaced from 300 feet to 471 feetSurface seal depth 35 Material used in seal ☒ Cement grout☐ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Sherry pit ☒ Temporary surface casing☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

Well #3

Subdivision Name _____

Lot No. _____ Block No. _____

Ada

County

S W ¼ N E ¼ Sec. 23 T. 2 N. R. 1 E/W

7. WATER LEVEL

Static water level 83 feet below land surfaceFlowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other


Discharge G.P.M.	Draw Down	Hours Pumped
1650	44'	4
2030	55'	2
2565	67'	1

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	2	topsoil		
	2	20	white hardpan		
	20	68	gray basalt		
	68	72	red cinders & basalt		60'
	72	105	gray basalt	X	
	105	165	gravel, sand & clay	X	
	165	208	fine sand & clay	X	
	208	265	fine sand, layers of clay	X	
	265	275	rusty fine sand	X	
	275	295	light brown clay, fine sand	X	
	295	327	sticky blue clay		X
	327	348	sand, blue streaks of clay		83
	348	360	sticky blue clay		X
	360	370	sand & blue clay	X	
	370	395	sand, some blue silt	X	
	395	413	sand, medium size gravel	X	
	413	420	fine sand & blue clay	X	
	420	440	sand	X	
	440	445	sand & blue clay	X	
	445	471	sand	X	
	XXXX				

Packer seal between
16" casing & 10" head pipe15" Lead Packer
1' of 14" pipe

2' of 12" pipe

Riveted steel
1' long to fit
tapered 10" pipe
coupling with
taper

10.

Work started Nov. 1975 finished Jan. 1976

11. DRILLERS CERTIFICATION

Firm Name W.E. Stevens & Sons Firm No. 53Address 3709 Hawthorne Dr. Boise Date 2/12/76

Signed by (Firm Official) _____

and

(Operator) _____

December 8, 1975

Re: Permit No. 63-8215

City of Kuna
Kuna,
Idaho 83634

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. **63-8215**. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

ENCLOSURE

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8215

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) 6hs 10/14

In form to receipt

(2) 6hs 10/14

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) 6hs 10/14

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) OK 11-26-75

Affidavit of Publication received(date) OK

(12) _____

Final date for protests _____
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By FJA Date 12-1-75

MICROFILMED

November 7, 1975

The Idaho Statesman
Box 40
Boise, ID 83707

RE: Application for Permit No. 63-8215 - City of Kuna

Gentlemen:

We have enclosed a copy of the original notice for the above referenced application and the affidavit of publication received by our office, you will note that there is a discrepancy in the two notices.

We are requesting that you publish the enclosed correction notice at your expense, since the Department failed to receive a test sheet prior to publication.

Upon receipt of an affidavit of publication for the correction notice, we will forward the bill for the first publications to our accounting department.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

CATHY L. SHAW
Senior Clerk

CLS:cs

Enc: Copy of original notice
Copy of affidavit
Legal notice (correction)

OK
CLS
11-26-75

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 63-8215 in the name of CITY OF KUNA was published in error on Oct. 23, 1975 and Oct. 30, 1975.

The amount of water diverted was advertised as .65 cubic feet per second. WHEREAS, the actual amount of water diverted is 6.5 cubic feet per second.

Any protest against approval of this application must be filed with the Idaho Department of Water Resources, Statehouse - Annex 3, Boise, Idaho, 83720, on or before Dec. 1, 1975.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, ID on Nov. 13, 1975 and Nov. 20, 1975.



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

NOV 2 1975

DIVISION OF ENVIRONMENT
October 30, 1975

Mr. L. Glenn Saxton
Western District Engineer
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Application for Permit No. 63-8215

Dear Mr. Saxton:

Concerning the above referenced application for a permit by the City of Kuna to drill a well for use as a domestic water supply source, our department has previously reviewed and approved the engineering plans and specifications for the well and pumphouse.

Sincerely,

A handwritten signature in cursive script that reads "David Sanders".

H. David Sanders
Environmental Engineering Spec. II

cc: City of Kuna

HDS/dj

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN DISTRICT — ANNEX 3

Cecil D. Andres
Governor

Statehouse
Boise, Idaho 83720
(208) 384-2190

R. Keith Higginson
Director

October 16, 1975

The Idaho Statesman
Box 40
Boise, ID 83707

RE: Proposed Change of Water Right No. 63-0154 P - Spring Gardens
Application for Permit No. 63-8215 - City of Kuna

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Sincerely,

Bill submitted
11-26-75
CLS



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT

STATE HOUSE BOISE, IDAHO 83720

October 16, 1975

David Sanders
Environmental Engineering Spec. II
Environmental Services
Department of Health & Welfare
Statehouse

RE: Application for Permit No. 63-8215, 65-7589

Dear Mr. Sanders:

Enclosed, find a list of applications that we have received involving multiple domestic and group water supplies.

If you should have any questions in reference to these matters, please do not hesitate to contact this Department.

Sincerely,

Cathy L. Shaw

CATHY L. SHAW
Senior Clerk

CLS:cs

Enclosures

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CITY OF KUNA
Kuna, ID
has on 10-2-75 submitted Application No. 63-8215
for a permit to appropriate 6.5 cubic feet per second XXXXXXX
~~XXXXXXX~~ of water from a groundwater source
by means of well and pump
within the SW-NE-1, Sec. 23, T. 2 N, R. 1 W, B.M. Ada County

to be used from Jan. 1 to Dec. 1
for municipal use

within the City of Kuna

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Nov. 10, 1975.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, ID
on Oct. 23, 1975 and Oct. 30, 1975.

RECORDED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

October 10, 1975

City of Kuna
Kuna, ID 83634

Gentlemen:

Enclosed is your Receipt No. 1341 in the amount of \$ 85.00 for
Application for Permit No. 63-8215 which was received in this office
on Oct. 2, 1975.

Sincerely,

JANE GRIDLEY
Stenographer

JG:jg

Enclosure

MICROFILMED

LOUIS W. RIGGS
STANLEY H. FROID
ROBERT N. JANOPAUL
DAVIS C. TOOTHMAN
PAUL E. POTTER
HERBERT H. LA VIGNE
WILLIAM W. DAVIS
KEITH D. BULL

TUDOR ENGINEERING COMPANY
CONSULTING ENGINEERS AND PLANNERS
1802 NORTH 33RD STREET
BOISE, IDAHO 83703

TELEPHONE (208) 343-4669

RALPH A. TUDOR (1902-1963)
CORPORATE OFFICE
149 NEW MONTGOMERY ST.
SAN FRANCISCO,
CALIFORNIA 94105
JAMES V. POTTER
LESLIE D. KILLINGSWORTH
THEODORE H. PURCELL
LESLIE L. ANKENMAN

OCT 2 1975

Mr. Robert W. Hamilton
Department of Water Administration
614 State Street
Statehouse - Annex 2
Boise, Idaho 83707

October 2, 1975

Kuna Water Project
576-7466

Dear Mr. Hamilton:

We are transmitting herewith an Application for Permit to Appropriate Public Waters of the State of Idaho for the City of Kuna. Your early review of this permit would be appreciated since the well driller is scheduled to start construction of the well within the next two weeks.

Sincerely,

TUDOR ENGINEERING COMPANY


Phillip K. Matthews

PKM:mr

Enc:

ENCLOSURE