


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R2E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Triand Development Co
Ed Kope
(Applicant)
See

RECEIVED

DEC 16 1974

Department of Water Resources

DEC 17 1974

STATE OF IDAHO)
COUNTY OF ADA) ss.

NOTICE OF APPLICATION FOR WATER PERMIT
Notice is hereby given that TRIANGLE DEVELOPMENT CO., P.O. Box 1761, Boise, ID. has on Nov. 22, 1974 submitted Application No. 63-8065 for a permit to appropriate .33 cubic feet per second of water from a groundwater source by means of well, sprinkler system, and 3 small ponds within the SE 1/4 SW 1/4, Sec. 23, T. 3 N, R. 2 E, B.M. Ada County, to be used from March 15 to Nov. 15 for esthetics and esthetic storage purposes and for irrigation of 16 acres within the SE 1/4 SW 1/4, Sec. 23, T. 3 N, R. 2 E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Dec. 23, 1974.
R. KEITH HIGGINSON
Director
Pub. Dec. 5, 12, 1974 445

Dorothy Eiguren

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two ~~consecutive~~ insertions, beginning with the issue of December 5, 19 74, and ending with the issue of December 12, 19 74.

Dorothy Eiguren

Subscribed and sworn to before me this 13th day of December, 19 74.

OK
12-17-74
CW

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

T
3
N




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8065 Priority November 22, 1974 Amount 0.27 cfs

THIS IS TO CERTIFY, that Triangle Development Company
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-8065 issued pursuant to Application for Permit dated November 22, 1974,
and has submitted proof to the Department of Water Resources on January 6, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.27 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>3/15</u> to <u>11/15</u>	at <u>0.16</u> cfs and	<u>36 acre feet</u>
Aesthetics	from <u>3/15</u> to <u>11/15</u>	at <u>0.27</u> cfs and	<u>n/a</u>
Aesthetic Storage	from <u>3/15</u> to <u>11/15</u>	at _____ cfs and	<u>2 acre feet</u>

(both dates inclusive)

Subject, however, to the condition that no more than 0.27 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
38 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp. 3N,
Rge. 2E, B. M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	2E	23												8					8

Total number of acres irrigated 8

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23 day of

February

, 19 78

Director

Identification No. _____

Application No. 63-8065

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Triangle Development Co. Phone: _____
post office address P.O. Box 1761, Boise, ID 83701
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 23 Township 3 N
Range 2 E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .33 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .33 for Esthetics purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2AF for Esthetic Storage purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .33 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled well, sprinkler system,
3 small ponds for esthetics

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 120 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years.
b. Estimated construction cost is \$3,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 23 Township 3 N
Range 2 E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Esthetic purpose is for small ponds
(3 ponds total storage Approx. 2 acre feet)

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3 N	2 E	23												16					16

Total number of acres to be irrigated 16

c. Describe any other water rights used for the same purposes as described above. none

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R2E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Trans Development Co
Steve K. Kope
(Applicant)
See

11-22-1974
Proposed Priority

Received by FEB Date 11/22/74 Time 2:30 pm
Preliminary check by FEB Fee \$ 25.00
Receipted by SW Date 11-22-74 # 15338
Publication prepared by Ca Date 11-29-74
Published in Idaho Statesman
Publication dates Nov. 5 & Nov. 12
Publication approved Ca Date 12-17-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by SDP

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8065, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 77.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9 day of January 19 75.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8065
IN THE NAME OF TRIANGLE DEVELOPMENT CO.

ORDER

WHEREAS, on November 22, 1974, Triangle Development Company filed with the Department of Water Resources an application for permit to appropriate 0.33 cubic feet per second of groundwater to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp. 3N, Rge. 2E, B.M., Ada County, to be used for irrigation, aesthetics and aesthetics storage; and,


WHEREAS, on January 9, 1975, the Department approved said application and issued Permit No. 63-8065 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1977; and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on January 6, 1977, the Department received the required proof of beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is REMOVED from Permit No. 63-8065.

Dated this 13 day of January, 1977.


A. KENNETH DUNN
Administrator, Operations Division

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8065

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RWH 11-25-74

In form to receipt

(2) NA

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) NA

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) RWH 11-25-74

In form for advertising

(5) NA

Platted on Map No. _____

(6) NA

Located within Water District No. _____

(7) FEB 12/23/74

Critical groundwater area: yes ☐ no ☒

(8) NA

Groundwater levels:

☐ Declining, ☐ Stable, ☐ Increasing

(comment) _____

(9) NA

Other rights on the same place of use

(10) NA

Comments: _____

(11) Ca 12-17-74

Affidavit of Publication received(date) Ok

(12) FEB 12/23/74

Final date for protests 12/23/74
Protests received: yes ☐ no ☒

(13) FEB 12/23/74

All requested information received from agencies or applicant: yes ☒ no ☐

(14) FEB 12/23/74

Action recommended:

☒ Approve ☐ Deny

☐ Proposed Priority

☐ Reason for Reduction _____

☒ Measuring device required

☐ See attached sheet for other conditions of approval

☐ No special conditions for approval

(15) District Water By F. Brookes Date 12/23/74

MICROFILMED

DEC 17 1974

STATE OF IDAHO)
COUNTY OF ADA)ss.

Dorothy Eiguren

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two ~~insertions~~ insertions, beginning with the issue of December 5, 19 74, and ending with the issue of December 12, 19 74.

Dorothy Eiguren

Subscribed and sworn to before me this 13th
day of December, 19 74.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

WATER RIGHT NUMBER 63-8065

OWNER LAST NAME - TRIANGLE DEVELOPMENT CO.

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 -

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BOISE

STATE - ID ZIP CODE -

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 11-22-1974 COUNTY - ADA

TOTAL DIV. RATE - .2700 -CFS

TOTAL DIV. VOLUME - 38.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SESW 23 03N 02E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - .1600 CFS USE DIV. VOLUME - 36.00 AFA

FROM - 03-15 TO - 11-15 USE - AESTHETICS

USE DIV. RATE - .2700 CFS USE DIV. VOLUME - .00 AFA

FROM - 03-15 TO - 11-15 USE - JS

USE DIV. RATE - .0000 CFS USE DIV. VOLUME - 2.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 02E SEC 23 TRACT SESW LOT AC 08

DECREE NAME -

DATE -

TOTAL ACRES 8

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

VERIFIED FE

3/79

IDENT. NO. 63-8065

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]

- DATA ENTRY -

Record

- | | <u>Tract</u> | <u>Sec.</u> | <u>Twp.</u> | <u>Rge.</u> | <u>Gov't
Lot</u> | <u>Rediv.</u> |
|--------------------------|--------------|-------------|----------------------|----------------------|----------------------|---------------|
| 6. A. Point of Diversion | <u>SE SW</u> | <u>23</u> | <u>3^N</u> | <u>2^E</u> | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

- from 3-15 to 11-15 for A purposes. Amount .16 / 36.
(cfs or AC-FT/yr)
- from 3-15 to 11-15 for 1 purposes. Amount .27 / 2.
- from 3-15 to 11-15 for JS purposes. Amount 2
- from 3-15 to 11-15 for JR purposes. Amount 2.
- from _____ to _____ for _____ purposes. Amount _____
- from _____ to _____ for _____ purposes. Amount _____
- from _____ to _____ for _____ purposes. Amount _____

2-5-79
B

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A.
B.
C.
D.
E.

11. Other Uses (Non-irrigation explanatory information):

12. Other Rights for Same Use:

13. A. Proof Due Date:

B. Date Permit Approved or Denied:

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: _____

14. Diversion Means (brief narrative):

March 1, 1978

Re: Permit No. 63-8065

Triangle Development Co.
Box 1761
Boise, ID 83701

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure

February 8, 1978

Re: Permit No. 63-8065

Triangle Development Co.
Box 1761
Boise, ID 83701

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 63-8065 on April 8, 1977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.27 cfs Source: groundwater

The maximum quantity diverted shall not exceed 38 acre feet per
year for storage and irrigation.

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp 3N, Rge. 2E, B.M.

Beneficial use: Irrigation, aesthetics, & aesthetic storage

Priority date established: November 22, 1974

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF:sh

RECEIVED

MICROFILMED

T
3
N




Diagram of System

DATE OF EXAM 4/20/77

ACREAGE
Found 8
Recommended 8

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = 0.16 c.f.s. V = 36 AF/Ann. from 3/15 to 11/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Aesthetics Q = 0.27
Aesthetics Storage 7 3/15 11/15

Is water co-mingled? yes _____ no _____

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.27 Method of measurement est from pump test

Total Q recommended 0.27 Meter No. _____ Type _____ Condition _____

Total V recommended 38

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

well pumps with free flow into pond 125 gpm this is the amount that was pump tested there is no way to measure the flow due to the system design, it is all underground and the water comes up in the center of a pond. from observation the well will produce a quantity near 125 gpm. = 0.27

SYSTEM DESCRIPTION:

8' well 30 ft deep, 5 HP Sub pump, into pond from there it goes to a sprinkler system from pond by a 5 HP Marathon Motor and a Perley pump # 7582573 in 2" plastic pipe into a designed system with nozzles and other types of sprinklers

REMARKS:

Water is used not only for irrigation but to keep a series of pond full of water for the aesthetics of the housing development.

Examiner's Signature J. J. Liller Date 4/26/77

Checked by JLL Date 4-26-77

Approved by _____ Date _____

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8065
IN THE NAME OF TRIANGLE DEVELOPMENT CO.

ORDER

WHEREAS, on November 22, 1974, Triangle Development Company filed with the Department of Water Resources an application for permit to appropriate 0.33 cubic feet per second of groundwater to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp. 3N, Rge. 2E, B.M., Ada County, to be used for irrigation, aesthetics and aesthetics storage; and,


WHEREAS, on January 9, 1975, the Department approved said application and issued Permit No. 63-8065 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1977; and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on January 6, 1977, the Department received the required proof of beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is REMOVED from Permit No. 63-8065.

Dated this 13 day of January, 1977.


K. KENNETH DUNN
Administrator, Operations Division

MICROFILMED

January 12, 1977

Re: Permit No. 63-8065

Triangle Development Co.
Attn: Fred Kopke
Box 1761
Boise, Idaho 83701

Gentlemen:

Enclosed is an Order which removes the measuring device requirement on Permit No. 63-8065.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

Identification No. _____

Permit No. 63-8065

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Triangle Development Co., Inc.
b) Post Office Address P. O. Box 1761 Boise, Idaho 83701
2. Permit Number 63-8065
3. Date of Priority that you are prepared to establish 11-22-74
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SE ¼ SW ¼, Section 23
Township 3 North, Range 2 East Boise Meridian, Other points of diversion: NA
5. a) The amount of water and use to which the water has been applied:
Amount 0.27 cfs for Irrigation purposes from March 15 to November 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 0.27 cfs for aesthetics purposes from March 15 to November 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 2 AF for storage purposes from year around to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.27 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Leonard Johnson, Idaho Pump & Plumbing, performed pump test and measured flow at 120 gpm.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
NA
b) Describe the agreement or understanding by which you take water from the works:
NA
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump is 5hp submersible, having 3 stages. Motor is single phase, 230 volt. Well is 8" casing within 24" concrete pipe. Total depth is 25 feet. Pump is placed at 18 feet.
b) Describe the type and size of measuring device which you have installed at your point of diversion: None: Well produces less than 0.3 cfs (0.27 actual)
c) Give well driller's name and address and the date the well was completed: Floyd L. Hulse, contractor, Route 2, Parkinson St., Boise, Idaho 83702.
(Well constructed by backhoe after drilling failed.) Completed March 6, 1975.
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: A two-lake water amenity is maintained both for aesthetic purposes as well as the source for the automatic sprinkler system.

If you are interested in this
more information
contact me

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____
Lakewood No. 2 landscaped common area, approximately 4.5 acres in size,
is irrigated by sprinkler system which is fed from aesthetic lake system.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	23											4.5						4.5

Total number of acres irrigated 4.5

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/6/99
(Date)


Fred A. Kopp
(Signature)

State of IDAHO)
County of ADA) ss.

On this 6th day of JANUARY, 1999, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Michael R. Clader
Notary Public residing at BOISE CITY,
ADA COUNTY, IDAHO

My commission expires 2-13-98



Lakewood

A TRIANGLE DEVELOPMENT

P.O. Box 1761
Boise, Idaho 83701
Tel. 208 - 342-1195

January 6, 1977

Mr. Glen Saxton
Department of Water Resources
Western Regional Office
92 South Cole Road
Boise, Idaho 83705

JAN 6 1977
DEPT. OF WATER RESOURCES
WESTERN REGIONAL OFFICE
92 SOUTH COLE ROAD
BOISE, IDAHO 83705

Dear Mr. Saxton:

Enclosed herewith is the proof of application of water to beneficial use affidavit required by February 1, 1977 to obtain final approval of our permit No. 63-8065. One condition of the approval was to install a measuring device as part of the diverting works.


However, when Leonard Johnson of Idaho Pump and Plumbing tested the installed pump it produced a volume of 120 gpm (0.27 cfs). This is less than the 0.3 cfs which we understand to be the minimum volume requiring measurement. Hence, we hereby request a waiver of this requirement.

We do so on the basis that pumping is intermittent only with the well feeding directly into the aesthetic lake system. The common area sprinkler system draws from the lake. During the non-irrigation season, the well is activated manually to maintain a minimum water level in the lakes.

Your affirmative response to this waiver request will be appreciated.

Sincerely,

TRIANGLE DEVELOPMENT CO.


Fred L. Kopke, Secretary

FLK:sj
Enclosure

November 30, 1976

CERTIFIED MAIL

138114

Re: Permit No. 63-8065


Triangle Development Co.
Box 1761
Boise, Idaho 83701

Gentlemen:

One of the conditions of approval of your water Permit No. 63-8065 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

January 13, 1975

Re: Permit No. 63-8065

Triangle Development Co.
Box 1761
Boise, Idaho 83701

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8065. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Planning
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 29, 1974

**The Idaho Statesman
Box 2640
Boise, ID 83701**

**Re: Application for Permit No. 63-8055 - Hallie &/or Marjorie Higgins
63-8064 - Idaho Trans. Dept., Div. of Highways
63-8065 - Triangle Development Co.**

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill submitted

12-17-74

Ca

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that TRIANGLE DEVELOPMENT CO.

P.O. Box 1761, Boise, ID

has on Nov. 22, 1974 submitted Application No. 63-8065

for a permit to appropriate .33 cubic feet per second ~~XXXXXXXXXX~~

~~XXXXXXXXXX~~ of water from a groundwater source

by means of well, sprinkler system, and 3 small ponds

within the SE 1/4, Sec. 23, T. 3 N, R. 2 E, B.M. Ada County

to be used from March 15 to Nov. 15 for esthetics and esthetic storage
~~XXXX~~ purposes and for irrigation of 16 acres

within the SE 1/4, Sec. 23, T. 3 N, R. 2 E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
Dec. 23, 1974.

R. KEITH HIGGINSON

Director

Published in the The Idaho Statesman, Boise, ID
on Dec. 5, 1974 and Dec. 12, 1974.

MICROFILMED