


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gordon S. Bowen
(Applicant)
Boise City Park Superintendent

RECEIVED

SEP 25 1974

Department of Water Resources

SEP 25 1974

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Patricia E Levitt, being duly sworn,
deposes and says: That she is the Principal Clerk
of The Idaho Statesman, a daily newspaper printed
and published at Boise, Ada County, State of Idaho,
and having a general circulation therein and which
said newspaper has been continuously and uninter-
ruptedly published in said County during a period
of twelve consecutive months prior to the first
publication of the notice, a copy of which is
attached hereto; that said notice was published
in the Sunday edition of The Idaho Statesman for

Thursday
2 consecutive insertions, beginning with the
issue of Sept 12, 19 74,
and ending with the issue of Sept 19, 19 74.

Patricia E. Levitt

Subscribed and sworn to before me this 23rd
day of September, 19 74.

James A. Young

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
BOISE CITY - PARK DE-
PARTMENT, 1104 Royal
Blvd., Boise, ID has on August
30, 1974 submitted Application
No. 63-8025 for a permit to ap-
propriate 0.9 cubic feet per
second of water from a
groundwater source by means
of well, pump, and pipeline
within the NW 1/4 SW 1/4, Sec. 22,
T. 3 N., R. 2 E., B.M. Ada
County, to be used from April
1 to Oct. 30 for irrigation of 3
acres within the W 1/2 W 1/2, Sec.
22, T. 3 N., 2 E., B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources,
Statehouse, Boise, Idaho,
83720, on or before Sept. 30,
1974.

R. KEITH HIGGINSON
Director
Pub. Sept. 12, 19, 1974

826

MICROFILMED

Has been
corrected

OCT 15 1974
CB

STATE OF IDAHO)
COUNTY OF ADA) ss.

Barbara Eiguren being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two ~~consecutive~~ insertions, beginning with the issue of October 3, 1974, and ending with the issue of October 10, 1974.

Barbara Eiguren

Subscribed and sworn to before me this 11th day of October, 1974.

Jane A. Young

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT
Notice is hereby given that BOISE CITY-PARK DEPARTMENT 1104 Royal Blvd., Boise, ID has on August 30, 1974 submitted Application No. 63-8025 for a permit to appropriate 0.9 cubic feet per second of water from a groundwater source by means of well, pump, and pipeline within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, T. 3 N, R. 2 E, B.M. Ada County, to be used from April 1 to Oct. 30 for irrigation of 3 acres within the W $\frac{1}{2}$ W $\frac{1}{2}$, Sec. 22, T. 3 N, 2 E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Oct. 21, 1974.
R. KEITH HIGGINSON
Director
Pub. Oct. 3, 10, 1974 930

OK
10-15-74
CB
MICROFILMED





Diagram of System



CROSS-SECTIONAL VIEW OF VISTA AVE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8025 Priority August 20, 1974 Amount .59 cfs

THIS IS TO CERTIFY, that BOISE CITY - PARK DEPARTMENT
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-8025 issued pursuant to Application for Permit dated August 30, 1974,
and has submitted proof to the Department of Water Resources on August 8, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .59 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>59</u> cfs and <u>13.5</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than .59 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
13.5 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, Twp. 3N,
Rge. 2E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	2E	21	.38			.38													1.5
		22						.38	.38			.38	.38						1.5

Total number of acres irrigated 3

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use hereinafter described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
July, 19 81.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUL 10 1981

Licensing
APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Boise City Park Departmentof (address) 1104 Royal Blvd., Boise, Idaho 83702, and represents to the
Director of the Idaho Department of Water Resources:That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 63-8025, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NO CHANGE $\frac{1}{4}$ $\frac{1}{4}$, Section _____, Township _____, Range _____, B.M.,
County of _____. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

NO CHANGE
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	2E	21	.38			.38									.38			.38	1.5
		22					.38	.38			.38	.38							1.5

Total number of acres to be irrigated = 3

4. a. Who owns the property at the point of diversion? _____
b. Who owns the land to be irrigated or the place of use? _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 24th day of June, 19 81.


(Signature)
John Cooper
Director

FOR DEPARTMENT USE ONLY

Preliminary check by Jui Fee = \$20.00

Receipted by sp Date 7-13-81 #19676

Publication prepared by _____ Date _____

Published in _____


Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, Director of the Department of Water Resources hereby

APPROVE the above referenced Amendment for Permit No. 63-8025. OK
Jui

Witness my hand this 22 day of July, 19 81.


Director

MICROFILMED

Identification No. _____

Application No. 63-8025

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

*P.O. 17080
Reg. 438.1-63*

1. Name of applicant Boise City - Park Department
post office address 1104 Royal Blvd., Boise, Idaho
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 3N.
Range 2E B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into N/A - Sprinkler irrigation at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.9 for irrigation purpose from April 1 to Oct. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.9 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with submersible pump piped
to buried pipeline in median strip islands on Vista Avenue.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 350 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 20,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

*I Certify That The Foregoing Amount
Is Just And Correct That The
Amount Claimed Is Legally Due After
Allowing All Just Credits And That
No Part Of Same Has Been Paid*

Signed Dr. Russell Bond

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:


TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	22						.75	.75			.75	.75						3

Total number of acres to be irrigated 3

- c. Describe any other water rights used for the same purposes as described above. none known
9. a. Who owns the property at the point of diversion Applicant has control of property through easement agreement
 b. Who owns the land to be irrigated or place of use Applicant has maintenance responsibility from Ada County Hwy. Dist.
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing see above

10. Remarks Water will be used for night irrigation of Vista Avenue median strip planting areas, both existing and planned. The amount applied for exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during long daylight-hour days in the summer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gordon S. Bowen
(Applicant)
Boise City Park Superintendent

8-30-1974
Proposed Priority _____

Received by jj Date 8/30/74 Time 1:15
Preliminary check by sk Fee \$ 25.00
Receipted by jj Date 8/30/74 Rect # 18
Publication prepared by Cu Date 9-5-74
Published in Idaho Statesman
Publication dates Sept 12 & Sept 19
Oct 3 & Oct 10
Publication approved Cu Date 10-15-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8025, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1979.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 28 day of October 1974.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8025 }

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-8025

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use Excessive?
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) LEB 9/3/74

In form to receipt

(2) LEB 9/3/74

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) LEB 9/18/74

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) LEB 9/3/74

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____ NA

Located within Water District No. _____

(7) P.W.H. 10-21-74

Critical groundwater area: yes _____ no ☒

(8) P.W.H. 11-21-74

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____ None

Other rights on the same place of use

(10) _____

Comments: _____

(11) Cu 10-15-74

Affidavit of Publication received(date) OK

(12) P.W.H. 10-21-74

Final date for protests 10-21-74

Protests received: yes _____ no ☒

(13) _____ NA.

All requested information received from agencies or applicant: yes _____ no _____

(14) P.W.H. 10-21-74

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Western

By R. Hamilton

Date 10-21-74

NOT FILMED

SEP 13 1974
Department of Water Resources

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Patricia E. Levitt, being duly sworn,
deposes and says: That she is the Principal Clerk
of The Idaho Statesman, a daily newspaper printed
and published at Boise, Ada County, State of Idaho,
and having a general circulation therein and which
said newspaper has been continuously and uninter-
ruptedly published in said County during a period
of twelve consecutive months prior to the first
publication of the notice, a copy of which is
attached hereto; that said notice was published
in the Sunday edition of The Idaho Statesman for

Thursday
2 consecutive insertions, beginning with the
issue of Sept 12, 19 74,
and ending with the issue of Sept 19, 19 74.

Patricia E. Levitt

Subscribed and sworn to before me this 23rd
day of September, 19 74.


John A. Gamm

Notary Public for Idaho, Residing at Boise, Idaho

NOT RECORDED

Bo. 15 1974
C.V.

STATE OF IDAHO)
) ss.
COUNTY OF ADA)



Marady Eiguren being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two ~~insertions~~ insertions, beginning with the issue of October 3, 1974, and ending with the issue of October 10, 1974.

Marady Eiguren

Subscribed and sworn to before me this 11th day of October, 1974.

OK
10-15-74
C.V.

Lana A. Young

Notary Public for Idaho, Residing at Boise, Idaho

FILED

WATER RIGHT NUMBER 63-8025

OWNER LAST NAME - CITY OF BOISE

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 - PARK DEPT.

ADDRESS LINE 2 - 1104 ROYAL BLVD.

ADDRESS LINE 3 -

CITY - BOISE

STATE - ID ZIP CODE - 83702

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 08-20-1974 COUNTY - ADA

TOTAL DIV. RATE - .5900 -CFS

TOTAL DIV. VOLUME -

13.50 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSW 22 03N 02E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TC - 11-15 LSE - IRRIGATION

USE DIV. RATE -

.5900 CFS

USE DIV. VOLUME -

13.50 AFA

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 02E SEC 22

TRACT NWNW LOT

AC 01 TRACT

SWSW LOT

AC 01

TRACT NWSW LOT

AC 01 TRACT

SWSW LOT

AC 01

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 02E SEC 21

TRACT NENE LOT

AC 01 TRACT

SENE LOT

AC 01

TRACT NESE LOT

AC 01 TRACT

SESE LOT

AC 01

DECREE NAME -

DATE -

TOTAL ACRES

8

REMARKS - AC. IRR. = 3.04.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED - 10-28-1974 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP & PIPELINE.

VERIFIED FE

IDENT. NO. 63-8025

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]

July 29, 1981

Boise City Park Dept.
1104 Royal Blvd.
Boise, ID 83702

Dear Sirs,

RE: Permit No. 63-8025

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Also enclosed is a copy of the approved application for amendment along with Receipt No. 19676 in the amount of \$20.00.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 2, 1981

Boise City Park Dept.
1104 Royal Blvd.
Boise, Idaho 83702

Dear Sirs,

A representative of this Department made an examination of the works covered by your Permit No. 63-8025 on October 12, 1979 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .58 cfs Source: groundwater

The maximum quantity diverted shall not exceed 13.5 acre feet
per year.

Point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, Twp. 3N, Rge. 2E, B.M.

Beneficial use: Irrigation of 1.5 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 21;
1.5 acres within the W $\frac{1}{2}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 22, Twp. 3N, Rge. 2E.

Priority date established: August 30, 1974

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JAN GROVER
JOHN JOHNSON
Water Rights Supervisor

JG:j
Enclosure

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Charlie Bryan

DATE 12/3/79

TO Jan Grover and Dave Tuthill

SUBJECT 63-8025

Ed Ho, Boise City Parks Engineer, will make a request for a waiver of the measuring device requirement on this permit on my recommendation. Attached are the field exam results in the event the waiver will be approved.

The amendment on this permit looks like I am trying to split hairs, but the section line goes down the center line of Vista Ave. and the land they irrigate is on either side. Also, since they originally applied for 3 acres, it is impossible to "round up" to make the acreages for each forty sound more reasonable.

MACROFILMED

✓ see order
of 8/28/78

Charlie Bryan
SIGNATURE

DATE OF EXAM 10/12/79

ACREAGE
Found 3 ☒
Recommended 3 ☒

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q = .59 c.f.s. V = 13.5 AF/Ann. from 3/15 to 11/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .59 cfs Method of measurement PRESSURE GAUGE / CALCULATION

Total Q recommended 0.59 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 13.5 AF/Ann

Recommended Amendments:

P.D. Place of Use SHOULD ALSO INCLUDE NE 1/4, NE 1/4; SE 1/4 NE 1/4; NE 1/4 SE 1/4; SE 1/4 SE 1/4, Sec 21, T.3N, R.2E.
Other _____
None _____

MEASUREMENT CALCULATION:

$Q = 20 \text{ SPRINKLERS @ } 13.2 \text{ gpm} = 264 \text{ gpm} (.002228) = .59 \text{ cfs} \checkmark$
 $Q = 110 \text{ SPRINKLERS @ } 2.3 \text{ gpm} = 253 \text{ gpm} (.002228) = .56 \text{ cfs}$
 $Q = 36 \text{ SPRINKLERS @ } 2.3 \text{ gpm} = 82.8 \text{ gpm} (.002228) = .18 \text{ cfs}$
 $V = 3 \text{ acres } (4.5 \text{ AF/acre}) = 13.5 \text{ AF/Ann} \checkmark$
 $V = .59 \text{ cfs} (1.98) (245 \text{ days/ann}) = 286.2 \text{ AF/ann}$

SYSTEM DESCRIPTION:

15 hp SUBM PUMP, 8" WELL 550' DEEP, 40' LIFT
20 IMPACT SPRINKLERS @ 3/4" X 1/4" HEADS @ 80 psi @ 13.2 gpm / SPRINKLER
110 STANDARD SURFACE SPRAY @ 2.3 gpm (TAKEN FROM CITY PARKS' RECORDS)
4 STATIONS OF 36 SURFACE SPRAY @ 2.3 gpm (TAKEN FROM CITY PARKS' RECORDS)
1 SURFACE SPRAY @ 1 gpm (TAKEN FROM CITY PARKS' RECORDS)

REMARKS:

DEMONSTRATED
GRASS BUCKET FROM PARKS DEPT. SYSTEM. THE 20 IMPACT
SPRINKLERS CAN BE RUN CONCURRENTLY GIVING THE GREATEST RATE OF
FLOW AT ONE TIME.

Examiner's Signature Charles W. Bryan Jr. Date 12/03/79

Checked by DBS Date 12/20/79

Approved by Robyn Date 5/21/81

BOISE CITY
PARKS DEPARTMENT
1104 ROYAL BLVD.
BOISE, IDAHO 83706



State of Idaho
Department of Water Resources
373 West Franklin Street
Boise, Idaho 83701

MICROFILMED

WATER RIGHT NUMBER 63-8025

OWNER LAST NAME - CITY OF BOISE

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - PARK DEPT., 1104 ROYAL BLVD. ADDRESS LINE 2 -

ADDRESS LINE 3 - CITY - BOISE

STATE - ID ZIP CODE - 83706

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - PERMIT

STATUS -

PRIORITY - 08-30-1974 COUNTY - ADA

TOTAL DIV. RATE -

.9000 -CFS

TOTAL DIV. VOLUME - .00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - SWSW 22 03N 02E LOT REDIV -

FROM - 04-01 TO - 10-30 USE - IRRIGATION

USE DIV. RATE - .9000 CFS USE DIV. VOLUME - .00 AFA

USE - IRRIGATION PLACE OF USE - TWN 03N RNG 02E SEC 22 TRACT NWNW LOT AC 01 TRACT SWNW LOT AC 01

TRACT NWSW LOT AC 01 TRACT SWSW LOT AC 01

DECREE NAME -

DATE -

TOTAL ACRES 4

REMARKS - AC. IRR1. = 3.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - PERMIT/DENIED - 10-28-1974 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP & PIPELINE.

December 27, 1979

Re: Permit No. 63-8025

Ed Ho, Office Eng.
Boise City Park Dept.
P.O. Box 500
Boise, ID 83701

Dear Mr. Ho:

Enclosed is a copy of the Order which removed the measuring device requirement for the above referenced permit.

We had mailed a copy of this order to your Department on July 30, 1979, which could have been misplaced. If you have any further questions, please contact us.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:j
Enclosure

2025-12-27



CITY OF TREES

BOISE CITY, IDAHO

RICHARD R. EARDLEY
MAYOR

COUNCIL MEMBERS

MARJORIE J. EWING, PRESIDENT
RALPH J. MCADAMS, PRES. PRO-TEM
BERNE K. JENSEN
JOY BUERSMEYER
~~CORKI ONWEILER~~
GLENN E. SELANDER
FRED L. KOPKE, JR.

RECEIVED

DEC 10 1979

Department of Water Resources

December 4, 1979

State of Idaho
Dept. of Water Resources
373 West Franklin Street
Boise, Idaho 83701

Dear Sirs:

Re: Permit No. 63-8025

Vista Medians Irrigation System

This is to advise your office of our request for the removal of the measuring device assigned to the Vista Medians irrigation system.

Thank you.

Professionally,

Ed Ho
Office Engineer
Boise City Park Department

cc: Jack Cooper
Roy List
Wm. "Bill" Elsass

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

August 29, 1979

Boise City Park Department
1104 Royal Blvd.
Boise, ID 83706

RE: Permit No. 63-8025

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Thursday, October 11th at 10:00 am.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

RECEIVED
OCT 11 1979

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63 8925

Name(s) of Permit Holder: Boise City Park Department

Post Office Address: 1104 Royal Blvd.

Boise, Id. 83706

Source of Water: Vista well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

John Cooper, Director

Aug. 1, 1979

Date

Signature of Permit Holder

Boise City Park Dept.

1104 Royal Blvd.

Boise, Id. 83706

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

101177

July 31, 1979

Boise City Park Department
1104 Royal Blvd.
Boise, ID 83706


Gentlemen:

One of the conditions of approval of your water Permit No. 63-8025 was that evidence of the extent of development must be submitted to this office on or before October 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,


RITA FLECK
Sr. Secretary

Enc: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

July 30, 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more expediently conducted by the Department's field examiner as well as you will derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

October 30, 1974

Re: Permit No. 63-8025

Boise City
Park Department
1104 Royal Boulevard
Boise, Idaho 83706

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8025. We direct your attention to the conditions of approval as listed on the fourth page.


Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures



OCT 1 1974

October 1, 1974

Re: Application for Permit No. 63-8025 - Boise City-Park Department

Mr. John Wanamaker, Asst. Urban Engr.
State Dept. of Transportation
Division of Highways

Dear Mr. Wanamaker:

Mr. Herb Mayer of the Ada County Highway District has requested us to correspond with you concerning the status of Application for Water Right Permit No. 63-8025.

This application was filed by Boise City-Park Department on August 30, 1974, and a notice of the application was published in the newspaper for two weeks. This notice, however, contained an error in the described point of diversion, and therefore, must be published again. The final publication will occur October 10th, and the protest period will end October 21, 1974, with final action taken shortly after that day.

Section 42-202 of the Idaho Code does allow construction of a well to begin with the filing of the application, but forbids the diversion of water until the permit is issued. There should be some assurance that there will be no opposition against the application, since no protests were received against its approval during the first two weeks of publication.

If you have any questions regarding this application, please let us know.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jg

cc: Mr. Herb Mayer

bcc: Western District Office ✓

Microfilm

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 6, 1974

The Idaho Statesman
Box 2640
Boise, ID 83701

Re: Application for Permit No. 63-8025 - Boise City - Park Department
63-8026 - Neal R. Groom

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

MICROFILMED

Bill submitted
10-15-74
Cen

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BOISE CITY - PARK DEPARTMENT
1104 Royal Blvd., Boise, ID
has on August 30, 1974 submitted Application No. 63-8025
for a permit to appropriate 0.9 cubic feet per second ~~zero feet~~
~~per annum~~ of water from a groundwater source
by means of well, pump, and pipeline
within the SW 1/4, Sec. 22, T. 3 N, R. 2 E, B.M. Ada County.

to be used from April 1 to Oct. 30
for irrigation of 3 acres

within the SW 1/4, Sec. 22, T. 3 N, R. 2 E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Sept. 30, 1974.

Headadvertised Oct 21, 1974

MICROFILMED

R. KEITH HIGGINSON

Director

Published in the The Idaho Statesman, Boise, ID
on Sept. 12, 1974 and Sept. 19, 1974
Oct. 3, 1974 Oct. 10, 1974