


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lavan R. Thornton
(Applicant)

LICENSE
#15 63-03368

lavare & (HORESTON)


Form No. 0

T	IN	TIN
R	IW	RIE

MAY 31 1995

#s 63-07993

#'s 63-07933



2N
12W

BM 2806

3280

3368

3368

P/O #3

P/O #1

P/O #2

7993

7933

IN IE

System Map

63-7993

BM 2851

MAY 31 1995

T150

INIE

Photo taken here

T1747

91.1

HEL

ACREAGE
MAP

63-7993

63-7993
160 AC

101.80
21

65
278
838

HEL


D13

NOT TO SCALE

REPRODUCED

MAY 31 1995

DEP



See file 63-7933 for picture of P/D.



1. P/U, looking
SW from a point
in SWNE Sec 6
(See acreage map)

RECORDED

MAY 31 1995

RECEIVED

JUN 21 1974

Department of Water Administration

PROOF OF PUBLICATION

State of Idaho, }
County of Ada } ss.

I, Carol McConnell, being first duly sworn, depose and say, that I am over twenty-one years of age, and Chief Clerk of VALLEY NEWS-TIMES, a weekly newspaper of general circulation, published at Meridian, County of Ada, State of Idaho, and that the annexed notice was published in said paper once each week for two consecutive weeks, the first publication being on the 13th day of June, 19 74, and the last publication being on the 20th day of June, 19 74.

That said notice was published in the newspaper proper and not in a supplement. That said newspaper had been continuously and uninterruptedly published in said county for a period of 78 consecutive weeks prior to the first publication of this notice, and is a newspaper within the meaning of the Idaho statutes.

Carol M. McConnell
Chief Clerk

Subscribed and sworn to before me this 20th day of June, 19 74.

R. F. Smock
Notary Public in and for Idaho

Residence or Postoffice Address Meridian, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LAVAR K. THORNTON, Route No. 1, Kuna, ID has on June 5, 1974 submitted Application No. 63-7993 for a permit to appropriate 1.2 cubic feet per second of water from a groundwater source by means of well & sprinklers within the SW1/4NE1/4, S. 6, T. 1 N., R. 1 E., B.M., Ada County to be used from April 1 to Oct. 15 for irrigation of 160 acres within the E1/2SW1/4, S. 6 & N1/2NW1/4, S. 7, T. 1 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 1, 1974.

R. KEITH HIGGINSON
Director

Published in the Valley News-Times, Meridian, Idaho on June 13, 1974 and June 20, 1974.

OK
SW
6-21-74

63 7993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 4840
WATER RIGHT NO(S). 63-03280/63-03368/63-07933/63-07993

This is to certify that: LAVAR K THORNTON
2800 S TEN MILE RD
KUNA ID 83634

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 63-03280 : IRRIGATION Priority: 03/22/1962	03/15 to 11/15	* ** 3.08 CFS	720.0 AF
Right No. 63-03368 : IRRIGATION Priority: 09/17/1963	03/15 to 11/15	* ** 4.60 CFS	1687.5 AF
Right No. 63-07933 : IRRIGATION Priority: 02/09/1975	03/15 to 11/15	** 2.80 CFS	630.0 AF
Right No. 63-07993 : IRRIGATION Priority: 06/06/1975	03/15 to 11/15	** 1.20 CFS	583.1 AF
TOTAL:		** 8.60 CFS	3620.6 AF

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 6, Township 01N, Range 01E
NWNW , Sec. 7, Township 01N, Range 01E
SENE , Sec. 1, Township 01N, Range 01W
NWNW , Sec. 1, Township 01N, Range 01W
ADA County

MICROFILMED
SEP 11 1997

TRANSFER NO. 4840
WATER RIGHT NO(S). 63-03280/63-03368/63-07933/63-07993

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
01N	01E	6	Lot 1(NENE)	22	Lot 2(NWNE)	15	SWNE	38	
			SENE	38	Lot 3(NENW)	2	Lot 4(NWNW)	31	
			Lot 5(SWNW)	24	SENE	29	NESW	38	
			Lot 7(SWSW)	3	SESW	38			278
		7	NENW	39	Lot 1(NWNW)	38			77
01W	1		Lot 1(NENE)	40	Lot 2(NWNE)	40	SWNE	40	
			Lot 5(SENE)	40	Lot 3(NENW)	40	Lot 4(NWNW)	40	
			SWNW	40	SENE	40	Lot 6(NESE)	40	
			NWSE	40	SWSE	40	Lot 7(SESE)	40	480
Total number of acres irrigated:									*** 835

CONDITIONS OF APPROVAL AND REMARKS

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
3. After specific notification by the department, the right holder shall annually report the amount of water diverted to the department.
4. The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
5. Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
6. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
7. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- ** 8. The total instantaneous diversion of water from all points of diversion under Transfer No. 4840 shall not exceed 8.60 cfs, nor total combined annual volume of 3620.6 af.
- * 9. Right Nos. 63-03280 and 63-03368 in combination shall not exceed a total diversion rate of 4.60 cfs.
- ** 10. Right Nos. 63-03280, 63-03368, 63-07933 and 63-07993 in combination shall not exceed a total diversion rate of 8.60 cfs, a total annual diversion volume of 3620.6 af, and the irrigation of 835.0 acres.

MICROFILMED


FEB 11 1967

TRANSFER NO. 4840
WATER RIGHT NO(S). 63-03280/63-03368/63-07933/63-07993

CONDITIONS OF APPROVAL AND REMARKS

- *** 11. Right No. 63-03280 is limited to the irrigation of 160.0 acres in the place of use described above in a single irrigation season.
- *** 12. Right No. 63-03368 is limited to the irrigation of 375.0 acres in the place of use described above in a single irrigation season.
- *** 13. Right No. 63-07933 is limited to the irrigation of 140.0 acres in the place of use described above in a single irrigation season.
- *** 14. Right No. 63-07993 is limited to the irrigation of 160.0 acres in the place of use described above in a single irrigation season.

Dated this 27th day of January, 1997.


Chief, Water Alloc. Bureau

MICROFILMED
FEB 11 1997

WATER RIGHT LICENSE

WATER RIGHT NO. 63-07993

Priority: June 6, 1975

Maximum Diversion Rate: 1.20 CFS
Maximum Diversion Volume: 585.5 AF

This is to certify, that LAVAR K THORNTON
2800 FORREY RD
KUNA ID 83634

KUNA ID 83634 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 5, 1974; and has submitted Proof of Beneficial Use on March 1, 1979. An examination indicates that the works have a diversion capacity of 8.600 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	10/13 to 11/15	1.20 CFS	585.5 AF

LOCATION OF POINT(S) OF DISSECTION:

SWNE , Sec. 6, Township 01N, Range 01E
SENE , Sec. 1, Township 01N, Range 01W
NWNW , Sec. 1, Township 01N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	01E	6	SENW	NESW 38	Lot 7 (SWSW) 3	
			SESW			83
		7	NENW 38	1 (NWNW) 38		77
Total number of acres irrigated:						160

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The volume of water diverted by this right is limited to the amount that is actually beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for lands above.
6. This right uses the same wells as Rights 63-03280, 63-03368 and 63-07933 and when combined with those rights shall not exceed a diversion rate of 8.6 cfs.

MAY 31 1995

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-07993

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of MAY, 1995.

Acting for


R. Keith Higginson, Director



RECEIVED

MAY 31 1995

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
MAY 05 1995
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-07993

Date of Priority: June 6, 1975

Maximum Diversion Rate: 1.20 CFS
Maximum Diversion Volume: 585.5 AF

Comes now
2800 FORREY RD
KUNA ID 83634

LAVAR K THORNTON

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-07993, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.20 CFS	585.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 6, Township 01N, Range 01E
SENE , Sec. 1, Township 01N, Range 01W
NWNW , Sec. 1, Township 01N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	01E	6	SENW 4	NESW 38	Lot 7(SWSW) 3	83
			SESW 38			77
		7	NENW 39	Lot 1(NWNW) 38		

Total number of acres irrigated: 160

RECEIVED
MAY 31 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 5 day of May, 1995.

Lavar K Thornton
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-07993

FOR DEPARTMENT USE ONLY

Preliminary check by 2 Fee = 50 Received by PI # C032597 Date 5/5/95

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-07993 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. This right uses the same wells as Rights 63-03280, 63-03368 and 63-07933 and when combined with those rights shall not exceed a diversion rate of 8.6 cfs.

Witness my hand this 10th day of MAY, 1995.

Acting for


R. Keith Higginson, Director

MAY 31 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 63-07993 IN THE NAME) ORDER OF REINSTATEMENT
OF LAVAR K. THORNTON)
_____)

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-07993 for the issuance of a license, the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-07993 to appropriate the public waters of the State of Idaho with a proposed priority of JUNE 5, 1974.

2. On APRIL 17, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit.

3. The fee was due on JUNE 16, 1986, 60 days from the date of the notice; however, the fee was not received until JUNE 17, 1987, 366 days late.

RECEIVED

MAY 31 1995

CONCLUSIONS OF LAW

1. The Director may reinstate a lapsed permit upon payment of the examination fee.
2. The Director may advance the priority date of the permit one day for each day the fee was late, pursuant to the provisions of Section 42-217, Idaho Code.
3. Permit No. 63-07993 should be reinstated with the date of priority advanced 366 days.

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 63-07993 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-07993 is advanced to JUNE 6, 1975.

Dated this 13th day of April, 1995.


B. GLEN SAXTON
Chief, Water Allocation Bureau

MAY 31 1995

Same well as
63-7933

RECEIVED

KEYPUNCHED

4/86

JUN 18 1987

For Office Use Only
Fee Received 125.00
Date 6-17-1987
Receipt # 42560
Receipt by [Signature]
\$ 0.00

RECEIVED

JUN 17 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

Department of Water Resources

RECEIVED

MAY 26 1988

1. Permit No. 63-7993

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: La Var K. Thornton

3. Post Office Address: P.O. 2, Kuna, Id 83634

Telephone No. 922-5779

4. Source of Water: g.w.

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 160 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.2 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

June 1974

8. Person to contact to accompany the department representative during the field examination:

same as above
(Name)

(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MAY 31 1995

June 17, 1987
Date

La Var K. Thornton
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
**PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE**

RECEIVED
MAR 1 1979

1. a) Name of permit holder Lavar K. Thornton
b) Post office address Route 1, Kuna, ID 83634
Department of Water Resources
2. Permit number 63-7993
3. Date of priority that you are prepared to establish 6-5-74
4. a) Source from which water was appropriated groundwater
b) Location of the point of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 6
Township 1N, Range 1E Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 1.2 for irrigation purposes from 4-1 to 10-15 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated 1.2 cfs and/or acre-feet per annum.
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement of understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
14" X 398', 200 HP pump, mainline pipe
b) Describe the provision for making a measurement which you have at your point of diversion (i.e., installed measuring device, access port, other):
Flow meter

3-5-79

RECEIVED
MAR 1 1979

c) Give well driller's name and address and the date the well was completed: _____

Todd Knie, Caldwell, ID April 1, 1974

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NEX	NW¼	SW¼	SE¼	NEX	NW¼	SW¼	SE¼	NEX	NW¼	SW¼	SE¼	NEX	NW¼	SW¼	SE¼	
1N	1E	6		20	40	30					35			40					165
		7					40	40											80

Total number of acres irrigated 245

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-1-79
(Date)

Laver R Thornton
(Signature)

State of _____)
County of Ada _____) ss.

On this 1st day of March, 1979, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

David R. Tutthell
Notary Public
Residing at Boise, ID

My commission expires Sept 10, 1980

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-7993

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 63-7993

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant LAVAR K. THORNTON
post office address Route #1, Kuna, Idaho PH: 692-5779
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 1 N.
Range 1 E. B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.2 for Irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well & sprinklers

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

63 7993

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 160


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lavan R. Thornton
(Applicant)

Proposed Priority 6-05-1974

63 7993

Received by ja Date 6/5/74 Time 11:30
Preliminary check by ESP Fee \$ 35.00
Receipted by ja Date 6/5/74 Receipt # 14560
Publication prepared by ja Date 6-6-74
Published in Valley News-Times
Publication dates 6-13 & 6-20-74
Publication approved SW Date 6-21-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by W 505

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7993, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of _____ July 19 74.

R. Karl Hjort
Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

January 27, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LAVAR K THORNTON
2800 S TEN MILE RD
KUNA ID 83634

RE: Water Right Nos. 63-03280/63-03368/63-07933/63-07993
Transfer No. 4840


Dear Water Right Holder(s):

Enclosed is a copy of your approved Transfer of Water Right for the above referenced water rights (Transfer No. 4840). Please be sure to thoroughly review the "Conditions/Remarks:" as listed on the transfer.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR to July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:ph

Enclosure

MICROFILMED

SEP 11 1997

MEMORANDUM

TO: FILE NOS. 63-03280, 63-03368, 63-07933 & 63-07993

FROM: PAM SKAGGS²⁸/STATE OFFICE

SUBJECT: TRANSFER NO. 4840

DATE: January 22, 1997

ok

=====

Transfer No. 4840 was filed to combine and add a new point of diversion, and create a permissible place of use under Right Nos. 63-03280, 63-03368, 63-07933 & 63-07993.

No physical change will occur to the irrigated acres. The system is combined by buried and portable mainlines and the transfer reflects the combined existing system under these rights. One new well will be added to the system to provide the full licensed rate of diversion. A total of four wells will provide 8.60 cfs for the irrigation of 835 acres under these rights.

Season of use and diversion volume were adjusted to current standards. Recommended conditions include drilling permit requirements, irrigation overlap, future annual reporting, multiple points of diversion/measuring devices, combined right limits and standard transfer conditions.

MICROFILMED

FEB 11 1997

MEMORANDUM

TO: FILE 63-07993

FROM: PAM SKAGGS

RE: TRANSFER # 4840

DATE: 7-16-96

Original Transfer Application, Form and correspondence
regarding the above referenced Transfer is located within
file # 63-03280.

MICROFILMED

FEB 11 1957



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 10, 1995

LAVAR K THORNTON
2800 FORREY RD
KUNA ID 83634

RE: WATER RIGHT NOS. 63-07933 AND 63-07993

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits along with copies of your Applications for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK:rl

Enclosures

RECEIVED

MAY 31 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 17, 1995

LAVAR K THORNTON
2800 FORREY RD
KUNA ID 83634

RE: WATER RIGHT NOS. 63-07933 AND 63-07993

Dear Water Right Holder(s):

The above referenced water rights are in the process of being licensed. However, before licenses can be issued, your permits must be reinstated, and amended to correspond with the findings of the Department's field examiner.

Enclosed are Orders for Reinstatement regarding the aforementioned water right numbers, and Applications for Amendment. The Applications for Amendment contain information that will be included on the licenses when they are issued. The amendments reflect changes in the locations of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendments and return them with the \$50.00 (each) filing fees within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK:rl

Enclosures

RECEIVED
MAY 31 1995

CALCULATION OF NEW PRIORITY DATE
LATE EXAM FEES

PERMIT NO. 63-07993
BY: Brenda Chapman
DATE: 4-12-95

	DATE	DAY NUMBER FROM TABLE
A. Examination Fee Notice Sent	<u>APRIL 17, 86</u>	<u>107</u>
B. Date Fee Due (60 days)	<u>JUNE 16, 86</u>	<u>167</u>
C. Date Fee Received	<u>JUNE 17, 87</u>	<u>533</u>
D. Number of Days Late (C-B)	<u> </u>	<u>366</u>
E. Original Priority Date	<u>JUNE 5, 74</u>	<u>156</u>
F. New Priority Date (D+E)	<u>JUNE 6, 75</u>	<u>157</u>

RECEIVED
MAY 31 1995

LICENS. REVIEW CHECKLIST

PERMIT NO. 63-07993 DATE 4-12-95



NAME 2800 FORREY RD KUWA 83634
 Change OK ☒ Or Address Change? ☐
 PRIORITY DATE ☒ Advance? YES Advanced to: JUNE 6, 1975
 Order to reinstate needed? WILL HAVE TO DO.
 Incorrect fee for rate recommended? ☐

SOURCE ☐ ☒ Changes or just clarification of originally intended source? ☐
 Notice of Intent to Void necessary? ☐

POINT OF DIV ☒ ☐ Amendment needed? ADD SENE & NWNW SEC 1 wells
 Overlaps? 63-07933, 63-03368, 63-03280

PLACE OF USE ☒ ☐ Amendment needed? ☐
 Overlaps? BUT ADJACENT ACRES / SENW SEC 16

DIV RATE ☐ ☒ Permit/fee limits: 1.2 CFS
 Meas Q = 4.6 + Theo Q = 4.0 Recommend: 1.2
NEW WELL (#1) 4.0 Well #3 (exam for 3368) @ 1.52
WELL #2 measured 3.08 on exam for 63-03280
 Combined rates exceed capacity YES - CONDITION

ANNUAL VOLUME ☐ ☒ Volume Limit: ☐ Season: D/4.5 (3-15 to 11-15) NEW
 Calculations: 160 x 4.5 = 720 gf

Flow limit: 1.2 cfs x 246 x 1.9835 = 585.5
 Combined volumes exceed capacity/allowable NO

USES ☐ ☒ Change in Nature of Use or additional uses? ☐
 Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater NO PPU Scenario NO
 Irr/Dom Combination NO Shared G/W System YES

NEW REMARKS NO Multiple p/d(s) in 1/4 1/4?
YES Other W41 (63-07933/03368/03280) (8.6 cfs)

NEW CONDITIONS NO Watermaster control - District ☐
NO Measuring/Locking Devices ☐
P32 Irrigation Overlap ☐
NO Other ☐
NO Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS: No surface water rights on this ground; Volume limited by
rate of flow. Amend p/d & p/l

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>1.2</u>	<u>585.5</u>	<u>YES</u>	<u>NO</u>

LICENSE

1ST AMEND LETTER P37 + P38 + 505
 2ND AMEND LETTER P47

Special
1st letter

LICENSE
63-03369

[illegible]

NAME OF APPLICANT

Levar & Attention

Form No. 0

63-07993

#'s 63-07933

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1994

A. GENERAL INFORMATION

Permit No. 63-7993
Phone No. 922-5779

1. Owner: LAVAR K THORNTON
Current Address: RT 2 KUNA ID 83634
2. Accompanied by: LAVAR THORNTON EXAM. DATE: 10-17-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none (see remarks) ☐ Copies Attached
2. Other water rights with same point of diversion: 63-7933 (same source) ☐ Copies Attached ☒ Copies of Field Exam's Attached
63-3280 & 3368 integrated wells

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached see orthophoto

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

MAY 31 1995

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This permit is for a subset of 160 acres within an 835 acre System. 3 wells are integrated to provide water to all lands on rotation, using hand & wheel lines. The newest well, #3, was drilled under this permit & 7933. It has recently been tied into the existing mainline System. System was down for the season at time of exam. However, wheel lines were evident on all acreage.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1.	GE	200	5K6278XH3A		JEJ910170 12"
2.	US Motors	200	1404539	Holloshaft	12"
3	US Motors	150	1281477	"	12"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1.			SW	NE	6	IN	1E	Ada	Aerial Photo, Site Visit
2			SE	NE	1	IN	1W		
3			NW	NW	1	IN	1W		

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
IN	1E	6									4	38		3	38				83
													L-7						
		7					39	38											77
								L-1											
																			160

Do not use this space

MAY 31 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE TAKEN - used groundwater theoretical measure
on new well (#1 P/D)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{200 \times 8.8 \times .7}{215 \times (2.31 \times 40)} = 4.007 = 4.00' \quad \text{allow 1.2 Permit limit}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 160 \times 4.5 = 720 -$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.2 \times 246 \times 1.9835 = 585.5 -$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 585.5 -$$

2. Volume Calculations for Other Uses:

MIDDESEX MFD

MAY 31 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Permit 03-7933 uses same P/D as this permit. System capacity (new well only) = 4.00 cfs. Total permitted 03-7933 & 7993 = 4.00 cfs. No other limiter req'd on licensing.

All acres are unique from 7933

P/D overlap analysis not calculated because new well provides adequate ~~to~~ flow for both permits.

Access port for measuring device is provided (see photo, 7933 file)

SRBA CLAIM A63-07993 filed 8/22/89 -82-

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.2	585.5
Totals:			1.2	585.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Cynthia J. Hodges

Signature C.J. Hodges

Certification Date _____

Field Report Preparation Date 4/16/92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAY 31 1995

63-7993
FOUND ACRES, SYSTEM - THORNTON


	NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
PERMIT			1N	1E	6	22	15	38	38	2		29	38		3	38					223	
FOUND						L.1	L.2			L.3					L.7							
OVERLAP					7					39	38										77	
DIFFERENCE										L.1												300

RECOMMENDED ACRES

P/D OVERLAP BUT ACRES NOT OVERLAPPING, USE FOR SYSTEM TOTAL CALCULATIONS

	NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
63-7933			1N	1E	6	22	15	38	38	2		25									140	<u>140</u>
						L.1	L.2			L.3												
63-7993			1N	1E	6							4	38		3	38					83	
					7					39	38				L.7						77	<u>160</u>
										L.1												

MAY 31 1995



2N

BM 2806

3280

L.3

31

BM 2

ROAD

3

350

2857

2857

MAY 31 1995




17



MAY 31 1975

OIN OIE 63-7993

DEPT



#1

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 637993

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 1N, Rge 1E, Sec. 6, SW 1/4 NE 1/4 or Lot _____.

2. Owner: Lavar Thornton
Address Rt 2, City Kuna, St ID

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: _____
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: _____
Flowing: Yes ☐ No ☒ Temperature: _____
Properly Valved: Yes ☐ No ☒

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MAY 31 1995

Bowls @ 240 Dynamic 210 14" Bowls

#2

Form 238-I
09/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 13-7933 & 7993

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP N, Rge 10, Sec. 1, SE 1/4 NE 1/4 or Lot _____.
2. Owner: Thornton
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes _____ No _____
4. Access Port: Yes _____ No ☒ Static Water Level: _____
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 16
Flowing: Yes _____ No ☒ Temperature: _____
Properly Valved: Yes _____ No ☒
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED
MAY 31 1995

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 13-7933 57993

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP N, Rge W, Sec. 1, NE 1/4 NE 1/4 or Lot _____.
2. Owner: Thornton Lane
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☒ Static Water Level: _____
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 16
Flowing: Yes ☐ No ☒ Temperature: _____
Properly Valved: Yes ☐ No ☒
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MAY 31 1995

See file 63-7933 for picture of P/D.



1. P/U, looking
SW from a Point
in SWNE Sec 6
(See acreage map)

MAY 31 1995

MEMORANDUM

TO: FILES 63-7933, 63-7993 AND 63-9107

FROM: KAY WALKER

RE: EXAMINATION FEE SHEETS

DATE: MAY 23, 1988

Per discussion with Dave Tuthill this date, we should not take any further action towards lapsing these permits. The examination fee sheets have been received and are in Western's files. They will be data entering the "R" flags and then will forward the fee sheets to us for filing.

MAY 31 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director
63-7993
THORNTON, LAVAR K.
RT. 1
KUNA, ID 83634

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 17, 1987

Dear Permit Holder:

LAPSE NOTICE License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be on no further force nor effect on June 17, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 17, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 17, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

jf

MAY 31 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

63-7993
THORNTON, LAVAR K.
RT. 1
KUNA, ID 83634

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

SEP 11 1986

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

63-7993

THORNTON, LAVAR K.

RT. 1

KUNA, ID 83634

April 17, 1986

CERTIFIED MAIL

138381

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time.

MAY 31 1995

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

MAY 31 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 5, 1979

Lavar K. Thornton
Route 1
Kuna, ID 83634

Dear Mr. Thornton:

Re: Permit Nos. 63-7933 and 63-7993

Enclosed is a copy of the approved amendment on Permit No. 63-7933.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Boise.

Sincerely,

RITA FLECK
Water Rights

Enc: 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

July 16, 1974

Re: Permit No. 63-7993

Mr. Lavar Thornton
Route 1
Kuna, Idaho 83634

Dear Mr. Thornton:

Enclosed is a copy of your approved Application for Permit No. 63-7993. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

63 7993

RECEIVED

JUN 21 1974
Department of Water Administration

PROOF OF PUBLICATION

State of Idaho, }
County of Ada } ss.

I, Carol McConnell, being first duly sworn, depose and say, that I am over twenty-one years of age, and Chief Clerk of VALLEY NEWS-TIMES, a weekly newspaper of general circulation, published at Meridian, County of Ada, State of Idaho, and that the annexed notice was published in said paper once each week for two consecutive weeks, the first publication being on the 13th day of June, 19 74, and the last publication being on the 20th day of June, 19 74.


That said notice was published in the newspaper proper and not in a supplement. That said newspaper had been continuously and uninterruptedly published in said county for a period of 78 consecutive weeks prior to the first publication of this notice, and is a newspaper within the meaning of the Idaho statutes.

Carol McConnell
Chief Clerk

Subscribed and sworn to before me this 20th day of June, 19 74.

R. F. Smith
Notary Public in and for Idaho

Residence or Postoffice Address Meridian, Idaho.



JK
560
6-21-74

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

June 7, 1974

The Valley News-Times
P. O. Box 365
Meridian, ID 83642

Re: Application for Permit No. 63-7993 - Lavar K. Thornton

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

*Bill submitted
6-21-74
seo*

63 7993

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LAVAR K. THORNTON, Route #1, Kuna, ID

has on June 5, 1974 submitted Application No. 63-7993
for a permit to appropriate 1.2 cubic feet per second ~~XXXXXX~~
~~XXXXXX~~ of water from a groundwater source
by means of well & sprinklers
within the SW 1/4, S. 6, T. 1 N., R. 1 E., B.M., Ada County

to be used from April 1 to Oct. 15
for irrigation of 160 acres
within the E 1/2 SW 1/4, S. 6 & NE 1/4, S. 7, T. 1 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 1, 1974.

R. KEITH HIGGINSON

Director

Published in the Valley News-Times, Meridian, Idaho
on June 13, 1974 and June 20, 1974.

63 7993