


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Glenn J. Hall
(Applicant)

MAR 28 1974

Department of Water Administration

63 7945




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7945 Priority March 7, 1974 Amount 0.89 cfs

THIS IS TO CERTIFY, that IDAHO POWER COMPANY
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7945 issued pursuant to Application for Permit dated March 7, 1974,
and has submitted proof to the Department of Water Resources on April 7, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.89 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Industrial</u>	from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.27</u> cfs and	<u>15 acre feet</u>	
<u>Fire Protection</u>	from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.89</u> cfs and	<u>n/a</u>	
	from _____ to _____ at _____ cfs and		
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.89 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
15 acre feet per year, for industrial use said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 10,
Twp. 3 N, Rge. 1 E, B. M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals			
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$
3 N	1 E	10																X

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12 day of
August, 19 75.

Director

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-7945)
in the name of the IDAHO POWER COMPANY)

ORDER

WHEREAS, on March 7, 1974, Idaho Power Company applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 1.0 cubic feet per second of groundwater within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 10, Twp. 3N, Rge. 1E, B.M., Ada County, to be used for industrial purposes; and,


WHEREAS, on April 4, 1974, the Department approved said application and issued Permit No. 63-7945 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1975, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on April 4, 1975, the Department received a request for removal of the measuring device requirement from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 63-7945.

Dated this 11th day of April, 1975.


A. KENNETH DUNN, Administrator
Operations Division

BDF:JG

MICROFILMED

Identification No. _____

Application No. 63-7945

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

LICENSE ISSUED FOR 89 SEC. FT.
LICENSE PAGE NO. _____

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

RECEIVED

1. Name of applicant Idaho Power Company
post office address P. O. Box 70, Boise, Idaho 83707
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 10 Township 3N
Range 1E B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into Drain Ditch at site thru a package $\frac{1}{4}$ of _____ Township _____ Range _____ B.M. treatment plant
4. Water will be used for the following purposes:
Amount 1.0 for Industrial purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or
b. N/A acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 30 HP Submersible pump, into pressure system and distribution network of pipes

- b. Height of storage dam N/A feet, active reservoir capacity N/A acre feet; total reservoir capacity N/A acre feet, materials used in storage dam: N/A
Period of year during which storage will occur N/A to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1/2 years.
b. Estimated construction cost is \$ 1.5 million.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 10 Township 3N
Range 1E B.M.
(2) Amount of power to be generated: N/A hp under N/A feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water _____.
- (5) If water is to be used for other purposes describe: Commercial building complex, 400 employees - fire protection - landscape - sprinklers, etc.

63 7945

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Idaho Power Company, Boise, Idaho
- b. Who owns the land to be irrigated or place of use Idaho Power Company
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This well will be used as a water source for the Idaho Power Company's new
Service Center Complex at the corner of Franklin and Five Mile.
We are attaching hereto the specifications and related drawings for this
well development.
There is a planned Packaged Sewage Treatment Plant under design for the
waste from this industrial site. It will consist of sludge holding tank,
comminutor with submerged bar screen, chlorinator and a aer-o-flow Model
s-250-55-5B or equal plant with all related facilities.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Glenn J. Hall
(Applicant)

63 7945

Proposed Priority 3-07-1974

Received by ey Date 3-07-74 Time 1:45 pm
 Preliminary check by 008 Fee \$ 25.00
 Receipted by ey Date 3-07-74 Leet # 15775
 Publication prepared by ey Date 3-8-74
 Published in Idaho Statesman
 Publication dates 3-14-74 3-21-74
 Publication approved ey Date 3-28-74
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by de

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7945, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1975.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of April, 19 74.

R. Keith Higgins
 Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>EEB</u>	<u>8 March 1974</u>	Application No. <u>63-7945</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>EEB</u>	<u>8 Mar 74</u>	In form to receipt
	<u>EEB</u>	<u>8 Mar 74</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)		<u>N/A</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>EEB</u>	<u>8 Mar 74</u>	In form for advertising
(6)	<u>EEB</u>	<u>4/2/74</u>	Located within Water District No. _____
(7)	<u>EEB</u>	<u>4/2/74</u>	Critical groundwater area: yes _____ no <u>✓</u>
(8)			Groundwater levels: ____ Decline (comment) _____ ____ Stable (comment) _____ ____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>EEB</u>	<u>3/28/74</u>	Affidavit of Publication received (date) _____
(11)	<u>EEB</u>	<u>4/2/74</u>	Final date for protests <u>April 1</u> Protests received: yes _____ no <u>✓</u>
(12)	<u>EEB</u>	<u>4/2/74</u>	Date and Place of hearing <u>NA</u> Decision reached at hearing _____
(13)	<u>EEB</u>	<u>4/2/74</u>	All requested information received from agencies or applicant yes _____ no _____
(14)	<u>EEB</u>	<u>4/2/74</u>	Action recommended: ☒ Approve Priority <u>3/7/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Western</u>	By <u>J. Barker</u>	Date <u>4/2/74</u>

RECEIVED
63-7945
APR 3 1974

RECEIVED

MAR 1974

Department of Water Administration

STATE OF IDAHO)
COUNTY OF ADA) ss.

Kristen F. Orr, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two ~~consecutive~~ insertions, beginning with the issue of March 14, 19 74, and ending with the issue of March 21, 19 74.

Kristen F. Orr

Subscribed and sworn to before me this 21st day of March, 19 74.

Lana B. Gamm
Notary Public for Idaho, Residing at Boise, Idaho

OK df
3-28-74

63 7945

7

Snake River



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

December 3, 1979

RECEIVED
DEC 4 1979
Department of Water Resources

Department of Water Resources
State of Idaho
Statehouse
Boise, Idaho 83720

ok to
file
copy sent
12/4/79
JG

Dear Sir/Madam:

This is to inform you that Idaho Power Company (the "Company") has sold its Boise Operations Center (the "BOC") located at the corner of Franklin and Five Mile in Ada County, Idaho. The Company had previously obtained two Water Right Licenses in conjunction with the operation and maintenance of the BOC. These two licenses are identified as follows:

- (1) Water Right License No. 63-7945 with a priority date of March 7, 1974, for the amount of 0.89 cfs from a groundwater source for industrial use and fire protection from January 1 to December 31 to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec 10, T3N, R1E, BM; and
- (2) Water Right License No. 63-8142 with a priority date of May 13, 1975, for the amount of 0.06 cfs from a groundwater source for irrigation from March 15 to Nov 15 to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec 10, T3N, R1E, BM.

The new owner of the BOC is One Irving Associates, a Massachusetts Limited Partnership, whose mailing address is c/o Winthrop Financial Co, Inc, 225 Franklin Street, Boston, Massachusetts 02109.

I would appreciate it if you would acknowledge receipt of this letter on the one copy of this letter and forward it to the following address:

Jim Jacobs
Hale and Dorr
Counselors at Law
60 State Street
Boston, Massachusetts 02109

Very truly yours,

Robert W. Stahman

Robert W Stahman
Attorney

Received _____
_____, 19__.

DEPARTMENT OF WATER RESOURCES

By _____

RWS:slp

Enclosure

cc: Jim Jacobs
Dale Higer

WATER RIGHT NUMBER 63-7945

OWNER LAST NAME - IDAHO POWER COMPANY

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 - P.O. BOX 70

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BOISE

STATE - ID ZIP CODE - 83707

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 03-07-1974 COUNTY - ADA

TOTAL DIV. RATE - .8900 -CFS

TOTAL DIV. VOLUME - 15.00 AFA TRFR/AMEND -

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - SESE 10 03N 01E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 USE - INDUSTRIAL

USE DIV. RATE - .2700 CFS USE DIV. VOLUME - 15.00 AFA

FROM - 01-01 TO - 12-31 USE - FIRE

PROTECTION USE DIV. RATE - .8900 CFS USE DIV. VOLUME - .00 AFA

USE - INDUSTRIAL

PLACE OF USE - TWN 03N RNG 01E SEC 10 TRACT SESE LOT AC

DECREE NAME -

DATE -

TOTAL ACRES 0

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLO EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

VERIFIED 18
5/30/85

3/79

IDENT. NO. 63-7945

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

July 30, 1975

Idaho Power Company
P. O. Box 70
Boise, Idaho 83707

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7945 and has found the following:

Quantity of water diverted: 0.89 cfs Source: ground water

Amount of water that can be recognized as beneficially used under
Idaho law: 0.89 cfs

Point of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 10, Twp. 3 N, Rge. 1 E, B. M.

Beneficial use: Industrial and fire protection purposes within the
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 10, Twp. 3 N, Rge. 1 E, B. M.

The maximum quantity diverted shall not exceed 15 acre feet per
year for industrial use.

Priority date established: March 7, 1974

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Idaho Power Company Lee Boyd
Post office address Box 70, Boise, ID 83707 Phone 345 7215 ext. 401
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 1.0 c.f.s. for Industrial (Commercial Bldg. Complex)
 AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 63-7945

Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 1.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 1E E/W, B.M., Section 10, Subdivision SE $\frac{1}{4}$ SE $\frac{1}{4}$, Ada
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions: _____

Description of diverting works: 30 hp Jacuzzi sub turbine #30S8K3, 5" round discharge, well casing, 12" dia. discharge in to pressure system.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**




Diagram of System

DATE OF EXAM 4-24-75

ACREAGE

Found _____
Recommended NA

Irrigation Requirement _____ Ac Ft/Ac

USE
Industrial

open, fire protection
Irrigation Q = .27 c.f.s. V = _____ AF/Ann. from Jan 1 to Dec 31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .27 cfs. capacity of system excluding fire protection (computed by County Engr. firm)
400 gpm. Fire protection system Method of measurement that designed system.

Total Q recommended .27 cfs. Meter No. None Type _____ Condition _____

Total V recommended open for fire protection

Recommended Amendments:

P.D. _____
Place of Use _____
Other ☒ _____
None ☒

MEASUREMENT CALCULATION:

Computed by Engineering Services Co. (Claid Swarthout, 392 9338)

Q = .27 cfs. Max. rate not including fire protection system.
Q = 400 gpm " " if fire protection system is operating (at 100 psi)

Note: I understand the measuring device requirement was removed at applicant's request and proof was made for less than .3 cfs. If system is licensed for more than .27 cfs, I believe a measuring dev. should be reqd.

SYSTEM DESCRIPTION:

12" x 195' w/ 30 H.P. Jacuzzi sub Turbine pump (Ser# 3058K3) w/ 300 gal pressure tank, distribution system.

REMARKS:

This system provides water to the Ida Power Industrial complex at 5 Mile Rd. & Franklin.

Uses include: Domestic for 125 to 200 employees
Hydronic heat pump system (very small amt.)
fire protection if ever needed.

Examiner's Signature M. Claude Barron Date 4-24-75

Checked by _____ Date _____

Approved by _____ Date _____

April 23, 1975

Re: Permit No. 63-7945

**Idaho Power Company
P. O. Box 70
Boise, ID 83707**

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in **Boise.**

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
APR 7 1975
Department of Water Resources
13

1. a) Name of Permit Holder Idaho Power Company
b) Post Office Address P.O. Box 70, Boise, Idaho 83707
2. Permit Number 63-7945
3. Date of Priority that you are prepared to establish March 1, 1975
4. a) Source from which water was appropriated Subterranean
b) Location of the point of diversion: S.E. ¼ S.E. ¼, Section 10
Township 3N, Range 1E Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 0.3 cfs for Commercial purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.3 cfs cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Not measured, as flow is small. Estimated use by standard utilization requirements by Engineering Services, Inc., consulting Engineers.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
N/A
b) Describe the agreement or understanding by which you take water from the works:
N/A
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 30 H.P. - Jacuzzi sub turbine #30S8K3, 5" round discharge, well casing, 12" Diam. discharge into pressure system.
b) Describe the type and size of measuring device which you have installed at your point of diversion: None
OK (meas device req. removed)
c) Give well driller's name and address and the date the well was completed: Mr. Rex Engleman, 309 Rand, Boise, Idaho 83705
August 23, 1974
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Commercial building complex, Boise Operations Center. Employee use.

April 14, 1975

Re: Permit No. 63-7945

Idaho Power Company
P. O. Box 70
Boise, ID 83707

Gentlemen:

Enclosed is an Order which removes the measuring device requirement from the above referenced permit.

Please be advised that proof of beneficial use of water is due for this permit on or before May 1, 1975.

If you have any questions concerning this matter, please contact us.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:JG
Enclosure

cc: Engineering Services, Inc.
Attn: C. R. Swarthout, V-Pres.

UNRECORDED

ENGINEERING SERVICES, INC.

CONSULTING ENGINEERS

2909 Elder St. • P.O. Box ~~XXXX~~ 5248 • Boise, Idaho 83705 • Phone 208-342-9338

RECEIVED

APR 4 1975

Department of Water Resources

April 3, 1975

State of Idaho
Department of Water Resources
State House
Boise, Idaho 83720

ATTN: Bobby D. Fleenor
Chief Water Rights

SUBJECT: Idaho Power Company
Permit to appropriate public waters
Application Number 63-7945

Gentlemen:


We are in receipt of your letter wherein you indicate that the terms of our approved application require a measuring device properly installed on the subject well at the Idaho Power Operation Center located at Franklin and Five Mile Roads.

When we prepared the application for permit, Item 4 on the Application indicated that we would use 1.0 CFS for development of this site. This flow requirement was estimated based upon preliminary fire protection requirements outlined for the industrial site. The final design of the well and pump installation has provided a fire protection flow of about 600 GPM or 1.34 CFS.

The peak water requirements for the site including the existing buildings and the proposed Phase II building plans are 160 GPM. Realizing that these are peak flow requirements, the 160 GPM or 0.36 CFS would be the maximum flows anticipated. Average flows on the well would be in the range of 100 GPM or less. In view of these facts, we would appreciate your efforts on reviewing the requirements for a measuring device. We would appreciate the deletion of this requirement, however, if your department still requires the installation of a meter on this well, please advise us and Idaho Power will proceed with the installation of a Sparling device.

Very truly yours,

ENGINEERING SERVICES, INC.


C. R. Swarthout
Vice President

cc Mr. A. Asumendi, IPC; Mr. Gary Donnelly, IPC;
Mr. Rick Bendio, IPC; C. Mohme, ESI

*Remove measuring device requirement
by order. JDF*

PS Form 3811, Nov. 1973

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom, date, and address of
delivery 85¢

2. ARTICLE ADDRESSED TO:

MAHO POWER COMPANY

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

210588

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

R. N. ef39

4.

DATE OF DELIVERY

MAR 3 1975

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



RETURN
TO



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



February 28, 1975

CERTIFIED MAIL

26588

Re: Permit No. 63-7945

Idaho Power Company
P. O. Box 70
Boise, Idaho 83707

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7945 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED

April 8, 1974

Re: Permit No. 63-7945

Idaho Power Company
P. O. Box 70
Boise, Idaho 83707

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-7945. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

63 7945

STATE OF IDAHO
DEPARTMENT OF ENVIRONMENTAL AND COMMUNITY SERVICES

Cecil D. Andrus
Governor

Statehouse
Boise, Idaho
83720

ENVIRONMENTAL SERVICES
March 14, 1974

James A. Bax
Administrator
RECEIVED
MAR 18 1974
Department of Water Administration

Kenneth H. Foit
Western District Engineer
Department of Water Administration
614 State Street
Statehouse - Annex 2
Statehouse Mail
Boise, Idaho 83720

RE: 63-7945 - Idaho Power Company Service Center Complex

Dear Mr. Foit:

We have reviewed the above referred water appropriation permit application and we have the following comments:

- 1) Our Department must review and approve engineered plans for the well, well head, appurtenances, and pumphouse of the water supply.
- 2) Our Department must also review and approve engineered plans for the package sewage treatment plant and this plant must be NSF certified.
- 3) If the treatment plant will have an effluent discharge to a receiving water, the applicant must also apply for a NPDES Waste Discharge Permit with the Environmental Protection Agency at least six months prior to operation of the plant. Due to this requirement, we would recommend elimination of any discharge.

Cordially,

DEPARTMENT OF ENVIRONMENTAL
AND COMMUNITY SERVICES

Michael A. Smith

Michael A. Smith, E.I.T.
Environmental Engineering Spec. II

MAS/sj

cc: Idaho Power Company
EPA Idaho Operations Office
Central District Health Department

63 7945

March 11, 1974

Michael E. Smith, E. I. T.
Idaho Dept. of Env. & Comm. Services
STATEHOUSE MAIL

Re: Application for Permit No. 63-7945 - Idaho Power Company
65-7475 - Reorganized Church of Jesus Christ of
Latter Day Saints

Dear Mr. Smith:

We are enclosing copies of the above referenced applications for permit which may be of interest to your agency.

Please review the applications and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:def

Enclosures

63 7945

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

March 8, 1974

The Idaho Statesman
P. O. Box 2640
Boise, Idaho 83701

Re: Application for Permit No. 63-7944 - J. C. Murgoitio
63-7945 - Idaho Power Company

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill submitted 3-28-74 by df
63-7945

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that IDAHO POWER COMPANY, P. O. Box 70, Boise, ID

has on March 7, 1974 submitted Application No. 63-7945
for a permit to appropriate 1.0 cubic feet per second ~~none feet~~
~~none feet~~ of water from a groundwater source
by means of pump, pressure system & pipelines
within the SE¹SE¹, S. 10, T. 4N., R. 1 E., B.M., Ada County

to be used from Jan. 1 to Dec. 31
for industrial use
within the SE¹SE¹, S. 10, T. 3 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before April 1, 1974.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, Idaho
on March 14, 1974 and March 21, 1974

63 7945