


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Lands located in T4N, R3W, BM.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Caldwell
By: Charles W. Carpenter
(Applicant)
Charles W. Carpenter
Mayor

63 7900

RECEIVED

DEC 24 1973

AFFIDAVIT OF PUBLICATION

Department of Water Administration

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

December 13, 20, 1973

Verla Harker

Subscribed and sworn to before me this

20th day of December 19 73

Adam D. Kaut

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1975

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that CITY OF CALDWELL, 704 Blaine St., City Hall, Caldwell, ID has on Dec. 4, 1973 submitted Application No. 63-7900 for a permit to appropriate 2.0 cubic feet per second & or 193.5 acre feet per annum of water from a groundwater source by means of well, pump & sprinkler system within the SW 1/4 NW 1/4, S. 27, T. 4 N., R. 3 W., B.M., Canyon County to be used from March 1 to Nov. 1 for irrigation of 43 acres within the W 1/4 NW 1/4, S. 27, E 1/2 NE 1/4, S. 28, T. 4 N., R. 3 W., B.M.

If issued, this permit will be subject to all prior water rights. Protest against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 31, 1973.

R. KEITH HIGGINSON
Director
December 13, 20, 1973

OKdf
12-28-73

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7900 Priority December 4, 1973 Amount .74 cfs

THIS IS TO CERTIFY, that CITY OF CALDWELL
of Caldwell, Idaho, has complied with the terms and conditions of Permit
No. 63-7900 issued pursuant to Application for Permit dated December 4, 1973,
and has submitted proof to the Department of Water Resources on December 27, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.34 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 1</u> to <u>November 1</u>	at <u>.74</u> cfs and	<u>166.5</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than .74 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
166.5 acre feet per year, said waters to be diverted within the SW¹/₄ NW¹/₄, Sec. 27, Twp. 4N,
Rge. 3W, B.M. in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
4N	3W	27					3	19											22
		28	9			6													15

Total number of acres irrigated 37

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 4.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
June, 19 81.

MICHAEL J. ADAMS

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-7900**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

Identification No. _____

Application No. 63-7900

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Caldwell
post office address 704 Blaine St., City Hall, Caldwell, Idaho 459-3641

2. Source of water supply Groundwater which is a tributary of ---

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 27 Township 4N
Range 3W B.M. Canyon County; additional points of diversion if any: None

b. If water is not consumed, it will be discharged into --- at a point in --- $\frac{1}{4}$
of --- $\frac{1}{4}$ of Section --- Township --- Range --- B.M. ---

4. Water will be used for the following purposes: of each year
Amount 2cfs for irrigation purpose from March 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount -- for -- purpose from -- to -- (both dates inclusive)
(cfs or acre-feet per annum)
Amount -- for -- purpose from -- to -- (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. Two cubic feet per second and/or

per phone b. 193.5 acre feet per annum.

E.E.B.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Water is to be diverted from well by a deep well turbine pump for sprinkler irrigation of the Fairview Golf Course in the City of Caldwell.

b. Height of storage dam -- feet, active reservoir capacity -- acre feet; total reservoir capacity -- acre feet, materials used in storage dam: --
Period of year during which storage will occur -- to -- inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 125 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ 20,000 including pump station

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: --- $\frac{1}{4}$ of --- $\frac{1}{4}$ of Section --- Township ---
Range --- B.M. ---

(2) Amount of power to be generated: --- hp under --- feet of head.

(3) List number of each kind of livestock to be watered ---

(4) Name of municipality to be served ---, or number of families to be supplied with domestic water ---

(5) If water is to be used for other purposes describe: ---

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	3W	27						5	21										27
4N	3W	28	9			7													16

Total number of acres to be irrigated 43

c. Describe any other water rights used for the same purposes as described above. All of the land proposed for sprinkler irrigation is within the Pioneer Irrigation District and the Caldwell Municipal Irrigation District (a distributing agency for Pioneer). The lands are subject to the water rights of the


9. a. Who owns the property at the point of diversion City of Caldwell, Idaho
b. Who owns the land to be irrigated or place of use City of Caldwell, Idaho
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing -----

10. Remarks The well driller is Boyle Morris, Caldwell, Idaho.

Pioneer Irrigation District.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Lands located in T4N, R3W, BM.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Caldwell
 By: *Charles W. Carpenter*
 (Applicant)
 Charles W. Carpenter
 Mayor

Proposed Priority 12-4-1973

CG 7900

Received by if Date 12-4-73 Time 8:00 A

Preliminary check by CCB Fee \$ 35.00

Receipted by if Date 12-4-73 Rec'd # 13399

Publication prepared by df Date 12-7-73

Published in News-Tribune

Publication dates 12-13 & 12-20-73

Publication approved df Date 12-28-73

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7900, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 79.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 10 day of January 19 74.

[Signature]
Director

RECEIVED

DEC 24 1973

AFFIDAVIT OF PUBLICATION
Department of Water Administration

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn,
deposes and says:

Notice is hereby given that CITY OF CALDWELL, 704 Blaine St., City Hall, Caldwell, ID has on Dec. 4, 1973 submitted Application No. 63-7900 for a permit to appropriate 2.0 cubic feet per second & or 193.5 acre feet per annum of water from a groundwater source by means of well, pump & sprinkler system within the SW 1/4 NW 1/4, S. 27, T. 4 N., R. 3 W., B.M., Canyon County to be used from March 1 to Nov. 1 for irrigation of 43 acres within the SW 1/4 NW 1/4, S. 27, E 1/2 NE 1/4, S. 28, T. 4 N., R. 3 W., B.M.

If issued, this permit will be subject to all prior water rights. Protest against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 31, 1973.

R. KEITH HIGGINSON

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

December 13, 20, 1973

Verla Harker

Subscribed and sworn to before me this

20th day of December 19 73

Arthur D. Kaut

Notary Public, Residing at Nampa, Idaho

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>EEB</u>	<u>4 Dec 1973</u>	Application No. <u>63-7900</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use <u>see memo + letter</u> ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>EEB</u>	<u>4 Dec 73</u>	In form to receipt
	<u>—</u>	<u>N/A</u>	Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>EEB</u>	<u>4 Dec 73</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☒ Request Information from Applicant <u>see memo</u>
(5)	<u>COB</u>	<u>4 Dec 73</u>	In form for advertising
(6)	<u>—</u>	<u>NA</u>	Located within Water District No. <u>—</u>
(7)	<u>R.W.H.</u>	<u>12-31-73</u>	Critical groundwater area: yes <u>—</u> no ☒
(8)	<u>R.W.H.</u>	<u>12-31-73</u>	Groundwater levels: ☐ Decline (comment) <u>—</u> ☒ Stable (comment) <u>—</u> ☐ Increasing (comment) <u>—</u>
(9)	<u>—</u>	<u>—</u>	Comments: <u>—</u>
(10)	<u>df</u>	<u>12-28-73</u>	Affidavit of Publication received (date) <u>NA</u>
(11)	<u>R.W.H.</u>	<u>12-31-73</u>	Final date for protests <u>12-31-73</u> Protests received: yes <u>—</u> no ☒
(12)	<u>—</u>	<u>NA</u>	Date and Place of hearing <u>—</u> Decision reached at hearing <u>—</u>
(13)	<u>R.W.H.</u>	<u>12-31-73</u>	All requested information received from agencies or applicant yes ☒ no <u>—</u>
(14)	<u>R.W.H.</u>	<u>12-31-73</u>	Action recommended: ☒ Approve Priority <u>12-4-1973</u> ☐ Deny Reason for Reduction <u>—</u> ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Western</u>	By <u>Robert W. Hamilton</u>	Date <u>12-31-1973</u>

WATER RIGHT NUMBER 63-7900

OWNER LAST NAME - CITY OF CALDWELL

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 - CITY HALL

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - CALDWELL

STATE - ID ZIP CODE - 83605

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 12-04-1973 COUNTY - CANYON

TOTAL DIV. RATE - .7400 -CFS

TOTAL DIV. VOLUME - 166.50 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWNW 27 04N 03W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE - .7400 CFS USE DIV. VOLUME - 166.50 AFA

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 03W SEC 28 TRACT NENE LOT

AC 09 TRACT SENE LOT

AC 06

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 03W SEC 27 TRACT NWNW LOT

AC 03 TRACT SWNW LOT

AC 19

DECREE NAME -

DATE -

TOTAL ACRES

37

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - PIONEER IRR. DIST. & CALDWELL MUNICIPAL IRR. DIST.

PROGF DUE - 01-01-1979 PERMIT/DENIED - 01-10-1974 PROTESTED -

HEARING -

DLE NO. -

PROGF MADE - P FLD EXAM - COND. OF APPROVAL - R32

DIVERSION MEANS - WELL, PUMP & SPRINKLERS.

VERIFIED J G
5/30/85



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

May 26, 1981

City of Caldwell
City Hall
Caldwell, Idaho 83605

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. **63-7900**, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: **.74 cfs** Source: **groundwater**

The maximum quantity diverted shall not exceed **166.5** acre feet per year.

Point(s) of diversion: **SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, Twp. 4N, Rge. 3W, B.M.**

Beneficial use: **Irrigation of 22 acres within the W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 27; 15 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 28, Twp. 4N, Rge. 3W.**

Priority date established: **December 4, 1973**

Conditions (if any): **This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.**

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

RECEIVED

JIM JOHNSON
Water Distribution Supervisor

June 24, 1981

City of Caldwell
City Hall
Caldwell, ID 83605

Dear Sirs,

RE: Permit No. 63-7900

On May 26, 1981, we sent you a letter which informed you that the Department of Water Resources was preparing to issue a licensed Water Right on Permit No. 63-7900 for the groundwater used on the Fairview Golf Course.

In following up on this, we have found that you may require more water than what was indicated on our letter.

In the letter the amount .74 cfs was based upon a rate of application of .02 cfs per acre for the 37 acres found irrigated on the golf course. This rate of flow is satisfactory when applying the water over a 24 hour period. However, in the operation of the golf course we realize the period of irrigation would be much shorter and therefore, the rate of application would be higher.

Examination of your diversion works determined that 1.34 cfs was capable of being diverted. This is approximately 0.036 cfs per acre. If you wish to justify this high rate of flow you will need to provide us with information which describes your method of operation.

You may have some questions on this, if so please, feel free to contact us for assistance. My phone number is 334-4162.

If we have not heard from you by July 15, 1981, we will issue a license for the lesser amount as indicated in our letter of May 26, 1981.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 30, 1981

City of Caldwell
City Hall
Caldwell, Idaho 83605

Dear Sirs.,

RE: Permit No. 63-7900

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

RECORDED

TOTAL ACREAGE 36.5

[illegible]

Diagram of System

DATE OF EXAM 15 Sept. 1980

ACREAGE

Found 36.5

Recommended 36.5

7 round to
37 acres

Irrigation Requirement 4.5

Ac Ft/Ac

USE

Irrigation Q = 1.34 c.f.s.

V = 166.5 RC

AF/Ann. from 3/1

to 11/15

Domestic Q = 0 c.f.s.

V = 0

AF/Ann. from 3/1

to 11/15

Livestock Q = 0 c.f.s.

V = 0

AF/Ann. from 3/1

to 11/15

✓ as per
11/1 permit

Is water co-mingled? yes no X

Name source: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Exchange? yes _____ no X

Name source exchanged with: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Point of injection: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Point of exchange: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Total Q measured 1.34 c.f.s.

Method of measurement inline flowmeter

Total Q recommended 1.34 c.f.s.

Meter No. 110604

Type in-line Condition Good

Total V recommended 166.5 RC

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None X

MEASUREMENT CALCULATION:
 $Q = \frac{600 \text{ gpm}}{448.8} = 1.34 \text{ c.f.s. capacity}$ Allow .02 c.f.s./ac
 $37 \text{ AC} \times .02 = .74 \text{ c.f.s.}$

$V = 37 \text{ AC} \times 4.5 = 166.5$ or $.74 \times 19835 \times 245 = 359.6$

SYSTEM DESCRIPTION:

60 hp GE AK5123350 Johnston pump

8" mainline

REMARKS:

Recommend beneficial use for irrigation of GOLF course

Examiner's Signature Carl E. Me...

Date 18 Sept. 1980

Checked by DBS

Date 10/9/80

Approved by Reyn...

Date 5/19/81

MICROFILMED

Golf Crs. Area

NE¹/₄, NE¹/₄, S 28

1.21

5.20

1.91

8.32 ac

↑
round to 9

SE¹/₄, NE¹/₄, S 28

0.20

1.22

2.40

1.93

0.08

5.83 ac ← round to 6

NN¹/₄, NW¹/₄, S 27

0.41

2.61

3.02 ac.

↑
round to 3

SW¹/₄, NW¹/₄, S 27

18.95

0.43

19.38 a.c.

↑
round to 19

TOTAL = 36.55 acres

round to 37 acres

9

6

3

19

37

UNRECORDED

$$\begin{array}{c} \text{II} \quad \text{II} \\ \text{---} \end{array}$$

3197.95 Acres

 BUILDINGS
 PRIVATE ROAD
 COUNTY ROAD
 FENCE
 STREAM

291 A.	BEST IRRIG.	130 A.	2ND. IRRIG.
317 A.	BEST DRY AG.	116 A.	2ND DRY AG
215 A.	IMPROVED GR.	1074 A.	GRAZ. (PROTECTED)
	GRAZING		
1050 A.	DESERT		RANCH HDQTRS. 4.95 A.
	GRAZING.		

TIN R 4 E 8 5 E.



Map by Idaho Land & Map Service
H. McLowell.

SCALE: 4" = 1 MILE.

20381

WATER RIGHT NUMBER 63-7900

OWNER LAST NAME - CITY OF CALDWELL

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - CITY HALL

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - CALDWELL

STATE - ID ZIP CODE - 83605

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 12-04-1973 COUNTY - CANYON

TOTAL DIV. RATE - .7400 -CFS

TOTAL DIV. VOLUME - 166.50 AFA IRR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWNW 27 04N 03W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE - .7400 CFS USE DIV. VOLUME - 166.50 AFA

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 03W SEC 28 TRACT NENE LOT AC 09 TRACT SENE LOT AC 06

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 03W SEC 27 TRACT NWNW LOT AC 03 TRACT SWNW LOT AC 19

DECREE NAME -

DATE -

TOTAL ACRES 37

REMARKS - See Lic.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - PIONEER IRR. DIST. & CALDWELL MUNICIPAL IRR. DIST.

PROOF DUE - 01-01-1979 PERMIT/DENIED - 01-10-1974 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP & SPRINKLERS.


Office of City Engineer and Planning Director

CITY OF CALDWELL

CALDWELL, IDAHO

MELVIN G. LEWIS, P.E.
CITY ENGINEER
and
PLANNING DIRECTOR

December 27, 1978



Department of Water Resources
State of Idaho
Statehouse
Boise, Idaho 83720

Re: City of Caldwell, Idaho well - Permit No. 63-7900

Dear Sir:

Transmitted to you herewith is the proof of application of water to beneficial use for the above well.

Yours truly,

A handwritten signature in cursive script that reads 'Melvin G. Lewis'.

Melvin G. Lewis, P.E.
City Engineer

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

January 4, 1979

Melvin G. Lewis, P.E.
City of Caldwell
City Hall
Caldwell, ID 83605

Dear Mr. Lewis:

Re: Permit No. 63-7900

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Boise (384-2190).

Sincerely,

RITA FLECK
Water Rights

MICROFILMED



IDENT. NO. 163-7900

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

**PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE**

RECEIVED
DEC 11 1973
Department of Water Resources
JHO

1. a) Name of permit holder CITY OF CALDWELL
b) Post office address 704 Blaine Street, City Hall, Caldwell, Idaho 83605
2. Permit number 63-7900
3. Date of priority that you are prepared to establish 12-4-1973
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 27
Township 4 N, Range 3 W Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 1.2 for Irrigation purposes from March 1 to Nov. 1 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated 1.2 cfs and/or acre-feet per annum. and 147 acre - feet
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
Estimated by Melvin G. Lewis P.E.
City Engineer from sprinkler system use. See supplemental sheet.
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
NA
b) Describe the agreement of understanding by which you take water from the works:
NA
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
8" pump, 60 Hp. motor. 18" casing ground surface to 112 ft.; 12"
casing ground surface to 116 ft. 10" - 40 slot screen from 116 ft.
to 120 ft. and from 124 ft. to 132 ft. Well depth 136 ft.
b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other) Rate-a-flow make of meter
Serial 743963, Meter reads in 100's of gallons.

1-4-79 y

c) Give well driller's name and address and the date the well was completed: Kenneth Witt
Caldwell, Idaho May 31, 1975

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

NA

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

See enclosed aerial map for areas irrigated.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	R3	27						3.0	19.4										
4N	R3	28	8.3			5.8													

Total number of acres irrigated 36.5

10. Remarks: All of the land proposed for sprinkler irrigation is within
the Pioneer Irrigation District and the Caldwell Municipal Irrigation
District (a distributing agency for Pioneer). The lands are subject
to the water rights of the Pioneer Irrigation District.

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-27-78

(Date)

Melvin G. Lewis
(Signature)

Melvin G. Lewis P.E.

State of Idaho)
County of Canyon) ss.

On this 27th day of December, 1978, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Betty Jo Keller
Notary Public
Residing at Caldwell, Idaho

My commission expires December 4, 1982

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

December 5, 1973

City of Caldwell
704 Blaine St.
City Hall
Caldwell, Idaho 83605

Re: Application for Permit No. 63-7900

Gentlemen:

Enclosed is your Receipt No. 13399 in the amount of \$ 35.00 for
Application for Permit No. 63-7900 which was received in this office
on December 4, 1973.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

63 7900

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CITY OF CALDWELL, 704 Blaine St., City, Hall,
Caldwell, ID
has on Dec. 4, 1973 submitted Application No. 63-7900
for a permit to appropriate 2.0 cubic feet per second ^{193.5} &/or acre feet
per annum of water from a groundwater source
by means of well, pump & sprinkler system
within the S.W. 1/4, S. 27, T. 4 N., R. 3 W., B.M., Canyon County

to be used from March 1 to Nov. 1
for irrigation of 43 acres

within the W. 1/4, S. 27, E. 1/4, S. 28, T. 4 N., R. 3 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 31, 1973.

R. KEITH HIGGINSON

Director

Published in the News-Tribune, Caldwell, Idaho
on Dec. 13, 1973 and Dec. 20, 1973 **63-7900**

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 7, 1973

News-Tribune
P. O. Box 1179
Caldwell, Idaho 83605

Re: Application for Permit No. 63-7900 - City of Caldwell

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill submitted 12-28-73 by df

63 7900

ca

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that CITY OF CALDWELL, 704 Blaine St., City Hall, Caldwell, ID has on Dec. 4, 1973 submitted Application No. 63-7900 for a permit to appropriate 2.0 cubic feet per second & or 193.5 acre feet per annum of water from a groundwater source by means of well, pump & sprinkler system within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 27, T. 4 N., R. 3 W., B.M., Canyon County to be used from March 1 to Nov. 1 for irrigation of 43 acres within the W $\frac{1}{2}$ NW $\frac{1}{4}$, S. 27, E $\frac{1}{2}$ NE $\frac{1}{4}$, S. 28, T. 4 N., R. 3 W., B.M.

If issued, this permit will be subject to all prior water rights. Protest against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 31, 1973.

R. KEITH HIGGINSON
Director
December 13, 20, 1973

63
7900

CONVERSATION MEMORANDUM

FILE 63 7900NAME OF PARTY Malvin A. Lewis, City Eng.EMPLOYEE Erwin C. Ballou

RE: Application for Permit, City of Caldwell
4 December 1973 We received the application
for irrigation of 43 acres (Fairview Golf Course)
with a diversion rate of 02.0 cfs.
02.0 cfs being excessive I called Mr. Lewis
to determine the need for the increased
rate (Mr. Lewis designed the system)

The reason is because all irrigation
must be done at night in a 8 to 10 hr
period when golfers are not utilizing
the course.

During our phone conversation we discussed
the total quantity of water needed
for yearly irrigation. Based on our
requirements Mr. Lewis granted permission
for me to use 24.5 AF per acre as irrigation
requirement of 43.0 acres to calculate
an annual use of 193.5 AF. This has
been entered as part of the application for
permit - (See Item 56) -

Mr. Lewis has agreed and will
send to us justification of the increased
diversion rates for short periods from May 15 - Nov 15
or a 245 day irrigation season

63 7900

4 Dec 1973 Erwin Ballou

Office of City Engineer and Public Works

CITY OF CALDWELL

CALDWELL, IDAHO

MELVIN G. LEWIS, P.E.
CITY ENGINEER
and
PUBLIC WORKS DIRECTOR

December 4, 1973

63 7900

Idaho Department of Water Administration
Statehouse, Annex 2
Boise, Idaho 83707

Dear Sir:

As agreed in my telephone conversation with Mr. Ervin Ballou, this letter is written to clarify the total underground waters to be appropriated for the use on the Fairview Golf Course in the City of Caldwell.

This will confirm my stipulation of a maximum of 4.5 acre feet per acre per year for the maximum waters to be appropriated. Since there are 43 acres in the golf course, the total water to be appropriated is 193.5 acre feet per year.

Due to the daytime use of the golf course, it is intended to irrigate by sprinklers at night or an average of 10 hours a day during the summer period. The pump capacity was designed for 2 cfs to provide adequate water for the shorter length of time.

If there are any further questions, please do not hesitate to contact me.

Yours truly,



Melvin G. Lewis, P.E.
City Engineer

MGL:sr

cc: Gordon Crockett, Golf Superintendent
Mayor Carpenter

63 7900

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 16, 1974

Re: Permit No. 63-7900

City of Caldwell
704 Blaine Street
City Hall
Caldwell, Idaho 83605

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-7900. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

63 7900



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

9/12/78

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

100633

October 31, 1978

Re: Permit No. 63-7900

City of Caldwell
704 Blaine Street, City Hall
Caldwell, ID 83605

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7900 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED

JOHN L. ENGLEHART
FINANCE DIRECTOR

JEAN V. GUNN
CLERK

TERESA COLLINS
TREASURER

WAYNE E. DAVIS
ATTORNEY

CHARLES W. ASTLEFORD
CHIEF OF POLICE

HAROLD E. PERFECT
FIRE CHIEF

MELVIN G. LEWIS
ENGINEER

GEORGE DUFUR
BUILDING INSPECTOR

City of Caldwell

CHARLES W. CARPENTER, MAYOR

Caldwell, Idaho

83605

COUNCILMEN

CHARLES C. BANKS

LESTER E. CARTER

JAMES R. DAKAN

JOE GAMBOA

ALFRED H. MCCLUSKEY

ALTA E. WILLIAMS

DEC 4 1973

Idaho Department of Water Administration


December 3, 1973

Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho

Dear Sir:

Enclosed is the application for permit to
appropriate underground waters for the Fairview
Golf Course in the City of Caldwell.

Sincerely,



Charles W. Carpenter
Mayor
City of Caldwell

CWC:slp

cc: Melvin G. Lewis, City Engineer