


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Orlifer W. Wieseman
(Applicant)

RECEIVED

OCT 12 1973

Department of Water Administration

PROOF OF PUBLICATION

State of Idaho, }
County of Ada } ss.

I, Mary Carey, being first duly sworn, depose and say, that I am over twenty-one years of age, and Chief Clerk of VALLEY NEWS-TIMES, a weekly newspaper of general circulation, published at Meridian, County of Ada, State of Idaho, and that the annexed notice was published in said paper once each week for 2 consecutive weeks, the first publication being on the 4th day of October, 1973, and the last publication being on the 11th day of October, 1973.

That said notice was published in the newspaper proper and not in a supplement. That said newspaper had been continuously and uninterruptedly published in said county for a period of 78 consecutive weeks prior to the first publication of this notice, and is a newspaper within the meaning of the Idaho statutes.

Mary Carey
Chief Clerk

Subscribed and sworn to before me this 11th day of October, 1973.

R. F. Marks
Notary Public in and for Idaho

Residence or Postoffice Address Meridian Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that DIETER W. WIESEMANN 11500 Fairview, Boise, Idaho has on Sept. 25, 1973 submitted Application No. 63-7875 for a permit to appropriate .08 cubic feet per second of water from a groundwater source by means of well and pump within the SE 1/4 SW 1/4, Sec. 3, T. 3 N, R. 1 E., B.M., Ada County to be used from Jan. 1 to Dec. 31 for commercial use and the irrigation of 2 acres within the SE 1/4 SW 1/4, Sec. 3, T. 3 N, R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before October 23, 1973.

R. KEITH HIGGINSON
Director

Published in the Valley News-Times, P. O. Box 365, Meridian, Idaho on Oct. 4, 1973 and Oct. 11, 1973.

OK sev
10-16-73

63 7875

T
3
N




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7875 Priority Sept. 25, 1973 Amount 0.08 cfs

THIS IS TO CERTIFY, that DIETER W. WIESEMANN
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7875 issued pursuant to Application for Permit dated September 25, 1973,
and has submitted proof to the Department of Water Resources on October 30, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.08 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Commercial</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.04</u> cfs and	<u>0.6</u> acre feet
<u>Irrigation</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.08</u> cfs and	<u>9.0</u> acre feet or
	from _____ to _____	at _____ cfs and	<u>4.5</u> af per acre

(both dates inclusive)

Subject, however, to the condition that no more than 0.08 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
9.6 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 3,
Twp. 3 N, Rge. 1 E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	1 E	3												X					Two

Total number of acres irrigated Two

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17 day of
March, 19 75.

Director

Identification No. _____

Application No. 63-7875

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

LICENSE ISSUED FOR 03 DEC. 77
LICENSE FEE 10.00

1. Name of applicant DIETER W. WIESEMANN
post office address 11500 Fairview, Boise, Idaho Phone: 376-3322
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 3 N
Range 1 E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for commercial purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 for irrigation purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.08 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and pump (36 gpm)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 42 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 1500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 3 N
Range 1 E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Nursery use for inside and outside
plants and washing. Also use for drinking and toilets.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
3 N	1 E	3												2.0					2.0

Total number of acres to be irrigated 2.0

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Due to the fragile nature of decorative plants, some irrigation will take place all year except when actual freezing is occurring. More than one inch per acre requirements are necessary because of varying nature of plants and the looseness of soil necessary to facilitate transplanting.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Orville W. Wiseman
(Applicant)

Proposed Priority 9-25-1973

Received by WJ Date 9-25-73 Time 8:30 p.
 Preliminary check by WJH Fee \$ 10.00
 Receipted by WJ Date 9-26-73 Rec't # 13420
 Publication prepared by SW Date 9-28-73
 Published in The Valley News - Senior
 Publication dates 10-4, 10-11-73
 Publication approved SW Date 10-16-73
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval Denial by CEB 1/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7875, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 74.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 29th day of October, 19 73.

R. Karl Higin
 Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS

Dieter W. Wiseman

Item	Initial	Date	
(1)	<u>RWH</u>	<u>9-27-73</u>	Application No. <u>63-7875</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>RWH</u>	<u>9-27-73</u>	In form to receipt
	<u>NA</u>		Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>NA</u>		☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>RWH</u>	<u>9-27-73</u>	In form for advertising
(6)			Located within Water District No. _____
(7)	<u>EEB</u>	<u>24 Oct 1973</u>	Critical groundwater area: yes _____ no ☒
(8)			Groundwater levels: ☐ Decline (comment) _____ ☐ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>SW</u>	<u>10-16-73</u>	Affidavit of Publication received (date) <u>OK</u>
(11)	<u>EEB</u>	<u>24 Oct</u>	Final date for protests <u>23 Oct 1973</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)			All requested information received from agencies or applicant yes _____ no _____
(14)	<u>EEB</u>	<u>24 Oct</u>	Action recommended: ☒ Approve Priority <u>9-25-1973</u> ☐ Deny Reason for Reduction _____ ☐ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>Western</u>	By <u>Erwin O. Ballan</u>	Date <u>24 Oct 1973</u>

63 7875

RECOMMENDED

CONDITIONS OF APPROVAL

- ☐ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.
- ☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.
- ☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.
- ☐ Maximum rate of diversion shall not exceed _____ c.f.s.
- ☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.
- ☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.
- ☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.
- ☐ The proposed well shall not be drilled within _____ feet of another well.
- ☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.
- ☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.
- ☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.
- ☐ Other: _____

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that DIETER W. WIESEMANN 11500 Fairview, Boise, Idaho has on Sept. 25, 1973 submitted Application No. 63-7875 for a permit to appropriate .08 cubic feet per second of water from a groundwater source by means of well and pump within the SE 1/4 SW 1/4, Sec. 3, T. 3 N., R. 1 E., B.M., Ada County to be used from Jan. 1 to Dec. 31 for commercial use and the irrigation of 2 acres within the SE 1/4 SW 1/4, Sec. 3, T. 3 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before October 23, 1973.

R. KEITH HIGGINSON
Director

Published in the Valley News-Times, P. O. Box 385, Meridian, Idaho on Oct. 4, 1973 and Oct. 11, 1973.

PROOF OF PUBLICATION

State of Idaho, }
County of Ada } ss.

I, Mary Carey, being first duly sworn, depose and say, that I am over twenty-one years of age, and Chief Clerk of VALLEY NEWS-TIMES, a weekly newspaper of general circulation, published at Meridian, County of Ada, State of Idaho, and that the annexed notice was published in said paper once each week for 2 consecutive weeks, the first publication being on the 4th day of October, 1973, and the last publication being on the 11th day of October, 1973.

That said notice was published in the newspaper proper and not in a supplement. That said newspaper had been continuously and uninterruptedly published in said county for a period of 78 consecutive weeks prior to the first publication of this notice, and is a newspaper within the meaning of the Idaho statutes.

Mary Carey
Chief Clerk

Subscribed and sworn to before me this 11th day of October, 1973.

R. F. Mark
Notary Public in and for Idaho

Residence or Postoffice Address Meridian Idaho.

WATER RIGHT NUMBER 63-7875

OWNER LAST NAME - WIESEMAN

FIRST NAME - DIETER W.

ORIG OWNER -

ADDRESS LINE 1 - 11500 FAIRVIEW

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BOISE

STATE - ID ZIP CODE - 83702

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 09-25-1973 COUNTY - ADA

TOTAL DIV. RATE -

.0800 -CFS

TOTAL DIV. VOLUME -

9.60 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SESW 03 03N 01E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 USE - IRRIGATION

USE DIV. RATE -

.0800 CFS

USE DIV. VOLUME -

9.00 AFA

FROM - 01-01 TO - 12-31 USE - COMMERCIAL

USE DIV. RATE -

.0400 CFS

USE DIV. VOLUME -

.60 AFA

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 01E SEC 03 TRACT SESW LOT AC 02

USE -

PLACE OF USE - TWN RNG SEC

DECREE NAME -

DATE -

TOTAL ACRES

2

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE -

FLD EXAM -

COND. OF APPROVAL -

DIVERSION MEANS -

VERIFIED J G

5/24/85

[illegible]

March 17, 1975

Re: Permit No. 63-7875

Mr. Dieter W. Wieseemann
11500 Fairview
Boise, Idaho 83702

Dear Mr. Wieseemann:

Enclosed is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

RECEIVED

February 28, 1975

Mr. Dieter W. Wieseemann
11500 Fairview
Boise, Idaho 83702

Dear Mr. Wieseemann:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7875 and has found the following:

Quantity of water diverted: 0.08 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.08 cfs

The maximum quantity diverted shall not exceed 9.6 acre feet per year.

Beneficial use: For irrigation of 2 acres and for commercial purposes within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 3N, Rge. 1E

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 3N, Rge. 1E, B.M.

Priority date established: September 25, 1973

If you do not concur with these findings, please advise us within 10 days; otherwise a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jr

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Dieter W. Wieseemann

Post office address 11500 Fairview, Boise, ID Phone _____

Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.04 c.f.s. for commercial
 AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount 0.08 c.f.s. for irrigation
 AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 63-7875

Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.08 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 1E E/W, B.M., Section 3, Subdivision SE $\frac{1}{4}$ SW $\frac{1}{4}$, Ada County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions: _____

Description of diverting works: Well & pump

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE _____ 2

T
3
N




Diagram of System

DATE OF EXAM Nov 25, 1974

ACREAGE

Found 2
Recommended 2

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q = .08 c.f.s. V = 9.0 AF/Ann. from JAN 1 to Dec 31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Commercial .04 cfs V = 1.2 AF/Ann JAN 1 Dec 31

Is water co-mingled? yes _____ no ✓

Name source: Groundwater
twp. 3 NS, Rge 1 EW, B.M., Sec. 3, Sub. SE $\frac{1}{4}$ SW $\frac{1}{4}$ Adx County

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County

Total Q measured .108 Method of measurement Est

Total Q recommended .08 Meter No. _____ Type _____ Condition _____

Total V recommended 10.2 Ac Ft/Ac

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

Q = .08 for irrigation of Nursery (2 acres)
.04 for commercial use in store
(store use is basically domestic)
V = 9.0 for irrigation (2 x 4.5) Total is 9.0 + 1.2 = 10.2 Ac Ft/Ac
1.2 for commercial

SYSTEM DESCRIPTION:

6" well submerged pump sprinkler system
and siphon system

REMARKS:

I recommend that the excessive amount be allowed for
irrigation as the nursery has an above average
requirement
This is Garden Center West store & Nursery

Examiner's Signature James Parker Date 11/25/74

Checked by _____ Date _____

Approved by _____ Date _____

November 13, 1974

Re: Permit No. 63-7875

Dieter W. Wieseemann
11500 Fairview,
Boise, ID

Dear Mr. Wieseemann:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in **Boise**.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

OK JPH

1. a) Name of Permit Holder Dieter W. Wieseemann
b) Post Office Address 11500 Fairview, Boise, Idaho
2. Permit Number 63-7875
3. Date of Priority that you are prepared to establish Sept. 25, 1973
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 3
Township 3 N, Range 1 E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.04 for Commercial purposes from 1/1 to 12/31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 0.08 for Irrigation purposes from 1/1 to 12/31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.08 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimate by permit holder
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) well and pump
b) Describe the type and size of measuring device which you have installed at your point of diversion: N/A
c) Give well driller's name and address and the date the well was completed: _____
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: See Item 9

Exam typed 4/14/74 by JPH

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

Nursery use for inside and outside plants and washing. Also used for
drinking and toilets.

T	R	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTAL
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	1E	3												2					2

Total number of acres irrigated 2

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

Oct. 30, 1974

(Date)


Dieter W. Wiseman
(Signature)

State of Idaho)

) ss.

County of Ada)

On this 30th day of October, 19 74, personally appeared before me
the signer ~~X~~ of the above instrument, who duly acknowledged to me that he ~~(she)~~ ~~(they)~~ executed the same.



My commission expires

Sept. 4, 1976

V. J. Sullivan
Notary Public residing at 1715-N-10th
Boise, Idaho

- **SENDER:** Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
- ☐ Show to whom, date, & address of delivery.. 35¢
- ☐ **DELIVER ONLY TO ADDRESSEE** and show to whom and date delivered..... 65¢
- ☐ **DELIVER ONLY TO ADDRESSEE** and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO.

CERTIFIED NO.

INSURED NO.

25997

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

4.

DATE OF DELIVERY

SEP 3 1974

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

63-7875

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300**



August 30, 1974

CERTIFIED MAIL

#25997

Re: Permit No. 63-7875

Dieter W. Wisemann
11500 Fairview
Boise, Idaho 83702

Dear Mr. Wisemann:

One of the conditions of approval of your water Permit No. 63-7875 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

Received
5-12-10
WA

[illegible]

October 29, 1973

Re: Permit No. 63-7875

Dieter W. Wiesemann
11500 Fairview
Boise, Idaho

Dear Mr. Wiesemann:

Enclosed is a copy of your approved Application for Permit No. 63-7875 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosure

63 7875

GARDEN CENTER WEST, INC.

11500 FAIRVIEW

BOISE, IDAHO 83702

PHONE 376-3322 - 376-3323

April 26, 1973

Kenneth H. Foit, P. E.
Western District Engineer
614 State Street
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. Foit:

Reference is made to your letter dated March 28, 1973 received April 24, 1973. Idaho Pump and Plumbing Co. drilled the well and were to get all permits and etc. We have contacted them and they have assured us that they will take care of the matter. If they do not follow through on this let us know and we will get the application permit forms and handle it ourselves. We were not aware a permit was needed before drilling a well.

Sincerely,

Dieter W. Wiese
Dieter W. Wiese
President
DWW:ad

63 7875

March 28, 1973

Dieter Wiseman
8900 Fairview
Boise, Idaho 83702

Dear Mr. Wiseman:

We have received a well drillers report indicating that a well was drilled for you in SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 3, Township 3 North, Range 1 East, B.M., Ada County.

A review of our records indicates that you have not filed an application for a permit to appropriate the public water of the State of Idaho. Since March 25, 1963, an application has been required prior to construction of a well and a valid permit must be obtained before ground water may be diverted. The only exception to this requirement is a well drilled for stock-watering or single family household use and water used for all other purposes, including irrigation of one-half acre of land in connection with the household use where the total use does not exceed 13,000 gallons of water per day.

If you have already filed an application, which we over-looked in the review of our records, please advise us of the number of the application or the name under which the application was filed. However, if you have not yet filed the required application, you should do so as soon as possible. You may obtain the forms upon request from this office.

If you have any questions regarding this matter, please contact this office.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:df

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 28, 1973

The Valley News-Times, P
P. O. Box 365
Meridian, Idaho 83642

Re: Application for Permit No. 63-7875 - Dieter W. Wiesemann

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

*Bill submitted
10-16-73
SW*

63 7875

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that DIETER W. WIESEMAN
11500 Fairview, Boise, Idaho
has on Sept. 25, 1973 submitted Application No. 63-7875
for a permit to appropriate .00 cubic feet per second acre feet
per annum of water from a groundwater source
by means of well and pump
within the SE1/4, Sec. 3, T. 3 N, R. 1 E., B.M., Ada County

to be used from Jan. 1 to Dec. 31
for commercial use and the irrigation of 2 acres

within the SE1/4, Sec. 3, T. 3 N, R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before

October 23, 1973

R. KEITH HIGGINSON

Director

Published in the The Valley News-Times, P. O. Box 365, Meridian, Idaho
on Oct. 4, 1973 and Oct. 11, 1973

63 7875

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

September 27, 1973

Mr. Dieter W. Wieseemann
11500 Fairview
Boise, Idaho

Re: Application for Permit No. 63-7875 - Dieter W. Wieseemann

Dear Mr. Wieseemann:

Enclosed is your Receipt No. 12420 in the amount of \$ 10.00 for
Application for Permit No. 63-7875 which was received in this office
on Sept. 26, 1973.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

63 7875

C
O
P
Y
September 20, 1973

63-7875

Mr. Dieter W. Wieseemann
Garden Center West, Inc.
11500 Fairview Avenue
Boise, Idaho

Dear Mr. Wieseemann:

I have enclosed a nearly completed application for a water right permit. Please review it carefully. If it meets with your approval, please sign and return it with the \$10.00 fee as required by the Idaho Code.

If I may be of assistance to you, please contact me.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:sw

63 7875