

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

20

well & place of use

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carnelot Water Corporation
John Baptiste (Pres.)
(Applicant)

63 7648

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Nampa, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 24, 31, 1972

Verla Harker

Subscribed and sworn to before me this

31st day of August, 19 72

Adam Harko

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1975

RECEIVED

AUG 1 1972

Department of Water Administration

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that CAMELOT WATER CORPORATION (CAMELOT SUBDIVISION), 1023 Camelot Drive, Nampa, Idaho has on August 11, 1972 submitted Application No. 63-7648 for a permit to appropriate 0.36 cubic feet per second of water from a groundwater source by means of well, pressure tank and pipelines within the SE1/4NE1/4, Sec. 20, T. 3 N., R. 2 W., B.M., Canyon County to be used from Jan. 1 to Dec. 31 for domestic purposes within the SE1/4NE1/4, Sec. 20, T. 3 N., R. 2 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Sept. 11, 1972.

R. KEITH HIGGINSON
Director
August 24, 31, 1972

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7648 Priority August 11, 1972 Amount 0.36 cfs

THIS IS TO CERTIFY, that CAMELOT WATER CORPORATION (CAMELOT SUBDIVISION)
of Nampa, Idaho, has complied with the terms and conditions of Permit
No. 63-7648 issued pursuant to Application for Permit dated August 11, 1972,
and has submitted proof to the Department of Water Resources on August 15, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.46 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(18 homes)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.36</u> cfs and	<u>10.8 acre feet</u>
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.36 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
10.8 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, Twp. 3N,
Rge. 2W, B. M. in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
<u>3N</u>	<u>2W</u>	<u>20</u>				X									

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
March, 19 79.

Deputy Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-7648
IN THE NAME OF CAMELOT WATER CORPORATION

ORDER

WHEREAS, on August 11, 1972, the Camelot Water Corporation filed with the Department of Water Resources (formerly the Department of Water Administration) for an application for permit to appropriate 0.36 cubic feet per second of groundwater to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, Twp. 3N, Rge. 2W, B.M., Canyon County, to be used for domestic purposes; and,

WHEREAS, on September 22, 1972, the Department approved said application and issued Permit No. 63-7648 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before September 1, 1977; and,

WHEREAS, one of the conditions of approval was that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on August 15, 1977, the Department received the required proof of application of water to beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 63-7648.

Dated this 29 day of August, 1977.


BOBBY P. FLEENOR
Chief, Operations Bureau

Identification No. _____

Application No. 63-7648

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- Camelot Water Corporation
1. Name of applicant ~~James Ober~~ (Camelot Subdivision)
post office address 1023 CAMELOT DRIVE
534 Central Midland Blvd. Nampa, Idaho 83651
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 3N
Range 2W B.M. Canyon County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.36 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.36 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Well, pressure tank and pipe lines.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is one years.
b. Estimated construction cost is \$ 13,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 3N
Range 2W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Camelot Subdivision, or number of families to be supplied with domestic water 18.
(5) If water is to be used for other purposes describe: _____

63 7648

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

NONE


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carnegie Water Corporation
John Raptus (Pres.)
(Applicant)

Rec'd 8764
8-11-72 mp

Received by PO Date 8-11-72 Time 8:20 A.M.
Preliminary check by KH Fee \$ 25.00
Receipted by 07 Date 8-11-72
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved SA Date 9-1-72
Priority reduced to 8/11/72 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by D BDF

63 7648

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7648, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 77.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of September 19 72.

[Signature]
Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Nampa, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the Idaho Free Press, a daily, (except Sunday) newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 24, 31, 1972

Verla Harker

Subscribed and sworn to before me this

31st day of August, 1972

Adam Harker

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1975

RECEIVED

1972

Department of Water Administration



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 28, 1979

RE: Permit No. 63-7648

Camelot Water Corporation
1023 Camelot Drive
Nampa, ID 83651

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure

UNRECORDED

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder Camelot Water Corp.

Post office address 1023 Camelot Dr., Nampa, ID 83651 Phone hm. 467-2272

Person to contact Al Stewart, Pres. bus. 466-9221, ext. 56 or
Phone 342-3805, ext. 56

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.36 c.f.s. for Domestic (18, Camelot Supervision)
AF/Annum (nature of use) **SEP**

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

4. Total amount to be appropriated:

Max Rate of Diversion 0.36 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 2W E/W, B.M., Section 20, Subdivision SE 1/4 1/4, NE 1/4 1/4, Canyon
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions:

Description of diverting works: 5 hp sub. pump discharges to 4" PVC water distribution system.
well casing is 8" x 110'

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

MICROFILMED




Diagram of System

DATE OF EXAM April 5, 1978

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Domestic Q = 0.36 c.f.s. V = 10.8 AF/Ann. from Jan. 1 to Dec. 31
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 0.46 cfs Method of measurement calculation

Total Q recommended 0.36 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 10.8 AF/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Assume maintain pressure of 30 PSI
$$Q = 8.816 \frac{(5hp)(1.75)}{(3.11 + 69.30)} = 0.46 \text{ cfs}$$

$$V = 18 \times 0.6 \text{ AF/domestic} = 10.8 \text{ AF/yr}$$

SYSTEM DESCRIPTION:

8" cased well pumped with 5 hp submersible pump into 100 gallon pressure tank. This well + another well serve subdivision of 52 houses. Water is used only for household purposes, irrigation water is from ditch company.

REMARKS: Mr. Stewart was present during the exam.
Depth to water from top of casing = 3.11 ft.

Examiner's Signature Willie H. Max Alled, III Date May 26, 1978

Checked by DBS Date 6/12/78

Approved by _____ Date _____

3-29-78 called. left message

307 Sherwood Dr.

Ed Mark Chevy

Orchard West → 1st stop

→ South 1/4 mile → West on camelot

3-30-78

Hold 62.00

Let 58.79

3.11 ft

8" cased well pumped with submersible
pump 5 hp.

this system with 2nd well serve 52 houses
100 gallon pressure tank

September 28, 1977

Re: Permit No. 63-7648

Mr. Al Stewart, Pres.
CAMELOT WATER CORP.
1023 Camelot Dr.
Nampa, Idaho 83651

Dear Mr. Stewart:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
AUG 18 1972
O.C.J.

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder Camelot Water Association, Incorporated
 b) Post Office Address 1023 Camelot Drive, Nampa, Idaho 83651
2. Permit Number 63-7648
3. Date of Priority that you are prepared to establish June 30, 1972
4. a) Source from which water was appropriated Subterranean
 b) Location of the point of diversion: SE 1/4 NE 1/4, Section 20
 Township 3 N., Range 2 W. Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
 Amount 1 cfs for domestic purposes from 1 Jan. to 31 Dec. incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 Amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 Amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated .5 cfs cfs and/or acre-feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Calculated on basis of 10 GPM per household for 24 homes by Al Stewart, Assistant to the City Engineer, City of Nampa, and president of Camelot Water Association, Inc.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 5 h.p. submersible pump discharges to 4" PVC water distribution system. Well casing is 8" x 110'.
 b) Describe the type and size of measuring device which you have installed at your point of diversion: 4" Badger Flowmeter, SN M0539010, is inoperative. We request that this requirement be removed from the permit and the flow be based on 10 GPM per household.
 c) Give well driller's name and address and the date the well was completed: K & H Well Drilling, Caldwell, Idaho
June, 1972
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Culinary water for 24 homes in Camelot Subdivision in the NE 1/4 of Section 20 T.3 N., R.2 W., B.M., Canyon County, Idaho.

Examined 9/27/72

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

10 Aug 1977 (Date) A. Stewart (Signature) President
Home 467-2272 Bus. 466-9221 Ext. 56
or 342-3805 Ext. 56

State of Idaho)
) ss.
 County of Canyon)

On this 12th day of September, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

[Signature]
 Notary Public residing at [Address]
[Signature]

My commission expires 2-22-78

August 31, 1977

Re: Permit No. 63-7648

Camelot Water Assoc., Incorp.
1023 Camelot Dr.
Nampa, Idaho 83651

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use on the above referenced permit.

We cannot process this affidavit, however, as your signature must be notarized. Therefore, we are returning the proof affidavit. Please return the notarized affidavit to this office as soon as possible so that we may proceed with this permit.

Also enclosed is an Order which removes the measuring device requirement from this permit.

Sincerely,

JANICE BENK
Water Rights

Encl.

June 30, 1977

CERTIFIED MAIL

138690

Re: Permit No. 63-7648

Camelot Water Corporation
1023 Camelot Dr.
Tanna, Idaho 83651

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7648 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

September 25, 1972

Camelot Water Corporation
1003 Camelot Drive
Lewiston, Idaho 83651

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-7648. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

63 7648

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 18, 1972

RE: APPLICATION FOR PERMIT NO. 63-7648 Camelot Water Corporation

Idaho Free Press
P. O. Box #88
Nampa, Idaho 83651

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

63 7648

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CAMELOT WATER CORPORATION (CAMELOT SUBDIVISION),
1023 Camelot Drive, Nampa, Idaho

has on August 11, 1972 submitted Application No. 63-7648
for a permit to appropriate 0.36 cubic feet per second ~~XXXXXXXXXX~~
~~XXXXXXXXXX~~ of water from a groundwater source
by means of well, pressure tank and pipelines
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 3 N., R. 2 W., B.M., Canyon County

to be used from Jan. 1 to Dec. 31
for domestic purposes
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 3 N., R. 2 W., B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Administration, Statehouse, Boise, Idaho, 83707, on or before
Sept. 11, 1972.

R. KEITH HIGGINSON

Director

Published in the Idaho Free Press, Nampa, Idaho
on Aug. 24, 1972 and Aug. 31, 1972 63 7648

na

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that CAMELOT WATER CORPORATION (CAMELOT SUBDIVISION), 1023 Camelot Drive, Nampa, Idaho has on August 11, 1972 submitted Application No. 63-7648 for a permit to appropriate 0.36 cubic feet per second of water from a groundwater source by means of well, pressure tank and pipelines within the SE1/4NE1/4, Sec. 20, T. 3 N., R. 2 W., B.M., Canyon County to be used from Jan. 1 to Dec. 31 for domestic purposes within the SE1/4NE1/4, Sec. 20, T. 3 N., R. 2 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Sept. 11, 1972.

R. KEITH HIGGINSON
Director
August 24, 31, 1972

63 7648

Western District Office

August 17, 1972

RE: APPLICATION FOR PERMIT NO. 63-7648

Bill A. Wood, Environmentalist
Southwestern District Health Department
706 Main Street
Caldwell, Idaho 83605

Dear Mr. Wood:

We are enclosing a copy of the above referenced application for permit, which may be of interest to your agency.

Please review the application and if you have any comments, please submit them to our Department as soon as possible.

We normally complete the processing of an application within a six (6) week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this Department.

Sincerely,

KENNETH H. FOIT, P.E.
Western District Engineer

KHF:mkp

Enclosure

63 7648

Western District Office

August 11, 1972

RE: APPLICATION FOR PERMIT NO. 63-7648

Camelot Water Corporation
1023 Camelot Drive
Nampa, Idaho 83651

Gentlemen:

Attached herewith is your Receipt No. 8704 in the amount of \$25.00 for Application for Permit No. 63-7648 which was received in this office August 11, 1972.

Sincerely,

KENNETH H. FOIT, P.E.
Western District Engineer

KHF:mkp

Enclosure

63 7648