


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bertha E. Kezar
(Applicant)

62 7534

RECEIVED

STATE OF IDAHO,)
COUNTY OF ADA) ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two ~~consecutive~~ insertions, beginning with the issue of January 6, 1972, and ending with the issue of January 13, 1972.

Georgene Davis

Subscribed and sworn to before me this 14th day of January, 1972.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bertha E. Kezar, 17432 Ivy Avenue, Fontano, California has on December 21, 1972 submitted Application No. 63-7534 for a permit to appropriate 0.82 cubic feet per second of water from a ground water source by means of well and pump within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 5N, R. 1W, B.M., Ada County to be used from Jan. 1 to Dec. 31 for domestic purposes; and from March 15 to Nov. 15 for the irrigation of 40 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 5N, R. 1W, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before January 24, 1972.
R. KEITH HIGGINSON
Director
Pub. Jan. 6, 13, 1972 500

Hand-drawn diagram on a grid showing a path from a starting point to a destination. The path is marked with an 'X' and labeled 'P.D.' and 'P.O.U.'. The path starts at a point labeled '5N' and ends at a point labeled '17'.

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

☒ None
☐ Other

Date 12/31/80

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7534 Priority December 21, 1971 Amount .02 cfs

THIS IS TO CERTIFY, that BERTHA E. KEZAR
of Fontana, California, has complied with the terms and conditions of Permit
No. 63-7534 issued pursuant to Application for Permit dated December 21, 1971,
and has submitted proof to the Department of Water Resources on December 14, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .03 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	<u>from January 1 to December 31</u>	<u>at .02 cfs</u>	<u>and 1.2 acre feet</u>
_____	<u>from _____ to _____</u>	<u>_____ cfs</u>	<u>and _____</u>
_____	<u>from _____ to _____</u>	<u>_____ cfs</u>	<u>and _____</u>

(both dates inclusive)

Subject, however, to the condition that no more than .02 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 5N,
Rge. 1W, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	1W	17	X																

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
January, 19 81.

Director

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-7534
IN THE NAME OF BERTHA E. KEZAR

ORDER OF REINSTATEMENT

WHEREAS, on December 21, 1971, Bertha E. Kezar filed with the Department of Water Resources an application for permit to appropriate 0.82 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 5N, Rge. 1W B.M., Ada County, to be used for irrigation and domestic purposes; and,

WHEREAS, on January 31, 1972, the Department approved said application and issued Permit No. 63-7534 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before January 1, 1977; and,

WHEREAS, on November 2, 1976, the Department extended to time within which to submit proof of beneficial use to January 1, 1980; and,

WHEREAS, on October 31, 1979, the Department notified the permit holder by certified mail that proof of beneficial use of water was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on December 4, 1979, the Department denied a request for an extension of time and granted a request for removal of the access port; and,


WHEREAS, on January 17, 1980, the Department notified the permit holder that Permit No. 63-7534 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on December 14, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-7534 be REINSTATED with no advance in priority.

Dated this 20th day of February, 1980.


L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF DENYING EXTENSION OF THE
PROOF DUE DATE AND REMOVING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-7534
IN THE NAME OF BERTHA E. KEZAR

ORDER

WHEREAS, on December 21, 1971, Bertha E. Kezar filed with the Department of Water Resources an application for permit to appropriate 0.82 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 5N, Rge. 1W B.M., Ada County, to be used for irrigation and domestic purposes; and,

WHEREAS, on January 31, 1972, the Department approved said application and issued Permit No. 63-7534 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before January 1, 1977; and,

WHEREAS, on November 2, 1976, the Department extended the time in which to submit proof of beneficial use to January 1, 1980; and,


WHEREAS, on November 8, 1979, the Department received a request for an additional extension of time; and,

WHEREAS, on November 19, 1979, the Department received a request for removal of the access port requirement; and,

WHEREAS, pursuant to Section 42-204, Idaho Code a permit holder may only be granted one extension of time; not exceeding five years;

IT IS, THEREFORE, HEREBY ORDERED that the request for extension of time for Permit No. 63-7534, be and is, DENIED. IT IS FURTHER ORDERED that the access port requirement be REMOVED if the water is used for domestic purposes only.

Dated this 4th day of December, 1979.



C. STEPHEN ALLRED

Director

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-7534**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE
DATE IN CONNECTION WITH PERMIT NO. 63-7534
IN THE NAME OF BERTHA E. KEZAR

ORDER

WHEREAS, on December 21, 1971, Bertha E. Kezar filed with the Department of Water Resources (formerly the Department of Water Administration) an application for permit to appropriate 0.82 cubic feet per second of groundwater to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 5N, Rge. 1W, B.M., Ada County, to be used for irrigation and domestic purposes; and,

WHEREAS, on January 31, 1972, the Department approved said application and issued Permit No. 63-7534 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before January 1, 1977; and,

WHEREAS, on November 12, 1976, the Department received a request from the permit holder for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay; and,

THEREFORE, IT IS HEREBY ORDERED, that the time within which to submit proof of beneficial use under Permit No. 63-7534 be extended to January 1, 1980.

Dated this 2 day of November, 1976.


A. KENNETH DUNN
Administrator, Operations Division

Identification No. 63-7534
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BERTHA E. KEZAR Tele. 823-1163
post office address 17482 Ivy Avenue Fontano, California 92335
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 5 N
Range 1 W B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.80 for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.82 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
drilled well and electric pump

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 3500.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 5 N
Range 1 W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
one family

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

63 7534

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
5 N	1 W	17	40																40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bertha E. Kezar
(Applicant)

U.S. 7534

Received by 41 Date 12-21-71 Time 8:00 X
 Preliminary check by AB Fee \$ 25.00
 Receipted by 31 Date 12-21-71
 Publication prepared by cr Date 12-30-71
 Published in Idaho Statesman
 Publication dates 1-6 & 1-13-72
 Publication approved CR Date 1-19-72
 Priority ~~reduced to~~ 12-21-71 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by D AD BDF
CH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7534, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 77.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____ _____ _____ _____ _____

Witness my hand this 31st day of January 1972.

R. Keith Higgins
 Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 63-7534 Name Bertha E. Kezar

Source Groundwater

Point of Diversion NE 1/4 NE 1/4, Sec. 17, T. 5N, R. 1W, B.M., Ada County

Quantity .8 Use Irrigation Period March 15 - Nov. 15

Quantity .02 Use Domestic Period Jan. 1 - Dec. 31

Quantity Use Period

Well Size Diameter 8 Proposed Depth 300 Feet

Use 40 acres for irrigation and one family.

Date Forwarded 1-3-72 Date Returned 1-3-72 Received by J.R.

COMMENTS: Well in SE 1/4 NW 1/4 finished in sand, shale & clay.
Specific capacity ~~200~~ 33 gpm/20 ft drawdown = 1.5. Not too good.
Primary aquifer is coarse sand stringers from 113 to 128 ft, and
from 195 to 201 feet. Depth to water approx. 160 feet. Water
levels show some fluctuation, but no apparent decline.
Aquifer should be capable of supporting some additional
development.

RECOMMENDED:

Applied: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ☒ Denied ☐

Conditions of approval or reason for denial:

INVESTIGATION By Paul M. Castelin Title W.R.I. - I

Date Jan. 3, 1972

63 7534

STATE OF IDAHO,)
COUNTY OF ADA) ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two ~~consecutive~~ insertions, beginning with the issue of January 6, 1972, and ending with the issue of January 13, 1972.

Georgene Davis

Subscribed and sworn to before me this 14th day of January, 1972.

Lana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

WATER RIGHT NUMBER 63-7534

OWNER LAST NAME - KEZAR

ADDRESS LINE 1 - 17482

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

TOTAL DIV. VOLUME -

DIVERSION POINT - NENE 17 05N 01W LOT

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE - DOMESTIC

DECREE NAME -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PROOF MADE -

DIVERSION MEANS - WELL & PUMP.

FIRST NAME - BERTHA E.

ADDRESS LINE 2 -

CITY - FONTANO

TRIBUTARY OF -

PRIORITY - 12-21-1971 COUNTY - ADA

WATER DIST. -

0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. RATE -

PLACE OF USE - TWN 05N RNG 01W SEC 17

DATE -

STATE - CA ZIP CODE - 92335

TOTAL DIV. RATE - .0200 -CFS

RIGHT BASIS -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. VOLUME - 1.20 AFA

AC

TOTAL ACRES 0

PROTESTED -

HEARING -

OLD NO. -

PERMIT/DENIED -

COND. OF APPROVAL -

FLD EXAM -

IDENT. NO. 63-7534

WATER RIGHT
DATA ENTRY LOG[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 27, 1981

Bertha

Bertha E. Kezar
17432 Ivy Ave.
Fontano, CA 92335

Dear Ms. Kezar,

RE: License No. 63-7534

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 31, 1980

Bertha E. Kezar
17482 Ivy Ave.
Fontano, CA 92335

Dear Ms. Kezar,

A representative of this Department has made an examination of the works covered by your Permit No. 63-7534, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .02 cfs Source: groundwater

The maximum quantity diverted shall not exceed 1.2 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 5N, Rge. 1W, B.M.

Beneficial use: Domestic use within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 5N, Rge. 1W.

Priority date established: December 21, 1971

Conditions (if any):

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JIM JOHNSON
Water Rights Supervisor

MICROFILM

DOMESTIC

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Kezar, Bertha E

P/O NENE, S. 17

T. 5 N

R. 1 W

63-7534

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☒ Appointment letter mailed:

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 11 Sept. 1988 Accompanied by well LOG

Total Q measured .03

If source is surface water, estimate total flow of source

Methods of measurement HP CALCULATION

Meets Permit requirements? YES

Measurement calculations:

$$1 \text{ Hp} \times .8 \times 8.8 / 200 + (20 \text{ PSI} / .43) = .03 \text{ CFS capacity}$$

Allow .02 AS per permit ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1Hp	Red JACKET		submersible				

System Description pump well,

Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation requirement =

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

Domestic

.02

1-2

7/7

22/31

Total

.02 ✓

1-2 ✓

Remarks Set AT 260' 1Hp pump

Recommend beneficial use. For Domestic only

$$1 \text{ hp} \times .8 \times 8.8 / 200 + 30(2.3) = \frac{7.04}{269} = .026$$

MINUTEMAN

MAP (Attach Aerial Photo)

5W

4W

37

X

P.D.

P.D.U.

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: 06 NE S. 17 5N 1W

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ ~~A~~ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature W. E. Morris

Checked by DBS

Approved by Reyn

Date 11/5 Oct 7 1998

e 16/9/80

Date 12/31/80

April 17, 1980

Bertha E. Kezar
17482 Ivy Avenue
Fontano, CA 92335

Dear Ms. Kezar:

Re: Permit No. 63-7534

Enclosed is a copy of the order reinstating your permit with no advance in priority.

Please be advised that the department did receive the statement of beneficial use you submitted in December. Please accept our apology for inadvertently lapsing the permit since the statement postcard had not been placed with the file when it came time to prepare the lapse notice. The enclosed order reinstates and returns your water right permit to good order.

During the field season, a representative from our Western Regional office will contact you before he comes out to do a field inspection of your system.

If you have any questions concerning your permit, please feel free to contact us or our Western Regional office at 334-2190.


Sincerely,

RITA FLECK
Sr. Secretary

Enclosure

MICROFILMED

B. L. Kezanian
17482 Irvine Ave
Fontana, CA 92335



RECEIVED

DEC 14 1979

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-7534.

Name(s) of Permit Holder: BERTHA E. KEZAR

Post Office Address: 17482 Ivy Ave.
Fontana, CA 92335 Tel. No. 823-1163

Source of Water: GROUND

Extent of Use: ☒ Domestic for ONE (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other


Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov 10, 1979
 Date

Bertha E. Kazar
 Signature of Permit Holder

Bertha K. K.
17482 Ivy
Fontana CA 92335



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-7534.

Name(s) of Permit Holder: BERTHA E. KEZAR

Post Office Address: 17482 Ivy Ave

Fontana, CA 92335 Tel. No: 823-1163

Source of Water: ground

Extent of Use: ☒ Domestic FOR ONE (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/25/80
Date

Bertha E. Kazar
Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

Bertha E. Kezar
17482 Ivy Avenue
Fontano, CA 92335

Dear Ms. Kezar:

Re: Permit No. 63-7534

In December, this office reviewed the request for extension of time which you submitted, but were unable to approve it since an extension had previously been granted.

Therefore, you are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 63-7534 has lapsed and will become of no further force and effect in sixty days. Since the extension of time request you submitted was not approved and you do have some of the project completed, I suggest that you complete the enclosed beneficial use statement postcard for that portion of the project completed and submit a new application for permit within five years of the time you will actually develop the remainder of the project.


C. STEPHEN ALLRED
Director

CSA:rf

Enclosure

CERTIFICATION OF MAILING

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

1/17/80

MICROFILMED

December 7, 1979

Bertha E. Kezar
17482 Ivy Avenue
Fontano, CA 92335

Dear Ms. Kezar:

Re: Permit No. 63-7534

Enclosed is a copy of the Order denying the request for extension of time and approving the request for removal of the measuring device requirement. However, please note that the measuring device requirement is only removed if the water is used for domestic purposes only.

May I suggest that you complete the enclosed statement of beneficial use postcard for that portion of the water right you have completed and apply for a new application within five years of the time you will complete the project.

If you have any questions concerning this matter, please contact us.

Sincerely,

RITA FLECK
Sr. Secretary

RF

Enclosures

RECEIVED

NOV 19 1979

Department of Water Resources

17482 Ivy Ave.
Fontana, Calif. 92335

November 14, 1979

Permit #63-7534

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho

Gentlemen:

This is in reply to a telephone call this morning from
Rita in your department.

I wish to state that I have a one horsepower pump on
one inch pipe which will pump approximately 11 gallons
of water per minute for domestic use only. Therefore,
I respectfully request that the requirement on Permit
#63-7534 for an access port be waived or removed.

Sincerely yours,

Bertha E. Kezar

Bertha E. Kezar

RECEIVED

B. E. Kezar
17482 Ivy Ave
Fontana, Calif. 92335



State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

MICROFILMED

RECEIVED

NOV 8 1979

Department of Water Resources

17482 Ivy Avenue
Fontana, Calif 92335

November 6, 1979

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

*ok to extend
jc*

Gentlemen:

Your letter of October 31, 1979, regarding the approval of my well permit #63-7534 has been received.

The reason that I have not completed the well according to the permit requirements is that my pump failed the second time it was pumped.

When I was in Boise in August, 1978, diagrams of your new requirements for measuring devices were not yet available; and I was advised by your office to request them this spring which I did and for which I received the access port diagrams.

I was not able to proceed promptly because I was still working. However, I have recently retired and have been attempting to contact the well driller who originally did the work. I was not able to get a phone call through, so have written asking him to phone me.

Even if I could get some other capable party to do the necessary work to pull the pump, make repairs, clean out the sand if the well filled in, and install the access port, it seems unlikely that I would be able to get it completed and approved by the end of next month. Therefore, I request another two-year extension.

Sincerely yours,

Bertha E. Kezar
Bertha E. Kezar

RECEIVED

Tenn
had

INTER-DEPARTMENT MEMO — 1

FROM Rita

DATE

TO File 63-7534


SUBJECT Access Port

I received a phone call from a gentlemen who wanted the access port specifications for the above referenced permit. I later contacted Bertha Kezar and she informed me that she has a small amount of irrigation and a domestic use. However, the irrigation use is not as large as proposed. Since the system is not completed, she has requested an extension of time. I advised her that if she intended to maintain the domestic and a small amount of irrigation that she request removal of the requirement of an access port.

RF

SIGNATURE

B. E. Hodge
17482 Ivy Ave.
Fontana, CA
92335



State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

October 31, 1979

161473

Bertha E. Kezar
17482 Ivy Avenue
Fontano, CA 92335

Dear Ms. Kezar:

One of the conditions of approval of your water Permit No. 63-7534 was that evidence of the extent of development must be submitted to this office on or before January 1, 1980. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

June 21, 1979

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

March 23, 1979

Re: Permit No. 63-7534

Bertha E. Kezar
17482 Ivy Avenue
Fontana, CA 92335

Dear Mrs. Kezar:

In reply to your letter of March 14, 1979, I am enclosing the specifications and a diagram for installing an access port. Also enclosed is a list of licensed well drillers. There is a \$2.00 fee for this list, which you may remit to this office.

If you have any questions, please feel free to contact us.

Sincerely,

LOIS RIVERS
Sr. Clerk

lr

Enc: 3

ENCLOSURE

REC-1

MAR 15 1979

Department of Water Resources

17482 Ivy Ave.
Fontana, Calif. 92335

March 14, 1979

State of Idaho
Department of Water Resources
373 W. Franklin Street
Boise, Idaho

Well Permit #63-7534

Attn: Mr. Glen Saxton

Dear Mr. Saxton:

Last summer, when I was at the Department of Water Resources office, I was advised to contact you this spring regarding the description and specifications of a device to be welded on the water line from the pump to which a measuring meter can be attached. I'd also like to know at what point in the line to place the device.

Do you have this information available now, and will you please mail it to me at the above address.


I'd like a copy of your list of licensed well drillers too.

Sincerely yours,

Bertha E. Kezar
Bertha E. Kezar

REFILED

B.E.Kezar
17482 Ivy Ave
Fontana, CA 92335



State of Idaho
Department of Water Resources
373 W. Franklin Street
Boise, Idaho

Attn: Mr. Glen Saxton

October 12, 1977

Re: Permit No. 63-7534

Mrs. Bertha E. Kezar
17482 Ivy Avenue
Fontana, CA 92335

Dear Mrs. Kezar:

In answer to your letter of August 29, 1977, enclosed is a list of types of measuring devices accepted by this office. Please note that a certified measurement may be made by a professional engineer in lieu of installing a measuring device. Also enclosed is a book entitled "Water Measurement".


We hope this information will be helpful to you and will answer your questions. If you have any further questions, please contact us. We are sorry also for the delay in answering your letter.

Sincerely,

JANICE RENK
Secretary, Water Rights

Encls.

RECEIVED
OCT 15 1977
FBI - FONTANA



State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

MICROFILMED

29 August 1977

State of Idaho
Department of Water Resources
Statehouse
Boise Idaho 83720

Gentlemen:

Will you please inform
me of the types of meters
that would be acceptable
to be installed on my well
on Willow Creek. Permit # 63-7534

Thank you

Bertha E. Kezar
17482 Ivy Avenue
Fontana, California
92335

MICROFILMED

White book meas. results

December 3, 1976

Re: Permit No. 63-7534

Bertha E. Kezar
17482 Ivy Avenue
Fontana, California 92335

Dear Mrs. Kezar:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to January 1, 1980.

Sincerely,

Im Darlene Reich
Water Rights Supervisor

MICROFILMED

17482 Ivy Avenue
Fontana, Calif 92335
November 6, 1976

RECEIVED

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

NOV 12 1976

Department of Water Resources

Gentlemen:

Thank you for the reminder that I have not yet completed the requirements for my water well, Idaho permit No. 63-7534, and for the form that I received in your letter of October 26, 1976.

I am trying to get this property ready for my retirement while I am still working. My retirement will probably take place the end of calendar year 1979 or early in 1980. But, working on a job here slows down my progress on the Idaho place.

This is the present condition of the well: On October 1, 1974, the pump was installed by well-driller, Warren Brewer, and delivered 1800 gallons per hour when tested at that time and was then shut off.

The following summer, August 1975, we were out there and had Idaho Power Company install the electricity. We put in the pressure tank and pump house, and ran the pump part of three days.

In May of this year, we were there and pumped part of one day and the pump quit on us; so, we had an electrician disconnect it from the electricity as it will have to be pulled and repaired and I did not have sufficient time. I am paying Idaho Power Company the minimum rate to retain the electricity and fulfill my contract with them.

This coming summer, June 1977, we plan to make a brief stop there and the following summer, August 1978, intend to be there two weeks and resume work. However, two weeks may not be enough time for completion.


I do not have access to Idaho Code Section 42-204, but your letter seemed to indicate that only one extension is granted to an individual for reasonable cause; therefore, I desire that this letter be considered a request for a three-year extension from January 1, 1977 to January 1, 1980.

Sincerely yours,

Bertha E. Kezar

Bertha E. Kezar

Bertha E. Kezar
17482 Ivy Ave
Fontana, Calif.
92335



State of Idaho
Department of Water Resources
Statehouse
Boise Idaho 83720

October 29, 1976

CERTIFIED MAIL

138045

Re: Permit No. 63-7534


Bertha E. Kezar
17482 Ivy Avenue
Fontano, CA 92335

Dear Mr. Kezar:

One of the conditions of approval of your water Permit No. 63-7534 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

February 1, 1972

Re: Permit No. 63-7534 - Bertha E. Kezar

Bertha E. Kezar
17482 Ivy Avenue
Fontano, California 92335

Dear Ms. Kezar:

Enclosed is a copy of your approved Application for Permit No. 63-7534. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

63 7534

December 30, 1971

Re: Application No. 63-7531 - Thomas M. Bevan &/or Missouri Beef Packers, Inc.
" " 63-7534 - Bertha E. Kazar
" " 63-7535 - Mr. &/or Mrs. Stanley D. Ramsey
" " 63-7536 - Cecil &/or Elisabeth Hunsaker

The Idaho Statesman
Box 2640
Boise, Idaho 83701

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Risenbarth
Appropriation Examiner

FR:er

Enc: Legal Notices

Bill submitted

63 7531

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bertha E. Kezar,

17482 Ivy Avenue, Fontana, California

has on December 21, 1971 submitted Application No. 63-7534

for a permit to appropriate 0.82 cubic feet per second ~~XXXXXX~~
of water from a ground water source

by means of well and pump

within the NE1/4NE1/4, Sec. 17, T. 5N, R. 1W, B.M., Ada County

to be used from Jan. 1 to Dec. 31 for domestic purposes; and from March 15 to
~~xxxx~~ Nov. 15 for the irrigation of 40 acres

within the NE1/4NE1/4, Sec. 17, T. 5N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before January 24, 1972.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, Idaho

on Jan. 6 and Jan. 13, 1972.

63 7534

December 21, 1971

Bertha E. Kesar
17482 Ivy Avenue
Fontana, California 92335

Dear Mr. Kesar:

Attached herewith is your receipt No. 8615 in the amount of \$ 25.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure: Receipt