


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold G. Ross
(Applicant) Owner

63 7521

RECEIVED

Dec 3, 1971
y

Department of Water Administration

STATE OF IDAHO,)
COUNTY OF ADA) ss.

Georgene Davis

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two consecutive insertions, beginning with the issue of November 18, 1971, and ending with the issue of November 25, 1971.

Georgene Davis

Subscribed and sworn to before me this 2nd

day of December, 19 71.

Jana A. Young

Notary Public for Idaho, Residing at Boise, Idaho

63 7521

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Elm Grove Trailer Park, Fairview Avenue, Meridian, Idaho has on November 3, 1971, submitted Application No. 63-7521 for a permit to appropriate 1.44 cubic feet per second of water from a ground water source by means of well, pump, and pipelines within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ (2 points), Sec. 7, T. 3N, R. 1E, B.M., Ada County to be used from Jan. 1 to Dec. 31 for commercial and domestic purposes for 68 families, and from March 15 to Nov. 15 for the irrigation of 3 acres within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 7, T. 3N, R. 1E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before December 6, 1971.

R. KEITH HIGGINSON

Director

Pub: Nov. 18, 25, 1971.

298

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: ELm GROVE Trailer Park
Current Address: P.O. Box 497 Meridian Idaho 83642
2. Accompanied by: Harold Ross
Address: 2302 Aspen Cove Meridian Id 83642
Relationship to Permit Holder: FATHER of owner
3. Source: Groundwater tributary to —

Permit No. 63-7521
Phone No. 888-3377 (Ralph Ross)
EXAM. DATE: 6/19/87
Phone No. 888-1891


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2122 & 3300
☒ Copies Attached
2. Other water rights with same point of diversion: 63-2122, 2133, & 3300
☒ Copies Attached ☒ Copies of Field Exam's Attached

COPIES - 63-3300 only

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

3N 1E S.7
(lots in w/2 only)

63-7521

MERIDIAN QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



63-7521

Elm grove Trailer Park, Cal's Auto
P-4, Greenleaf Friends Academy Daycare
in Meridian on Fairview Ave.



P/D #1
12" casing

MICROFILMED
MAR 18 1990



P/D #2
6" casing, artesian well.



P/U ↑
DAYCARE CENTER - Left
CAL'S AUTO PARTS - CENTER BACKGROUND



2P/U
Typical trailers with small lawns
P/U - Diagram showing 40 trailer spots, store, and daycare center
(#14-49 and 21-51)

63-7521

Elm grove Trailer Park, Cal's Auto
Parts, Greenleaf Friends Academy Daycare
in Meridian on Fairview Ave.




P/D #1
12" casing

MICROFILMED
MAR 19 1990



P/D #2
6" casing, artesian well.



P/U ↑
DAYCARE CENTER - Left
CAL'S AUTO PARTS - CENTER BACKGROUND

↑
P/U
Typical trailers with small lawns
P/U - Diagram showing 40 trailer spots, store, and daycare center (#14-19 and 21-51)

To Appropriate the Subterranean Waters of the State of Idaho

Application No. G- 38626
 Permit No. G- 30552
 District No.

1. Name of Applicant: Harold G. Ross or F. Elberta Ross
 Postoffice address: Rt. #2, Meridian County: Ada State: Idaho
2. Quantity of water claimed: 0.01 c.f.s.
 (a) Rate of withdrawal in cubic feet per second or Idaho
 Miners' inches or gallons per minute
 (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 7
 Twp. 3 N , Rge. 1 E , B.M., County of Ada
5. Water is to be used for: Irrigation and domestic in trailer court and personal home
6. If for municipal, industrial or recreational purposes, give:
 (a) Point of use of water is in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp.
 Rge. , B.M.
 (b) Waste water or sewage effluent is to be returned to
 at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp. , Rge. , B.M.
7. Kind of works: Pipe will be used for both wells. Well #1 has 1 h. shallow well pump; Well #2 will have a turbine type pump, electric motor
8. Estimated cost of works: \$ 2500.00
9. (a) Is reservoir to be used? No
 (b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.
11. If applicant is a corporation, give:
 I. (a) Date and place of incorporation:
 (b) Amount of capital stock: \$ (c) Amount paid in: \$
 (d) Names and addresses of directors:
 II. The financial resources of the applicant are (a) Cash on hand: \$
 (b) Treasury stock: (c) Bonds to be issued:
 (d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
 Nampa & Meridian Irrigation Water
 (a) 0.02 (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 (b) (cubic feet per second, inches or gallons per minute) is for new lands.

MAR 13 1990

MICROFILMED

These wells are both flowing wells but a pump is already installed in Well No. 1 and a pump
Remarks: will be installed soon on well No. 2.

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

s/ Harold & F. Elberta Ross Applicant.

By Harold G. Ross Agent.

Date of first receipt at Department of Reclamation: 11:15 A.M. July 3, 1962

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G- 30552

Recorded in Book 107 Page 30552 Approved July 6, 1962

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ to be filed on or before

Work to begin on or before

and to continue diligently and uninterruptedly to completion, unless

temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before January 6, 1965

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before July 6, 1967

Witness my hand this 6th day of July, 1962

s/ CARL E. TAPPAN, Assistant
STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLIE, Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 6th day of July, 1962.

Countersigned:

STATE OF IDAHO

(SEAL)

By s/ ARNOLD WILLIAMS

Secretary of State.

By s/ ROBERT E. SMYLIE

Governor

12.

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3 N	1 E	7					8												8

POINT OF DIVERSION AMENDMENT

Comes now Harold G. Ross, Route #2, Meridian, Idaho and represents to the State Reclamation Engineer of the State of Idaho: That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho, No. G-30552. That the point of diversion is described in said Permit as being located: 2 wells in the NE 1/4, Section 7, T 3 N., R 1 E., B.M. That he now requests that the point of diversion be changed to a point located: 3 wells in the NE 1/4, Section 7, T 3 N., R 1 E., B.M. That the reason for desiring to make such change is as follows: Well #1 and a 2" casing; well #2 has a 6" casing = 90 G.P.M. Inadequate and unreliable water supply from the original two wells. That no one will be injured by such change and that such change will be made at Permit Holders own risk. Signed at Boise, Idaho this 25th day of May, 1966.

/s/ HAROLD G. ROSS

Date of receipt at Department of Reclamation: May 25, 1966.

APPROVAL OF STATE RECLAMATION ENGINEER

I, Carl E. Tappan, s/ R. KEITH HIGGINSON, Deputy State Reclamation Engineer of the State of Idaho, her approve the above and foregoing application for amendment to Permit to Appropriate the Public Waters of the State of Idaho, No. G-30552. This approval constitutes a new permit and is issued as an amendment to the original permit, to which it refers and of which it becomes a part, and said application is approved only insofar as the rights of others will not be adversely affected thereby.

/s/ R. KEITH HIGGINSON
Deputy State Reclamation Engineer

Recorded in Book 107, of Permits, at page G-30552, May 26, 1966.

Base

Bobcat Creek

Cattaraugus Creek



Q measured estimated
Multiple Domestic = .04 cfs
Q recommended 1.71 AF
Irrigation = 13.5 AF
Volume 14.64 AF
Acreage =
Found 3
recommended 3
Subdv. 1
Amendments
☒ None
☐ P.D.
☐ Place of use
☐

Q measured estimated .04 Multiple Dom.
Q recommended .04 .04 Dom
Volume 13.5 Dom 1.14 Dom.
Acreage =
Found 3
recommended 3
Subdv. 1
Amendments
☒ None
☐ P.D.
☐ Place of use
☐

MICROFILMED

MAR 13 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-07521

Priority: December 11, 1971

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.38 CFS
43.1 AF

This is to certify, that ELM GROVE TRAILER PARK
P.O. BOX 497

MERIDIAN, ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 3, 1971; and has submitted Proof of Beneficial Use on February 8, 1982. An examination indicates that the works have a diversion capacity of .380 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	13.5 AF
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.8 AF
DOMESTIC	01/01 to 12/31	0.30 CFS	28.8 AF
	Totals	0.38 CFS	43.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NEW , Sec. 7, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	7	NEW	3		3

Total number of acres irrigated: 3

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The maximum combined rate of diversion under this right & Right

MAR 13 1991

FILED

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 63-07521

CONDITIONS/REMARKS:

- 63-3300 shall not exceed 0.38 cfs.
6. The combined annual volume of water under this right & Right 63-3300 shall not exceed 43.1 afa.
 7. Domestic use is for 40 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of FEBRUARY, 1990.

Acting for


R. Keith Higginson, Director

RECORDED

MAR 13 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-7521
IN THE NAME OF ELM GROVE TRAILER PARK

ORDER OF REINSTATEMENT

WHEREAS, on November 3, 1971, Elm Grove Trailer Park applied to the Department of Water Resources for a permit to appropriate 1.44 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ (2 points), Sec. 7, Twp. 3N, Rge. 1E B.M., Ada County, to be used for domestic, commercial and irrigation purposes; and,

WHEREAS, on January 4, 1972, the Department approved said application and issued Permit No. 63-7521 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1977; and,

WHEREAS, on December 15, 1976, the Department granted a request for extension of time to January 1, 1982; and,

WHEREAS, on October 31, 1981, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on January 27, 1982, the Department notified the permit holder that the permit had lapsed for failure of the permit holder to submit proof; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on February 8, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-7521 be REINSTATED and the priority advanced to December 11, 1971.

Dated this 10th day of March, 1982.


L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-7521

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-7521
IN THE NAME OF ELM GROVE TRAILER PARK

ORDER EXTENDING THE
PROOF DUE DATE

WHEREAS, on November 3, 1971, the Elm Grove Trailer Park filed with the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 1.44 cubic feet per second of groundwater to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ (2 pts.), Sec. 7, Twp. 3N, Rge. 1E, B.M., Ada County, to be used for domestic, commercial and irrigation purposes; and,


WHEREAS, on January 4, 1972, the Department approved said application and issued Permit No. 63-7521 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before January 1, 1977; and,

WHEREAS, on November 12, 1976, the Department received a request from the permit holder for an extension of time of the proof of beneficial use due date; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 63-7521 be extended to January 1, 1982.

Dated this 15 day of December, 1976.


A. KENNETH DUNN
Administrator, Operations Division

MICROFILMED

Identification No. 63-7521
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Elm Grove Trailer Park Ph: 888-4409
post office address Fairview Avenue, Meridian, Idaho
2. Source of water supply Ground water which is a tributary of _____
(2 points)
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 7 Township 3 N
Range 1 E B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.36 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for commercial purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.06 for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.44 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipelines

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to 60 inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 110 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$existing well.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 7 Township 3 N
Range 1 E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 68.
(5) If water is to be used for other purposes describe: _____
Commercial use is at two furniture stores in the same area.

63 7521

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. _____

Permit No. 63-3300 uses the same points of diversion but different place of use.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Number	Division	Place of use
7		

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold E. Ross
(Applicant) Owner

63 7591

Received by ej Date 11-3-71 Time 3:50 pmPreliminary check by BDF Fee \$ 35.00rect # 8454Receipted by ej Date 11-3-71Publication prepared by cr Date 11-10-71Published in Idaho StatesmanPublication dates 11-18 & 11-25-71Publication approved ck Date 12-8-71

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for

approval

denial by

SD BDFCK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7521, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1977.c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of January, 1972.

R. Keith Hiji
Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 63-7521 Name Elm Grove Trailer Park

Source Groundwater

Point of Diversion (2 points) NE 1/4, Sec. 7, T. 3N, R. 1E, B.M., Ada County

Quantity 1.36 Use Domestic Period Jan. 1 - Dec. 31

Quantity 0.02 Use Commercial Period Jan. 1 - Dec. 31

Quantity 0.06 Use Irrigation Period March 15 - Nov. 15

Well Size 6 Diameter 12 Proposed Depth 60 110 Feet

Use 3 acres; Commercial use is at two furniture stores in the same area.

Date Forwarded 11-12-71 Date Returned 11-16-71 Received by SS

COMMENTS: Water levels show some modest increases (W.B.'s 5, 11, & 18).
2/10 is approx. Artesian water at 56° F. is obtained from
relatively shallow wells (50-60 ft. deep). Primary aquifers
are sand & gravel layers. Aquifer has been moderately
developed, but should support additional development.

RECOMMENDED:

Applied: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ✓ Denied

Conditions of approval or reason for denial:

INVESTIGATION

By

Paul M. Casteln

Title W.R.I. - I

Date Nov. 16, 1971

Immigration

the issue of _____, 19____
George Davis

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

February 26, 1990

ELM GROVE TRAILER PARK
P.O. BOX 497
MERIDIAN, ID 83642

RE: PERMIT NO. 63-07521

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 13 1990

February 2, 1990

ELM GROVE TRAILER PARK
P.O. BOX 497
MERIDIAN, ID 83642

RE: PERMIT NO. 63-07521

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

MAR 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-7521
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

FEB - 3 1988

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

Department of Water Resources

measuring device req'd
- reinstatement & priority

☒ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SL 12/31/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☒ Increase rate of flow or volume 63-7300

☒ Other:

Check of P/U index SL 12/31/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?

Type of Overlap? ☒ Increase rate of flow or volume 63-7300

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other:

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 7/7/86; 8/25/86 SL (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Stenhouse 6/19/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SD 1/15/88 (Initial and date)

Exam Reviewed by Manager of Regional Office Dec 11/21/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office Jan 2/2/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: ELM GROVE Trailer Park Permit No. 63-7521
 Current Address: P.O. Box 497 Meridian Idaho 83642 Phone No. 888-3377 (Ralph Ross)
 2. Accompanied by: Harold Ross EXAM. DATE: 6/19/87
 Address: 2302 Aspen Cove Meridian Id 83642 Phone No. 888-1891
 Relationship to Permit Holder: FATHER of owner
 3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2122 & 3300 ☒ Copies Attached
 2. Other water rights with same point of diversion: 63-2122, 2133, & 3300 ☒ Copies Attached ☒ Copies of Field Exam's Attached
 COPIES - 63-3300 only

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2 wells are linked and provide domestic water to 40 trailers at the Elm Grove Transit Park and commercial water to a store and daycare center just N. of the trailers. Well #1 (main well) has a 12" casing, is 110' deep, and includes 2 pressure tanks and 2" mainline. Well #2 (auxiliary) has a 6" casing, is 80' deep, has 1 pressure tank, and a 1 1/2" mainline that joins the buried 2" line from well #1. Well #2 is interesting; when not being used, artesian water drains from system via 1 3/4" PVC pipe that is partly buried and leads from well #1 to a drainage ditch 155' S. of well #1. (See Diagram, pg. 1). Drainage ditch water is not used for this plan.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
No. 1	unknown Submersible	5	NO TAG	unknown Submersible	NO TAG; 2" pipe
No. 2	Red Jacket	1 1/2	NU	Red Jacket	NU; 1 1/2" pipe
			←	Serial # shown is "NU"	→

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1			NE	NW	7	3N	1E	Ada	USGS 7 1/2' quad; Both P/O's in
2									same 1/4 1/4

6. Place(s) of Use:

Indicate Method of Determination Same as in PD

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	1E	7					D												—
							C												—
							3												3

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

Well #1: 120' deep, Z unknown
pressure @ 54 psi

Well #2: 80' deep, Z unknown
pressure @ 60 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: Domestic:

40 households = .30 cfs - from domestic use chart.
Commercial: allow .02 cfs - as permit indicates.

Irrigation: Allow
.06 cfs, 3 acres,
as shown on
permit.

2. Alternate Method for Checking Purposes: NONE AVAILABLE

F. PUMP EFFICIENCY DATA (Optional)

N/A (NO ACCESS into wells
and no flow measurements)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

MICROFILMED

G. VOLUME CALCULATIONS

MAR 13 1990

1. Volume Calculations for Irrigation: ~~N/A~~

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (3.0)(4.5) = 13.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.06)(245)(1.9835) = 29.2$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 13.5$

2. Volume Calculations for Other Uses:

a) 40 domestic units, int + ext = $40 \times \frac{.6}{2} = 48.0$ cfs v. $(.30)(365)(1.9835) = 217.2$

b) Commercial
61) auto parts store - 1 bathroom, 2 people, 7 days/wk, 50 wks/year at 15 gpd/person ("dry-worker")
 $\frac{2 \times 7 \times 50 \times 15}{325,850} = .03$ v. $(.02)(350)(1.9835) = 13.9$

62) daycare center - 2 bathrooms & kitchen (no meals, just washing), 60 people, 5 days/wk @ 11 hrs/day, 52 wks/yr.
 $\frac{60 \times 5 \times 52 \times 15}{325,850} = .72$ v. $(.02)(260)(1.9835) = 10.3$

15 gpd/pupil:

"Dry school w/o cat, gym, showers"

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Incorrect 3 acres in rear of property (south) straddle drain ditch. These acres are not irrigated and have not been irrigated from the two wells. Disallow irrigation portion of this water right. Information provided by Harold Ross.

and P/U
Overlap - P/D conflict, 63-3300:

P/D 63-2122 & 2133 are surface water.

63-3300 - Same wells as in 63-7521 (see pg. 12 of 3300 field exam report).

P/U 63-2122 is domestic & irrigation on other property.

63-3300 - same trailers and yards as in 63-7521.

Note: Permit & License copies 63-3300 - intent is to provide .04 cfs (total) for irrig. and domestic use at 1 home and trailer park. The 3 acres are included in this description. 63-7521 is a newer WR to increase the amount of water for the same uses on same property. However,

I. RECOMMENDATIONS

1. Recommended Amounts

the domestic units now total 40 and 2 businesses are present. The house is no longer present.

Lic. Condition: This Right, when combined with 63-3300, should not exceed .38 cfs or 43.1 AFA.

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.30	48.0 28.8
Commercial	1/1	12/31	.02	0.8
Irrigation	3/15	11/15	.06	13.5
Totals:			.38	43.1

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steven Lester

Signature

Steven Lester

Certification Date


Field Report Preparation Date

6/19/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 1/12/89



MICROFILMED

MAR 13 1990

3N 1E 55
(lots in white only)

63-7521
MERIDIAN QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

548 R. 1 W. 2 E. MI. TO U.S. 20 & 26


330 000 FEET

R. 1 E. 550

116° 22' 30"

551 000 m. E.

521



6/19/87

I request that the measuring device requirement
be removed on Permit No. 63-7521 as less than
0.7 cfs is used.

Harold Ross

Witnessed by Stan Lester, Water Resource Agent

MICROFILMED

MAR 13 1990


63-7521

Elm grove Trailer Park, Cal's Auto
P 2, Greenleaf Friends Academy, Daycare
in Meridian on Fairview Ave.




P/D #1
12" casing

MICROFILMED
MAR 18 1990



P/D #2
6" casing, artesian well.



P/U ↑
DAYCARE CENTER - Left
CAL'S AUTO PARTS - CENTER BACKGROUND

P/U ↑
Typical trailers with small kennels
P/U - Diagram showing 40 trailer spots, store, and
(#14-19 and 21-51) daycare center

63-7521


Elm grove Trailer Park, Cal's Auto
P 3, Greenleaf Friends Academy Daycare
in Meridian on Fairview Ave.



P/D #1
12" casing

MICROFILMED

MAR 18 1990



P/D #2
6" casing, artesian well.



P/U ↑
DAYCARE CENTER - Left
CAL'S AUTO PARTS - CENTER BACKGROUND

2 P/U
Typical trailers with small lawns
P/U - Diagram showing 40 trailer spots, store, and
(#14-99 and 21-51) daycare center

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 30552/63-3300 Priority July 18, 1962 Amount 0.04 cfs
(late proof)

THIS IS TO CERTIFY, that Harold G. Ross or F. Elberta Ross
of Meridian, Idaho, has complied with the terms and conditions of Permit
No. 30552/63-3300 issued pursuant to Application for Permit dated July 3, 1962
and has submitted proof to the Department of Water Administration on July 21, 1967
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of more than .04 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.04 for irrigation from Mar. 15 to Nov. 15 (both dates inclusive)

Amount 0.04 for domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NE¹/₄NW¹/₄ (2 points), Sec. 7, Twp. 3 N, Rge. 1 E, B.M.

_____ and that the amount of water so diverted and to which such
_____ shall not exceed 13.5 acre feet per year or _____

4.5 acre feet per acre for irrigation use and 29.2 acre feet per year for
domestic use at 0.6 acre feet per domestic unit, with the total amount not to exceed
Description and location of place of use: 29.2 acre feet per year.

TWP.	RANGE	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
3 N	1 E	7					3												3
Domestic Use:																			
3 N	1 E	7					X												

Mr. Ross told me that this _____ Total number of acres irrigated 3
license was for the old house's 3 acres @ 1/2. House not in
place anymore. Field exam on this older house shows 3 acres around house's
yards of 48 trailers.
The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of
November _____, 19 71.

Note that 3300 permit described is domestic use over is trailer
court's pers. home
MICROFILMED

* Intent of this permit is license is for int. & ext. use of old home's
trailer court.
MAR 13 1990 63 3300

To Appropriate the Subterranean Waters of the State of Idaho

Application No. G. 38626
 Permit No. G. 30552
 District No.

1. Name of Applicant: Harold G. Ross or F. Elberta Ross
 Postoffice address: Rt. #2, Meridian, Idaho County: Ada State: Idaho
2. Quantity of water claimed: 0.02 c.f.s.
 (a) Rate of withdrawal in cubic feet per second or Idaho Miners' inches or gallons per minute
 (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 7
 Twp. 3 N, Rge. 1 E, B.M., County of Ada
5. Water is to be used for: Irrigation and domestic in trailer court and personal home
6. If for municipal, industrial or recreational purposes, give:
 (a) Point of use of water is in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section Twp.
 Rge., B.M.
 (b) Waste water or sewage effluent is to be returned to
 at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section Twp., Rge., B.M.
7. Kind of works: Pipe will be used for both wells. Well #1 has 1 h. shallow well pump; Well #2 will have a turbine type pump, electric motor
8. Estimated cost of works: \$ 2500.00
9. (a) Is reservoir to be used? No
 (b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.
11. If applicant is a corporation, give:
 I. (a) Date and place of incorporation:
 (b) Amount of capital stock: \$ (c) Amount paid in: \$
 (d) Names and addresses of directors:
 II. The financial resources of the applicant are (a) Cash on hand: \$
 (b) Treasury stock: (c) Bonds to be issued:
 (d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
 Nanna & Meridian Irrigation Water
 (a) 0.02 (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 (b) (cubic feet per second, inches or gallons per minute) is for new lands.

MAR 23 1960

MICROFILMED

These wells are both flowing wells but a pump is already installed. Well No. 1 and a pump
Remarks: will be installed soon on well No. 2.

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

s/ Harold & F. Elberta Ross Applicant

By Harold G. Ross Agent

Date of first receipt at Department of Reclamation: 11:15 A.M. July 3, 1962

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G- 30552

Recorded in Book 107 Page 30552 Approved July 6, 1962

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ to be filed on or before

Work to begin on or before and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before January 6, 1965

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before July 6, 1967

Witness my hand this 6th day of July, 1962

s/ CARL E. TAPPAN, Assistant
STATE RECLAMATION ENGINEER

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLLIE, Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 6th day of July, 1962

Countersigned:

STATE OF IDAHO

(SEAL)

By s/ ARNOLD WILLIAMS

By s/ ROBERT E. SMYLLIE

Governor

Secretary of State

12

Twp.	Range	Sec.	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	Totals
			NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	
3 N	1 E	7		8			8

POINT OF DIVERSION AMENDMENT

Comes now Harold G. Ross, Route #2, Meridian, Idaho and represents to the State Reclamation Engineer of the State of Idaho: That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho, No. G-30552. That the point of diversion is described in said Permit as being located: 2 wells in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 7, T 3 N., R 1 E., S 4 M. That he now requests that the point of diversion be changed to a point located: 2 wells in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 7, T 3 N., R 1 E., S 4 M. That the reason for desiring to make such change is as follows: Well #1 and a 2" casing; well #2 has a 6" casing = 90 G.P.M. Inadequate and unreliable water supply from the original two wells. That no one will be injured by such change and that such change will be made at Permit Holders own risk. Signed at Boise, Idaho this 25th day of May, 1966.

s/ HAROLD G. ROSS

Date of receipt at Department of Reclamation: May 25, 1966

APPROVAL OF STATE RECLAMATION ENGINEER

I, CARL E. TAPPAN, Assistant State Reclamation Engineer of the State of Idaho, hereby approve the above and foregoing application for amendment to Permit to appropriate the Public Waters of the State of Idaho, No. G-30552. This approval constitutes a new permit and is issued as an amendment to the original permit, to which it refers and of which it becomes a part; and said application is approved only insofar as the rights of others will not be adversely affected thereby.

s/ R. KEITH HIGGINSON
Deputy State Reclamation Engineer

Recorded in Book 107, of Permits, at page G-30552, May 26, 1966.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. G-30552

This proof is for C/W & B/U

In Water District No.

1. Name of applicant Harold G. or Elberta Ross

2. Source of water supply: subterranean

3. Location of point of diversion: Is in the NE 1/4 of Section 7

T. 3N R. 1E County of Ada

4. Describe works as they exist, giving dimensions and capacities of same:

- #1 2" well Not used anymore Pump & Motor has been removed = well capped.
#2 6" well 1 1/2 H.P. Red Jacket Pump - Same Pump = well #2
#3 12" well 5 H.P. Fairbanks Whitney LCPC 10357130 = well #1
this pump has been replaced.

5. Water is used for: irrigation and domestic use

6. State whether or not water has been turned into works of diversion:

2 wells for this well in open area.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

NE 1/4, Sec. 7, T. 3N, R. 1E, B.M.

6" well 1 1/2 H.P. Red Jacket Pump
No. Series

This well is used as a standby in case the 12" well goes out.

2" well is not used anymore, Pump & Motor has been removed

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: 7/10/90

RECORDED

MAR 13 1990

Fairbanks Whitney LCPC 10357130

Drilled 25' Deep

This examination was made on the 27 day of July, 1977

(Signed) Elberta Ross Examiner.

Book

Book

Colton

3

3

Q measured estimated
Multiple Domestic = 04 cfs
Q recommended 13.5 AC
Irrigation = 13.5 AC
Volume 14.64 AC
Acreage =
Found 3
Recommended 3
Subdiv. 1
Amendments
☒ None
☐ P.D.
☐ Place of use
☐

estimated 04 Multiple Dom.
04 Dom
04 Irr.
Q recommended 04
Volume 13.5 Irr.
Acreage =
Found 3
Recommended 3
Subdiv. 1
Amendments
☒ None
☐ P.D.
☐ Place of use
☐

MICROFILMED

MAR 13 1990

Re-examine - A new well has replaced
the original well

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

Harold G Ross or F. Elberta Ross
Route #2,
Meridian, Idaho

Permit No. G-30552 63-3300

Examination for C/W and B/U

County Ada

Sec. 7 T.3N R. 1E

Quantity: 0.04 c.f.s.

Source: 63-
subterranean

P.D.: NE 1/4 NW 1/4, Sec. 7, T. 3N, R. 1E, B.M.

Use: irrigation and domestic

Extension:

Protest:

Completion of Works:

Other Rights Nampa & Meridian Irrigation Water

Filed: July 3, 1962

Due: July 6, 1967

Made: July 21, 1967

Priority: July 18, 1962

well pump
110' x 12"
4- artesian
Q - 2"

50 - 3/4" - 30/100 #

MAR 13 1960

RECEIVED

63 3300

4/86

RECEIVED

JUN 13 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

EXAMINATION FEE INFORMATION

KEYPUNCHED

For Office Use Only
Fee Received \$125
Date 6/26/86
Receipt # 46480
Receipt by MB
Sent to S.O. 7/1/86

RECEIVED

JUN 13 1986

1. Permit No. 63-7521

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: ELM GROVE TRAILER PARK

3. Post Office Address: P.O. BOX 497

Telephone No. 888-3377 (RALPH ROSS)

4. Source of Water: WELL

5. Extent of Use:

Domestic 45-TRAILER SPACES (No. of households) Stockwater _____ (No. and type of stock)

Irrigation LAWNS IN PARK (acres) Other/Remark LARGE BUILDING IS

ON WELL WATER - SMALL STORE IS ON CITY WATER.

6. Total rate &/or volume for which proof is submitted 1.44 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

NOV. 3-1971

8. Person to contact to accompany the department representative during the field examination:

RALPH ROSS

(Name)

1520 SO. TEN MILE, MERIDIAN

(Address)

888-3377
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner. I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-6-86
Date

Mrs. Harold Ross Bookkeeper
Signature of Permit Holder (and title, if appropriate)

888-1891



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720

63-7521
ELM GROVE TRAILER PARK
C/O ROSS FURNITURE
403 E. FAIRVIEW
MERIDIAN, ID 83642

April 17, 1986

CERTIFIED MAIL

138352

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MAR 19 1986

RECEIVED

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region


Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

April 30, 1982

Elm Grove Trailer Park
c/o Ross Furniture
403 E. Fairview
Meridian, Id. 83642

RE: 63-7521

Dear Customers:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 03-7521

Name(s) of Permit Holder: ELM GROVE TRAILER PARK
 Post Office Address: 96 LOSS FURNITURE 403 E. FAIRVIEW
MERIDIAN IDAHO 83642 Tel. No. 888-4409

Source of Water: 12" Well
 Extent of Use: ☒ Domestic 50 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Point: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No



The above information is a true statement of the extent to which the above-numbered permit has been developed.

2-3-82
 Date

[Signature]
 Signature of Permit Holder

MICROFILMED

From LADDER TO OAK PARK
90 Ross FURNITURE
403 E. FRANKLIN
MERIDIAN IDAHO 83642



MICROFILMED



RECEIVED

FEB 8 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ELM GROVE TRAILER PARK
321 E. FAIRVIEW
MERIDIAN, ID 83642

JANUARY 13, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-7521 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED OCTOBER 31, 1981.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.


A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

CERTIFICATION OF MAILING

I hereby certify that on 1-27-1982
a ~~copy~~ original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138775

ELM GROVE TRAILER PARK
321 E. FAIRVIEW
MERIDIAN, ID 83642

OCTOBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-7521 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

IDENT. NO. 63-7521

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 30, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

December 16, 1976

Re: Permit No. 63-7521

Elm Grove Trailer Park
321 E. Fairview
Meridian, Idaho 83642

Gentlemen:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to **January 1, 1982.**

Sincerely,

D. Darlene Reich
Water Rights Supervisor

RECEIVED

NOV 12 1976

Meridian, Idaho
November 9, 1976

Department of Water Resources

888-4409


State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Ms. Rich:

I called your office November 8, 1976 in regards to water permit no. 63-7521. As I explained to you in our conversation there has been no more improvement on the property. The water usage remains the same, however there are three acres more on this property to be improved when City facilities have been developed. So for this reason, we would appreciate another five year extension.

Thank you for your interest in this matter.

Sincerely yours,



Harold Ross

RECEIVED

October 29, 1976

CERTIFIED MAIL

138049

Re: Permit No. 63-7521

Elm Grove Trailer Park
Fairview Avenue
Meridian, Idaho 83642

c/o Harold G. Ross
321 E. Fairview Ave.

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7521 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215

January 6, 1972

Re: Permit No. 63-7521 - Elm Grove Trailer Park

Elm Grove Trailer Park
Fairview Avenue
Meridian, Idaho 83642

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-7521. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

63 7521

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 13, 1971

Re: Application for Permit No. 63-7521

Elm Grove Trailer Park
Fairview Avenue
Meridian, Idaho 83642

ATTENTION: Harold G. Ross

Dear Mr. Ross:

While processing your application for approval, we have found that you failed to sign the form.

Would you please sign the enclosed application for permit and indicate below your signature that you are the owner of the Elm Grove Trailer Park.

If you have any further questions in this matter, please contact this Department at your earliest convenience.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enclosure

63 7521

December 13, 1971

Re: Application for Permit No. 63-7521

Elm Grove Trailer Park
Fairview Avenue
Meridian, Idaho 83642

ATTENTION: Harold G. Ross

Dear Mr. Ross:

While processing your application for approval, we have found that you failed to sign the form.

Would you please sign the enclosed application for permit and indicate below your signature that you are the owner of the Elm Grove Trailer Park.

If you have any further questions in this matter, please contact this Department at your earliest convenience.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enclosure

63 7521



STATEHOUSE BOISE, IDAHO 83707

November 24, 1971

RECEIVED

NOV 23 1971

Department of Water Administration

Donald W. McEldowney
Appropriation Supervisor
Department of Water Administration
Annex 2
Boise, Idaho 83707

Re: Application No. 63-7517-Rosewood Water Corp., Caldwell, Idaho
" " 63-7521-Elm Grove Trailer Park, Meridian, Idaho

Dear Mr. McEldowney:

A check of the files revealed no approved plans and specifications for the above referenced applications for permit. It would appear that these are both existing facilities which are expanding, however, we are not aware of such action.

We will retain the copies that you sent to us for our files.

Sincerely,

Jerry L. Yoder
Sr. Public Health Engineer
Water Pollution Control Section
Environmental Improvement Division

JLY/ged

cc Central District Health Department
Southwestern Health Department

63 7521

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 15, 1971

Re: Application No. 63-7517 - Rosewood Water Corporation
" " 63-7521 - Elm Grove Trailer Park

Mr. Vaughn Anderson
Dept. of Health
Boise, Idaho

Dear Mr. Anderson:

Enclosed, please find copies of the above referenced applications for permit. Before final action is taken, we would appreciate receiving your comments in connection with these applications.

Your assistance in this matter is greatly appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/BB

Enclosures

63 7511

November 10, 1971

Re: Application No. 63-7519 - Percy W. &/or Vanna A. McDonald
" " 63-7521 - Elm Grove Trailer Park

The Idaho Statesman
Box 2640
Boise, Idaho 83701

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

Bill submitted _____ By _____

DWM:cr

Enc: Legal Notice

63-7511

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Elm Grove Trailer Park,
Fairview Avenue, Meridian, Idaho
has on November 3, 1971 submitted Application No. 63-7521
for a permit to appropriate 1.44 cubic feet per second ~~acre-feet per year~~
of water from a ground water source
by means of well, pump, and pipelines
within the NE¹/₄ (2 points), Sec. 7, T. 3N, R. 1E, B.M., Ada County
to be used from Jan. 1 to Dec. 31 for commercial and domestic purposes for 68
four families; and from March 15 to Nov. 15 for the irrigation of 3 acres
within the NE¹/₄, Sec. 7, T. 3N, R. 1E, BM

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before December 6, 1971.

R. KEITH HIGGINSON

Director

Published in the Idaho Statesman, Boise, Idaho
on Nov. 18 and Nov. 25, 1971.

63 7521