


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delmer A. East
(Applicant)

63 7406

RECEIVED

MAR 20 1971

Department of Water Administration

STATE OF IDAHO,)
COUNTY OF ADA) ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two weekly ~~consecutive~~ insertions, beginning with the issue of March 18, 19 71, and ending with the issue of March 25, 19 71.

Georgene Davis


Subscribed and sworn to before me this 26th

day of March, 1971.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT
Notice is hereby given that Delmar A. Last, 6708 Pomona Road, Boise, Idaho, has on March 5, 1971, submitted Application No. 63-7406 for a permit to appropriate 1.66 cubic feet per second of water from a ground water source by means of well, pump, motor and pipe within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 2), Sec. 31, T. 2N, R. 2E, B.M., Ada County, to be used from March 15 to Nov. 15 for the irrigation of 85 acres and from Jan. 1 to Dec. 31 for domestic and stock watering purposes within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 1) and SW $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 2), Sec. 31, T. 2N, R. 2E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before April 5, 1971.
R. KEITH HIGGINSON
Director
Pub. March 18, 25, 1971.

63 7406



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

(Lot 2)

Point(s) of diversion: SWNW S31 2N 2E

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
2N	2E	31							X										

Recommended Amendments:

☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None

☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Paul E. Morris Date 31 Aug 2001

Checked by DBS Date 11/3/81

Approved by Rolyn Date 11/24/81

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Delmar A. Last

Total number of acres irrigated _____

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-7406)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAR 5 1976

APPLICATION FOR EXTENSION OF TIME

Department of Water Resources

State of Idaho)
County of ADA)

Permit No. 63-7406

Delmar A. Last of 6708 Pomona Road, Boise
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 63-7406.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before April 1, 1976.

A That he has heretofore performed the following work described under said permit:
Well has been drilled and new house is under construction. Land has been cleared
and land is being plowed.

Costing \$ 8,500.00

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: He has not had time to complete all the work
anticipated under the permit

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to April 1, 1981.

Delmar A. Last
(signature) *

Subscribed and sworn before me this 5th day of March, 1976.

seal

Marcia L. Brown
Notary Public residing at
Boise, Idaho

My commission expires 8-10-79

OK
B22

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use of water be extended
to April 1, 1981.

Witness my hand this 11 day of March, 1976

A. Kenneth Dunn
A. KENNETH DUNN, Administrator, Operations
Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

msb

Identification No. 63-7406

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

375-2249

1. Name of applicant Delmar A. Last
post office address 6708 Pomona Rd., Boise, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SW (Lot 2) $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 2N
Range 2E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.60 for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.66 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled well, pump, motor, pipe

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 10 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 6,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 2N
Range 2E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 30 beef

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

63 7406

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2E	31					lot 1 42.5	lot 2 42.5											85

Total number of acres to be irrigated 85

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Self

b. Who owns the land to be irrigated or place of use Self

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delmar A. East
(Applicant)

Received by ef Date 3-5-71 Time 8:00 A
 Preliminary check by de Fee \$ 25.00
 Receipted by ef Date 3-5-71
 Publication prepared by dr Date 3-10-71
 Published in Idaho Statesman
 Publication dates 3-18 & 3-25, 1971
 Publication approved dr Date 3-30-71
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by DDC BDFOM

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7406, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 76.
- c. Other: The permit holder shall permanently install and maintain as part of the diverting works measuring device at the point of diversion of a type approved by this Department.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April 19 71.


 Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No.	63-7406		Name	Delmar A. Last	
Source	ground water				
Point of Diversion	(Lot 2) SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 31, T. 2N, R. 2E, B.M., Ada County				
Quantity	1.60	Use	irrigation	Period	March 15 - Nov. 15
Quantity	.03	Use	domestic	Period	Jan. 1 - Dec. 31
Quantity	.03	Use	stockwater	Period	Jan. 1 - Dec. 31
Well Size		Diameter	10"	Proposed Depth	400 Feet
Use	30 beef, one family - 85 acres				
Date Forwarded	3-16-71		Date Returned		
			Received by		

COMMENTS: WATER TABLE IS STABLE (W.B. #18).
Several irrigation wells exist in the area
of the proposed well. Aquifer is the upper
sand and gravel unit. Depth to water is 300-400 ft.
Fields are good with low drawdowns.

RECOMMENDED:

Applied: Qty.	1.60 cfs	Use	irrig	Period	3-15 to 11-15	AF/A	4.5	AF	383
Qty.	0.02 cfs	Use	dom.	Period	1-1 to 12-31	AF/A	—	AF	1
Qty.	0.02 cfs	Use	stock	Period	1-1 to 12-31	AF/A	—	AF	1
Maximum: Qty.	1.70 cfs	Use	irrig	Period	3-15 to 11-15	AF/A	4.5	AF	383
Qty.	0.02 cfs	Use	dom.	Period	1-1 to 12-31	AF/A	—	AF	1
Qty.	0.02 cfs	Use	stock	Period	1-1 to 12-31	AF/A	—	AF	1

ACTION:

Approved XDenied

Conditions of approval or reason for denial: Acceptance of the
reduced diversion rates for domestic and stock
or written justification at a higher rate. No Denial

INVESTIGATION

By

Norman C. Young

Title

W. R. Engle

Date

3-25-71

RATE

$$(30 \text{ feet})(15 \text{ gpd/foot}) = 450 \text{ gpd}$$

.01 cfs will provide $\approx 6500 \text{ gpd}$
thus for 2 hrs pumping per day 130 gals could
be obtained with 0.0083 cfs. Thus, the minimum
rate of 0.02 cfs (9 gpm) is adequate.

Volume

$$\frac{(365)(450)}{328,000} \approx 0.5 \text{ ac} \approx 1 \text{ ac}$$

CS 1000

STATE OF IDAHO,)
COUNTY OF ADA) ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two weekly consecutive insertions, beginning with the issue of March 18, 1971, and ending with the issue of March 25, 1971.

Georgene Davis

Subscribed and sworn to before me this 26th day of March, 1971.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho



WATER RIGHT NUMBER 63-7406 ✓

OWNER LAST NAME - LAST ✓

FIRST NAME - DELMAR A ✓

ORIG OWNER - ✓

ADDRESS LINE 1 - 14375 S. COLE ✓

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - KUNA ✓

STATE - ID ✓ ZIP CODE - 83634 ✓

SOURCE - GROUNDWATER ✓

TRIBUTARY OF - ✓

STAGE - LICENSE ✓

STATUS - ✓

PRIORITY - 03-05-1971 ✓

COUNTY - ADA ✓

TOTAL DIV. RATE -

.0300 ✓ CFS

TOTAL DIV. VOLUME -

1.20 AFA

TRER/AMEND - ✓

WATER DIST. - ✓

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWNW 31 02N 02E LOT 02 ✓

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 ✓

USE - DOMESTIC ✓

USE DIV. RATE -

.0300 ✓ CFS

USE DIV. VOLUME -

1.20 AFA

USE - DOMESTIC ✓

PLACE OF USE - TWN 02N RNG 02E SEC 31 ✓

TRACT SWNW LOT 02 ✓

DECFE NAME -

DATE -

TOTAL ACRES

0 ✓

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE -

FLD EXAM -

COND. OF APPROVAL -

DIVERSION MEANS -

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

ada
co. into.
383-4400

as per CO.
Ada
assessors office
3/3/82 Cole
14375 S.
Luna
83634

Delmar A. Last
6708 Pomona Rd.
Boise, ID 83701

Department of Water Resources

FEB 19 1982

RECEIVED

LAS 08 621108N 02/11/82

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

January 28, 1982

RE: Permit No. 63-7406

Delmar A. Last
6708 Pomona Rd.
Boise, ID 83702

Dear Mr. Last:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in black ink, appearing to read "Jim Johnson", with a stylized, flowing script.

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
JAN 29 1982
MED



ate of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 7, 1981

RE: Permit No. 63-7406

Delmar A. Last
6708 Pomona Rd.
Boise, ID 83701

Dear Mr. Last:

A representative of this Department has made an examination of the works covered by your Permit No. **63-7406**, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.03 cfs Source: **groundwater**

The maximum quantity diverted shall not exceed **1.2** acre feet per year.

Point(s) of diversion: **Government Lot 2(SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 31, Twp. 2N,
Rge. 2E, Ada County**

Beneficial use: **Domestic use for 1 unit within the GL2 (SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 31,
Twp. 2N, Rge. 2E**

Priority date established: **March 5, 1971**

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

RECORDED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	3/24/81	neh	no appt. made. 375-2249
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

Date 31 Aug 1981 Accompanied by _____ Total Q measured .03
If source is surface water, estimate total flow of source _____
Methods of measurement _____ Meets Permit requirements? yes

$$V = 1 \text{ unit} \times 1.2 = 1.2$$

[illegible]

System Description domestic well, pipe to house

**Code with map on reverse side. Disregard code if only one.*

USE	Q (cfs)	V (afa)	FROM	TO
<i>Domestic</i>	<i>.83 ✓</i>	<i>1.2 ✓</i>	<i>1/1</i>	<i>12/31</i>
Total	<i>.83 ✓</i>	<i>1.2 ✓</i>		


Remarks 31 Aug 1981 The land in question was not in cultivation; there is sagebrush and grass growing though in some spots it appears a dig has been run through. There is a house on the property.

No Overlapping rights

MICROFILMED

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

(Lot 2)

Point(s) of diversion: SW NW S31 2W 2E

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
2W	2E	31							X										

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Paul E. Morris

Checked by DBS

Approved by Rolyn

Date 31 Aug 2001

Date 11/3/81

Date 11/24/81

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-7406.

Name(s) of Permit Holder: DELMAR A. LAST

Post Office Address: 6708 POMONA RD.

BOISE ID Tel. No. 375-2249

Source of Water: Groundwater

Extent of Use: ☒ Domestic 1 home (number of households)

☒ Stockwater 80 head (number and type of stock)

☐ Irrigation

☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has developed.

March 16-1981

Date

Delmar A. Last

Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

March 18, 1981

Delar A. Last
6708 Pomona Road
Boise, Idaho

RE: Permit No. 63-7406

Dear Mr. Last:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

RECEIVED
MAR 22 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

LAST, DELMAR A.
6708 POMONA RD.
BOISE, ID 83701

188392

JANUARY 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-7406 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

IDENT. NO. 63-7406

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 26, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

March 15, 1976

Re: Permit No. 63-7406

Delmar A. Last
6708 Pomona Rd.
Boise, ID 83702

Dear Mr. Last:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to April 1, 1981.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

PS Form 3811, Jan. 1975

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete items 1, 2, and 3. Add your address in the "RETURN TO" space on reverse.								
1. The following service is requested (check one). ☐ Show to whom and date delivered..... 15¢ ☐ Show to whom, date, & address of delivery.. 35¢ ☐ RESTRICTED DELIVERY. Show to whom and date delivered..... 65¢ ☐ RESTRICTED DELIVERY. Show to whom, date, and address of delivery 85¢								
2. ARTICLE ADDRESSED TO:								
3. ARTICLE DESCRIPTION: <table border="1"> <tr> <td>REGISTERED NO.</td> <td>CERTIFIED NO.</td> <td>INSURED NO.</td> </tr> <tr> <td></td> <td>1582-204</td> <td></td> </tr> </table> (Always obtain signature of addressee or agent)			REGISTERED NO.	CERTIFIED NO.	INSURED NO.		1582-204	
REGISTERED NO.	CERTIFIED NO.	INSURED NO.						
	1582-204							
I have received the article described above. SIGNATURE ☐ Addressee ☐ Authorized agent <i>Marie Elvira Last</i>								
4. DATE OF DELIVERY JUN 31 1976		POSTMARK						
5. ADDRESS (Complete only if requested)								
6. UNABLE TO DELIVER BECAUSE:		CLERK'S INITIALS						

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, and 3 on reverse side.
- Moisten gummed ends and attach to back of article.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



RETURN
TO



DEPARTMENT OF WATER RESOURCES
STAT HOUSE
BOISE, IDAHO 83720

January 30, 1976

CERTIFIED MAIL

138304

Re: Permit No. 63-7406

Delmar A. Last
6708 Pomona Rd.
Boise, Idaho 83702

Dear Mr. Last:

One of the conditions of approval of your water Permit No. 63-7406 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Delores East
Address Boise, Idaho
Owner's Permit No. 63-7406

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

- ☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 401 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
inches <u>12</u>	inches <u>4</u>	feet <u>0</u>	feet <u>12</u>
inches <u>16</u>	inches <u>4</u>	feet <u>0</u>	feet <u>18</u>
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation 1/8 inches by 3 inches

Number	From	To
<u>1212</u> perforations	<u>294</u> feet	<u>395</u> feet
perforations	feet	feet
perforations	feet	feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Ada

SW 1/4 NW 1/4 Sec. 11 T. 2 N/S, R. 2 E/W

7. WATER LEVEL

Static water level 297 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

- ☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	1	Soil		
	1	21	Gray lava, hard.		
	21	28	Brown lava, caving.		
	28	35	Gray lava, hard.		
	35	38	Brown lava, hard.		
	38	63	Gray lava, hard.		
	63	81	Brown lava, caving.		
	81	86	No cuttings.		
	86	100	Brown lava.		
	100	128	Sand, clay and boulders.		
	128	172	Gravel and sand. Some clay.		
	172	213	River gravel, sand and white rock.		
	213	230	Sand gravel, some clay.		
	230	256	Gravel and sand.		
	256	342	Pea gravel and sand.		
	342	373	Coarse sand, some gravel.		
	373	392	Sand and some pea gravel.		
	392	401	Sand.		

10.

Work started Oct. 14/71 finished Jan. 3/72

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

C. L. Middleton -- Driller

C. L. Middleton & Son
Driller's or Firm's Name Number 35

Mountain Home, Idaho
Address

C. L. Middleton
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Delmar Test

Address Boise, Idaho

Owner's Permit No. 63-7406

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 401 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>1/2</u> inches	<u>12 3/4</u> inches	<u>0 + 12"</u> feet	<u>401</u> feet
<u>1/2</u> inches	<u>16 1/4</u> inches	<u>0</u> feet	<u>18</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☒ Factory ☐ Knife ☐ Torch

Size of perforation 1/8 inches by 3 inches

Number	From	To
<u>1212</u> perforations	<u>294</u> feet	<u>395</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet

Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Ada

SW 1/4 NE 1/4 Sec. 31 T. 2 N/S. R. 2 E/W

7. WATER LEVEL

Static water level 297 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		as	No
16	0	4	Soil		
	4	21	Gray lava, hard.		
	21	28	Brown lava, caving.		
	28	35	Gray lava, hard.		
	35	38	Brown lava, hard.		
	38	63	Gray lava, hard.		
	63	81	Brown lava, caving.		
	81	86	No cuttings.		
	86	100	Brown lava.		
	100	128	Sand, clay and boulders.		
	128	172	Gravel and sand, Some clay.		
	172	213	river gravel, sand and white rock.		
	213	230	Sand gravel, some clay.		
	230	286	Gravel and sand.		
	286	342	Pea gravel and sand.		
	342	373	Coarse sand, some gravel		
	373	392	Sand and some pea gravel		
	392	401	Sand.		

10.

Work started Oct. 14/77 finished Jan. 3/78

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

C. L. Middleton --Driller

C. L. Middleton & Son 35
Driller's or Firm's Name Number

Mountain Home, Idaho
Address

C. L. Middleton
Signed By

Date

USE ADDITIONAL SHEETS IF NECESSARY

April 15, 1971

Re: Permit No. 63-7406 - Delmar A. Last

Delmar A. Last
6708 Pomona Road
Boise, Idaho 83702

Dear Mr. Last:

Enclosed is a copy of your approved Application for Permit No. 63-7406. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh

Enclosures

63 7406

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

March 10, 1971



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

Re: Applications No. 63-7401 - Leanold C. &/or Lerta J. Hopkins
63-7402 - Earl Coffey
63-7403 - Joe P. Aldape
63-7404 - Michael F. Zahm
63-7405 - Willis E. Woods
63-7406 - Delmar A. Last
Claim Number 63-4082 - Robert W. Carpenter

Idaho Statesman
Box 2640
Boise, Idaho 83701

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

Bill submitted 3-30-71 by dw

DWM:DR
Enc: Legal notices (7)

63 7406

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Delmar A. Last, 6708 Pomona Road, Boise, Idaho,

has on March 5, 1971, submitted Application No. 63-7406

for a permit to appropriate 1.66 cubic feet per second ~~zero feet per second~~

of water from a ground water source

by means of well, pump, motor and pipe

within the SW¹/₄NW¹/₄ (Lot 2), Sec. 31, T. 2N, R. 2E, B.M., Ada County.

to be used from March 15 to Nov. 15 for the irrigation of 85 acres and from Jan. 1
~~xxxx~~ to Dec. 31 for domestic and stock watering purposes

within the NW¹/₄NW¹/₄ (Lot 1) and SW¹/₄NW¹/₄ (Lot 2), Sec. 31, T. 2N, R. 2E, B.M.

If ^{issued} ~~made~~, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before April 5, 1971.

R. KEITH HIGGINSON
Director

Published in the Idaho Statesman, Boise, Idaho,
on March 18 and March 25, 1971.

63 7406

March 5, 1971

Delmar A. Last
6708 Pomona Road
Boise, Idaho

Dear Mr. Last:

Attached herewith is Departmental Receipt No. 5720 in the amount of
\$25.00 for Application for Permit,
which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure