

T. 4 N. R. 1 E. B.M.

24

• → proposed well.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

63-7338

STATE OF IDAHO,) ss.
COUNTY OF ADA)

NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE
THE PUBLIC WATERS OF THE
STATE OF IDAHO

Notice is hereby given that Gerard Bruneel, Route 2, Boise, Idaho, has on May 8, 1970, submitted Application No. 63-7338 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 0.08 cubic feet per second of water to be diverted by well and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24, T. 4N, R. 1E, B.M., Ada County, and is to be used within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24, T. 4N, R. 1E, B.M. from January 1 to December 31 for domestic purposes.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before June 8, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer
Publish May 21, 28, 1970.

Georgene Davis

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two ^{weekly} consecutive insertions, beginning with the issue of May 21, 1970, and ending with the issue of May 28, 1970.

Georgene Davis

Subscribed and sworn to before me this 28th day of May, 1970.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

63-7338

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name GERARD BRUNEEL
Address BOISE R2
Owner's Permit No. 63-7338

7. WATER LEVEL

Static water level surf feet below land surfaceFlowing? ☐ Yes ☐ No G.P.M. flow ---Temperature --- ° F. Quality GoodArtesian closed-in pressure --- p.s.i.Controlled by ☐ Valve ☒ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ OtherDischarge G.P.M. 68 Draw Down 21' Hours Pumped 1.30

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole --- inches Total depth --- feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>1.50</u> inches	<u>4"</u> inches	<u>18'</u> feet	<u>45'</u> feet
<u>---</u> inches	<u>---</u> inches	<u>---</u> feet	<u>---</u> feet
<u>---</u> inches	<u>---</u> inches	<u>---</u> feet	<u>---</u> feet
<u>---</u> inches	<u>---</u> inches	<u>---</u> feet	<u>---</u> feet
<u>---</u> inches	<u>---</u> inches	<u>---</u> feet	<u>---</u> feet


Was a packer or seal used? ☐ Yes ☐ NoPerforated? ☐ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☐ TorchSize of perforation --- inches by --- inches

Number	From	To
<u>---</u> perforations	<u>---</u> feet	<u>---</u> feet
<u>---</u> perforations	<u>---</u> feet	<u>---</u> feet
<u>---</u> perforations	<u>---</u> feet	<u>---</u> feet

Well screen installed? ☐ Yes ☐ NoManufacturer's name ---Type --- Model No. ---Diameter --- Slot size --- Set from --- feet to --- feetDiameter --- Slot size --- Set from --- feet to --- feetGravel packed? ☐ Yes ☒ No Size of gravel ---Placed from --- feet to --- feetSurface seal? ☒ Yes ☐ No To what depth 30 feetMaterial used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County ADASE $\frac{1}{4}$ $\frac{1}{4}$ Sec. 24, T. 4N N/S, R. 1E E/W

10.

Work started 8-4-70 finished 8-10-70

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Driller's or Firm's Name Cherry D. Kinsley Number 33Address RT1 Box 280, Eagle, IdahoSigned By D. Kinsley Date 8-15-70



Diagram of System

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 63-7338 Priority May 8, 1970 Amount 0.08 cfs

THIS IS TO CERTIFY, that GERARD BRUNEEL
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7338 issued pursuant to Application for Permit dated May 8, 1970,
and has submitted proof to the Department of Water Administration on June 23, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.08 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:
Amount 0.08 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 0.08 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24, Twp. 4 N, Rge. 1 E, B. M.

in the county of Ada, and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 2.28 acre feet per year ~~or~~

~~acre feet per year~~

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 N	1 E	24															X		

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19th day of

December, 19 72.


Deputy Director

63-7338

LICENSE ISSUED FOR 0.08 SEC. 111
LICENSE PAGE NO. _____

Identification No. 63-7338
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Gerard Bruneel
post office address Route 2, Boise, Idaho
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW ¼ of SE ¼ of Section 24 Township 4 N.
Range 1 E. B.M. Ada County; additional points of diversion if any: None

b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼
of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .08 cfs for domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.08 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump and pressure tank with distribution system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year.
b. Estimated construction cost is \$ 1,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW ¼ of SE ¼ of Section 24 Township 4 N.
Range 1 E. B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water four.
(5) If water is to be used for other purposes describe: _____

63-7338

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes _____


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward Brunel
(Applicant)

63-7338

Received by lf Date 5-8-70 Time 11:20 am
Preliminary check by _____ Fee \$ _____
Receipted by lf Date 5-8-70
Publication prepared by de Date 5-13-70
Published in Stateman
Publication dates 5-21+28-70
Publication approved de Date 6-1-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JLP Dunn

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7338, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 71.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 12th day of June, 19 70.

P. Keith Higgins
State Reclamation Engineer

STATE OF IDAHO,)
COUNTY OF ADA) ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho

Statesman for Two ^{weekly} consecutive insertions, beginning with the issue of May 21, 1970, and ending with the issue of May 28, 1970.

Georgene Davis

Subscribed and sworn to before me this 28th day of May, 1970.

Anna L. Young
Notary Public for Idaho, Residing at Boise, Idaho

63-7338

December 21, 1972

Re: Permit No. 63-7338

**Mr. Gerard Bruneel
Route # 2
Boise, Idaho**

Dear Mr. Bruneel:

Enclosed is a copy of the Water License issued on the above referenced permit.

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

**BDF:DR
Enclosure**

63 7338

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 6, 1972

Mr. Gerard Bruneel
Route # 2
Boise, Idaho

Dear Mr. Bruneel:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7338 and has found the following:

Quantity of water diverted: 0.08 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.08 cfs

The maximum quantity diverted shall not exceed 2.28 acre feet per season.

Beneficial use: Domestic purposes within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24,
Twp. 4 N, Rge. 1 E, B.M.

Point of diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, Twp. 4 N, Rge. 1 E, B.M.

The priority date established is: May 8, 1970

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

63 7338

FIELD REPORT

- TOTAL ACREAGE**




Diagram of System

DATE OF EXAM 7 Oct 71

ACREAGE
Found
Recommended

Irrigation Requirement Ac Ft/Ac

USE
Irrigation Q = c.f.s. V = AF/Ann. from to
Domestic Q = .08 c.f.s. V = 2.28 AF/Ann. from 1 JAN to 31 Dec
Livestock Q = c.f.s. V = AF/Ann. from to

Is water co-mingled? yes no ✓

Name source: roadwater
twp. 4 N/S, Rge 1 E/W, B.M., Sec. 24, Sub. SW 1/4 SE 1/4 Abs County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured Method of measurement

Total Q recommended .08 Meter No. Type Condition

Total V recommended 2.28 ac ft/ann

Recommended Amendments:

P.D.
Place of Use
Other
None

MEASUREMENT CALCULATION:

No measurement taken - enclosed system
allow Q = .08 cfs (0.2)(4) = .08 cfs
allow V = 2.28 ac ft/ann (4)(.57) = 2.28 ac ft/ann

SYSTEM DESCRIPTION:

6" Well 3/4 Hp Submerged Pump with a 5 HP motor
for Back up. 3 Hydrated Tanks supply pressure
to the 4 dwellings

REMARKS:

Water is used for domestic use in 4 dwellings
(2 Dwellings)

Examiner's Signature James Bucher Date 6 Oct 71

Checked by my Date 10 11 71

Approved by Date

July 7, 1971

Re: Permit No. 63-7338

Mr. Gerard Bruneel
Route # 2
Boise, Idaho

Dear Mr. Bruneel:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for Permit 63-7338.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

63 7338

RECEIVED

Identification No. ~~63-7338~~
Permit No. _____

STATE OF IDAHO
Department of Water Administration **DEPARTMENT OF WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder GERARD BRUNEL
b) Post Office Address BOISE ROUTE 2
2. Permit Number 63-7338
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated GROUND WATER
b) Location of the point of diversion: SW 1/4 S10E 1/4, Section 24
Township 4N, Range 1E, Boise Meridian, Other points of diversion: ADA County
5. a) The amount of water and use to which the water has been applied:
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated ✓ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 108 CFS
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 1" DIA INTAKE, 3/4 HP SUBMERSIBLE, 6" Casing 57 feet DEEP
b) Describe the type and size of measuring device which you have installed at your point of diversion: NONE
c) Give well drillers name and address and date the well was completed CHESTER FINNEY COMPLETED 8-7-70
Sold driller and left state Address unknown

63 7338

Exam typed 9-22-71
12/1

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use DOMESTIC WATER Supply

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 21-1971
(Date)

Gerard Brunel
(Signature) Gerard Brunel

State of Idaho)
County of Ada) ss.

On this 22 day of June, 19 71, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Pearl Stacy
Notary Public residing at Boise Idaho

My commission expires 9-14-74

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

22740

1

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.


DATE DELIVERED

MAY 3 1963


SHOW WHERE DELIVERED (*only if requested*)

68 73283-7338

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



PERMIT FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moistened gummed ends and attach this card to back of article.

RETURN
TO



DEPARTMENT OF POSTS AND TELECOMMUNICATIONS
ST. LOUIS, MISSOURI 63101

63 7328

April 30, 1971

CERTIFIED MAIL # 22740

Re: Permit No. 63-7338


Gerard Bruneel
Route 2
Boise, Idaho

Dear Mr. Bruneel:

One of the conditions of approval of your water Permit No. 63-7338 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1971. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

Enc: Proof affidavit

63 7338

June 18, 1970

Re: Permit No. 63-7338

Gerard Bruneel
Route 2
Boise, Idaho

Dear Mr. Bruneel:

Enclosed is a copy of your approved Application for Permit No. 63-7338. We direct your attention to the conditions of approval on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4601 for \$10
1 informational letter

63-7338

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

May 13, 1970

Re: Claim to a Water Right No. 63-4058 - Bruce Ledbetter
" " " " " " 63-4059 - Fayette W. Simpson
Application for Permit No. 63-7338 - Gerard Bruneel

Idaho Daily Statesman
300 North 6th
Boise, Idaho 83702

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Legal notices (3)

63-7338

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Gerard Bruneel, Route 2, Boise, Idaho,

has on May 8, 1970,

submitted Application No. 63-7338 to appropriate the public waters of
a groundwater source

//////
The proposed uses are _____

The application proposes a maximum diversion and appropriation of 0.08
cubic feet per second ////// acre feet of water to be diverted by well and pump
within the SW¹/₄SE¹/₄ Sec. 24,
T. 4N, R. 1E, B.M., Ada County,

and is to be used within the SW¹/₄SE¹/₄ Sec. 24, T. 4N, R. 1E, B.M. from January 1
to December 31 for domestic purposes

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before June 8, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho,
May 21 on _____ and May 28, 1970

*14.

63-7338