



11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BOISE INDEPENDENT SCHOOL DISTRICT

By: [Signature]
(Applicant)

Title: Director of Business & Maintenance

63-7196

RECEIVED

MAR 10 1969

Department of Reclamation

STATE OF IDAHO, }
COUNTY OF ADA } ss.

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that Boise Independent School District, 1207 Fort Street, Boise, Idaho has on February 10, 1969 applied for permit to divert 0.27 cubic feet per second of water from a ground water source under application No. 63-7196. Water will be diverted by a well, pump, motor, and irrigation system within the SE 1/4 SW 1/4, sec. 21, T. 3 N., R. 2 E., B.M., Ada County and is to be used from April 1 to October 15 for irrigation purposes in the SE 1/4 SW 1/4, sec. 21, T. 3 N., R. 2 E., B.M.
Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.
R. KEITH HIGGINSON
State Reclamation Engineer
Pub. Feb. 27, March 6, 1969.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Daily Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Daily Statesman for

Two ^{weekly} consecutive insertions, beginning with the issue of February 27, 1969, and ending with the issue of March 3, 1969.

Georgene Davis
Subscribed and sworn to before me this 6th day of March, 1969.

Jona A. Young
Notary Public for Idaho, Residing at Boise, Idaho

63-7196

T
3
N




Diagram of System

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 63-7196 Priority Feb. 10, 1969 Amount 0.19 cfs

THIS IS TO CERTIFY, that Boise Independent School District
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7196 issued pursuant to Application for Permit dated February 10, 1969,
and has submitted proof to the Department of Water Administration on January 14, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.19 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>April 1</u> to <u>Oct. 15</u> at <u>0.19</u> cfs and			<u>36 acre feet or</u> <u>4.5 af per acre</u>
from _____ to _____ at _____ cfs and			
from _____ to _____ at _____ cfs and			

(both dates inclusive)

Subject, however, to the condition that no more than 0.19 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
36 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 21,
Twp. 3 N, Rge. 2 E, B.M. in the County of Ada

Description and location of place of use: (Owyhee School)

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	2 E	21											8						8

Total number of acres irrigated 8

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2 day of
August, 19 74.

Director

63-7196

LICENSE ISSUED FOR 7 SEC. H.
LICENSE PAGE NO. 1

Identification No. 63-7196

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Boise Independent School District
post office address 1207 Fort Street, Boise, Idaho
2. Source of water supply underground which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 3N
Range 2E B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.27 for irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.27 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. submersible pump with 10 HP
electric motor connected to irrigation system with 4-inch pipe

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 10,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

63-7196

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	21												8					8

Total number of acres to be irrigated 8

c. Describe any other water rights used for the same purposes none


9. a. Who owns the property at the point of diversion Boise Independent School District

b. Who owns the land to be irrigated or place of use Boise Independent School District

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Application is made in the amount indicated to allow irrigation at a rate of 15 gpm per acre during the night to allow playground areas to be used during the day at Owyhee School.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BOISE INDEPENDENT SCHOOL DISTRICT

By: *[Signature]*
(Applicant)

Title: Director of Business & Maintenance

6-3-7/196

Received by ew Date 2-10-69 Time 8:00 AM
Preliminary check by DWH Fee \$ 10.00
Receipted by aj Date 2-11-69 Receipt # 26660
Publication prepared by W Date 2-21-69
Published in Ida. Daily Star.
Publication dates 2-27-69 3-6-69
Publication approved W Date W.D.
Priority reduced to _____ Reason _____

Protests filed by: none 3-21-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DWH CSF R.H. 2-21-69

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7196, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 74.
- c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 27th day of March 1969.

L. Keith Higgins
State Reclamation Engineer

NOTARY PUBLIC
Boise, Idaho
Department of Agriculture

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for

Two ^{weekly} consecutive insertions, beginning with the
issue of February 27, 19 69, and ending with the
issue of March 3, 19 69.

Georgene Davis
Subscribed and sworn to before me this 6th day of
March, 19 69.

John A. Young
Notary Public for Idaho, Residing at Boise, Idaho

APPLICANT'S NAME: [REDACTED]
Address: [REDACTED]
City: [REDACTED]
State: [REDACTED]
County: [REDACTED]
Date of Application: [REDACTED]
Date of Publication: [REDACTED]
Date of Swearing: [REDACTED]
Date of Notary: [REDACTED]
Date of State: [REDACTED]
Pub. Feb. 27, March 6, 1969.

63-7196

THE STATESMAN NEWSPAPER

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse - Annex 2
- Boise, Idaho

DATE	DESCRIPTION	INCHES	TOTAL INCHES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED						
MAR 6 69	WATER APPL 63 7196 Boise Indept. School	23L 2x		5.75			5.75
				I hereby certify that the above account is correct and just; that services were actually rendered as charged and that we have not received payment therefor. Signed STATESMAN PRINTING CO. By <i>La Young</i>			

TERMS: NET BY 10TH OF MONTH FOLLOWING

 LAST AMOUNT IN
 THIS COLUMN
 IS BALANCE
 DUE

63-7196

THE STATESMAN NEWSPAPER

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse - Annex 2
- Boise, Idaho

DATE	DESCRIPTION	INCHES	TOTAL INCHES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED						
MAR 6 69	WATER APPL 63 7196 Boise Indept, School	23L 2x		5.75			5.75
I hereby certify that the above account is correct and that the services were fully rendered as charged and that we have not received payment therefor. Signed STATESMAN PRINTING CO. By <i>[Signature]</i>							

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

WATER RIGHT NUMBER 63-7196

OWNER LAST NAME - BOISE INDEPENDENT SCHOOL DIST. ✓ FIRST NAME - ORIG OWNER -
ADDRESS LINE 1 - ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - BOISE ✓ STATE - ID ZIP CODE -
SOURCE - GROUNDWATER ✓ TRIBUTARY OF -
STAGE - LICENSE ✓ STATUS - PRIORITY - 02-10-1969 ✓ COUNTY - ADA ✓ TOTAL DIV. RATE - .1900 -CFS
TOTAL DIV. VOLUME - ✓ 36.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SESW 21 03N 02E LOT ✓ REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 04-01 TO - 10-15 ✓ USE - IRRIGATION ✓ USE DIV. RATE - .1900 CFS USE DIV. VOLUME - ✓ 36.00 AFA
USE - IRRIGATION ✓ PLACE OF USE - TWN 03N RNG 02E SEC 21 TRACT SESW LOT AC 08 ✓
DECREE NAME - DATE - TOTAL ACRES ✓ 8
REMARKS - P/U OWYHEE SCHOOL. ✓
NON IRRIG USE -
OTHER RIGHTS FOR SAME USE -
PROOF DUE - PERMIT/DENIED - PROTESTED - HEARING - OLD NO. -
PROOF MADE - FLD EXAM - COND. OF APPROVAL - 01 ✓
DIVERSION MEANS -

IDENT. NO. 63-7196

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
STATE OFFICE



Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

August 6, 1974

Re: Permit No. 63-7196 and 63-7195

Boise Independent School District
1207 Fort Street
Boise, Idaho 83702

Gentlemen:

Enclosed are copies of the water licenses issued on the above referenced permits.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

63-7196

July 16, 1974

Boise Independent School District
1207 Fort Street
Boise, Idaho 83702

Re: Permits No. 63-7195 & 63-7196

Gentlemen:

A representative of this Department has made an examination of the works covered by the above referenced permits and has found the following:

Permit 63-7195 (Valley View School)

Quantity of water diverted: 0.33 cfs

- * Amount of water that can be recognized as beneficially used under Idaho law: 0.27 cfs

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 36, Twp. 4 N, Rge. 1 E, B.M.

Beneficial use: Irrigation of 8 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 36, Twp. 4 N, Rge. 1 E, B.M.

Priority date established: Feb. 10, 1969

Permit 63-7196 (Owyhee School)

Quantity of water diverted: 0.19 cfs

- * Amount of water that can be recognized as beneficially used under Idaho law: 0.19 cfs

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, Twp. 3 N, Rge. 2 E, B.M.

Beneficial use: Irrigation of 8 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, Twp. 3 N, Rge. 2 E, B.M.

Priority date established: 2-10-69 *de*

* The maximum quantity diverted shall not exceed 4.5 acre feet per acre per year.

If you do not concur with these findings please contact us within 10 days; otherwise water licenses will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

63-7196

E. A. Hines

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Boise Independent School Dist.
Postoffice address 1207 Fort St., Boise, ID 83702 Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.27 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from Apr. 1 to Oct. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 63-7196
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.27 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 2E E/W, B.M., Section 21, Subdivision SE $\frac{1}{4}$ SW $\frac{1}{4}$, ADA
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: Jacuzzi pump submersible, 10 hp, 125 gal@minute, column length 275', 3" well casing diameter 8".

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	2E	21											8						8

TOTAL ACREAGE 8

1-2-71/9'

T
3
N




Diagram of System

DATE OF EXAM 6/18/1974

ACREAGE
Found 8.0
Recommended 8.0

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .19 c.f.s. V = 36 AF/Ann. from Apr 1 to Oct 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured 0.19 cfs Method of measurement inline flow meter

Total Q recommended 0.19 Meter No. M0432815 Type 4" Badger Condition new

Total V recommended 36 AF/Ann

Recommended Amendments:
P.D. _____
Place of Use _____
Other _____
None none

MEASUREMENT CALCULATION:
Q = 876 PM = .19 cfs

SYSTEM DESCRIPTION:
275' well w/ 8" casing w/ 10 HP Jacuzzi submersible pump w/ 3" discharge into sprinkler system.

REMARKS:

Examiner's Signature M. Clayton Baron Date 6/18/1974
Checked by _____ Date _____
Approved by _____ Date _____

Badger 4" # MO 83 2815
90 PSI

10232035
10231600
435

87 GPM
51435
90
35

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 17, 1974

Re: Permit No.'s 63-7195 & 63-7196

Boise Independent School District
1207 Fort St.
Boise, Idaho 83702

Gentlemen:

We acknowledge receipt of the affidavits submitted as proof of beneficial use for the above referenced permits.

Before licenses can be issued, field examinations must be made by a representative of this Department. We cannot tell just when these examinations will be made, but our examiner will try to contact you at the time he makes the examinations so that you may show him the systems.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

63 7196

**STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

JAN 14 1974

Department of Water Administration

1. a) Name of Permit Holder Boise Independent School District

b) Post Office Address 1207 Fort Street, Boise, Idaho 83702

2. Permit Number 63-7196 Owyhee School

3. Date of Priority that you are prepared to establish September 1, 1969

4. a) Source from which water was appropriated Subterranean underground water supply

b) Location of the point of diversion: S E 1/4 S W 1/4, Section 21

Township 3N, Range 2E Boise Meridian, Other points of diversion: _____

Ada County

5. a) The amount of water and use to which the water has been applied:

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount 0.27 for irrigation purposes from April 1st to Oct. 31st incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated _____ cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean

source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Jacuzzi pump submersible, 10 HP, model No 20S6M8-T, 125 gal @minute column, length 275' 3", well casing diameter 8".

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

4" Badger Model No. 4D1M water flow meter

c) Give well drillers name and address and date the well was completed _____

A. E. Hosack, Poute # 5, Nampa, Idaho 83651.

Completed May 26, 1969.

63 7196

Exam typed 4/12/74 by jc

63 7196

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: 7 1/4 acres - Playground area planted to lawn grass.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	21																	

Total number of acres irrigated 7 1/4


10. Remarks: Application made to irrigate playground area around school buildings.

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-11-74
(Date) *Alvin D. Secord*
(Signature)


State of Idaho)
County of Ada) ss.

On this 11th day of January, 1974, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Alvin D. Secord
Notary Public residing at Bain, Idaho

My commission expires May 12, 1977



THE INDEPENDENT SCHOOL DISTRICT OF BOISE CITY

ADMINISTRATIVE OFFICES • 1207 FORT ST. • BOISE, IDAHO 83702

January 10, 1974

R. Keith Higginson, Director
Department of Water Administration
State of Idaho
614 State Street
Boise, Idaho 83702

Subject: Proof of water for beneficial use application permit
no. 63-7195 Valley View Elementary School and permit
no. 63-7196 Owyhee Elementary School.

Dear Mr. Higginson:

We have installed a water flow meter in the water supply system at Owyhee School last year and are in the process of installing one in the system at Valley View School now.

I am enclosing the proof of use forms as per your request with the general information needed for Owyhee School permit no. 63-7196 and request an extension of time for Valley View School permit no. 63-7195 until we can get the flow meter installed and have an opportunity to place the system in operation long enough to get a satisfactory reading. I would think September 1, 1974 would be ample time extension.

Please let me know if this meets with your approval.

Very truly yours,

Don Gribble, Supervisor
Buildings and Grounds

DG:emr

Enclosure - Proof of use form

63 7196

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 31, 1973

CERTIFIED MAIL

#250??
No card
returned

Re: Permit No.'s 63-7195 & 63-7196

Boise Independent School District
1207 Fort Street
Boise, Idaho 83701

ATTN: Don Gribble

Gentlemen:

One of the conditions of approval of your water Permit No.'s 63-7195 and 63-7196 (see last page of your approved permits) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1974. Enclosed are two affidavit forms which must be used to submit the required proof of beneficial use.

If you have not fully completed your projects, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than an extension of time can be granted for each permit.

Either the beneficial use affidavits or a request for extensions of time must be received by this Department on or before the above mentioned date, otherwise the permits will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

RKH:JC

Enc: Proof affidavits (2)

63 7196

December 1, 1970

Re: Permit Nos: 63-3479 63-3476 63-7196 ✓
63-3475 63-7195 63-7174

C BOISE INDEPENDENT SCHOOL DISTRICT
1207 Fort Street
Boise, Idaho

ATTENTION: Don Gribble

O Dear Mr. Gribble:

We are returning the school district's check in the amount of \$8.25 that they have submitted for the copies of the above referenced permits, as the fee for these copies was only \$6.25. Please re-submit only that amount.

P If we may be of any further assistance, please advise.

Very truly yours,

Y Jorian Clay
Appropriation Examiner

DC:cm

Enc: check #92-1 (\$8.25)

63 7196

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 5, 1970

Re: Permit No. 63-3479 63-7195
 63-3475 63-7196
 63-3476 63-7174

BOISE INDEPENDENT SCHOOL DISTRICT
1207 Fort Street
Boise, Idaho

ATTENTION: Don Gribble

Dear Mr. Gribble:

As requested when you were in our office, please find enclosed copies of Permit No. 63-7195, 63-7196, 63-7174, and the well logs for each. The fees for these copies will be \$3.75. The fees for the copies of the other permits that you picked up when you were in our office, is \$2.50; the total amount being \$6.25.

If we may be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enclosures

63 71

63 7196

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 5, 1970

Re: Permit No. 63-3479 63-7195
 63-3475 63-7196
 63-3476 63-7174

BOISE INDEPENDENT SCHOOL DISTRICT
1207 Fort Street
Boise, Idaho

ATTENTION: Don Gribble

Dear Mr. Gribble:

As requested when you were in our office, please find enclosed copies of Permit No. 63-7195, 63-7196, 63-7174, and the well logs for each. The fees for these copies will be \$3.75. The fees for the copies of the other permits that you picked up when you were in our office, is \$2.50; the total amount being \$6.25.

If we may be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Dorian Clay
Appropriation Examiner

IC:cm

Enclosures

63 7196

RECEIVED

REPORT OF WELL DRILLER
State of Idaho

JUN 2 1969

Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Independent School District

Address Boise Idaho 1207 Front St.

Owhee School

Owner's Permit No. 63-7196

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for:

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Plug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

8 "Diam. from 0 ft. to 277 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☐ Type of

perforator used:

Size of perforations: " by "

8 perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☒ No ☐

Manufacturer's name Johnson

Type Screen Model No.

Diam. 8 Slot size 200 Set from 290 ft. to 300 ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

to size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

 ft. Material used in seal: Concrete

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:

Depth of strata ft. Method of sealing

strata off:

Surface casing used? Yes ☐ No ☐

Cemented in place? Yes ☐ No ☐

Locate well in section

Sec.

LOCATION OF WELL: County

SE 4 W 4 Sec. 21 T. 3 N. 4 R. 2 E. W

Use other side for additional remarks

Size of drilled hole: 8 Total

depth of well: 380 Standing water

level below ground: 23 Temp.

Fahr. ° Test delivery: 110 gpm

or cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test:

6" turbine 8" bore 145 hp. Beck

Length of time of test: 4 Hrs. Min.

Drawdown: 236 ft. Artesian pressure: ft.

above land surface Give flow cfs

or gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH	MATERIAL	WATER
FROM TO		YES OR NO

DEPTH	MATERIAL	WATER
FROM TO		YES OR NO
0 8	Soil & hardpan	no
8 41	Muddy loess gravel	no
41 46	yellow clay	no
46 135	Brown Sandy Clay hard	no
135 154	Brown Sticky clay	no
154 158	Brown Sandstone	no
158 165	hard tight muddy gravel	no
165 192	gray clay & sand stringers	yes
192 230	gray hard sandy clay	no
230 290	blue sandy clay	no
290 305	blue clay sand stringers	yes
305 330	blue sticky clay	no

Work started: March 11 1969

Work finished: May 26 1969

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: A. E. W. W. W.

Address: Rt. 3 Mampa Idaho

Signed by: L. R. Bloomfield

License No. 27 Date: May 27 1969

USGS

63 7100

March 31, 1969

Re: Permit Nos. 63-7195 & 63-7196

**Boise Independent School District
1207 Fort Street
Boise, Idaho**

Gentlemen:

**63-7195 &
63-7196**

We enclose a copy of your approved application for permit _____
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

**Enclosures: Copies of applications
Receipt No. 2660 for \$20.00
2 informational letters**

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 21, 1969

Re: Application No. 63-7195 - Boise Independent School District
Application No. 63-7189 - Richard M. Chastain et al.
Application No. 63-7190 - Alum-A-Form of Idaho
Application No. 63-7191 - William G. Gilert
~~Application No. 63-7194 - Marion Schmelzer~~
Application No. 63-7196 - Boise Independent School District

Idaho Daily Statesman
300 North 6th Street
Boise, Idaho
Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: legal notices (6)

63-7196

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Boise Independent School District, 1207
Fort Street, Boise, Idaho has on February 10, 1969
applied for permit to divert ~~store~~ 0.27 cubic feet per second ~~acre/foot~~
of water from a ground water source
under application No. 63-7196. Water will be diverted by a well, pump,
motor, and irrigation system within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 21, T. 3 N, R. 2 E,
S.M., Ada County
and is to be used from April 1 to October 15 for irrigation purposes
in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 21, T. 3 N, R. 2 E, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho,
on February 27 and March 6, 1969.

63-7196kg

20.00

Bond

BOISE PUBLIC SCHOOLS

1207 FORT STREET

Boise, Idaho 83702

February 6, 1969

W. R. Kennedy, Director
Business and Maintenance

Phone: 342-4543
Area Code 208


State of Idaho
Department of Reclamation
State House
Boise, Idaho

Gentlemen:

We are enclosing herewith Application for Permit for wells at Owyhee and Valley View Schools, together with our check for \$20.00 to cover the filing fees.

If any further information is needed, please let us know.

Yours very truly,


W. R. Kennedy

j
encl.

63-7196