

Twp 3 N R6E 1E

Sec. 8

well

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allen A. Form
(Applicant) *for Allen v.p.*

63-7190

RECEIVED

MAR 10 1969

Department of Reclamation

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis

, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for

Two

weekly

consecutive insertions, beginning with the
issue of February 27, 1969, and ending with the


issue of March 6, 1969.

Georgene Davis

Subscribed and sworn to before me this 6th day of

March, 1969.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho



63-7190





Diagram of System



State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 63-7190 Priority Feb. 5, 1969 Amount 0.18 cfs

THIS IS TO CERTIFY, that ELIXIR INDUSTRIES

of Meridian, Idaho, has complied with the terms and conditions of Permit No. 63-7190 issued pursuant to Application for Permit dated February 5, 1969, and has submitted proof to the Department of Water Administration on January 28, 1974, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.18 cfs of water from a ground water source, tributary to _____, and that the permit holder has applied to a beneficial use & established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Industrial</u> from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.18</u> cfs and <u>130 acre feet</u>			
from _____ to _____ at _____ cfs and _____			
from _____ to _____ at _____ cfs and _____			

(both dates inclusive)

Subject, however, to the condition that no more than 0.18 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 130 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 8, Twp. 3 N, Rge. 1 E, B. M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	1 E	8													X				

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of April, 19 74.

Director

63 7190

State of Idaho

Department of Water Administration

RECEIVED

ASSIGNMENT OF PERMIT

Department of Water Administration

I, Alum-A-Form of Idaho, hereby assign to Elixir Industries

of North Eagle Road, Meridian, Idaho 83642,
Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 63-7190
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Describe that portion of the permit being assigned by list-
ing the acreage within each 40-acre subdivision, the point of diversion
and the amount of water in cubic feet per second for direct diversion,
or acre feet for storage.)

Made this 29th day of January

19 74

Allen, G. M.
Alum-A-Form of Idaho

Permit Holder

PLEASE NOTE: Our mailing address is: Elixir Industries
P.O. Box 7986
Boise, Idaho 83707

Spouse of Permit Holder

State of Idaho)
County of Ada) ss.

On this 29th day of January, 19 74, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that ~~he~~ (they) executed the same.

David J. Harris

Notary Public residing at

6710 Newman St., Boise, Idaho 83704

My commission expires: Sept. 1, 1974

63 7190

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-7190)
IN THE NAME OF ALUM-A-FORM OF IDAHO)

ORDER

WHEREAS, on February 5, 1969, Alum-A-Form of Idaho filed with the Department of Water Administration (formerly the Department of Reclamation) an application for permit to appropriate .34 cubic feet per second of water from a ground water source within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 8, Twp. 3N, Rge. 1E, B.M., Ada County, to be used for industrial purposes; and,

WHEREAS, on March 27, 1969, the Department approved said application and issued Permit No. 63-7190 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1974, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on January 11, 1974, the Department received a request from the permit holder that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 63-7190.

Dated this 17 day of January, 1974.


R. KEITH HIGGINSON
Director

BDF:JC

63-7190

Rev-2614

Identification No. 63-7110
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT **APPROVED**

LICENSE ISSUED FOR 618 SEC. FT. **To Appropriates the Public Waters of the State of Idaho**
(TYPE OR PRINT IN INK) ASSIGNED TO: ELIXIR INDUSTRIES
NORTH EAGLE ROAD
MERIDIAN, ID 83642

1. Name of applicant Alum-N-Form of Idaho
post office address RT 2 Meridian, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is NE 1/4 of SE 1/4 of Section 8 Township 3 N
Range 1 E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:
Amount 34 for INDUSTRIAL purpose from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:
a. 34 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled well pump
MOTOR DRIVEN

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 155 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 1400.00.

8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE 1/4 of SE 1/4 of Section 8 Township 3 N
Range 1 E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Domestic in plant
Manufacturing of Mobile Home products

63-7110

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes NO

9. a. Who owns the property at the point of diversion Alum-Form of 18210

b. Who owns the land to be irrigated or place of use " " " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

Twp 3 N R6E 1E

Sec. 8

well

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allen A. Torrance
(Applicant) *John Allen v.p.*

637.60

Received by OKM Date 2-5-69 Time 2:30 P

Preliminary check by OKM Fee \$ 10.00

Received by H Date 2-5-69 perit 2614 given

Publication prepared by W Date 2-21-69

Published in Idaho Daily Star

Publication dates 2-27 & 3-6-69

Publication approved W Date 7-10-69

Priority reduced to _____ Reason _____

Protests filed by: none 3-21-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by OKM W R.H. Frazier

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7190, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 74.
- c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works. Measuring Device Requirement REMOVED pursuant to Order dated 1/17/74.

2. Denial of said application is for the following reasons: _____

Witness my hand this 27th day of March, 19 69.

R. Keith Higgins
State Reclamation Engineer

RECEIVED

JAN 20 1968


REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Alum Farm 2401
Address Boise Idaho
N. Eagle Road & Franklin
Owner's Permit No. _____
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: domestic (com)
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other _____
(explain) _____
CASING SCHEDULE: Threaded _____ Welded _____
10 "Diam. from 0 ft. to 1.8 ft.
8 "Diam. from 1.8 ft. to 1.5 ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
Thickness of casing: .025 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain) _____
PERFORATED? Yes ☒ No ☐ Type of
perforator used: mill
Size of perforations: 3/8 " by 4 "
200 perforations from 133 ft. to 143 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel _____ Gravel
placed from _____ ft. to _____ ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
_____ ft. Material used in seal: clay
Did any strata contain unusable water? Yes ☐
No ☒ Type of water: _____
Depth of strata _____ ft. Method of sealing
strata off: _____

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☐ No ☐



LOCATION OF WELL: County _____
SW Sec. 25 T. 3N R. 4E

Size of drilled hole: <u>8</u>		Total
depth of well: <u>155</u>		Standing water
level below ground: <u>8 ft</u>		Temp.
Fahr. _____		Test delivery: <u>150</u> gpm
or _____ cfs Pump? ☐		Bail ☐
Size of pump and motor used to make test:		
<u>all compressor</u>		
Length of time of test: <u>3</u> Hrs. <u>0</u> Min.		
Drawdown: _____ ft.		Artesian pressure: ft.
above land surface _____		Give flow _____ cfs
or _____ gpm.		Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐		
No control ☐ Does well leak around casing?		
Yes ☐ No ☒		
DEPTH	MATERIAL	WATER
FROM	TO	YES OR NO
FEET	FEET	
<u>0</u>	<u>2</u>	<u>Fill</u>
<u>2</u>	<u>12</u>	<u>gravel dry</u>
<u>13</u>	<u>40</u>	<u>gravel wet</u>
<u>40</u>	<u>120</u>	<u>brown muddy sand</u>
<u>120</u>	<u>130</u>	<u>gravel tight 130 gpm</u>
<u>130</u>	<u>140</u>	<u>gravel</u>
<u>140</u>	<u>145</u>	<u>brown sand</u>
<u>145</u>	<u>155</u>	<u>muddy sand</u>

Work started: July 27 68
Work finished: Aug 15 68
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Walter E. Brown
Address: 1514 Longmont
Signed by: Walter E. Brown
License No. 65 Date: _____

Use other side for additional remarks

63-7190

WATER
that Alun-
No. 2, Me-
February 5
divert 34
water from
public water appli-
cation. Water will be di-
verted from the river with-
out any other water with-
in the river to be diverted
in the
R. R. E.
Any person who applies for appli-
cation of this water will be De-
partments of Reclamation. De-
partments from the last day of
days of the week.
R. R. E.
Pub. Feb. 5, March 6, 1969.

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for

Two weekly consecutive insertions, beginning with the
issue of February 27, 1969, and ending with the
issue of March 6, 1969.

Georgene Davis

Subscribed and sworn to before me this 6th day of

March, 1969.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

63-7190

THE STATESMAN NEWS PERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse- Annex 2
- Boise, Idaho

DATE	DESCRIPTION	INCHES	TOTAL INCHES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED						
MAR 6 69	WATER APPL 63 7190 ALUM-A-Form	23L 2x		5.75			5.75
I hereby certify that the above account is correct and just, that services were actually rendered as billed and that we have not received payment therefor. Signed STATESMAN PRINTING CO. By <u><i>He Young</i></u>							

TERMS: NET BY 10TH OF MONTH FOLLOWING

 LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

63-7190

THE STATESMAN NEWS PUBLISHERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse- Annex 2
- Boise, Idaho

DATE	DESCRIPTION	INCHES	TOTAL INCHES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED						
MAR 6 69	WATER APPL 63 7190 Alum-A-Form	23L 2x		5.75			5.75
				We certify that the above is a true and correct statement of the charges for the services rendered by us to you, that services were actually rendered as shown, and that we have not received payment therefor. Signed STATESMAN PRINTING CO. <i>[Signature]</i>			

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 23, 2002

Doug Unger
Elixir Industries
501 N. Eagle Rd
Meridian ID 83642

RE: APPLICATION TO RENT WATER FROM THE WATER SUPPLY BANK

Dear Mr. Unger:

Returned is the Application to Rent Water From the Water Supply Bank that you submitted to the Department on May 20, 2002. The Department is unable to rent ground water for your proposed irrigation use for 4.76 acres, since you need a permanent water right to provide water for your use rather than a temporary right that a rental of water from the bank would provide.

As suggested by Lori Graves in her letter to you dated May 21, 2002, you probably need to pursue acquiring part of an existing ground water right and then filing an application for transfer to change the right for your proposed use.

If you have questions, please feel free to contact me.

Sincerely,



L. GLEN SAXTON, P.E.
Chief, Water Allocation Bureau

Encl: 1

c: Lori Graves - IDWR



A Member of The IT Group

3130 South Owyhee Street
Boise, Idaho 83705-4768
208.342.5400
Fax 208.342.5353

May 16, 2002

Mr. Glenn Saxton
Water Bank Administrator
Idaho Department of Water Resources
1301 N. Orchard
Boise, ID 83706-2237

RECEIVED

MAY 20 2002

Department of Water Resources

**RE: Elixir Industries/Elixir Properties Subdivision
Submittal of IDWR Application to Rent Water from the Water Supply Bank, and
IDWR Application for Transfer of Water Rights**

Dear Mr. Saxton,

On behalf of Elixir Industries, W&H Pacific has completed the IDWR Application to Rent Water from the Water Supply Bank, and the IDWR Application for Transfer of Water Right for processing by the Department of Water Resources for the Elixir Properties Subdivision. The location of the proposed Elixir Properties Subdivision is indicated on the attached vicinity map. A copy of the Elixir Properties Subdivision Plat for the proposed 15.49-acre development (prepared by Bergey Land Surveying), and the Record of Survey of the original property tract (prepared by J.J. Howard) is attached for reference. Elixir Properties Subdivision is a three lot commercial development situated north of Franklin Road along Eagle Road.

There are two known water rights associated with the existing 15.49-acre Elixir Industry parcel being proposed for development. Water Right No. 63-7190, provides an industrial use for .18CFS or 130.0-acre feet (originally used for a fire protection system, currently an inactive well). The second found right, Water Right No. 63-21629, provides a domestic use for .04 CFS [The Department of Water Resources field report notes indicate that as of February 21, 1974, another "well that supplies drinking water and lavatory water at the same location, same output, same pump was also found].

The City of Meridian's Conditions of Approval for the Elixir Properties Subdivision requires a pressurized irrigation system be provided, using a non-domestic water supply source, if available. The purpose of the Application to Rent Water for the Water Supply Bank is to serve the irrigation needs of the proposed 15.49 acre Elixir Properties Subdivision for an interim period. Existing groundwater rights do not currently grant water supply for landscape irrigation purposes. Concurrent with the submittal of the Application to Rent Water, an Application for Transfer of Water Rights is being forwarded to the Department of Water Resources Regional Office to ultimately use the existing wells on Elixir's property, currently approved for domestic and industrial groundwater rights, as an irrigation source water right. By copy of this letter, the subject

Documents, with \$100.00 processing fee, are being forwarded to Lori Graves, Water Resource Agent of the Western Regional Office for processing.

Elixir Properties respectfully requests your consideration for processing the IDWR Application to Rent Water from the Water Supply Bank, and the IDWR Application for Transfer of Water Right to allow the Elixir Properties Subdivision pressurized irrigation system to be developed, and approved by the City of Meridian.

We appreciate your assistance with regard to these matters. If you have any questions and/or comments, or require additional substantiation, please never hesitate to call.

Sincerely,

W&H PACIFIC



Douglas Unger, P.E.
Project Manager

enclosure

cc: Paul Clayton, Elixir Industries
Fred Shoemake, COSHO, HUMPHREY, GREENER & WELSH, P.A., Counselors and
Attorneys at Law
Douglas Bergey, PLS, Bergey Land Surveying
Ms. Lori Graves, IDWR Western Regional Office w/ enclosure

Saxton, Glen

From: Graves, Lori
Sent: Tuesday, May 21, 2002 3:42 PM
To: Saxton, Glen
Subject: Elixir Transfer Return Letter

May 21, 2002

Elixir Industries
Attn: Doug Unger
501 N Eagle Rd
Meridian ID 83642

Re: Application For Transfer

Dear Mr. Unger:

Enclosed is the original transfer application in the name of Elixir Industries received by this office May 20, 2002. The transfer proposes to change the nature of use from industrial use to irrigation use for water right license no. 63-7190. Based on the following information, the Department of Water Resources cannot accept the transfer application as filed.

The original field exam for water right 63-7190 was conducted February 21, 1974. The examiner stated in the field report that actual industrial use was for fire protection, which is considered a non-consumptive use. I have included a copy of the original field examiner's report for your information. The department cannot approve a proposal to change the nature of use on an established water right from non-consumptive use (fire protection) to consumptive use (irrigation). Doing so would essentially be considered an enlargement of the water right and ground water use. I initiated a refund request today and you will be receiving a check in the mail from the department for the \$100 filing fee paid.

There may possibly be water available for sale and transfer that can then be used permanently on the proposed 4.76 acres of common area. I have included a list of consultants that may be able to help you locate owners with valid irrigation rights for sale.

If you have any questions, please do not hesitate to call me at this office.

Sincerely,

Lori Graves
Sr Water Resource Agent

5/23/2002

April 22, 1974

C
Re: Permit No. 63-7190

Q
Elixir Industries
Meridian,
Idaho 83642

P
Gentlemen:

Enclosed herewith is a copy of the Water License issued on the
above referenced permit.

V
Sincerely;

BOBBY D. FLEENOR
Assistant Director

ta

Enclosure

63 7190

April 1, 1974

Elixir Industries
North Eagle Road
Meridian, Idaho 83642

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7190 and has found the following:

Quantity of water diverted: 0.18 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.18 cfs

The maximum quantity diverted shall not exceed 130 acre feet per year.

Beneficial use: For industrial purposes within the NE 1/4 SE 1/4, Sec. 8, Twp. 3 N, Rge. 1 E

Point of diversion: NE 1/4 SE 1/4, Sec. 8, Twp. 3 N, Rge. 1 E, B.M.

Priority date established: February 3, 1969

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

63 7190

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

FIELD REPORT

1. Name of permit holder Alum-A-Form of Idaho Elixir Industries
Post office address Route #2, Meridian, ID 83642 Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount .34 c.f.s. for industrial
AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion .34 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 1E E/W, B.M., Section 8, Subdivision NE 1/4 SE 1/4, Ada County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____

County

Township_____N/S, Range_____E/W, B.M., Section_____, Subdivision_____1/4_____1/4,_____

Other Points of Diversions: _____

Description of diverting works: 5 hp jacuzzi pump, max. rating 82 gpm or .18 cfs, 8" well casing,
155' well depth.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]

68 7290

TOTAL ACREAGE





Diagram of System



DATE OF EXAM Feb 20 1974

ACREAGE _____
 Found _____
 Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE	Q = _____ c.f.s.	V = _____	AF/Ann. from _____	to _____
Irrigation	Q = _____ c.f.s.	V = _____	AF/Ann. from _____	to _____
Domestic	Q = <u>.18</u> c.f.s.	V = <u>4.8</u>	AF/Ann. from <u>Jan 1</u>	to <u>Dec 31</u>
Livestock	Q = _____ c.f.s.	V = _____	AF/Ann. from _____	to _____
<u>Industrial</u>	<u>.18 cfs</u>	<u>V = ?</u>	<u>AF/Ann</u>	<u>Jan 1 Dec 31</u>

Is water co-mingled? yes _____ no ✓

Name source: Groundwater
 twp. 3 N/S, Rge. 1 E/W, B.M., Sec. 8, Sub. NE $\frac{1}{4}$ SE $\frac{1}{4}$ Adn
 County

Exchange? yes_____ no_____

Name source exchanged with: _____
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Point of injection:
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Point of exchange:
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Total Q measured 0.18 cc/s Method of measurement by comparing

Total Q recommended • 18005 Meter No. _____ Type _____ Condition _____

Total V recommended 4.8 ACF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

MEASUREMENT CALCULATION:

$Q = 82 \text{ gpm}$ or $.18 \text{ cfs}$

$V =$ figure for fire protection

$V = 4.3 \text{ acft/ann domestic}$

I also found a well that supplies drinking water & laundry water same location, same Q output, same pump

SYSTEM DESCRIPTION:
5HP Jacuzzi Pump Concrete lined reservoir (Sump)
Approx 50' Long x 20' wide x 16' deep filled to about
4' below LSP from gravel bottom (High water table). No
real well as such has been dug. Sprinklers aerate
the water.

REMARKS:
Actual use is for fire protection. I would estimate that the industrial use would cover fire protection measurement is taken from Company's own record.

Examiner's Signature James V. Barker Date Feb 21, 1974

Checked by _____ Date _____

Approved by _____ Date _____

January 31, 1974

C
Re: Permit No. 63-7190

Elixir Industries
North Eagle Road
Meridian, ID 83642

Gentlemen:

P We acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded and the Department's records changed.

If you have any questions concerning this permit, please contact us.

Sincerely,

Y
D. Darlene Reich
Water Rights Supervisor

DDR:JC

63 7190

January 28, 1974

Re: Permit No. 63-7190

Alum-A-Form of Idaho
Route #2
Meridian, Idaho 83642

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

This permit is presently in the name of Alum-A-Form of Idaho. In order to change the name on this permit to Elixir Industries the enclosed assignment form must be completed and returned to this office.

If you have any questions concerning this matter, please contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enclosure
cc: Elixir Industries
Enclosure

63 7190

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
JAN 20 1969
Department of Water Administration
ok jr

1. a) Name of Permit Holder ELIXIR INDUSTRIES (Formerly Alum-A-Form, a Division of Elixir Ind.)

b) Post Office Address Box 7986 Boise, Idaho

2. Permit Number 63-7190

3. Date of Priority that you are prepared to establish 1-22-74

4. a) Source from which water was appropriated subterranean well

b) Location of the point of diversion: NE 1/4 SE 1/4, Section 8
Township 3N, Range 1E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount .34 cfs for Industrial purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated .34 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 150 gal. per min. test delivery. 3 hr. test using air compressor. Report of well driller, Russel Cowe-license no. 65.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean

source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 5 h.p. Jacuzzi pump. Max. rating 82 gal. per min. or .18 cu. ft. per sec., 8 inch well casing. 155 ft. well depth.

b) Describe the type and size of measuring device which you have installed at your point of diversion: not needed

c) Give well drillers name and address and date the well was completed Russel Cowe, 1514 Longmont, Boise, Idaho. Completed Aug. 15, 1968.

Exam typed 1/28/74 by jr

63 7190

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Domestic use (drinking water and lavatories)

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: None

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres irrigated ---

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.


Jan. 24, 1974 (Date) [Signature] , General Manager ELIXIR INDUSTRIES (Signature)

State of Idaho)
County of Ada) ss.

On this 24th day of January, 19 74, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

David J. Harris
Notary Public residing at 6710 Newman St.
Boise, Idaho 83704

My commission expires Sept. 1, 1974



January 18, 1974

Re: Permit No. 63-7190

Alum-A-Form of Idaho
Route #2
Meridian, Idaho 83642

Gentlemen:

Enclosed is an Order which removes the measuring device requirement from the above referenced permit.

Also enclosed is a proof of beneficial use form with instructions, which must be completed and returned to this office on or before the date set for proof on this permit, March 1, 1974.

If you have any questions concerning this matter, please contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enclosure

cc: Elixir Industries
Attn: John Allen, Gen. Manager

63 7190



IDAHO DIVISION

ELIXIR INDUSTRIES

P. O. BOX 7986

BOISE, IDAHO 83707

PHONE (208) 888-1511

January 9, 1974

State of Idaho
Dept. of Water Administration
Statehouse Annex 2
Boise, Idaho 83707

ATTN: Mr. R. Keith Higginson

Dear Sir:

Re: Proof of application of water to beneficial use

7 (b) Type and size of measuring device.

Pump installed - 5 H.P. Jacuzzi Pump. Maximum rating
82 gallons per minute or .18 cu.ft. per second.
Measuring device not required.

Very truly yours,

ELIXIR INDUSTRIES

John Allen
General Manager

Per Telecon with Jan Carpenter 1-9-74.

63 7150

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder _____
b) Post Office Address _____
2. Permit Number _____
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated _____
b) Location of the point of diversion: _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, Section _____
Township _____, Range _____ Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) _____

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
See attached letter (letter of 4/11/74 from Elmer J. J.)
c) Give well drillers name and address and date the well was completed _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

 (Date) (Signature)

State of _____)
 ss.
 County of _____)

On this _____ day of _____, 19_____, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

 Notary Public residing at _____

My commission expires _____

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

INSURED NO.

DATE DELIVERED

1
2

Alvin A. Form of Idaho
SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

3

Shirley Fuller

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

63 7150

1-3-74 *LS*

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.



- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

63 7190

Talked w/ Alum-
a - Form & wanted
measuring device
requirement removed.
Will submit request
w/ amount now be-
ing used (water)

jc

December 31, 1973

CERTIFIED MAIL

#25077

Re: Permit No. 63-7190

Alum-A-Form of Idaho
Route #2
Meridian, Idaho 83642

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7190 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

63 7190

March 31, 1969

Re: Permit No. 63-7190

Alum-A-Form of Idaho
Route 2
Meridian, Idaho 83642

Gentlemen:

We enclose a copy of your approved application for permit 63-7190
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
1 informational letter

63-7190

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 21, 1969

Re: Application No. 63-7195 - Boise Independent School District
Application No. 63-7189 - Richard M. Chastain et al.
Application No. 63-7190 - Alum-A-Form of Idaho
Application No. 63-7191 - William G. Gilert
~~Application No. 63-7194 - Marion Schmelzer~~
Application No. 63-7196 - Boise Independent School District

Idaho Daily Statesman
300 North 6th Street
Boise, Idaho
Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: legal notices (8)

63-7190

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Alum-A-Form of Idaho, Route #2, Meridian,
Idaho has on February 5, 1969
applied for permit to divert ~~store~~ .34 cubic feet per second ~~acre/feet~~
of water from a ground water source
under application No. 63-7190. Water will be diverted by a well,
pump, motor within the NE 1/4 Sec. 8, T. 3 N.,
R. 1 E., B.M., Ada County
and is to be used from January 1 to December 31 for industrial purposes
in the NE 1/4 Sec. 8, T. 3 N., R. 1 E., B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho,
on February 27 and March 6, 1969.

63-7190