


11. Map of proposed project: Township 3N; Range 1E; B.M. Ada County



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Trans-Joint Corp.
(Applicant)
H. E. Thomas President

63-7186

63-7186

T.
3
N.




Diagram of System

DATE

EXAMINATION RECORDS

_____	_____
_____	_____
_____	_____ by: _____
_____	_____
_____	_____
_____	_____ by: _____
_____	_____
_____	_____
_____	_____ by: _____
_____	_____
_____	_____
_____	_____ by: _____

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 63-7186 Priority Jan. 15, 1969 Amount 0.12 cfs

THIS IS TO CERTIFY, that TRUS JOIST CORPORATION
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7186 issued pursuant to Application for Permit dated January 15, 1969,
and has submitted proof to the Department of Water Administration on February 17, 1972,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.12 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:
Amount 0.12 cfs for Industrial from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 0.12 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, Twp. 3 N, Rge. 1 E, B. M.

in the county of Ada; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 43 acre feet per year ~~or~~

~~XXXXXX XXXXXX~~


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	1 E	10										X							

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
January, 19 73.


Director

63 7186

Identification No. 63-7187

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

0.12

1. Name of applicant TRUS JOIST Corporation
post office address 9777 Chinden Blvd., Boise, Idaho

2. Source of water supply underground which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 10 Township 3N
Range 1E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:
Amount 0.67 cfs for Industrial or Domestic purpose from January 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:
a. 0.67 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump motor *Duke*

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 150-200 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 0.3 years.
b. Estimated construction cost is \$ 3,000.00.

8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 10 Township 3N
Range 1E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Domestic water for industrial
manufacturing plant.

63-7186

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes_____

9. a. Who owns the property at the point of diversion. TRUS JOIST Corporation

b. Who owns the land to be irrigated or place of use Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The water is to be used for domestic purposes only. The immediate needs
are for an Office Facility and one Factory Building with a projected need
of two additional Factory Buildings. All domestic waste water will be
returned to the ground via an underground sewage disposal system.

11. Map of proposed project: Township 3N; Range 1E; B.M. Ada County

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Trus-jump Corp.
(Applicant)
H. E. Thomas President

63-7126

Received by dy Date 1-15-69 Time 8:00am
Preliminary check by Duke Fee \$ 20. 1-15-69
Received by ej Date 1-15-69
Publication prepared by YS Date 1-30-69
Published in Idaho Daily Star
Publication dates 2-6 & 13-69
Publication approved YS Date 1-30-69
Priority reduced to _____ Reason _____

Protests filed by: none 2-20-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval Denial by CRH R.H. DRR H.E.

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7186, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1972.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works. Removed - see ltr in file of 3-8-72 by R.R.H.

2. Denial of said application is for the following reasons: _____

Witness my hand this 7th day of March, 1969.

R. Keith Higgins
State Reclamation Engineer

True
hidden
to divert
of water
res under
water will
motor
to be
pember
SW
M
from the
of this notice
KEITH HIGGINS
State Police Eng
Feb 13 1969

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for
Two ^{weekly} consecutive insertions, beginning with the
issue of February 6, 1969, and ending with the
issue of February 13, 1969.

Georgene Davis
Subscribed and sworn to before me this 13th day of
February, 1969.

Jana A Gauning
Notary Public for Idaho, Residing at Boise, Idaho

63-7186

THE STATESMAN-NEWSPAPERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse - Annex 2
- Boise, Idaho 83707

DATE	DESCRIPTION	INCHES	TOTAL INCHES	CHARGES	CHECK	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED						
FEB 13 69	WATER APPL 63 7186 Trus Joist Corp.	24L 2x		6.00			6.00
I hereby certify that the above account is correct and that the services were actually rendered and charged and that we have not received payment therefor. Signed STATESMAN PRINTING CO. By <i>Pat Lounsbury</i>							

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

63-7186

THE STATESMAN NEWSPAPERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse - Annex 2
- Boise, Idaho 83707

DATE	DESCRIPTION	INCHES	TOTAL INCHES	CHARGES	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED					
FEB 13 69	WATER APPL 63 7186 Trus Joist Corp.	24L 2x		6.00		6.00
I hereby certify that the above account is correct and that the services were duly rendered and charged and that we have not received payment therefor. Signed STATESMAN PRINTING CO. By <u>DA [Signature]</u>						

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

WATER RIGHT NUMBER 63-7186

OWNER LAST NAME - TRUS JOIST CORP. ✓

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 -

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BOISE ✓

STATE - ID ZIP CODE -

SOURCE - GROUNDWATER ✓

TRIBUTARY OF -

STAGE - LICENSE ✓

STATUS -

PRIORITY - 01-15-1969 ✓

COUNTY - ADA ✓

TOTAL DIV. RATE -

.1200 -CFS

TOTAL DIV. VOLUME - 43.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSW 10 03N 01E LOT ✓ REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 ✓ USE - INDUSTRIAL ✓

USE DIV. RATE -

.1200 CFS

USE DIV. VOLUME -

43.00 AFA

USE - INDUSTRIAL

PLACE OF USE - TWN 03N R1G 01E SEC 10 ✓ TRACT SWSW LOT AC

TOTAL ACRES

0

DECREE NAME -

DATE -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

3/79

IDENT. NO. 63-7186

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]

January 31, 1973

Re: Permit No. 63-7186

**Trus Joist Corporation
9777 Chinden Blvd.
Bosco, Idaho**

Gentlemen:

Enclosed is a copy of the Water License issued on the above referenced permit.

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

**BDF:DR
Enclosure**

63 7186

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

January 19, 1973

Trus Joist Corporation
9777 Chinden Blvd.
Boise, Idaho

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7186 and has found the following:

Quantity of water diverted: 0.12 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.12 cfs

The maximum quantity diverted shall not exceed 43 acre feet per season.

Beneficial use: Industrial purposes within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10,
Twp. 3N, Rge. 1E, B.M.

Point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, Twp. 3N, Rge. 1E, B.M.

The priority date established is: Jan. 15, 1969

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

63 7186

DATE OF EXAM 3 May 72

ACREAGE
Found 1/2
Recommended 1/2

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = ~~2.25~~ c.f.s. V = 2.25 AF/Ann. from Mar 15 to Nov 15
Domestic Q = 1/2 c.f.s. V = 3.0 AF/Ann. from 1 Jan to 31 Dec
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: Groundwater
twp. 3 N/S, Rge 1 E/W, B.M., Sec. 10, Sub. SW 1/4 SW 1/4 Ada County

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured .12 CFS Method of measurement Estimate

Total Q recommended .12 CFS Meter No. _____ Type _____ Condition _____

Total V recommended 5.25 Ac Ft

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

Q = Recommend .12 CFS for Domestic
V = 3.0 Ac Ft + 2.25 Ac Ft = 5.25 Ac Ft / year = 5.25

SYSTEM DESCRIPTION:

10" Well Submerged Pump 10 HP Pressure tank system
has 3 50 gal Tanks.

No measuring device installed
Possibly not required for the Domestic use?

REMARKS:
Water is used only for Domestic use and irrigation
of about 1/2 Acre (Lawn)

90 Employees use water for drinking washing
sanitary disposal etc.

Examiner's Signature [Signature] Date 3 May 72

Checked by _____ Date _____

Approved by _____ Date _____

FIELD REPORT

- TOTAL ACREAGE**

March 8, 1972

Re: Permit No. 63-7186

Trus Joist Corporation
9777 Chinden Blvd.
Boise, Idaho

Gentlemen:

We recently received from Mr. Ralph Kangas of Smith & Monroe Engineers, Inc., a request for the removal of the measuring device requirement from your permit.

That request has been considered and found reasonable. Therefore, the condition that a permanent measuring device be installed as a part of the diverting works is hereby removed.

However, any license that will be issued for the use of this water must reflect the amount actually developed and beneficially used during the permit period. Therefore, as your use is expanded it will be necessary for you to file another application for permit for the additional water. At that time, the installation of a measuring device will be required.

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit No. 63-7186. Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will contact you at the time he makes the examination so that someone might show him the system.

If you have any questions regarding the above matters, please let us know.

Very truly yours,


R. KEITH HIGGINSON
Director

63-07186

RKH:BDF:dr

cc: Smith & Monroe Engineers, Inc.
Attn: Ralph A. Kangas, P.E.

63-7186

Identification No. _____
Permit No. 63-7186

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder TRUS JOIST Corporation
b) Post Office Address 9777 Chinden Blvd. - Boise, Idaho
2. Permit Number 63-7186
3. Date of Priority that you are prepared to establish May 5, 1969
4. a) Source from which water was appropriated Underground
b) Location of the point of diversion: SW 1/4 SW 1/4, Section 10
Township 3N, Range 1E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 0.38 cfs for Domestic purposes from January 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.38 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: A flow was established during a 24 hour test of the well. Test by Well Driller and verified by Ralph A. Kangas, P.E.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A
b) Describe the agreement or understanding by which you take water from the works: N/A
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 10" well. Water is drawn from sand layer at 137 to 152 foot level. Pump bowls are presently set at 132 Ft.
b) Describe the type and size of measuring device which you have installed at your point of diversion: N/A See letter attached.
c) Give well drillers name and address and date the well was completed May 5, 1969
REX ENGLEMAN
1309 Rand Street
Boise, Idaho

63 7186

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use The water is used for domestic purposes for Employees of the Factory.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: N/A

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres irrigated _____

10. Remarks: See Letter Attached.

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb 15, 1972
Date
Feb 15, 1972
(Date)


Ralph A. Kangas
SMITH & MONROE ENGINEERS, INC.-Ralph A. Kangas, P.E.Vice.Pres.
Budwig Juntunen
(Signature)TRUS JOIST Corporation

State of Idaho)
County of Ada) ss.

On this 15 day of February, 19 72, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Mary E. Monson
Notary Public residing at _____
Boise, Idaho

My commission expires January 6, 1974



SMITH & MONROE ENGINEERS, INC.

CONSULTING ENGINEERS

PHONE (208) 344-8551 • 602 MAIN STREET • P. O. BOX 170 • BOISE, IDAHO 83701

ROBERT E. SMITH, P. E., President

ASSOCIATES
RALPH A. KANGAS - Structural
JERROLD R. WHITE - Mechanical

February 14, 1972

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
Statehouse Annex 2
Boise, Idaho 83707

Re: Permit No. 63-7186
Affidavit of Beneficial Use

Gentlemen:

Pursuant to your request of January 28, 1972, the following proof of beneficial use is submitted in regard to the above permit.

On May 5, 1969 the said well was tested for maximum 24 hour flow in accordance with a contract between our Client, TRUS JOIST Corporation and the well driller, Mr. Rex Engleman. The test was conducted by the well driller and verified by the undersigned. The well at that time produced 170 gpm, which was the maximum anticipated amount which would be used by our Client. This amount is based on the future plant expansions anticipated by our Client.

The present demand on water as the plant exists today is 60 gpm. Although there is not a permanent measuring device on the system, this value is estimated from the number of fixtures installed with the appropriate demand factor applied, which is a recognized method of determining water demand for domestic purposes.

It was the intent of our office and our Client, to develop a water system to serve present and future needs of the facility. Thus whenever future plant expansions do occur, there will not be additional expenses incurred for upgrading the water system, and our Client will not experience the inconvenience of stopping present operations while the expansions to the water system occur.

Page 2

Therefore, we wish to request a license for this permit to include the 170 gpm, an amount the existing well is capable of delivering and the amount our Client expects to use in the future. We also wish to request waiver of the requirement that a permanent metering device be installed on the system, whereas the method of estimating demand flows we have used is a recognized method.

Very truly yours,

SMITH & MONROE ENGINEERS, INC.



Ralph A. Kangas, P.E.
Vice President

RAK/mm

68 7186

February 7, 1972

C Re: Permit No. 63-7186

O Trus Joint Corporation
Attn: Irene Victory
9777 Chinden Blvd.
Boise, Idaho

Dear Ms. Victory:

P Pursuant to your phone call of this date, please find enclosed a copy of the
above referenced permit.

If we may be of further assistance, please let us know.

Very truly yours,

Y Darlene Reich
Secretary to:
BOBBY D. FLEENOR
Assistant Director

BDF:DR

63 7186

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.



Show to whom, date and address
where delivered



Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

23334

1

Miss Janet Pope

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Betty Bonadiman

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)


JAN 31 1963

63 7186

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

**RETURN
TO**



DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83702

63 7186

January 28, 1972

CERTIFIED MAIL #23334

Re: Permit No. 63-7186

Trus Joist Corporation
9777 Chinden Blvd.
Boise, Idaho

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7186 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1972. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

63 7186

March 11, 1969

Re: Permit No. 63-7186

Trus Joist Corporation
9777 Chinden Blvd.
Boise, Idaho

Gentlemen:

We enclose a copy of your approved application for permit 63-7186
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 2523 for \$20.
2 informational letters

63-7186

January 30, 1969

Re: Application No. 63-7185 - Harry M. Charters
Application No. 63-7179 - Harrison-Knudsen Company, Inc.
Application No. 63-7186 - Trust Joist Corporation

Idaho Daily Statesman
300 North 6th Street
Boise, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ka

enclosure: legal notices (3)

63-7186

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Trus Joist Corporation, 9777 Chinden Blvd.,
Boise, Idaho has on January 15, 1969
applied for permit to divert ~~stone~~ .67 cubic feet per second ~~acre/foot~~
of water from a ground water source
under application No. 63-7186. Water will be diverted by a well
pump, motor within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 10, T. 3 N. R.
1 E, B.M., Ada County
and is to be used from January 1 to December 31 for domestic use
in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 10, T. 3 N. R. 1 E, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho,
on February 6 and February 13, 1969.

63-7186