


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Boise Independent School District

By:

[Signature]
(Applicant)

Title:

Director of Business & Maint.

63-7174

T.
3
N




Diagram of System

State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 63-7174 Priority Nov. 27, 1968 Amount 0.31 cfs

THIS IS TO CERTIFY, that BOISE INDEPENDENT SCHOOL DISTRICT
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7174 issued pursuant to Application for Permit dated November 27, 1968,
and has submitted proof to the Department of Water Administration on March 27, 1972,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.31 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.31</u> cfs and	<u>8 acre feet</u>
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 31</u>	at <u>0.16</u> cfs and	<u>36 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>4.5 af per acre</u>

(both dates inclusive)

Subject, however, to the condition that no more than 0.31 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
44 acre feet per year, said waters to be diverted within the SW¹/₄SW¹/₄ Sec. 24,
Twp. 3 N, Rge. 1 E, B. M. in the County of Ada

Description and location of place of use: (Maple Grove Elementary School)

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
3 N	1 E	24											8						8
		24											X	(domestic)					

Total number of acres irrigated 8

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3 day of
October, 19 73.

63 7174

Director

Identification No. Maple Grove
Application No. 63-7174

LICENSE ISSUED FOR 0.31 SEC. FT.
LICENSE PAID 0.00

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Boise Independent School District
post office address 1207 Fort Street, Boise, Idaho
2. Source of water supply underground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 3N
Range 1E B.M. Ada County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
 - a. 0.5 cubic feet per second and/or
 - b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
 - Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
 - Irrigation purpose from Apr. 1 to Oct. 31 (both dates inclusive)
 - _____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. submersible deep well turbine pump with 15 HP, 3-phase, 480 volt electric motor. Discharge to S. Gallegos Junior pressure tank with 3-inch pipe.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____
 - c. Proposed well diameter is 10 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years.
b. Estimated construction cost is \$ 10,000.
8. Description of proposed uses:
 - a. If water is **not** for irrigation:
 - (1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 3N
Range 1E B.M.
 - (2) Amount of power to be generated: _____ hp under _____ feet of head.
 - (3) List number of each kind of livestock to be watered _____
 - (4) Name of municipality to be served _____, or number of families to be supplied with domestic water (see 5).
 - (5) If water is to be used for other purposes describe: Domestic and related uses, plus irrigation at 14 room school building with provision for possible later enlargement of school facilities.

63-7174

[illegible]

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes _____


9. a. Who owns the property at the point of diversion Boise Independent School District

b. Who owns the land to be irrigated or place of use Boise Independent School District

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Boise Independent School District

By:

[Signature]

Title:

Director of Business & Maint.

63-7174

Received by dy Date 11-27-68 Time 3:00pm
Preliminary check by Dave Fee \$ 10.00 11-29-68
Receipted by if Date 12-2-68
Publication prepared by WJ Date 1-14-69
Published in Grand Valley Star
Publication dates 1-23-69
Publication approved WJ Date 1-23-69
Priority reduced to _____ Reason _____

Protests filed by: none 2-11-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by R.H. JC

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7174, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 72.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 7th day of March, 19 69.

R. Kirk Hiji
State Reclamation Engineer

RECEIVED

JAN 31 1969

Department of Reclamation

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for

Two consecutive insertions, beginning with the
issue of January 23, 1969, and ending with the
issue of January 30, 1969.

Georgene Davis
Subscribed and sworn to before me this 30th day of

January, 1969.

Jana A. Young
Notary Public for Idaho, Residing at Boise, Idaho

63-7174

300 NORTH 6TH

IN ACCOUNT WITH

DIAL 343-5411

THE STATESMAN NEWS PAPERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

- . Idaho Dept. of Reclamation
- . Statehouse - Annex 2
- . Boise, Idaho 8707

DATE	DESCRIPTION	LINES/TIMES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED					
JAN 30 69	WATER APPL 63 7174 Boise Indept. School Dist.	26L 2x	6.50			6.50
1. The undersigned hereby certifies that the above is a true and correct statement of the charges for the services rendered by the Statesman News Papers to the Idaho Dept. of Reclamation, Statehouse - Annex 2, Boise, Idaho, for the month of January, 1969. 2. The undersigned hereby certifies that the above is a true and correct statement of the charges for the services rendered by the Statesman News Papers to the Idaho Dept. of Reclamation, Statehouse - Annex 2, Boise, Idaho, for the month of January, 1969. By <i>La Grange</i>						

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

THE STATESMAN NEWSPAPERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

- Idaho Dept. of Reclamation
- Statehouse - Annex 2
- Boise, Idaho 8 707

DATE	DESCRIPTION	LINES/TIMES	CHARGES	V	CREDITS	BALANCE
JAN 30 69	WATER APPL 63 7174 Boise Indept. School Dist.	26L 2x	6.50			6.50
	BALANCE STATEMENT RENDERED					

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

WATER RIGHT NUMBER 63-7174

OWNER LAST NAME - BOISE INDEPENDENT SCHOOL DIST. FIRST NAME - ORIG OWNER -
ADDRESS LINE 1 - ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - BOISE STATE - ID ZIP CODE -
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENSE STATUS - PRIORITY - 11-27-1968 COUNTY - ADA TOTAL DIV. RATE - .3100 -CFS
TOTAL DIV. VOLUME - 44.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SWSW 24 03N 01E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 04-01 TO - 10-31 USE - IRRIGATION USE DIV. RATE - .1600 CFS USE DIV. VOLUME - 36.00 AFA
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .3100 CFS USE DIV. VOLUME - 8.00 AFA
USE - IRRIGATION PLACE OF USE - TWN 03N RNG 01E SEC 24 TRACT SWSW LOT AC 08 TOTAL ACRES 8
DECREE NAME - DATE -
REMARKS - P/U IN MAPLE GROVE ELEMENTARY SCHOOL.
NON IRRIG USE -
OTHER RIGHTS FOR SAME USE -
PROOF DUE - PERMIT/DENIED - PROTESTED - HEARING - OLD NO. -
PROOF MADE - FLD EXAM - COND. OF APPROVAL - 01 16
DIVERSION MEANS -

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

October 15, 1973

Re: Permit No. 63-7174

Boise Independent School District
1207 Fort Street
Boise, Idaho 83702

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/jfr

Enclosure

63 7174

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 21, 1973

Boise Independent School District
1207 Fort Street
Boise, Idaho 83702

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7174 and has found the following:

Quantity of water diverted: 0.31 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.31 cfs

The maximum quantity diverted shall not exceed 44 acre feet per year.

Beneficial use: Irrigation of 8 acres and domestic purposes
within the SW1/4SW1/4 Sec. 24, Twp. 3 N, Rge. 1 E, B.M.
(Maple Grove Elementary School)

Point of diversion: SW1/4SW1/4 Sec. 24, Twp. 3 N, Rge. 1 E, B.M.

Priority date established: November 27, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

Bobby D. Fleenor

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

63 7174

FIELD REPORT

3. Water will be used for the following purposes:

Permit No. 63-7174
Examination for b/u

- TOTAL ACREAGE** _____ 10

T.
3
N

24



Diagram of System

DATE OF EXAM 10 July 72

ACREAGE
Found 8
Recommended 8

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .16 c.f.s. V = 36 AF/Ann. from Mar 15 to Nov 15
Domestic Q = .31 c.f.s. V = 83.7 AF/Ann. from Sept 1 to School year
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: Groundwater
twp. 3 N/S, Rge 1 E/W, B.M., Sec. 24 Sub. SW 1/4 SW 1/4 Ada County

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured .31 cfs Method of measurement Badger Meter installed

Total Q recommended .31 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 119.7 AcFt/Ann 350 (20 gpd/pupil) = 7000 gpd
≈ 8 AF/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other None
+ 4.5(8) = 36
44 AF/yr
HS

MEASUREMENT CALCULATION:

$$Q = 100 \text{ gal/s} / 43 = 2.3 \text{ cfs}$$
$$V = (270 \text{ hrs/days}) \times (.31) \times (2) = 167.4 \text{ AcFt/Ann}$$
$$V = 83.7 \text{ AcFt/Ann}$$
$$Q = 100 \text{ gal/s} / 43 = 2.3 \text{ cfs}$$
$$V = (270 \text{ hrs/days}) \times (.31) \times (2) = 167.4 \text{ AcFt/Ann}$$
$$V = 83.7 \text{ AcFt/Ann}$$

SYSTEM DESCRIPTION:

8" well with submerged pump with sanitary seal.
Badger meter installed. Completely automated underground
sprinkler system for irrigation
Domestic use is for approx 350 student lavatories
and the kitchen

REMARKS:

School year approx 270 days long, 12 Hr days
from 1 Sept thru 1 June

Examiner's Signature James Barber Date 31 July 72
Checked by _____ Date _____
Approved by _____ Date _____

April 5, 1972

C Re: Permit No. 63-7174

O Boise Independent School District
1207 Fort Street
Boise, Idaho 83702

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

P Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may arrange to have someone show him the system.

Very truly yours,

Y BOBBY D. FLEENOR
Assistant Director

BDF:DR

63 7174

Identification No. _____

Permit No. 63-7174

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Boise Independent School District
 b) Post Office Address 1207 Fort St. Boise, Idaho
2. Permit Number 63-7174 Maple Grove School Site
3. Date of Priority that you are prepared to establish February 11, 1969
4. a) Source from which water was appropriated Subterranean underground water supply
 b) Location of the point of diversion: SW 1/4 SW 1/4, Section 24
Township 3N, Range IE, Boise Meridian, Other points of diversion:
Ada County
5. a) The amount of water and use to which the water has been applied: 0.5 cubic feet per second
 amount _____ for Domestic purposes from Jan 1 to Dec 31 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for Irrigation purposes from Apr 1 to Oct 31 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated _____ cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Submersible deep well turbine pump with 15 H.P. 3 phase 480 volt electric motor. Discharge to 8 Jacuzzi Jumbo pressure tank with 3" pipe - to building for domestic use and to sprinkling system for irrigation
 b) Describe the type and size of measuring device which you have installed at your point of diversion: Badger Meter type MDIM size 4 dial measure gallons
 c) Give well drillers name and address and date the well was completed Russell Cowe Drilling Company Well completed March 1969
1514 Longmont Avenue
Boise, Idaho

63 7174

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Domestic and related use for 14 room school building with provisions for future enlargements of school facilities plus irrigation of school grounds

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: 10 acres playground area planted to lawn grass

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	1E	24											10						10

Total number of acres irrigated 10

10. Remarks: The determination of proof of use water from the well will be determined sometime between April 15, 1972 and May 1, 1972 by checking installed water meter reading.

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/22/72
(Date)

Orville E. Gribble
(Signature)


State of Idaho)
County of Ada) ss.

On this 22nd day of March, 1972, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Dorothy D. Second

Notary Public residing at Boise, Idaho

My commission expires May 12, 1972



THE INDEPENDENT SCHOOL DISTRICT OF BOISE CITY

ADMINISTRATIVE OFFICES • 1207 FORT ST. • BOISE, IDAHO 83702

March 23, 1972

Robert Fleenor
State Department of Reclamation
State House Annex No. 2
Boise, Idaho 83707

Subject: Proof of application of water to beneficial use. Permit
number 63-7174, Maple Grove Elementary School location

Dear Mr. Fleenor,

We have just recently installed a flow meter on the above subject well and will be placing the pump in operation about the 1st of April.

We will notify you just as soon as this is done so you can take a reading.

I am also enclosing the proof of use form with as complete information as we have available at this time.

Sincerely,

Donald E. Gribble
Supervisor of Buildings and Grounds

Encl: Proof of Use Form

63 7174

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

23333

1

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

2-30-72


3

63 7174

Joe Moore 63-7174

231 R

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



QUALITY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

**RETURN
TO**

**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707**

63 7174

January 28, 1972

CERTIFIED MAIL

23333

Re: Permit No. 63-7174

Boise Independent School District
1207 Fort Street
Boise, Idaho 83702

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7174 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1972. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

63-7174

December 1, 1970

Re: Permit Nos: 63-3479 63-3476 63-7196
63-3475 63-7195 63-7174 ✓

BOISE INDEPENDENT SCHOOL DISTRICT
1207 Fort Street
Boise, Idaho

ATTENTION: Don Gribble

Dear Mr. Gribble:

We are returning the school district's check in the amount of \$8.25 that they have submitted for the copies of the above referenced permits, as the fee for these copies was only \$6.25. Please re-submit only that amount.

If we may be of any further assistance, please advise.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enc: check #92-1 (\$8.25)

63 7174

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 5, 1970

Re: Permit No. 63-3479 63-7195
 63-3475 63-7196
 63-3476 63-7174

BOISE INDEPENDENT SCHOOL DISTRICT
1207 Fort Street
Boise, Idaho

ATTENTION: Don Gribble

Dear Mr. Gribble:

As requested when you were in our office, please find enclosed copies of Permit No. 63-7195, 63-7196, 63-7174, and the well logs for each. The fees for these copies will be \$3.75. The fees for the copies of the other permits that you picked up when you were in our office, is \$2.50; the total amount being \$6.25.

If we may be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enclosures

63 7174

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

JUN 11 1969

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Maple Grove School

Address Bowen Idaho

Owner's Permit No. 63-7174

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: school

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☐

10 "Diam. from 0 ft. to 275 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☒ Type of perforator used:

Size of perforations: " by "

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☒ No ☐

Manufacturer's name Johnson

Type Model No.

Diam. 9 1/2 Slot size 30 Set from 265 ft. to 275 ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

18 ft. Material used in seal: cement

Did any strata contain unusable water? Yes ☐

No ☒ Type of water:


Depth of strata ft. Method of sealing

strata off:

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Idaho

SW 1/4 SW 1/4 Sec. 24 T. 3 N. 1 R. 1 E. 1

Size of drilled hole: 10 " Total

depth of well: 275 Standing water

level below ground: 29 Temp.

Fahr. ° Test delivery: gpm

or cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test:

Length of time of test: Hrs. Min.

Drawdown: ft. Artesian pressure: ft.

above land surface Give flow cfs

or gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

0 3 dirt

3 6 hard pan

6 38 gravel yes

38 100 yellow & brown sand yes

100 180 " no

180 196 gravel yes

196 200 sandy clay brown yes

200 204 coarse sand yes

204 231 blue clay

231 240 coarse sand yes

240 243 light brown clay yes

243 251 coarse sand & gravel yes

251 258 fine gray sand yes

258 275 sandy gravel yes

Work started: June 6 1969

Work finished: June 6 1969

Well Driller's Statement: This well was

drilled under my supervision and this report

is true to the best of my knowledge.

Name: Russell Corne

Address:

Signed by: Russell Corne

License No. 65 Date: May 1

Use other side for additional remarks

March 11, 1969

Re: Permit No. 63-7174

Boise Independent School District
1207 Fort Street
Boise, Idaho

Gentlemen:

We enclose a copy of your approved application for permit 63-7174
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

CSA:kh

C. Stephen Allred, Assistant
State Reclamation Engineer

Enclosures: Copy of application
Receipt No. 2370 for \$10.
2 informational letters

63-7174

January 14, 1968

Re: Application No. 63-7174 -- Boise Independent School District
Application No. 63-7182 -- William L. Johnson
Application No. 63-7181 -- Kenneth Kirk
Application No. 63-7180 -- Darrell E. Leatham
Application No. 63-7179 -- City of Boise
Application No. 63-7178 -- Dr. W. E. Cameron, D. V. M.

Idaho Daily Statesman
Boise, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: legal notice

63-7174

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the Boise Independent School District, 1207
Fort Street, Boise, Idaho ^{November} ~~September~~ 27, 1968 has on

applied for permit under application No. 63-7174 to divert ~~about~~
0.5 cubic feet per second ~~of water~~ from a ground
water source. Water will be diverted by a well,
pump, motor, and pressure tank with pipe within the SW $\frac{1}{4}$ SW $\frac{1}{4}$,
sec. 24, T. 3 N, R. 1 E, B.M., Ada County.

and is to be used from January 1 to December 31 for
domestic and from April 1 to October 31 for irrigation
in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 24, T. 3 N, R. 1 E, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho,
on January 23 and January 30, 1969.

63-7174
79

December 19, 1968

Re: Application No. 63-7174

Boise Independent School District
1207 Fort Street
Boise, Idaho

Attention: Director of Business and Maintenance

Gentlemen:

We are in receipt of your application to appropriate the public waters of the State of Idaho. Before we can continue processing your application we must have some additional information.

Item 6a of the application requires information concerning the proposed diverting works. Apparently, you intend to drill a ten inch well to the depth of approximately 250 feet. We would need additional information such as the size and type of pump, motors, pipe, and etc. that will complete the diverting works.

Also, before final action can be taken we will request some additional assistance in justifying the quantity of water you have requested. Under the Idaho Stat Laws, the maximum legal rate of diversion that could be approved for your irrigation of ten acres would be .02 cubic feet per irrigated acre or .20 cubic feet per second for the entire ten acres. We would assume that the balance of the .5 cubic feet per second which you have requested would be for a domestic purpose. This .30 cubic feet per second for domestic use would be considered as somewhat excessive. Therefore, if you could assist us in obtaining additional information which will assist us in justifying the quantity of water you have requested, it would be most appreciated. Possibly, information which would help us would be the approximate number of students, types of uses, number of outlets, or any other information on this line.

Please contact us if we may be of further assistance in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: none

63-7174

NOV 27 1968

1207 FORT STREET

Boise, Idaho, 83702

November 27, 1968

Department of Reclamation

**W. R. Kennedy, Director
Business and Maintenance**

Phone: 842-4543
Area Code 206

[illegible]

State of Idaho
Department of Reclamation
State House
Boise, Idaho

Gentlemen:

We are enclosing herewith Application for Permit for water right, together with our check in the amount of \$10.00.

If any further information is needed, please let us know.

Yours very truly,

W. R. Kennedy

j
encl.

63-7174