


11. Map of proposed project:




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Robert V. Dr. Shazo
(Applicant)

Building Services
THOMAS Paine

63-7168



RECEIVED

Dec 18 1968

Department of Reclamation

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for

Two weekly consecutive insertions, beginning with the
issue of November 28, 1968, and ending with the
issue of December 5, 1968.

Georgene Davis
Subscribed and sworn to before me this 12th day of

December, 1968.

Jana A Young
Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION
FOR WATER

Notice is hereby given that the
State of Idaho, Department of Pub-
lic Works, Boise, Idaho has on No-
vember 14, 1968 applied for permit
under application No. 63-7168 to di-
vert 0.5 cubic feet per second of
water from a ground water source.
Water will be diverted by a well,
pump, motor within 1/4 NE 1/4
sec. 10, T. 3 N., R. 2 E., B.M. Ada
County and is to be used from
January 1 to December 31 for do-
mestic use and cooling purposes in
the NW 1/4 sec. 10, T. 3 N., R. 2
E., B.M.
Any protest against this appli-
cation must be filed with the De-
partment of Reclamation within ten
days from the last date of publica-
tion of this notice.
R. KEITH HIGGINSON
State Reclamation Engineer
Pub. Nov. 28, Dec. 5, 1968.

63-7168

T.
3
N.




Diagram of System

DATE

EXAMINATION RECORDS

_____	_____
_____	_____
_____	_____ by: _____
_____	_____
_____	_____
_____	_____ by: _____
_____	_____
_____	_____
_____	_____ by: _____
_____	_____
_____	_____
_____	_____ by: _____

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 63-7168 Priority Dec. 21, 1968 Amount 0.22 cfs

THIS IS TO CERTIFY, that the State of Idaho, Department of Building Services
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7168 issued pursuant to Application for Permit dated November 14, 1968,
and has submitted proof to the Department of Water Administration on March 9, 1972 (late),
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.22 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.22 cfs for Domestic & from Jan. 1 to Dec. 31 (both dates inclusive)
Cooling

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.22 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 10, Twp. 3 N, Rge. 2 E, B.M.

in the county of Ada, and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 159 acre feet per year ~~xx~~

~~acre feet per year.~~

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	2 E	10		X															

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29th day of

May, 19 73.


Director

63 7168

State of Idaho
Department of Water Administration

ASSIGNMENT OF PERMIT

Department of Water Administration

I, State of Idaho, Dept. of Public Works, hereby assign to Dept. of Building Services
of Boise, Idaho

Address



All my right, title, and interest, in and to Permit No. 63-7168
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Describe that portion of the permit being assigned by list-
ing the acreage within each 40-acre subdivision, the point of diversion
and the amount of water in cubic feet per second for direct diversion,
or acre feet for storage.)

Made this 9th day of March, 19 72.

Max A. Boesiger
Max A. Boesiger, Commissioner
Department of Public Works
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Ada) ss.

On this 9th day of March, 19 72, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

John D. Bogan
Notary Public residing at

Idaho City, Idaho

My commission expires: AUG 25 1974

63 7168

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-7168)
in the name of the State of Idaho, Department)
of Public Works - assignee - Department of)
Building Services)

ORDER OF REINSTATEMENT

WHEREAS, on November 14, 1968, the Department of Public Works applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate 0.5 cubic feet per second of water from a ground water source within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 10, Twp. 3 N, Rge. 2 E, B.M., Ada County, to be used for domestic and cooling purposes; and,

WHEREAS, on January 9, 1969, the Department approved said application and issued Permit No. 63-7168 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1972; and,

WHEREAS, on December 1, 1971, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on February 4, 1972, the Department notified the permit holder that Permit No. 63-7168 had lapsed for failure to submit the required proof of beneficial use; and,


WHEREAS, on March 9, 1972, the Department received the required proof of beneficial use and also an assignment whereby the Department of Public Works assigned all its right, title, and interest in and to Permit No. 63-7168 to the Department of Building Services; and,

WHEREAS, the Idaho Code, Section 42-218a, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-7168 be REINSTATED and the priority advanced to December 21, 1968.

Dated this 15 day of March, 1972.


R. KEITH HIGGINSON
Director

63 7168

RKH:DR

LICENSE ISSUED FOR 622 SEC. FT.
LICENSE PER
ASSIGNED TO:
Dept. of Building Services

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

Identification No. 63-7168
Application No. _____

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant State of Idaho - Department of Public Works
post office address Boise, Idaho
2. Source of water supply Underground which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 3N
Range 2E B.M. Ada County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into Boise River at a point in NE $\frac{1}{4}$
of SW $\frac{1}{4}$ of Section 32 Township 4N Range 2E B.M. (Boise Sewage Treatment Plant)
4. Quantity to be appropriated:
a. 0.5 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Domestic & cooling purpose from January 1 to December 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well (119' x 8''), cased to 109',
pump, motor, (For additional information, see letter of 11-14-68)
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____
- c. Proposed well diameter is 8 inches; proposed depth of well is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years.
b. Estimated construction cost is \$ 4,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 3N
Range 2E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water (See Remarks)
(5) If water is to be used for other purposes describe: (See Remarks)

63-7168

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes None

9. a. Who owns the property at the point of diversion State of Idaho

b. Who owns the land to be irrigated or place of use State of Idaho

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Not applicable

10. Remarks Water will be used primarily for a potable domestic supply at the Emergency Operating Center of the new State Office building, together with cooling requirements of the operating center. Number of persons served is not determinable at present time.

11. Map of proposed project:

Well Site

10

T. 3 N.
R. 2 E.
Ada County

REGISTERED PROFESSIONAL
ENGINEER
1027
STATE OF IDAHO
KEITH E. ANDERSON

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Robert V. DeShazo
(Applicant)

Building Services
THOMAS PAINE

63-7168

11-14-68 11:10 AM
Received by DM Date 11-14-68 Time 11:10 AM
Preliminary check by DM Fee \$ No fee required
Received by ef Date 11-14-68
Publication prepared by KL Date 11-21-68
Published in Idaho Weekly Star
Publication dates 11-28 & 12-5-68
Publication approved KL Date 12-30-68
Priority reduced to _____ Reason _____

Protests filed by: None 12-30-68

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DMC

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7168, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1972.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 9th day of January, 19 69.

R. Keith Higgins
State Reclamation Engineer

RECEIVED

NOV 14 1968

Department of Reclamation

PUMPING TEST
State Office Building Well
Test Date - September 6, 1968

<u>Time</u>	<u>Discharge (gpm)</u>	<u>Water Level (feet)</u>
4:30	94	68' 10"
4:45	95	69' 2"
5:00	96	70'
5:15	96	70' 6"
5:30	96	71' 2"
5:45	96	71' 8"
6:00	96	72' 5"
6:15	97	72' 6"
6:30	97	72' 10"
6:45	97	73'
7:00	96	73' 5"
7:15	96	73' 7"
7:30	96	74' 1"
7:45	96	74' 1"
8:00	96	74' 1"
8:15	96	74' 4"
8:30	96	74' 5"

Note: Measurements made from top of casing in excavation for basement of building approximately 16 feet below natural ground surface.

63-7168

RECEIVED

NOV 14 1968

WELL DATA

Department of Reclamation

Owner... State of Idaho..... Well Name... State Office Building..

Address..... Use... Emergency.....

State... Idaho..... County... Ada..... Basin.....

Map... Boise South..... Scale... 1:24,000..... Photos.....

NE 1/4 NE 1/4 Section... 10... Twp... 3N... Range... 2E... Boise... B&M

Description... Located in basement of New State Office Building.....

Driller... Drake Plumbing Date... Sept. 1968..... Total Depth... 119'.....

Construction... 0-100' 8" blank casing, 95-100' 6" blank casing,.....

100-110' 8" telescope well screen (.015" slot), 110-119'.....

6" blank casing with welded steel bottom.....

Equipment.....

Water Levels: Static... 25'..... Pumping... 74.5'..... Yield... 96gpm.....

Remarks... Measurements from top of casing during 4 hour test.....

WELL LOG

<u>Description</u>	<u>Depths</u>	
Gravel fill	0	7
	to	
Gravel and sand	7	10
Cemented gravel	10	30
Gravel and sand	30	40
Large river gravel, some sand	40	43
Gravel and sand	43	50
Reddish sand and gravel	50	58

ANDERSON & KELLY

CONSULTANTS IN ENGINEERING AND GEOLOGY

63-7168

NOV 10 1970

State of Idaho
State Office Building
-2-WELL LOG

<u>Description</u>	<u>Depths</u>	
Muddy brown sand	58	to 66
Gray blue shale	66	70
Blue shale	70	75
Silty blue shale	75	77
Stringers of pea gravel and blue shale	77	80
Sandy blue shale	80	85
Stringers of pea gravel and sand		
blue shale	85	90
Sandy blue shale	90	94
Coarse sand (yellow) some pea gravel	94	97
Pea gravel and sand	97	99
Sand (some gravel)	99	101
Sand, some blue shale	101	102
Silty blue shale and sand	102	102'6"
Sand, some small gravel	102'6"	106
Pea gravel and sand	106	108
Gravel and sand	108	110
Sand and a few small pea gravel	110	111
Gravel and sand	111	115
Sand	113	115
Sand, few pea gravel, some blue clay	115	118
Silty blue clay	118	119

63-7168
ANDERSON & KELLY

STATE OF IDAHO, }
COUNTY OF ADA } ss.


Georgene Davis, being duly sworn,
deposes and says: That she is the Principal Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular edition of The Idaho Daily Statesman for

Two weekly consecutive insertions, beginning with the
issue of November 28, 1968, and ending with the
issue of December 5, 1968.

Georgene Davis
Subscribed and sworn to before me this 12th day of

December, 1968.

Jana A Young
Notary Public for Idaho, Residing at Boise, Idaho



63-7168

THE STATESMAN NEWSPAPERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

-
- Idaho Dept. reclamation
- State House - Annex 2
- Boise, Idaho 83707
-

DATE	DESCRIPTION	LINES/TIMES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED					
DEC 5 68	APPL FOR WATER 637168 State of Idaho	26L 2x	6.50			6.50
I hereby certify that the above account is correct and that all charges were actually rendered as charged. I am in debt for the payment thereof. 12/11/68 <i>La Young</i>						

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

THE STATESMAN NEWSPAPERS

BOISE, IDAHO

FOR LEGAL ADVERTISING

•
• Idaho Dept. reclamation
• State House - Annex 2
• Boise, Idaho 83707
•

DATE	DESCRIPTION	LINES/TIMES	CHARGES	✓	CREDITS	BALANCE
	BALANCE STATEMENT RENDERED					
DEC 5 68	APPL FOR WATER 637168 State of Idaho	26L 2x	6.50			6.50
I hereby certify that the above account is correct and that the services were actually rendered and charged and that we have not received payment therefor. Signed STATESMAN PRINTING CO. By _____						

TERMS: NET BY 10TH OF MONTH FOLLOWING

LAST AMOUNT IN
THIS COLUMN
IS BALANCE
DUE

C May 30, 1973

Re: License No. 63-7168

O State of Idaho, Dept. of Building Services
Statehouse Mail

Gentlemen:

P Enclosed please find a copy of the Water License issued on the above
referenced permit.

Sincerely,

V Bobby D. Fleenor
Assistant Director

kss

Enclosure

63 7168

May 16, 1973

Dept. of Building Services
Statehouse Mail

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7168 and has found the following:

Quantity of water diverted: 0.22 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.22 cfs

The maximum quantity diverted shall not exceed 159 acre feet per year.

Beneficial use: Domestic & cooling purposes within the NW $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 10, Twp. 3 N, Rge. 2 E, B. M.

Point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 10, Twp. 3 N, Rge. 2 E, B. M.

Priority date established: Dec. 21, 1968 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

63-7168

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder State of Idaho - Dept. of Building Services
Post office address Boise, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.5 c.f.s. for Domestic
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount 0.5 c.f.s. for Cooling
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 63-7168
Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion 0.5 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 2E E/W, B.M., Section 10, Subdivision NW 1/4 NE 1/4, Ada
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Other Points of Diversions: _____

Description of diverting works: 8" well, 119' deep electric 5 h.p. submersible pump.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	10		X															
				(Domestic)															

63 7168

TOTAL ACREAGE _____




Diagram of System

DATE	EXAMINATION RECORDS
	by: _____
	by: _____
	by: _____
	by: _____

DATE OF EXAM 7 Aug. 1972

ACREAGE
Found N/A
Recommended _____

Irrigation Requirement N/A Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= 0.22 c.f.s. V= 153 AF/Ann. from 1/1 to 12/31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured N/A Method of measurement _____

Total Q recommended 0.22 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 153 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

96 gpm (pumping test rate) = 0.22 cfs. = 153 AF/Ann.

SYSTEM DESCRIPTION:

119' well w/ 8" casing w/ 5 Hp. submersible pump, w/ 3450 RPM, 440 volt, 3 ph., 60 cycle electric motor

REMARKS:

Examiner's Signature M. Clayton Barron Date 4 Aug. 1972

Checked by _____ Date _____

Approved by _____ Date _____

March 15, 1972

Re: Permit No. 63-7168

State of Idaho, Dept. of Building Services
Statehouse Mail

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed you will find an Order of Reinstatement; please note that the priority has been advanced.

The assignment in connection with this permit has been recorded, we are enclosing a copy of the assignment for your files.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will contact you at the time he makes the examination so that you may show him the system.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Order of Reinstatement
Copy of assignment

63 7168

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
MAR 9 1972

Department of Water Administration

1. a) Name of Permit Holder State of Idaho - Dept. of Public Works
b) Post Office Address Boise, Idaho
2. Permit Number 63-7168
3. Date of Priority that you are prepared to establish 11-14-68
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion : NW 1/4 NE 1/4, Section 10
Township 3N, Range 2E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
amount .5 for domestic & cooling purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .5 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimated

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

- b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 8" well, 119' deep electric 5hp submersible pump.

- b) Describe the type and size of measuring device which you have installed at your point of diversion: None

- c) Give well drillers name and address and date the well was completed _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Domestic use for emergency operation of the Civil Defense Center. Cooling for air conditioner in Civil Defense Center

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____


TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres irrigated _____

10. Remarks: _____


The above information is a true statement of the extent to which the above numbered permit has been developed.

March 9, 1972
(Date)


Max A. Boesiger, Dept. of Public Works, Commissioner
(Signature)

State of Idaho)
County of Ada) ss.

On this 9th day of March, 19 72, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.


Notary Public residing at _____
Idaho City, Idaho

My commission expires AUG 25 1974

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

February 16, 1972

Re: Permit No. 63-7168

Department of Public Works
Statehouse - Annex 1
Boise, Idaho 83707

ATTENTION: Harry Stone, Deputy Commissioner

Dear Mr. Stone:

Pursuant to your request, please find enclosed a copy of this Department's proof of beneficial use form. This proof affidavit must be submitted on or before April 4, 1972, which is sixty (60) days from the date of the lapse notice, a copy of which is enclosed.

If you feel this permit would be more properly filed in the name of the Department of Special Services, then you should complete the enclosed assignment form.

If you should have any questions in reference to this matter, please feel free to contact this Department.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:CS

Enc: copy of lapse notice
beneficial use form, with instructions
assignment form

63 7168

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

February 4, 1972


Re: Permit No. 63-7168

State of Idaho, Dept. of Public Works
Statehouse - Annex 1
Boise, Idaho 83707

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code,
Permit 63-7168 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a
showing of reasonable cause within sixty days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:DR

63 7168

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

23218

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

DEC 2 1968

3

63 7168

APITON BUILDING MAT


**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**

085-16-71548-11

POD Form 3811 Apr. 1969

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.



**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707**

63

December 1, 1971

CERTIFIED MAIL

#23218

Re: Permit No. 63-7168


State of Idaho, Dept. of Public Works
Statehouse - Annex 1
Boise, Idaho 83707

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7168 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1972. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

63 7168

January 13, 1969

Re: Permit No. 63-7168

**State of Idaho
Department of Public Works
Boise, Idaho**

Gentlemen:

We enclose a copy of your approved application for permit 63-7168
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosure

63-7168

November 21, 1968

Re: Application No. 63-7168 - State of Idaho, Department of Public Works
Application No. 63-7163 - Dale B. and/or Mildred J. Tomkinson

Idaho Daily Statesman
300 North 6th Street
Boise, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: legal notice

63-7168

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the State of Idaho, Department of Public Works,

Boise, Idaho has on November 14, 1968

applied for permit under application No. 63-7168 to divert ~~approx~~

0.5 cubic feet per second ~~above feet~~ of water from a ground
water source

. Water will be diverted by a well,
pump, motor

within the NW-NE-1/4,
sec. 10, T. 3 N, R. 2 E, B.M., Ada County

and is to be used from January 1 to December 31 for
domestic use and cooling purposes

in the NW-NE-1/4, sec. 10, T. 3 N, R. 2 E, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho,
on November 28 and December 5, 1968.

63-7168

DON SAMUELSON
GOVERNOR



ROBERT V. DE SHAZO
COMMISSIONER

PERMANENT BUILDING FUND
ADVISORY COUNCIL

JAMES D. MCCLARY, CHRM., BOISE
WARREN BROWN, VICE CHRM., MC CALL
TED HOFF, JR., HORSESHOE BEND
REP. TONY WESSELS, COTTONWOOD
SEN. WALTER YARBROUGH, GRANDVIEW

STATE OF IDAHO

DEPARTMENT OF PUBLIC WORKS
STATE CAPITOL BUILDING
PHONE 344-5811, EXT. 219
BOISE, IDAHO 83707

RECEIVED 11:10 AM
11-14-1968

NOV 14 1968

11:10 AM
Department of Reclamation
November 15, 1968

Mr. Donald W. McEldowney
State Department of Reclamation
Statehouse Annex #2
Boise, Idaho

Re: Application for Water Use Permit

Dear Mr. McEldowney:

In reference to your letter to Mr. De Shazo on October 17, 1968, requesting additional information on item 6A of the application for water use permit, we submit the following information:

The well is 119' deep, 8" casing to 109' and 6" blank casing for 10'. A copy of the well log is enclosed. The pump will be selected for 80 g.p.m. at 186 feet of total dynamic head with a minimum of 5 horsepower submersible type 3450 rpm, 480 volts, 3-phase, 60 cycle, electric motor. The motor is to be connected to the pump shaft by means of a splined coupling. There will be a 30 g.p.m. requirement for domestic water use and a 50 g.p.m. requirement for air conditioning. This water supply will be used for operation of the Emergency Operating Center of the building and only when the city water supply is not available. There is not a storage facility or chlorination facility in this system. Water will be pumped as needed by using an electric pressure switch to turn the electric pump motor on and off. There is a possibility that a larger demand will be needed in the future and when this happens, we will re-submit according to the need.

I hope that this information will serve your need. If not, please let us know.

Very truly yours,

Donald E. Gribble
Resident Inspector

DEG:bmm

Enc.

	RECL. ENGR.	
	DEPUTY	
	WATER RIGHTS	
✓	APPROP	DEMC
	EST	
	ADJ	
	INVESTIGATION	
	WELLS	
	ACCOUNTING	
	FILE	
	RELATION TO	
	OTHER	

63-7168

October 17, 1968

Re: Application for Permit

Mr. Robert V. DeShazo
State of Idaho
Department of Public Works
Statehouse
Boise, Idaho

Dear Mr. DeShazo:

As of this date we have not received a reply to our letter of July 17, 1968, a copy of which is enclosed. Unless we receive a reply to this correspondence within 30 days from the date of this letter, we will be required to return the application as not acceptable.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: Copy of July 17, 1968 letter

62-7168

July 17, 1968

Re: Application for Permit
State of Idaho - Department of Public Works

Robert V. DeShazo
Department of Public Works
State of Idaho
Statehouse
Boise, Idaho

Dear Mr. DeShazo:

We have received the department's application to appropriate the public waters of the State of Idaho. Before we can continue processing your application we will require some additional information.

Item 6a of the application requires the description of the proposed diverting works. This will include such information as that concerning the well, pump, motor, storage, air conditioning capacities, and etc.

It is also noted that under Item 4a of the application, you are requesting 0.5 cubic feet per second. We will request that you submit information concerning your requirements for this quantity of water. This could be in the nature of your preliminary engineer study or other qualified information for justification for this quantity of water.

Your assistance in this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

63-7168

INTER-DEPARTMENT MEMO — 1

DATE July 8, 1968

FROM Dept. of Public Works

TO Reclamation Dept.

SUBJECT Attached.

Request favorable permit for this attached request.

RECEIVED
JUL 9 1968

Department of Reclamation

RVD:aaw
Encl.


Robert V. De Shazo SIGNATURE