


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CITY OF CALDWELL, IDAHO

BY: Melvin G. Lewis
(Applicant) Melvin G. Lewis, P.E.
City Engineer

63-7158

NOV 22 1968

Department of Reclamation

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire
issue of said paper, and was printed in the newspaper proper, and
not in a supplement.

4. That said notice was published the following dates:

November 14, 21, 1968

Verla Harker

Subscribed and sworn to before me this.

21st day of November, 19 68

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRE **JUNE 23, 1971**

63-7158

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 63-7158 Priority Oct. 18, 1968 Amount 2.45 cfs

THIS IS TO CERTIFY, that the CITY OF CALDWELL of Caldwell, Idaho, has complied with the terms and conditions of Permit No. 63-7158 issued pursuant to Application for Permit dated October 18, 1968, and has submitted proof to the Department of Water Administration on November 28, 1973, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 2.45 cfs of water from a ground water source tributary to, and that the permit holder has applied to a beneficial use & established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Municipal	from Jan. 1 to Dec. 31	at 2.45 cfs and	n/a
	from to	at cfs and	
	from to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.45 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed n/a acre feet per year, said waters to be diverted within the NW¹/₄ NE¹/₄ of Sec. 35, Twp. 4 N, Rge. 3 W, B.M. in the County of Canyon

Description and location of place of use: City of Caldwell, Idaho

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	

Total number of acres irrigated

63-7158

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20 day of May, 1974.

Director

Identification No. 62-7157

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPROVED

LICENSE ISSUED FOR 2.45 SEC. FT.
LICENSE PAGE NO. _____

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CITY OF CALDWELL
post office address City Hall, Caldwell, Idaho 83605
2. Source of water supply Underground which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 4N
Range 3W B.M. Canyon County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into Boise River at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 16 Township 4N Range 3W B.M. Sewer system-treatment
plant outfall
4. Water will be used for the following purposes:
Amount 4.47 for municipal purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.47 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Deep well turbine pump

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 430 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 33,600.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
Within the City Limits of Caldwell, Idaho
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served City of Caldwell, Idaho or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

62-7157

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes _____
Permit No. G-32313 Well No. 6

5 other wells are used


9. a. Who owns the property at the point of diversion City of Caldwell, Idaho
b. Who owns the land to be irrigated or place of use _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Attached is a map of the City of Caldwell showing the limits as of this date.

B & M Well Drilling Company of Caldwell, Idaho drilled the well.

Anderson and Kelly, Engineering Consultants, 420 Simplot Bldg. Boise, Idaho were the consultants.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CITY OF CALDWELL, IDAHO
BY: Melvin G. Lewis
(Applicant) Melvin G. Lewis, P.E.
City Engineer

63-7158

Received by df Date 10-18-68 Time 8:00am
Preliminary check by DeW Fee \$ 40.00 10-18-68
Receipted by df Date 10-18-68
Publication prepared by 725 Date 10-31-68
Published in News-Tribune
Publication dates 11-14 & 21-68
Publication approved 725 Date 11-6-68
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CHS RHP OK

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7158, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. ~~SUBJECT TO ALL PRIOR WATER RIGHTS.~~

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 73.

c. Other: This permit is supplemental to all prior rights.

The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of December 19 68.

R. Keith Higgins
State Reclamation Engineer

RECEIVED

OCT 19 1968

Department of Reclamation

C E R T I F I C A T E

This is to certify that the discharge of City Well No. 7
at the City of Caldwell, Canyon County, Idaho (Arthur
and Locust Streets) was observed on May 2, 1968 to be
2,006 gallons per minute (4.47 cubic feet per second).

ANDERSON & KELLY

BY

Keith E. Anderson
Keith E. Anderson

63-7158

NOV 22 1968

Department of Reclamation

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Canyon.) ss.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

November 14, 21, 1968

Subscribed and sworn to before me this

21st day of November, 1968

Adrian D. Kuen

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRE JUNE 23, 1971

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the City of Caldwell, City Hall, Caldwell, Idaho has on October 18, 1968 applied for permit under application No. 63-7158 to divert 4.47 cubic feet per second of water from a ground water source. Water will be diverted by a well and turbine pump within the NW1/4NE1/4, sec. 35, T. 4 N, R. 9 W, B.M., Canyon County and is to be used from January 1 to December 31 for municipal use within the City Limits of the City of Caldwell, Idaho. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

November 21, 1968

63-7158

The News-Tribune

P. O. Box 1179

CALDWELL, IDAHO 83605

Date November 21, 1968

Department of Reclamation

Statehouse Annex 2

Boise, Idaho

NOTICE OF APPLICATION FOR WATER - 63-7158 CITY OF CALDWELL

28 lines 2 days - November 14, 21, 1968

1 day @ .14 per col. line	\$3.92
1 day @ .10 per col. line	<u>2.80</u>
	6.72

I hereby certify that the foregoing
amount is just and correct, that it
is legally due, after allow-
ing credits, and that no part of
same has been paid.

Karla Harker

63-7158

RECEIVED

OCT 18 1968

Department of Reclamation


MAP OF
CALDWELL
CANYON COUNTY
T4N-R3W-BM
IDAHO

MELVIN G. LEWIS - CITY ENGINEER

ADOPTED AS THE OFFICIAL CITY MAP BY ACTION OF
THE CITY COUNCIL ON THIS 21 DAY OF AUGUST 1961

ATTEST - CITY CLERK

APPROVED - MAYOR



68-7158

68-7158

C. J. HALL - 1957
REVISED - MARCH 1968

Department of Reclamation

MELVIN G. LEWIS - CITY ENGINEER

ADOPTED AS THE OFFICIAL CITY MAP BY ACTION OF
THE CITY COUNCIL ON THIS 21 DAY OF AUGUST 1961

Attest - City Clerk

APPROVED - MAYOR

-Well No. 7

62-7158

62-7158

May 21, 1974

C
Re: Permit No. 63-7158

Q
City of Caldwell
City Hall
Caldwell, Idaho 83605

P
Gentlemen:

Enclosed herewith is a copy of the Water License issued on the
above referenced permit.

Sincerely,

Y
BOBBY D. FLEENOR
Assistant Director

ta

Enclosure

63-7158

May 6, 1974

City of Caldwell
City Hall
Caldwell, Idaho 83605

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7158 and has found the following:

Quantity of water diverted: 2.45 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 2.45 cfs

The maximum quantity diverted shall not exceed n/a acre feet per year.

Beneficial use: For municipal purposes within the City of Caldwell, Idaho

Point of diversion: N. 1/4 Sec. 35, Twp. 4 N, Rge. 3 W, B.M.

Priority date established: October 18, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:jfr

63-7158

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

1. Name of permit holder City of Caldwell

Post office address City Hall, Caldwell, Idaho 83605 Phone _____

Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
 (name spring, stream, etc.)

Tributary to _____

3. Water will be used for the following purposes:

Amount 4.47 c.f.s. for municipal
 _____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 63-7158
 Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 4.47 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

BLK 1, Lot 4 INDUSTRIAL SITE - CITY MAP
 Township 4N N/S, Range 3W E/W, B.M., Section 35, Subdivision NW 1/4 NE 1/4, Canyon County
 Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
 Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Other Points of Diversions: _____

Description of diverting works: Pump is 10" - 10 stage deep well turbine, 75 hp motor variable speed controlled by an Ikor controller, well is 12" to 302' and 10" from 302' to 433'. Well is 433' deep.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use. (Note to examiner: Permit states place of use as "Within the City Limits of Caldwell, Idaho".)

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>4N</u>	<u>3W</u>	<u>10</u>												X		X	X		
		<u>14</u>							X		X	X	X	X					
		<u>15</u>	X	X	X	X	X			X	X	X	X	X	X	X	X	X	
		<u>21</u>	X	X	X	X				X	X	X	X	X	X	X	X	X	
		<u>22</u>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
		<u>23</u>					X	X	X	X	X	X	X	X	X	X	X	X	
		<u>26</u>			X		X	X	X	X	X	X	X	X	X	X	X	X	
		<u>27</u>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
		<u>28</u>	X	X	X	X				X		X	X	X	X	X	X	X	
		<u>33</u>	X	X		X	X								X	X	X	X	
		<u>34</u>	X	X	X	X	X	X	X						X	X	X	X	
		<u>35</u>	X	X	X	X	X	X	X						X			X	
		<u>36</u>					X	X			X	X	X	X	X	X	X	X	

63-7158

TOTAL ACREAGE _____

63-7158




Diagram of System

DATE OF EXAM Apr 8, 1974

ACREAGE
Found _____
Recommended NA

Irrigation Requirement NA Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
MUNICIPAL Domestic Q= 2.45 c.f.s. V= _____ AF/Ann. from 1/1 to 12/31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 875 GPM = 1.95 cfs Method of measurement Flowmeter

Total Q recommended 1.95 cfs Meter No. 78763 Type MasterFlow Condition New
Sparking

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Direct Reading

SYSTEM DESCRIPTION:

(City Well #7) Johnson Vertical Pump w/ 75 HP, 1640 RPM, 3 phase,
Continental Electric Motor, Type NHRV-509 P-D, Size F35261,
2" discharge thru flowmeter & gauges into 3" x 10" main line.

REMARKS:

Place of use within Caldwell city limits as indicated
under Item 6 of this form.

Examiner's Signature W. Claude Brown Date Apr 8, 1974

Checked by _____ Date _____

Approved by _____ Date _____

63-758

10 Minutes

8.1 = 810.0 GPM
445 36 1.0 X 1000 Gal
445 36 9.1

63-7158

60 PSI

December 11, 1973

Re: Permit No. 63-7158

City of Caldwell
City Hall
Caldwell, Idaho 83605

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

63-7158

Office of City Engineer and Public Works

CITY OF CALDWELL

CALDWELL, IDAHO

MELVIN G. LEWIS, P.E.
CITY ENGINEER
and
PUBLIC WORKS DIRECTOR

November 28, 1973

Mr. Keith Higginson, Director
Department of Water Administration
Statehouse, Annex #2
Boise, Idaho 83707

Re: Permit No. 63-7158

Dear Sir:

Enclosed is the proof of application of Water to Beneficial Use for the Blaine and Locust Well No. 7 of the City of Caldwell. This is one of the wells in our municipal supply system.

If additional data is needed please contact me.

Yours truly,



Melvin G. Lewis, P.E.
City Engineer

Encs.

63-7158

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder City of Caldwell
b) Post Office Address City Hall, Caldwell, Idaho 83605
2. Permit Number 63-7158
3. Date of Priority that you are prepared to establish Oct. 18, 1973
4. a) Source from which water was appropriated Underground
b) Location of the point of diversion: NW 1/4 NE 1/4, Section 35
Township 4N, Range 3W, Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied: See Supplemental Data Sheet Attached
amount _____ for Municipal purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 2.45 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Observation of the meter described below by Melvin G. Lewis, P.E., City Engineer and Jack B. Johansen, Water Superintendent on Nov. 27, 1973.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: NA
b) Describe the agreement or understanding by which you take water from the works: NA
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump is 10"-10 stage deep well turbine, Motor 75 Hp. variable speed controlled by an Ikor controller, well is 12-in. to 302 ft. and 10-in. from 302 to 433 ft. Well depth 433 ft.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Sparling mainline propeller type meter 8 in. registering flow in gpm and totalizer in thousands of gallons - Serial No. 78763
c) Give well drillers name and address and date the well was completed B & M Well Drilling Co. by Russell Harriston, Driller - Completed Mar. 31, 1968.

63-7158

Exam typed 12/10/73 by jc

63-7158

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Municipal

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres irrigated

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov. 27, 1973

(Date)

Melvin G. Lewis

(Signature)

Melvin G. Lewis, P.E., City Engineer
City of Caldwell, Idaho

State of Idaho)

ss.

County of Canyon)

On this 27 day of November, 19 73, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he ~~(she)~~ ~~(they)~~ executed the same.

Verma Collins

Notary Public residing at Caldwell

My commission expires

12-30-76



SUPPLEMENTAL MEASUREMENT DATA
LOCUST AND BLAINE WELL NO. 7
Caldwell, Idaho

November 27, 1973

Melvin G. Lewis, P.E., City Engineer, and Jack B. Johansen, Water Superintendent for the City of Caldwell, observed the Sparling meter located in the discharge line of the pump and it registered 850 gal./min. at a pressure of 60 lbs./ sq. in. Mr. Johansen stated that in the recent past this was an average reading although it could vary as the pressure in the water system varies.

Pumping of the well started on April 7, 1969.

The yearly totals are as follows:

<u>YEAR</u>	<u>TOTAL WATER PUMPED IN GALLONS</u>
1970	234,240,000
1971	205,470,000
1972	315,020,000 ← 1.34 cfs avg daily

The monthly totals of the water pumped for the first ten months of 1973 is as follows:

<u>MONTH</u>	<u>TOTAL WATER PUMPED IN GALLONS</u>
Jan.	36,240,000
Feb.	32,450,000
Mar.	35,680,000
Apr.	34,620,000
May	35,190,000
June	33,810,000
July	35,100,000
Aug.	35,840,000
Sept.	34,980,000
Oct.	36,210,000

*350,120,000 + 12 = 420,144,000
5.178 cfs avg daily*

The increase in flow in 1972 over 1971 was a result of an 8-in. connecting main along Linden Street which permitted an increase flow from well No. 7 into the major distribution system in the center of the city. Since the pump and electric motor have the capability of varying the flow, it is the intention of the City Water Department to use this well continuously as a source for the system.

The water pumped from the well will be dependent upon its relationship to the water produced by the six other wells and will vary up to the maximum continuous flow.

63-7154

October 1, 1973

CERTIFIED MAIL

#24873

Re: Permit No. 63-7158

City of Caldwell
City Hall
Caldwell, Idaho 83605

Gentlemen:

One of the conditions of approval of your water Permit No. 63-7158 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

63-7158

February 25, 1972

Re: Permit No. 63-7158

Office of City Engineer and Public Works
City of Caldwell
Caldwell, Idaho 83605

ATTENTION: Melvin G. Lewis, P.E., City Engineer

Dear Mr. Lewis:

We are enclosing this Department's request for extension of time form. You may file this request at this time. However, our course of action would probably be denial. Your proof of beneficial use is not due until December 1, 1973. If at some time just prior to the beneficial use due date, you feel that you still need an extension of time, please submit the necessary form. At that time, an extension of time would most likely be granted.

You probably understand that under your present permit, the maximum amount of water that we can license, is 4.47 cubic feet per second. If you plan to develop more water than this, you should file a new application for permit, to cover the additional amount of water.

If we can be of any further assistance in this matter, please feel free to contact this Department.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enc: extension of time form

63-7158

Office of City Engineer and Public Works

CITY OF CALDWELL

CALDWELL, IDAHO

February 16, 1972

MELVIN G. LEWIS, P.E.
CITY ENGINEER
and
PUBLIC WORKS DIRECTOR

RECEIVED

Department of Water Administration

Department of Water Administration
State of Idaho
State House
Annex 2
Boise, Idaho 83707

Attention of: Mr. Bobby D. Fleenor, Assistant Director

Subject: Extension of time for Permit No. 63-7158

Dear Mr. Fleenor:

This is to request an extension of time of 5 years for proof of construction of works and application of water to beneficial use, beyond the date shown in the application for permit to appropriate the public water of the State of Idaho indicated above.

As I discussed with you, the reason for extension of time would be to develop a more adequate pumping record of the use of the well in the next six and one half years. At the present time the well is being used and has a thousand gallon capacity pump with a variable speed motor controlled by a solid state Ikor controller which is sensitive to the pressure in the mains.

The City is planning this year to enlarge the distribution system in the area of the well such that we can make better use of the power costs required for pumping. This would increase the production of the well over its production the last 2 years. The City would like to have the advantage of the increased production if in the future the maximum quantity of water to be pumped from the well is to be based on past pumping records.

If there is any additional information you require, please contact me.

Yours truly,



Melvin G. Lewis, P.E.
City Engineer

MGL:pp

c.c. Mayor Carpenter

63-7158

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

1

Quinn Fisher

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

3

CITY of COLUMBIA

10.2.73

63-7158

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

**RETURN
TO**



63-7138
**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83702**

655-18-7154B-11

POD Form 3811 Apr. 1969

January 2, 1969

Re: Permit No. 63-7158

**City of Caldwell
City Hall
Caldwell, Idaho 83605**

Gentlemen:

We enclose a copy of your approved application for permit 63-7158
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

**Enclosures: Copy of application
Receipt No. 2221 for \$40.
2 informational letters**

63-7158

The Idaho Free Press

Published Daily Except Sunday

P. O. BOX 88 NAMPA, IDAHO, 83651

AREA CODE 208
466-7891

RECEIVED

NOV 19 1968

Department of Reclamation

Ca

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the City of Caldwell, City Hall, Caldwell, Idaho has on October 18, 1968 applied for permit under application No. 63-7158 to divert 4.47 cubic feet per second of water from a ground water source. Water will be diverted by a well and turbine pump within the NW1/4NE1/4, sec. 35, T. 4 N., R. 3 W., B.M., Canyon County and is to be used from January 1 to December 31 for municipal use within the City limits of the City of Caldwell, Idaho. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
November 14, 21, 1968

Above is a proof of your copy as it will appear in our paper beginning _____, unless we hear from you prior to that time concerning any corrections or changes.

Adam J. Kalb
Publisher

63-7158

October 31, 1968

Re: Application No. 6397158
City of Caldwell

News-Tribune
Caldwell, Idaho 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McKelowney
Appropriations Examiner

DWM:ks
enclosure: Legal notice (1)

63-9158

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the City of Caldwell, City Hall, Caldwell,
Idaho has on October 18, 1968
applied for permit under application No. 63-7158 to divert store
4.47 cubic feet per second acres/feet of water from a ground water
source. Water will be diverted by a well
and turbine pump within the NE 1/4
sec. 35, T. 4 N, R. 3 W, B.M., Canyon County
and is to be used from January 1 to December 31 for municipal
use
all the within the City Limits of the City of Caldwell, Idaho

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the News-Tribune, Caldwell, Idaho
on November 7 and November 14, 1968.

Nov 8-68
News-Tribune
called to
received too late
for galley - changing
dates to earliest
possible (11/21/68)

to

63-7158

SPEED LETTER®

TO Mr. Donald W. McEldoney
Appropriation Examiner
State of Idaho-Reclamation Dept.
State House Annex 2
Boise, Idaho 83707

FROM Melvin G. Lewis, P.E.
City Engineer
City Hall
Caldwell, Idaho 83605

RECEIVED

SUBJECT Signature on Claim Form

OCT 18 1968

MESSAGE

DATE 10-17-68 19

— FOLD

Please sign the attached claim form as indicated and return to my office.

Department of Reclamation

SIGNED

*Melvin G. Lewis***REPLY**

DATE 19

— FOLD

SIGNED

62-7151

Office of City Engineer and Public Works

CITY OF CALDWELL
CALDWELL, IDAHO

MELVIN G. LEWIS, P.E.
CITY ENGINEER
and
PUBLIC WORKS DIRECTOR

October 17, 1968

RECEIVED

Department of Reclamation

State of Idaho
Department of Reclamation
State House Annex 2
Boise, Idaho 83707

ATTN: MR. DONALD W. MC ELDONEY, APPROPRIATION EXAMINER

Dear Sir:


Enclosed is an application for permit to appropriate public waters for the City Water Department Well No. 7 located within the City Limits of Caldwell, Idaho. As supporting data, also enclosed are two copies of the city map showing the city limits as they are at the present time. Also shown is the location of Well No. 7.

Included is a certificate prepared by Mr. Keith Anderson, certifying the discharge available from the well.

Warrant number 436 in the amount of \$40.00 is enclosed for the permit fee.

If you have any questions with regard to the application, do not hesitate to contact me.

Yours truly,



Melvin G. Lewis, P.E.
City Engineer

MGL/dcu
Enclosures

62-7151