


11. Map of proposed project: *W*
McMillan Road



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stephen T. Canning
(Applicant)

63-7073

R 1 E





Diagram of System



State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 63-7073 Priority March 5, 1968 Amount 0.06 cfs

THIS IS TO CERTIFY, that STEPHEN T. CANNING
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7073 issued pursuant to Application for Permit dated March 5, 1968,
and has submitted proof to the Department of Water Administration on April 12, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.06 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.04</u> cfs and			<u>0.6 acre feet</u>
<u>Irrigation</u> from <u>April 1</u> to <u>Nov. 1</u> at <u>0.05</u> cfs and			<u>11.3 acre feet or</u>
from _____ to _____ at _____ cfs and			<u>4.5 af per acre</u>
(both dates inclusive)			

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
11.9 acre feet per year, said waters to be diverted within the NW¹/₄ NE¹/₄ of Sec. 35,
Twp. 4 N, Rge. 1 E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
4 N	1 E	35		2.5															2.5
		35		x	(domestic)														

Total number of acres irrigated 2.5

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 5 day of
February, 19 74.

Director

63 7073

Identification No. 63-7073
Application No. 42341

STATE OF IDAHO

LICENSE ISSUED FOR .06 ac ft
LICENSE PAGE NO. _____

DEPARTMENT OF RECLAMATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Stephen T. CANNING
post office address 9411 Mcmillan Road Boise, Idaho

2. Source of water supply Underground which is a tributary of _____

3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 4N
Range 1E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.

4. Quantity to be appropriated:

a. .06 cubic feet per second and/or ☒

b. NA acre feet per annum will be stored.

5. Water will be used for the following purposes:

Domestic purpose from Jan 1 to Dec 31 (both dates inclusive)

Irrigation purpose from April 1 to Nov 1 (both dates inclusive)

_____ purpose from _____ to _____ (both dates inclusive)

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1 HP. Submersible - portable
Pipe w/ Rain bird Heads and underground pipe. Pump Capacity
1500 gallons per hour maximum at 40 lbs.

b. Height of storage dam NA feet; active reservoir capacity NA acre feet; total reservoir
capacity NA acre feet; materials used in storage dam: _____

c. Proposed well diameter is 6" inches; proposed depth of well is 220 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 1850⁰⁰.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: NA hp under NA feet of head.

(3) List number of each kind of livestock to be watered NA

(4) Name of municipality to be served NA, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

63-7073

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
T4N	1E	35		24															2

Total number of acres to be irrigated 2 1/2

c. Describe any other water rights used for the same purposes. Partial use of current 40 foot domestic well, not used for full irrigation purpose but primarily as a domestic water source.


9. a. Who owns the property at the point of diversion NA

b. Who owns the land to be irrigated or place of use Stephen T. CANNING

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NA

10. Remarks

11. Map of proposed project: *W*
McMillan Road



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stephen T. Carrington
(Applicant)

63-7072

Received by if Date 3-5-68 Time 8:30 am
Preliminary check by if Fee \$ 10.00 Permit # 602 ginner
Receipted by if Date 3-5-68
Publication prepared by TL Date 3-29-68
Published in Ida. Observer
Publication dates 4-6 & 13-68
Publication approved TL Date 4-13-68
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by of Delu

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7073, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. ~~SUBJECT TO ALL PRIOR WATER RIGHTS.~~
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 73.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

The measuring device has been removed by Order dated 4/27/73.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9 day of May, 19 68.

R. Keith Higgins
State Reclamation Engineer

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-7073)
in the name of STEPHEN T. CANNING)

ORDER

WHEREAS, on March 5, 1968, Stephen T. Canning applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate .06 cfs of water from a ground water source to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 35, Twp. 4N, Rge. 1E, B.M., Ada County, to be used for domestic and irrigation purposes; and,


WHEREAS, on May 9, 1968, the Department approved said application and issued Permit No. 63-7073 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1973, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on April 12, 1973, the Department received the required proof of application of the water to beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works be and is REMOVED from Permit No. 63-7073.

Dated this 27th day of April, 1973.


R. Keith Higginson
Director

DR:kss

63 7073

PROOF OF PUBLICATION

County of Ada,
ss.
State of Idaho,

Donna Griggs, being first duly sworn, on oath
says he is the Office Manager of THE INTERMOUNTAIN OBSERVER,
a newspaper of general circulation, published weekly by the LITERARY EN-
TERPRISES, INC., publishers and printers thereof, at Boise, County of Ada,
State of Idaho;

That the annexed notice was published in said newspaper on each and every
week for two consecutive weeks, the first publication being
on the 6th day of April, 1968, and the last publication
being on the 13th day of April, 1968;

That said newspaper is of general circulation and has been printed and
published continuously and uninterruptedly in said county during a period of
more than seventy-eight consecutive weeks prior to the first publication of
the attached notice.

Donna Griggs

Subscribed and sworn before me this 13th day of April,
1968.

A. F. Reynolds
Notary Public

(SEAL)
My commission expires

8/30/71

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that Stephen T. Canning, 3211 McMillan Road, Boise, Idaho has on March 5, 1968 applied for permit to divert 60 cubic feet per second of water from a subterranean source under application No. 63-7073. Water will be diverted by a well, pump, pipe and sprinklers within the NW1/4NE1/4, sec. 25, T. 4-N, R. 1-E, S.M., Ada County and is to be used from January 1 to December 31 for domestic use and from April 1 to November 1 for irrigation in the NW1/4NE1/4, sec. 25, T. 4-N, R. 1-E, S.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Intermountain Observer,
Boise, Idaho, on April 8 and April 15.

63-7073

WATER RIGHT NUMBER 63-7073

OWNER LAST NAME - CANNING

ADDRESS LINE 1 -

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

TOTAL DIV. VOLUME -

DIVERSION POINT - NWNE 35 04N 01E LOT

FROM - 04-01 TO - 11-01

FROM - 01-01 TO - 12-31

USE - IRRIGATION

DECREE NAME -

REMARKS - AC. IRR.=2.5.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PROOF MADE -

DIVERSION MEANS -

FIRST NAME - STEPHEN T.

ADDRESS LINE 2 -

CITY - BOISE

TRIBUTARY OF -

PRIORITY - 03-05-1968

COUNTY - ADA

WATER DIST. -

DLE/CAREY ACT -

0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. RATE -

USE DIV. RATE -

PLACE OF USE - TWN 04N RNG 01E SEC 35 TRACT NWNE LOT

DATE -

ORIG OWNER -

STATE - ID ZIP CODE -

TOTAL DIV. RATE -

.0600 -CFS

RIGHT BASIS -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. VOLUME -

USE DIV. VOLUME -

TOTAL ACRES 3

PROTESTED -

HEARING -

OLD NO. -

IDENT. NO. 103-7073

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
STATE OFFICE



Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 7, 1974

Re: Permit No. 63-7073

Mr. Stephen T. Canning
9411 McMillan Road
Boise, Idaho 83702

Dear Mr. Canning:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 22, 1974

Re: Permit No. 63-7073

Stephen T. Canning
9411 McMillan Road
Boise, Idaho

Dear Mr. Canning:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7073 and has found the following:

Quantity of water diverted: 0.06 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.06 cfs

The maximum quantity diverted shall not exceed 11.9 acre feet per year.

Beneficial use: For domestic purposes within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 35; For irrigation uses of 2.5 acres within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 35, Twp. 4 N, Rge. 1 E

Point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 35, Twp. 4 N, Rge. 1 E, B.M.

Priority date established: March 5, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

63 7073

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Stephen T. Canning
Post office address 9411 McMillan Road Boise, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ underground
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount .06 c.f.s. for domestic
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount .06 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 1 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion .06 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 4N N/S, Range 1E E/W, B.M., Section 35, Subdivision NW $\frac{1}{4}$ NE $\frac{1}{4}$, Ada
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: 1 h. p. submersible, portable pipe with rainbird heads and
underground pipe. Pump capacity 1700 gallons maximum. 1500 g.p.h. rated output,
at 40 pounds per square inch.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	1E	35		2 $\frac{1}{2}$															2 $\frac{1}{2}$

63 7073

TOTAL ACREAGE

2 $\frac{1}{2}$

Permit No. 63-7073

Examination for b/u

(Please make latter part of August 1973)

Examine in August

T.
4
N





Diagram of System



DATE OF EXAM 29 June 73

ACREAGE
Found _____
Recommended 2.5

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .057 c.f.s. V = 11.25 AF/Ann. from 4.1 to 11.1
Domestic Q = .04 c.f.s. V = ann. 1.6 AF/Ann. from 1-1 to 12-31
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .057 cfs (irrigation) Method of measurement pitot

Total Q recommended .06 Meter No. _____ Type _____ Condition very good

Total V recommended 11.85 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ✓

MEASUREMENT CALCULATION:

10 md 25 Rain birds w/ 1/32 nozzles w/ average pressure of 20psi for 3.04 gpm x 10 (max at one time) = 30.40 gpm = .057 cfs - system measured did not include any water use in house also system has 20 sprinkler but not all at one time

SYSTEM DESCRIPTION:

80' well w/ 1 HP sub. pump into 2" main line w/ 20 modul 25 Rain birds for irrigation at 2.5 acres of trees, lawn and garden

REMARKS:

system operating at time of exam
no prob. during exam

Examiner's Signature Ervin Ballou Date 3 July 73

Checked by _____ Date _____

Approved by _____ Date _____

April 30, 1973

Re: Permit No. 63-7073

Stephen T. Canning
9411 McMillan Road
Boise, Idaho

Dear Mr. Canning:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed please find an Order which removes the measuring device requirement from your permit 63-7073.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR: jc
Enclosure

63 7073

Identification No. _____

Permit No. 63-7073

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

4/12/73
Department of Water Administration

1. a) Name of Permit Holder Stephen T. Canning
b) Post Office Address 9411 McMillan Road, Boise, Idaho Ph: 375-0617
2. Permit Number 63-7073
3. Date of Priority that you are prepared to establish March 15, 1968
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: NE 1/4 NW 1/4, Section 35
Township 4 N., Range 1 E. Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount .05 for irrigation purposes from April 1 to Nov. 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount .04 for domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .06 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 1700 g.p.h. is the maximum output of the pump installed in this well.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 1 h.p. submersible, portable pipe with rainbird heads and underground pipe. Pump capacity 1700 gallons maximum. 1500 g.p.h. rated output, at 40 pounds per square inch.
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

- c) Give well drillers name and address and date the well was completed Johns, Henry L.
Drilling and Pump Co., 2211 North 26th, Boise, Idaho.

Exam typed 4/30/73

63 7073

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use This installation is set up to serve as domestic water in place of a shallow well currently used, but which I feel has limited potential due to the build-up in this area.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: A total of 2½ acres planted and being planted to a tree farm, occupied also by our residence.

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4 N.	1 E.	35		2½															2½

Total number of acres irrigated 2½

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 12, 1973
(Date)

Stephen T. Canning
(Signature)

State of Idaho)
County of Ada) ss.

On this 12th day of April, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Lenneth R. Ford
Notary Public residing at Boise, Idaho

My commission expires May 26, 1974

INTER-DEPARTMENT MEMO — 1

DATE April 12, 1973

RECEIVED

Department of Water Administration

FROM Clayne Barron

TO Water Rights Division

SUBJECT Permit #63-7073

The holder of Permit #63-7073 would like the exam to be made in the latter part of August, 1973.


SIGNATURE

63 7073

State of Idaho
Dept of Water Administration
State House Annex 2

March 6, 1973

RECEIVED

4/13/

Department of Water Administration

Gentlemen

In response to my phone call to your office this date, and in line with instructions from your office I wish to advise, that it appears by your word that it is not required that I place a measuring device on the well that I am registering on the required documents.

Since this well is serving an area not to exceed $2\frac{1}{2}$ acres and it is serving also as a source of domestic household water the limited withdrawal of ground water does not make this usage to become governed by the regulations requiring the measuring device as stipulated in the documents to which this letter is attached.

If in my conversation with your office I may have heard incorrectly or if I was misinformed I request that I be advised so.

In the event I have been misinformed I can take the necessary steps to install the

62-7073

required measuring device, before my time
runs out to get the required work completed.

Sincerely

Stephen T. Canning
9411 McMillan Road
Boric, Idaho
83702

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24367

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

MAR 5 1973

3

03 7073

March 1, 1973 CERTIFIED MAIL

29367

Re: Permit No. 63-7073

Stephen T. Canning
9411 McMillan Road
Boise, Idaho

Dear Mr. Canning:

One of the conditions of approval of your water Permit No. 63-7073 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

63 7073

May 10, 1968

Re: Permit 63-7073

Stephen T. Canning
9411 McMillan Road
Boise, Idaho

Dear Mr. Canning:

We enclose a copy of your approved application for permit 63-7073 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:d

Enclosure: Copy of application

Receipt No. 602 for \$10.00 covering the fees was handed to you while you were in our office.

March 29, 1968

Re: Application No. 63-7073
Stephen T. Canning

The Idaho Observer
Boise, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McElDowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Stephen T. Canning, 9411 McMillan Road, Boise, Idaho has on March 5, 1968 applied for permit to divert ~~00~~ cubic feet per second of water from a subterranean source under application No. 63-7073. Water will be diverted by a well, pump, pipe and sprinklers within the NW1/4NE1/4, sec. 35, T. 4 N, R. 1 E, B.M., Ada County and is to be used from January 1 to December 31 for domestic use and from April 1 to November 1 for irrigation in the NW1/4NE1/4, sec. 36, T. 4 N, R. 1 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer

4/13
Published in the Intermountain Observer,
Boise, Idaho, on April 6 and April 13.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Stephen T. Canning, 9411 McMillan Road,
Boise, Idaho has on March 5, 1968
applied for permit to divert about .06 cubic feet per second ~~acre-foot~~
of water from a subterranean source
under application No. 63-7073. Water will be diverted by a well, pump,
pipe and sprinklers within the NW1/4, sec. 35, T. 4 N.,
R. 1 E., P.M., Ida County
and is to be used from January 1 to December 31 for domestic use and
from April 1 to November 1 for irrigation
in the NW1/4, sec. 35, T. 4 N., R. 1 E., P.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Observer, Boise, Idaho,
on April 4 and April 11.

63-7073

91

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

March 14, 1968

Re: Application No. 63-7073

Stephen T. Canning
9411 McMillan Road
Boise, Idaho

Dear Mr. Canning:

We are returning your application for permit for additional information.

Before your application is acceptable, we will require an answer to 6a of the application. Please state the type of diverting works that you intend to install in your domestic system. We assume that you are going to have a well, pump, motor, and a pressure system and etc. Please describe this system and its capacity.

Also, before we can process your application you must have a map submitted under Item 11 of the application. This must show the point of diversion within a 40 acre description of the public land survey system. You must show the subdivision, section, township, and range. If you wish to stop in the office, we will be glad to assist you in preparing the map.

Upon completion of the above items, return the original application for processing.

Very truly yours,

A handwritten signature in dark ink, reading "Donald W. McEldowney", is written over the typed name.

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Original application

NW 1/4 - NE 1/4 - Sec 35 - T 4N - R 1E

63-7073

March 14, 1968

Re: Application No. 63-7073

C
O
P
Y

Stephen T. Canning
9411 McMillan Road
Boise, Idaho

Dear Mr. Canning:

We are returning your application for permit for additional information.

Before your application is acceptable, we will require an answer to 6a of the application. Please state the type of diverting works that you intend to install in your domestic system. We assume that you are going to have a well, pump, motor, and a pressure system and etc. Please describe this system and its capacity.

Also, before we can process your application you must have a map submitted under item 11 of the application. This must show the point of diversion within a 40 acre description of the public land survey system. You must show the subdivision, section, township, and range. If you wish to stop in the office, we will be glad to assist you in preparing the map.

Upon completion of the above items, return the original application for processing.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

EW:ks

Enclosure: Original application

63-7073