


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Obed F Lawrence
(Applicant)

63-7072




Diagram of System

22

25

22

23

25

26

D 630
3-3

(6300)

A
27.8



27

34

27

26

34

35

D 761
1-2

(7610)

F-23 sec 26 2 N 1 E

22 23
27 26

23
26

D364
2-2

(28.5.0)

Ground is Flood

Plastic ditch

40.0

39.0

well

plastic gated ditch


40.0

40.0

D761
2-2

26 26
35 35

26 25
35 36



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7072 Priority March 5, 1968 Amount 3.88 cfs

THIS IS TO CERTIFY, that OBED F. LAWRENCE
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-7072 issued pursuant to Application for Permit dated March 5, 1968,
and has submitted proof to the Department of Water Resources on April 25, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.88 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 15</u>	at <u>3.88</u> cfs and	<u>1,435.5 acre feet</u> or <u>4.5 af per acre</u>
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 3.88 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1,435.5 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 26,
Twp. 2 N, Rge. 1 E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2 N	1 E	26									39	40	40	40					159
		27													40	40	40	40	160

Total number of acres irrigated 319

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 15 day of
November, 19 76.

Director

Identification No. 63-7072
Application No. 42344

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Obed F. Lawrence
post office address 1606 Chrisway Dr., Boise, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 26 Township 2N
Range 1E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. Four (4) cubic feet per second and/or
b. none acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from April 1 to Oct 15 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump, pipes, DITCHES
& SPRINKLERS,

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 18 inches; proposed depth of well is 500 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is five years.
b. Estimated construction cost is \$ 9,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water: _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1E	26									40	40	40	40					160 acres
2N	1E	27													40	40	40	40	160 acres

Total number of acres to be irrigated 320 acres

c. Describe any other water rights used for the same purposes NONE


9. a. Who owns the property at the point of diversion Obed F. Lawrence

b. Who owns the land to be irrigated or place of use Obed F. Lawrence

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Obed F Lawrence
(Applicant)

63-7070

Received by ef Date 3-5-68 Time 10:00 am

Preliminary check by H Fee \$ 35.00

Received by ef Date 3-5-68 Permit #607 given

Publication prepared by HL Date 3-29-68

Published in Intermountain Observer

Publication dates 4-6 & 13-68

Publication approved HL Date 4-4-68

Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CSA DLU

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-7072, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1973, ~~xxx~~.
- Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9 day of May 19 68.

R. Keith Higgins
State Reclamation Engineer

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Ada)

Permit No. 63-7072

OBED F. LAWRENCE of 1606 Chrisway, Boise
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 63-7072.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before _____, 19 ____.

That he has heretofore performed the following work described under said permit:

Well down, pump in. Power is coming in this spring and an electric
motor will be mounted. There is a 16" Well and it has a 14" pump.

Depth of well - 400'; with 250' lift. Diesel power was not sufficient
to accomplish a test. Costing \$ 20,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Lack of Electric Power

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to December 31, 19 73.

Obed F. Lawrence
(signature) *

Subscribed and sworn before me this 14th day of March, 19 73.

Charles L. Stout
(notary public)

seal

My commission expires 6-4-73

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 63-7072 to May 1, 1974.

Witness my hand this 23 day of March, 19 73.

R. Keith Higginson
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

PROOF OF PUBLICATION

County of Ada,
ss.
State of Idaho,

Donna Griggs, being first duly sworn, on oath
says he is the Office Manager of THE INTERMOUNTAIN OBSERVER,
a newspaper of general circulation, published weekly by the LITERARY EN-
TERPRISES, INC., publishers and printers thereof, at Boise, County of Ada,
State of Idaho;

That the annexed notice was published in said newspaper on each and every
week for two consecutive weeks, the first publication being
on the 6th day of April, 1968, and the last publication
being on the 13th day of April, 1968;

That said newspaper is of general circulation and has been printed and
published continuously and uninterruptedly in said county during a period of
more than seventy-eight consecutive weeks prior to the first publication of
the attached notice.

Donna Griggs
13th April

Subscribed and sworn before me this 13th day of April,
1968

A. S. Reynolds
Notary Public

(SEAL)
My commission expires 8/30/71

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that Obed T. Law-
rance, 1806 Christian Drive, Boise, Idaho,
has on March 6, 1968 applied for permit to
divert 4.0 cubic feet per second of water
from a subterranean source under applica-
tion No. 63-1072. Water will be diverted by
a well, pump, pipes, ditches and appurtenances
within the NE 1/4 SW 1/4, sec. 26, T. 24N,
R. 1 E, E.M., Ada County, and is to be used
from April 1 to October 15 for irrigation
in the SW 1/4, sec. 26, SE 1/4, sec. 27, T. 24N,
R. 1 E, E.M.

Any protest against this application must
be filed with the Department of Reclamation
within ten days from the last date of publica-
tion of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Intermountain Observer,
Boise, Idaho, on April 6 and April 13.

62-2070

November 17, 1976

Re: Permit No. 63-7072

Obed F. Lawrence
1606 Chrisway Drive
Boise, ID 83706

Dear Mr. Lawrence:

Enclosed herewith is a copy of the water right license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:mef

Enc.

November 1, 1976

39/6A

Obed F. Lawrence
1606 Chrisway Drive
Boise, Idaho 83706

Dear Mr. Lawrence:

A representative of this Department has made an examination of the works covered by your Permit No. 63-7072 and has found the following:

Quantity of water diverted: 3.88 cfs Source: ground water

Amount of water that can be recognized as beneficially used under Idaho law: 3.88 cfs

The maximum quantity diverted shall not exceed 1,435.5 acre feet, or 4.5 af per acre, per year.

Point of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 26, Twp. 2 N, Rge. 1 E, B.M.

Beneficial use: Irrigation of 319 acres within the SW $\frac{1}{4}$, Sec. 26; SE $\frac{1}{4}$, Sec. 27; Twp. 2 N, Rge. 1 E, B.M.

Priority date established: March 5, 1968

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Wednesday 7/7/76
10 AM

FIELD REPORT

- 10 AM
343 7185

- (name spring, stream, etc.)

- Permit No. 63-7072
- Examination for b/u

- TOTAL ACREAGE** 320 3/4




Diagram of System

DATE OF EXAM 7/7/76

ACREAGE

Found 319
Recommended 319

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q = 3.87 c.f.s. V = 1435.5 AF/Ann. from 4/1 to 10/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1738 gpm = 3.87 cfs Method of measurement Monometer with 10" orifice plate on discharge
Total Q recommended 3.87 Meter No. Pipe Type _____ Condition _____
Total V recommended 1435.5 AF/Ann.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

Device is monometer tapped into 12" discharge with a reading of 9" of head in plastic tube on downstream side and 16.5" on upstream side of 10" orifice plate, installed between 12" discharge and 10" pipe.

SYSTEM DESCRIPTION:

GE Motor 200HP Model 5K6278XH1A Serial # AJT131110 on Layne & Bowler pump # 44825 on 16" well with 12" discharge into 10" pipe then into plastic ditch. The well is 400ft deep.

REMARKS:

Examiner's Signature G. L. Lisco Date 7/30/76

Checked by THL Date 8-2-76

Approved by _____ Date _____

22

25

22

25

D 630
3-3

(630D)

A
278

40.0

40.0

40

40

40.0

40.0

40

40

27

34

D 761
1-2

(761D)

27

34

26

35

F-63 Sec 66

22	23
26	

24	25
28	29

D364
2-2

Ground is Flood

Plastic ditch

40.0

39.0

gated ditch

40.0

40.0

D761
2-2

27	26
31	35

26	25
35	36



MEMO

To: Western District Office
ATTN: Field Examiners

From: Water Rights

Date: August 21, 1974

Herewith forwarding field exam report for Permit No. 63-7072

Cannot issue license until the following is determined:

- ☐ Amount of water measured
- ☐ Location of point of diversion
- ☐ Place of use for domestic
- ☐ Place of use for stockwater
- ☐ Place of use for irrigation (number of acres in each 40-acre subdivision)
- ☐ Installation of measuring device
- ☐ Permit holder does not agree with findings of examiner, please re-examine
- ☒ Other **Please follow up for measuring device installation (see attached memo of 8/14/74 by Ken ~~Elm~~ Foit) and complete exam before submitting for licensing.**

MICROFILMED

To: 63-7072

From: Kenneth H. Foit *KHF*
Western District

Date: August 14, 1974

Subject: Measuring device

On August 8, 1974 Mrs. Obed F. Lawrence came into this office to see what needed to be done concerning the measuring device requirement. An orifice plate had been installed prior to our inspection of the project on July 15, 1974, but the project was changed from an open discharge to a closed system using low pressure gated pipe.

After a discussion with her concerning the system and consulting various sources for metering information, I feel that the present device could be altered by installing a special manometer section to the existing orifice plat.

On August 9, 1974, Mr. Issacs of the Layne Pump Company called and said he felt I was right and that he would alter the present device. Therefore, I believe that the measuring device requirement will be honored shortly.

RECORDED
INDEXED

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

①

DAN LAWRENCE

25861

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

③

JUL 30 1973

113-7072

63-7072

July 29, 1974

CERTIFIED MAIL

25861

Re: Permit No. 63-7072

Obed F. Lawrence
1606 Chrisway
Boise, Idaho 83706

Dear Mr. Lawrence:

On July 15, 1974, this office inspected the water diversion works and place of use as described in Permit No. 63-7072. Our examiner found no measuring device of a type approved by the Department installed as part of your diverting works. Such a measuring device is an express condition which must be met prior to approval of a license for your permit.

As you may be aware, your water right cannot be confirmed by the issuance of a license unless all of the conditions of approval are met. In the event that a license is not issued and the permit lapses, further diversion of water under the permit would be illegal.

You are, therefore, hereby ordered to show cause, if any there be, before the Director of the Department of Water Resources, State Capitol, Boise, Idaho, on or before August 29, 1974, as to why Permit No. 63-7072 should not be lapsed for failure to complete the requirements under said permit.

If you have any questions, please feel free to contact this office.

Very truly yours,

R. KEITH HIGGINSON
Director

RKH:JG

RECORDED

April 26, 1974

Re: Permit No. 63-7072

Obed F. Lawrence
1606 Chrisway
Boise, Idaho

Dear Mr. Lawrence:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

63 7072

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
APR 25 1974
Department of Water Administration

1. a) Name of Permit Holder Obed F. Lawrence
b) Post Office Address 1606 Chrisway, Boise, Idaho
2. Permit Number 63-7072
3. Date of Priority that you are prepared to establish Purchased Land 1967
4. a) Source from which water was appropriated Underground - Deep Well
b) Location of the point of diversion: N.E. 1/4 S.W. 1/4, Section 26
Township 2, Range 1 Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount 197 inches for Farming & Stock purposes from May 1 to September 30, incl.
(cfs and/or 102 feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: By owner in accordance with instructions by Mr. Wells of Layne Pump Company, Nampa, Idaho

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 200 Hse Mtr, 14" Pump, 16" casing, 400' deep, 259 Ft. - Strater Water; Pump level 270', with 12' draw down 13" water column, 1775 g/m, 197"
b) Describe the type and size of measuring device which you have installed at your point of diversion: Orifice type - 12" pipe with 10" orifice
c) Give well drillers name and address and date the well was completed May, 1971 - 7th day Johnson Well Drilling - Grandview or Oreana, Idaho

Exam typed 4/26/74 by js

63 7072

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place

of ~~us~~ Watering of Stock on the 320 acres of land

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

sion: Total Land - 320 acres. S.W. - 1/4 of Sec. 26, S.E. 1/4, Sec. 27, Twn 2 North, Range 1 E, Boise Meridian

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Approximately 250 acres under water

~~Propose 320 acres~~ Total number of acres irrigated

10. Remarks: Hard pan too close to surface for ditches, therefore, installed gated pipe which is now in use. Orifice measuring device still kept in place for your inspection. Pipe requires removal for testing.

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 22, 1974


(Date)

Obed F. Lawrence
(Signature)

State of Idaho)

County of Ada) ss.

On this 22nd day of April, 19 74, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Robert D. Galloway
Notary Public residing at Idaho
Residence: Boise, Idaho

My commission expires 11/18/1974

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show address
where delivered

☐

Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

25203

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

Q. Lowry

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

MAR 2 1974

3

63 7072

March 1, 1974

CERTIFIED MAIL

25203

Re: Permit No. 63-7072

Obed F. Lawrence
1606 Chrisway
Boise, Idaho 83706

Dear Mr. Lawrence:

One of the conditions of approval of your water Permit No. 63-7072 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

63 7072

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Darrell Perkins (Lawrence)
Address Kuna, Idaho
Owner's Permit No. 63-7072

7. WATER LEVEL

Static water level 255 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature 75 ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>2780</u>	<u>40'</u>	<u>5 hrs.</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 390 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>16</u> inches	<u>0</u> feet	<u>390</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation 3/16 inches by 4 inches

Number	From	To
_____ perforations	<u>270</u> feet	<u>390</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 3 feet
Material used in seal ☒ Cement grout ☒ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Ada 63 7072
NE 1/4 SW 1/4 Sec. 26, T. 2, N. 1, E. 1

10.

Work started 3-14-71 finished 5-7-71

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Johnston Well Drilling 92
Driller's or Firm's Name NumberOreana, Idaho
AddressJohnston 10-30-71
Signed By Date

March 24, 1973

Re: Permit No. 63-7072

Obed F. Lawrence
1606 Chrisway Drive
Boise, Idaho

Dear Mr. Lawrence:

Enclosed please find a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to May 1, 1974.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosure

63 7072

C
March 6, 1973

Re: Permit No. 63-7072

C
Obed F. Lawrance
1606 Chrisway Dr.
Boise, Idaho

Dear Mr. Lawrance:

P
We are enclosing an Extension of Time form which was requested in our telephone conversation with Bob Webb, March 6, 1973.

Sincerely,

Y
BOBBY D. FLEENOR
Assistant Director

kss

Enclosure

63 7072

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24366

1

O Lawrence

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

MAR 2 1975 3

63 7072

March 1, 1973

CERTIFIED MAIL

#24366

Re: Permit No. 63-7072

Obed F. Lawrance
1606 Chrisway Dr.
Boise, Idaho

Dear Mr. Lawrance:

One of the conditions of approval of your water Permit No. 63-7072 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

63 7072

May 10, 1968

Re: Permit 63-7072

Obed F. Lawrance
1616 Chrisway Dr.
Boise, Idaho

Dear Mr. Lawrance:

We enclose a copy of your approved application for permit 63-7072 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kd

Enclosure: Copy of application

Receipt No. 607 in the amount of \$35.00 covering the fees was handed to you while you were in our office.

March 29, 1968

Re: Application No. 63-7072
Obed F. Lawrence

Intermountain Observer

P. O. Box 7337
Boise, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby give that ~~Obed F. Lawrence~~, ~~1606 Chrisway Drive~~, ~~Boise, Idaho~~ has on March 5, 1968 applied for permit to divert ~~4.0~~ cubic feet per second of water from a subterranean source under application No. ~~63-7072~~. Water will be diverted by a well, pump, pipes, ditches and sprinklers within the ~~NE1/4SW1/4, sec. 26, T. 2 N,~~ ~~R. 1 E, B.M., Ada County~~ and is to be used from April 1 to October 15 for irrigation in the ~~SW1/4, sec. 26; SE1/4, sec. 27, T. 2 N,~~ ~~R. 1 E, B.M.~~

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

629078

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Intermountain Observer,
Boise, Idaho, on April 6 and April 13.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Obed F. Lawrance, 16066 Chrisway Drive,
Boise, Idaho has on March 5, 1968
applied for permit to divert ~~store~~ 4.0 cubic feet per second ~~above~~
of water from a subterranean source
under application No. 63-7072. Water will be diverted by a well,
pump, pipes, ditches and ~~sprinklers~~ sprinklers within the NE 1/4 SW 1/4, sec. 26, T. 2 N,
R. 1 E, B.M., Ada County
and is to be used from April 1 to October 15 for irrigation
in the SW 1/4, sec. 26; SE 1/4, sec. 27, T. 2 N, R. 1 E, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Intermountain Observer, Boise, Idaho,
on April 4 and April 13.

63-7072
25

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

March 14, 1968

Re: Application No. 63-7072

Obed F. Lawrance
1606 Chrisway Dr.
Boise, Idaho

Dear Mr. Lawrance:

We are returning your application to appropriate the public waters of the State of Idaho. Before we can continue processing your application, we must have some additional information.

Please supply an answer to Item 6a of the application. Describe your entire diverting system and its capacities. It is noted that you have indicated that you intend to have a well; therefore, we assume that you will have a pump, motor, pipe and possibly a sprinkler system and etc.

Also, you are requested to supply an answer to Item 8c of the application. Upon completion of these items, please return the original application for processing.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Original application

RECEIVED
MAR 15 1968
Department of Reclamation

63-7072