

16

T. 3N.

P.D. + use

R.W.B.M.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

SS.

Sworn to before me this 12 day of

Frank J. Tretter
(Claimant)
October, 1973.

Deanna Feldt

Notary Public

Residing at Bose, Idaho

My commission expires

June 15, 1977

Received by *mt*

Date 10-19-73

Exception filed by:

Forwarded to

Date _____

Prelim. check by ECB

Date 19 Oct. 1973

claimant by:

\$10.00 fee received by mt

Date 10-19-73 #12530

Approved for publication by

Published in Vallu News-Semina

Dates 11-11-73

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

Department of Water Administration

ELL OWNER

ome FRANK T. HARRIS

Address 716 1/2 N. 14th St. S.W. ALBUQUERQUE, N.M.

owner's Permit No. _____

NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

Abandoned (describe method of abandoning) _____

PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 178 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>280</u> inches	<u>6</u> inches	<u>0</u> feet	<u>16</u> feet
<u>250</u> inches	<u>6</u> inches	<u>16</u> feet	<u>166</u> feet
<u>150</u> inches	<u>3</u> inches	<u>171</u> feet	<u>178</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☐ No

Perforated? ☐ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name TOLLIN SON

Type 4" 10-10-60 Model No. _____

Diameter 6 Slot size 15 Set from 166 feet to 171 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☐ Yes ☐ No To what depth 20 feet

Material used in seal ☐ Cement grout ☐ Puddling clay

LOCATION OF WELL

Sketch map location must agree with written location.

alled
us T
oct 73

N

W

E

should be SWSW sec 16

63 4243

County ADA

SW 1/4 11N 1/4 Sec. 21 T. 3 N/S, R. 1 E/W

7. WATER LEVEL

Static water level 107 feet below land surface

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>3.5 GPM</u>	<u>20 FT</u>	<u>2</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
_____	_____	_____	<u>2" to 4" sand</u>		
_____	_____	_____	<u>2" to 4" sand</u>		
_____	_____	_____	<u>4" to 6" sand</u>		
_____	_____	_____	<u>6" to 8" sand</u>		
_____	_____	_____	<u>8" to 10" sand</u>		
_____	_____	_____	<u>10" to 12" sand</u>		
_____	_____	_____	<u>12" to 14" sand</u>		
_____	_____	_____	<u>14" to 16" sand</u>		
_____	_____	_____	<u>16" to 18" sand</u>		
_____	_____	_____	<u>18" to 20" sand</u>		
_____	_____	_____	<u>20" to 22" sand</u>		
_____	_____	_____	<u>22" to 24" sand</u>		
_____	_____	_____	<u>24" to 26" sand</u>		
_____	_____	_____	<u>26" to 28" sand</u>		
_____	_____	_____	<u>28" to 30" sand</u>		
_____	_____	_____	<u>30" to 32" sand</u>		
_____	_____	_____	<u>32" to 34" sand</u>		
_____	_____	_____	<u>34" to 36" sand</u>		
_____	_____	_____	<u>36" to 38" sand</u>		
_____	_____	_____	<u>38" to 40" sand</u>		
_____	_____	_____	<u>40" to 42" sand</u>		
_____	_____	_____	<u>42" to 44" sand</u>		
_____	_____	_____	<u>44" to 46" sand</u>		
_____	_____	_____	<u>46" to 48" sand</u>		
_____	_____	_____	<u>48" to 50" sand</u>		
_____	_____	_____	<u>50" to 52" sand</u>		
_____	_____	_____	<u>52" to 54" sand</u>		
_____	_____	_____	<u>54" to 56" sand</u>		
_____	_____	_____	<u>56" to 58" sand</u>		
_____	_____	_____	<u>58" to 60" sand</u>		
_____	_____	_____	<u>60" to 62" sand</u>		
_____	_____	_____	<u>62" to 64" sand</u>		
_____	_____	_____	<u>64" to 66" sand</u>		
_____	_____	_____	<u>66" to 68" sand</u>		
_____	_____	_____	<u>68" to 70" sand</u>		
_____	_____	_____	<u>70" to 72" sand</u>		
_____	_____	_____	<u>72" to 74" sand</u>		
_____	_____	_____	<u>74" to 76" sand</u>		
_____	_____	_____	<u>76" to 78" sand</u>		
_____	_____	_____	<u>78" to 80" sand</u>		
_____	_____	_____	<u>80" to 82" sand</u>		
_____	_____	_____	<u>82" to 84" sand</u>		
_____	_____	_____	<u>84" to 86" sand</u>		
_____	_____	_____	<u>86" to 88" sand</u>		
_____	_____	_____	<u>88" to 90" sand</u>		
_____	_____	_____	<u>90" to 92" sand</u>		
_____	_____	_____	<u>92" to 94" sand</u>		
_____	_____	_____	<u>94" to 96" sand</u>		
_____	_____	_____	<u>96" to 98" sand</u>		
_____	_____	_____	<u>98" to 100" sand</u>		
_____	_____	_____	<u>100" to 102" sand</u>		
_____	_____				

RECEIVED

NOV 13 1973

Department of Water Administration

PROOF OF PUBLICATION

State of Idaho, }
County of Ada } ss.

I, Mary Carey, being first duly sworn, depose and say, that I am over twenty-one years of age, and Chief Clerk of VALLEY NEWS-TIMES, a weekly newspaper of general circulation, published at Meridian, County of Ada, State of Idaho, and that the annexed notice was published in said paper once each week for 2 consecutive weeks, the first publication being on the 1st day of November, 19 73, and the last publication being on the 8th day of November, 19 73.

That said notice was published in the newspaper proper and not in a supplement. That said newspaper had been continuously and uninterruptedly published in said county for a period of 78 consecutive weeks prior to the first publication of this notice, and is a newspaper within the meaning of the Idaho statutes.

Mary Carey
Chief Clerk

Subscribed and sworn to before me this 8th day of November, 19 73.

R. F. Watkins
Notary Public in and for Idaho

Residence or Postoffice Address Meridian, Idaho.

NOTICE OF CLAIM TO A WATER RIGHT No. 63-4243

Notice is hereby given that FRANK J. & or SELMA V. TRETTER Route 6, Box 6336, Nampa, Idaho has filed a claim to a water right established by diversion and application to beneficial use of .04 cubic feet per second of water from a groundwater source with the point of diversion in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 3 N, R. 1 W, B.M., Ada County.

The water is claimed to be used from Jan. 1 to Dec. 31 for domestic use with a priority of March, 1972; the place of use is within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 3 N, R. 1 W, B.M.

Any exception to this claim of water right may be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho 83707.

R. KEITH HIGGINSON
Director

Published in The Valley News-Times, P. O. Box 365, Meridian, Idaho on Nov. 1, 1973 and Nov. 8, 1973.

OK of
11-13-73

63 4243

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
Section 42-225a, Idaho Code

CLAIM TO A WATER RIGHT

Under the provisions of Section 42-225a, Idaho Code, a person may file a claim to a right to use water which has been established by diversion and application to beneficial use. The filing of this claim does not confirm the water right but will serve for information purposes only. It may, however, become the basis for future adjudication of the water right by the Court.

Notice is hereby given that FRANK J. &/ or SELMA V. TRETTER
(name of claimant)
of Rt. 6, Box 6336, Nampa, Idaho, claims a right to the diversion and beneficial use of
(mailing address)
ground water or surface water tributary to _____;

The extent and nature of said claim is as follows:

(1) Describe source of water: (name of stream, lake, spring, etc., or ground water) Groundwater

(2) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:

Amount	<u>0.04</u>	Use	<u>Domestic</u>	Period of Use: From	<u>Jan. 1</u>	To	<u>Dec. 31</u>
Amount	_____	Use	_____	Period of Use: From	_____	To	_____
Amount	_____	Use	_____	Period of Use: From	_____	To	_____
	(cfs, gpm or a/f)		(dom., irri., stock, etc.)				(both dates inclusive)

(3) Total quantity of water claimed: 0.04 cubic feet per second, or 1.2 acre feet per annum, and/or _____ gallons per minute.

(4) Priority claimed: (the date water was first applied to beneficial use) March, 1972

A claim is not acceptable on a ground-water source with a priority later than March 25, 1963 or on a surface-water source with a priority later than May 20, 1971. An exception to this rule is that a claim may be filed on domestic use from a ground-water source.

(5) A) Point of diversion: (give location of point where water is diverted from its source)
SW ¼ SW ¼, Sec. 16 Twp. 3 N Rge. 1 W B. M. County of Ada

Additional points of diversion: _____

B) Describe means of diversion of water: (pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.) Give sizes and capacities; be as specific as possible. Pump & pressure system, 1 3/4 line to house, 6" diam. well, 185 ft. deep.

(6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1W	16											X						

Total No. of acres _____

B) If the water is used for other than irrigation, fully describe that use, being as specific as possible: Domestic for one home, 1½ acres of property.

(7) If you are claiming water as a member of an organization, list name of organization: No

16

P.D. fuse

T. 3N.

R.W.B.m.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

County of _____

Sworn to before me this 12 day of

Frank J. Tetter
(Claimant)

(Claimant)

, 19 73.

Deanna Feldt

Notary Public

Residing at Bosse, Idaho

My commission expires

June 15, 1977.

Received by <u>mt</u>	Date <u>10-19-73</u>	Exception filed by:	Forwarded to	Date
Prelim. check by <u>CB</u>	Date <u>10 Oct. 1973</u>		claimant by:	
\$10.00 fee received by <u>mt</u>	Date <u>10-19-73</u>	<u>#12530</u>		
Approved for publication by _____				
Published in <u>Valley News-Times</u>				
Dates <u>11-6-73</u> <u>11-8-73</u>				

WELL DRILLER'S REPORT

Department of Water Administration

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. OWNER
FRANK J. HARRIS
Address Rt. 1, Box 111, H. 10, 83424
Driller's Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
Reason (describe method of abandoning) _____


3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Ties
☐ Municipal ☐ Industrial ☐ Stock

4. HOW DRILLED
☒ Casing ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 178 feet
Casing schedule ☒ Steel ☐ Concrete
Thickness Diameter From To
2 1/2 inches 6 inches 0 feet 116 1/2 feet
2 1/2 inches 6 inches 116 1/2 feet 160 feet
3 1/2 inches 6 inches 160 feet 178 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

6. Is packer or seal used? ☒ Yes ☐ No
Packer used? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

7. Is screen installed? ☒ Yes ☐ No
Manufacturer's name TRIM-SUN
Type 4 Model No. _____
Diameter 6 Slot size 1/8 Set from 116 1/2 feet to 171 feet
_____ Slot size _____ Set from _____ feet to _____ feet
Is gravel packed? ☒ Yes ☐ No Size of gravel _____
From _____ feet to _____ feet
Is seal? ☒ Yes ☐ No To what depth 178 feet
Material used in seal ☒ Cement grout ☐ Budding clay

8. LOCATION OF WELL
Sketch map location must agree with written location.

County Blaine
Section 16 Township 3 North Range 1 East
Date 3/14/72

7. WATER LEVEL
Static water level 107 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☒ Pump ☐ Bailer ☐ Other
_____ G.P.M. _____ Draw Down _____ _____
15 G.P.M. 30 ft. 2
_____ _____ _____

9. LITHOLOGIC LOG					
Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6"	0	1	Gravelly sand		
6"	1	12	Gravelly sand		
6"	12	12.1	Gravelly sand		
6"	12.1	13.5	Gravelly sand		
6"	13.5	15.6	Gravelly sand		
6"	15.6	16.0	Gravelly sand		
6"	16.0	17.0	Gravelly sand		
6"	17.0	18.6	Gravelly sand		
6"	18.6	19.4	Gravelly sand		
6"	19.4	20.2	Gravelly sand		
6"	20.2	21.0	Gravelly sand		
6"	21.0	21.8	Gravelly sand		
6"	21.8	22.6	Gravelly sand		
6"	22.6	23.4	Gravelly sand		
6"	23.4	24.2	Gravelly sand		
6"	24.2	25.0	Gravelly sand		
6"	25.0	25.8	Gravelly sand		
6"	25.8	26.6	Gravelly sand		
6"	26.6	27.4	Gravelly sand		
6"	27.4	28.2	Gravelly sand		
6"	28.2	29.0	Gravelly sand		
6"	29.0	29.8	Gravelly sand		
6"	29.8	30.6	Gravelly sand		
6"	30.6	31.4	Gravelly sand		
6"	31.4	32.2	Gravelly sand		
6"	32.2	33.0	Gravelly sand		
6"	33.0	33.8	Gravelly sand		
6"	33.8	34.6	Gravelly sand		
6"	34.6	35.4	Gravelly sand		
6"	35.4	36.2	Gravelly sand		
6"	36.2	37.0	Gravelly sand		
6"	37.0	37.8	Gravelly sand		
6"	37.8	38.6	Gravelly sand		
6"	38.6	39.4	Gravelly sand		
6"	39.4	40.2	Gravelly sand		
6"	40.2	41.0	Gravelly sand		
6"	41.0	41.8	Gravelly sand		
6"	41.8	42.6	Gravelly sand		
6"	42.6	43.4	Gravelly sand		
6"	43.4	44.2	Gravelly sand		
6"	44.2	45.0	Gravelly sand		
6"	45.0	45.8	Gravelly sand		
6"	45.8	46.6	Gravelly sand		
6"	46.6	47.4	Gravelly sand		
6"	47.4	48.2	Gravelly sand		
6"	48.2	49.0	Gravelly sand		
6"	49.0	49.8	Gravelly sand		
6"	49.8	50.6	Gravelly sand		
6"	50.6	51.4	Gravelly sand		
6"	51.4	52.2	Gravelly sand		
6"	52.2	53.0	Gravelly sand		
6"	53.0	53.8	Gravelly sand		
6"	53.8	54.6	Gravelly sand		
6"	54.6	55.4	Gravelly sand		
6"	55.4	56.2	Gravelly sand		
6"	56.2	57.0	Gravelly sand		
6"	57.0	57.8	Gravelly sand		
6"	57.8	58.6	Gravelly sand		
6"	58.6	59.4	Gravelly sand		
6"	59.4	60.2	Gravelly sand		
6"	60.2	61.0	Gravelly sand		
6"	61.0	61.8	Gravelly sand		
6"	61.8	62.6	Gravelly sand		
6"	62.6	63.4	Gravelly sand		
6"	63.4	64.2	Gravelly sand		
6"	64.2	65.0	Gravelly sand		
6"	65.0	65.8	Gravelly sand		
6"	65.8	66.6	Gravelly sand		
6"	66.6	67.4	Gravelly sand		
6"	67.4	68.2	Gravelly sand		
6"	68.2	69.0	Gravelly sand		
6"	69.0	69.8	Gravelly sand		
6"	69.8	70.6	Gravelly sand		
6"	70.6	71.4	Gravelly sand		
6"	71.4	72.2	Gravelly sand		
6"	72.2	73.0	Gravelly sand		
6"	73.0	73.8	Gravelly sand		
6"	73.8	74.6	Gravelly sand		
6"	74.6	75.4	Gravelly sand		
6"	75.4	76.2	Gravelly sand		
6"	76.2	77.0	Gravelly sand		
6"	77.0	77.8	Gravelly sand		
6"	77.8	78.6	Gravelly sand		
6"	78.6	79.4	Gravelly sand		
6"	79.4	80.2	Gravelly sand		
6"	80.2	81.0	Gravelly sand		
6"	81.0	81.8	Gravelly sand		
6"	81.8	82.6	Gravelly sand		
6"	82.6	83.4	Gravelly sand		
6"	83.4	84.2	Gravelly sand		
6"	84.2	85.0	Gravelly sand		
6"	85.0	85.8	Gravelly sand		
6"	85.8	86.6	Gravelly sand		
6"	86.6	87.4	Gravelly sand		
6"	87.4	88.2	Gravelly sand		
6"	88.2	89.0	Gravelly sand		
6"	89.0	89.8	Gravelly sand		
6"	89.8	90.6	Gravelly sand		
6"	90.6	91.4	Gravelly sand		
6"	91.4	92.2	Gravelly sand		
6"	92.2	93.0	Gravelly sand		
6"	93.0	93.8	Gravelly sand		
6"	93.8	94.6	Gravelly sand		
6"	94.6	95.4	Gravelly sand		
6"	95.4	96.2	Gravelly sand		
6"	96.2	97.0	Gravelly sand		
6"	97.0	97.8	Gravelly sand		
6"	97.8	98.6	Gravelly sand		
6"	98.6	99.4	Gravelly sand		
6"	99.4	100.2	Gravelly sand		
6"	100.2	101.0	Gravelly sand		
6"	101.0	101.8	Gravelly sand		
6"	101.8	102.6	Gravelly sand		
6"	102.6	103.4	Gravelly sand		
6"	103.4	104.2	Gravelly sand		
6"	104.2	105.0	Gravelly sand		
6"	105.0	105.8	Gravelly sand		
6"	105.8	106.6	Gravelly sand		
6"	106.6	107.4	Gravelly sand		
6"	107.4	108.2	Gravelly sand		
6"	108.2	109.0	Gravelly sand		
6"	109.0	109.8	Gravelly sand		
6"	109.8	110.6	Gravelly sand		
6"	110.6	111.4	Gravelly sand		
6"	111.4	112.2	Gravelly sand		
6"	112.2	113.0	Gravelly sand		
6"	113.0	113.8	Gravelly sand		
6"	113.8	114.6	Gravelly sand		
6"	114.6	115.4	Gravelly sand		
6"	115.4	116.2	Gravelly sand		
6"	116.2	117.0	Gravelly sand		
6"	117.0	117.8	Gravelly sand		
6"	117.8	118.6	Gravelly sand		
6"	118.6	119.4	Gravelly sand		
6"	119.4	120.2	Gravelly sand		
6"	120.2	121.0	Gravelly sand		
6"	121.0	121.8	Gravelly sand		
6"	121.8	122.6	Gravelly sand		
6"	122.6	123.4	Gravelly sand		
6"	123.4	124.2	Gravelly sand		
6"	124.2	125.0	Gravelly sand		
6"	125.0	125.8	Gravelly sand		
6"	125.8	126.6	Gravelly sand		
6"	126.6	127.4	Gravelly sand		
6"	127.4	128.2	Gravelly sand		
6"	128.2	129.0	Gravelly sand		
6"	129.0	129.8	Gravelly sand		
6"	129.8	130.6	Gravelly sand		
6"	130.6	131.4	Gravelly sand		
6"	131.4	132.2	Gravelly sand		
6"	132.2	133.0	Gravelly sand		
6"	133.0	133.8	Gravelly sand		
6"	133.8	134.6	Gravelly sand		
6"	134.6	135.4	Gravelly sand		
6"	135.4	136.2	Gravelly sand		
6"	136.2	137.0	Gravelly sand		
6"	137.0	137.8	Gravelly sand		
6"	137.8	138.6	Gravelly sand		
6"	138.6	139.4	Gravelly sand		
6"	139.4	140.2	Gravelly sand		
6"	140.2	141.0	Gravelly sand		
6"	141.0	141.8	Gravelly sand		
6"	141.8	142.6	Gravelly sand		
6"	142.6	143.4	Gravelly sand		
6"	143.4	144.2	Gravelly sand		
6"	144.2	145.0	Gravelly sand		
6"	145.0	145.8	Gravelly sand		
6"	145.8	146.6	Gravelly sand		
6"	146.6	147.4	Gravelly sand		
6"	147.4	148.2	Gravelly sand		
6"	148.2	149.0	Gravelly sand		
6"	149.0	149.8	Gravelly sand		
6"	149.8	150.6	Gravelly sand		
6"	150.6	151.4	Gravelly sand		
6"	151.4	152.2	Gravelly sand		
6"	152.2	153.0	Gravelly sand		
6"	153.0	153.8	Gravelly sand		
6"	153.8	154.6	Gravelly sand		
6"	154.6	155.4	Gravelly sand		
6"	155.4	156.2	Gravelly sand		
6"	156.2	157.0	Gravelly sand		
6"	157.0	157.8	Gravelly sand		
6"	157.8	158.6	Gravelly sand		
6"	158.6	159.4	Gravelly sand		
6"	159.4	160.2	Gravelly sand		
6"	160.2	161.0	Gravelly sand		
6"	161.0	161.8	Gravelly sand		
6"	161.8	162.6	Gravelly sand		
6"	162.6	163.4	Gravelly sand		
6"	163.4	164.2	Gravelly sand		
6"	164.2	165.0	Gravelly sand		
6"	165.0	165.8	Gravelly sand		
6"	165.8	166.6	Gravelly sand		
6"	166.6	167.4	Gravelly sand		
6"	167.4	168.2	Gravelly sand		
6"	168.2	169.0	Gravelly sand		
6"	169.0	169.8	Gravelly sand		
6"	169.8	170.6	Gravelly sand		
6"	170.6	171.4	Gravelly sand		
6"	171.4	172.2	Gravelly sand		
6"	172.2	173.0	Gravelly sand		
6"	173.0	173.8	Gravelly sand		
6"	173.8	174.6	Gravelly sand		
6"	174.6	175.4	Gravelly sand		
6"	175.4	176.2	Gravelly sand		
6"	176.2	177.0	Gravelly sand		
6"	177.0	177.8	Gravelly sand		
6"	177.8	178.6	Gravelly sand		
6"	178.6	179.4	Gravelly sand		
6"	179.4	180.2	Gravelly sand		
6"	180.2	181.0	Gravelly sand		
6"	181.0	181.8	Gravelly sand		
6"	181.8	182.6	Gravelly sand		
6"	182.6	183.4	Gravelly sand		
6"	183.4	184.2	Gravelly sand		
6"	184.2	185.0	Gravelly sand		
6"	185.0	185.8	Gravelly sand		
6"	185.8	186.6	Gravelly sand		
6"	186.6	187.4	Gravelly sand		
6"	187.4	188.2	Gravelly sand		
6"	188.2	189.0	Gravelly sand		
6"	189.0	189.8	Gravelly sand		
6"	189.8	190.6	Gravelly sand		
6"	190.6	191.4	Gravelly sand		
6"	191.4	192.2	Gravelly sand		
6"	192.2	193.0	Gravelly sand		
6"	193.0	193.8	Gravelly sand		
6"	193.8	194.6	Gravelly sand		
6"	194.6	195.4	Gravelly sand		
6"	195.4	196.2	Gravelly sand		
6"	196.2	197.0	Gravelly sand		
6"	197.0	197.8	Gravelly sand		
6"	197.8	198.6	Gravelly sand		
6"	198.6	199.4	Gravelly sand		
6"	199.4	200.2	Gravelly sand		
6"	200.2	201.0	Gravelly sand		
6"	201.0	201.8	Gravelly sand		
6"	201.8	202.6	Gravelly sand		
6"	202.6	203.4	Gravelly sand		
6"	203.4	204.2	Gravelly sand		
6"	204.2	205.0	Gravelly sand		
6"	205.0	205.8	Gravelly sand		
6"	205.8	206.6	Gravelly sand		
6"	206.6	207.4	Gravelly sand		
6"	207.4	208.2	Gravelly sand		
6"	208.2	209.0	Gravelly sand		
6"	209.0	209.8	Gravelly sand		
6"	209.8	210.6	Gravelly sand		
6"	210.6	211.4	Gravelly sand		
6"	211.4	212.2	Gravelly sand		
6"	212.2	213.0	Gravelly sand		
6"	213.0	213.8	Gravelly sand		
6"	213.8	214.6	Gravelly sand		
6"	214.6	215.4	Gravelly sand		
6"	215.4	216.2	Gravelly sand		
6"	216.2	217.0	Gravelly sand		
6"	217.0	217.8	Gravelly sand		
6"	217.8	218.6	Gravelly sand		
6"	218.6	219.4	Gravelly sand		
6"	219.4	220.2	Gravelly sand		
6"	220.2	221.0	Gravelly sand		
6"	221.0	221.8	Gravelly sand		
6"	221.8	222.6	Gravelly sand		
6"	222.6	223.4	Gravelly sand		
6"	223.4	224.2	Gravelly sand		
6"	224.2	225.0	Gravelly sand		
6"	225.0	22			

**NOTICE OF CLAIM
TO A WATER RIGHT**
No. 63-4243

Notice is hereby given that FRANK J. & or SELMA V. TRETTER Route 6, Box 6336, Nampa, Idaho has filed a claim to a water right established by diversion and application to beneficial use of .04 cubic feet per second of water from a groundwater source with the point of diversion in the SW1/4SW1/4, Sec. 16, T. 3 N, R. 1 W, B.M., Ada County.

The water is claimed to be used from Jan. 1 to Dec. 31 for domestic use with a priority of March, 1972; the place of use is within the SW1/4SW1/4, Sec. 16, T. 3 N, R. 1 W, B.M.

Any exception to this claim of water right may be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho 83707.

R. KEITH HIGGINSON
Director

Published in The Valley News-Times,
P. O. Box 345, Meridian, Idaho on Nov. 1,
1972 and Nov. 8, 1973.

CP
11-13-73

PROOF OF PUBLICATION

State of Idaho, }
County of Ada } ss.

I, Mary Carey, being first duly sworn, depose and say, that I am over twenty-one years of age, and Chief Clerk of VALLEY NEWS-TIMES, a weekly newspaper of general circulation, published at Meridian, County of Ada, State of Idaho, and that the annexed notice was published in said paper once each week for 2 consecutive weeks, the first publication being on the 1st day of November, 19 73, and the last publication being on the 8th day of November, 19 73.

That said notice was published in the newspaper proper and not in a supplement. That said newspaper had been continuously and uninterruptedly published in said county for a period of 78 consecutive weeks prior to the first publication of this notice, and is a newspaper within the meaning of the Idaho statutes.

Mary Carey
Chief Clerk

Subscribed and sworn to before me this 8th day
of November, 19 73

R. F. Marks
Notary Public in and for Idaho

Residence or Postoffice Address Meridian, Idaho.

WATER RIGHT NUMBER 63-4243

WATER RIGHTS EDIT REPORT

12/12/79

PAGE 107

ACT
ION

N OWNER LAST NAME - TRETTER

FIRST NAME - FRANK J.

N OWNER LAST NAME - TRETTER

FIRST NAME - SELMA V.

N ADDRESS LINE 1 - RT. 6 BOX 6336

CITY - NAMPA

STATE - ID

N SOURCE - GROUNDWATER

N STAGE - STATRY CLM

PRIORITY - 03-01-1972 COUNTY - ADA

TOTAL DIV. RATE -

.0400CFS

N DIVERSION POINT - SWSW 16 03N 01W

N FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0400CFS

N USE - DOMESTIC

PLACE OF USE - TWN 03N RNG 01W SEC 16 TRACT SWSW

3/79

IDENT. NO. 63-4243

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG[illegible]

- DATA ENTRY -

Record

- from _____ to _____ for _____ purposes. Amount _____

8. Use Code: D

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A.
B.
C.
D.
E.

11. Other Uses (Non-irrigation explanatory information):

12. Other Rights for Same Use:

13. A. Proof Due Date:

B. Date Permit Approved or Denied:

C. Protested Date:

D. Hearing Date:

E. Old Number: —

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: _____

14. Diversion Means (brief narrative):

November 19, 1973

C Feank J. Tretter
Route 6, Box 6336
Nampa, Idaho 83651

Re: Claim to a Water Right No. 63-4243

O Dear Mr. Tretter:

The Department of Water Administration has completed the processing of your claim to a water right, and no further action is authorized under Section 42-225a and 42-225b, Idaho Code. Your claim will be retained in our files and will be available at any time for use by you or the court.

P As you are aware, the filing of your claim does not, in itself, guarantee you a water right; it only records and preserves the information and the evidence which you included in your claim.

Y If, at a later date, you find that you have additional information or supporting evidence that you would like to have included in your claim file, you may have that information or evidence added at any time. Please refer to your claim number when corresponding with this office.

We are enclosing, for your records, a copy of your claim. If you have any questions or if we can be of further assistance, please feel free to call upon us.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:def

Enclosure

63 4243

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

October 26, 1973

The Valley News-Times
P. O. Box 365
Meridian, Idaho 83642

Re: Claim to a Water Right No. 63-4243 - Frank J. &/or Selma V. Tretter
63-4244 - Mrs. Etta Thompson
Application for Permit No. 63-7888 - Jerry &/or Wanda Lee Hetrick

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill submitted 11-13-73 ef

63 4243

NOTICE OF CLAIM TO A WATER RIGHT

No. 63-4243

Notice is hereby given that FRANK J. &/or SELMA V. TRETTER

Route 6, Box 6336, Nampa, Idaho

has filed a claim to a water right established by diversion and application
to beneficial use of .04 cubic feet per second acre feet of water
from a groundwater source

with the point of diversion in the SW1/4, Sec. 16, T. 3 N, R. 1 W, B.M.,

Ada County

The water is claimed to be used from Jan. 1 to Dec. 31 for domestic use

with a priority of March, 1972;

the place of use is within the SW1/4, Sec. 16, T. 3 N, R. 1 W, B.M.

Any exception to this claim of water right may be filed with the Idaho
Department of Water Administration, Statehouse, Boise, Idaho, 83707.

R. KEITH HIGGINSON

Director

Published in the The Valley News-Times, P. O. Box 365, Meridian, Idaho
on Nov. 1, 1973 and Nov. 8, 1973

63 4243

C October 19, 1973

Mr. Frank J. Tretter
Route 6, Box 6336
Nampa, Idaho 83651

O Re: Claim to a Water Right No. 63-4243

Dear Mr. Tretter:

P Enclosed is your receipt no. 12530 in the amount of \$10.00 in connection with the above referenced claim. The fee was received in this office on October 19, 1973.

We are also returning your copy of the well log. We have now received the driller's copies and have placed a copy of the corrected well log in your file.

Y If we can be of any assistance in the future, please do not hesitate to contact this office.

Very truly yours,

ERVIN E. BALLOU
W. R. Technician II

Enclosure

EEB:sw

63 4243