RECEIVED
SEP 17 1969
Department of Reclamation

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Daily Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Daily Statesman for two weekly consecutive insertions, beginning with the issue of July 17, 1969, and ending with the issue of July 24, 1969

Georgene Davis

Subscribed and sworn to before me this 17th day of September, 1969.

Dorothy M. McClure

Notary Public for Idaho, Residing at Boise, Idaho

Meridian

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that the State of Idaho for the use and benefit of the Fish and Game Department has received an approved permit No. G-32064 issued by the Idaho State Reclamation Department authorizing the diversion of 1.06 cubic feet per second of water from a ground water source, subject to all prior rights. The priority to be established under this permit is Sept. 14, 1964 and the permit was approved Sept. 18, 1964. Water is to be diverted by well, pump, motor and pipe from a point within the NE¼NW¼, Sec. 14, T. 3 N, R. 2 E, B.M., Ada County to be used for irrigation and domestic purposes in the NE¼NW¼, Sec. 14, T. 3 N. R. 2 E, B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before Sept. 18, 1969. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Pub. July 17, 24, 1969.

63-3430
G32064

T. 3 N

R. 3 E

P.D.

ST. HWY 31

14

BOISE RIVER

TO LUCKY PEAK (9 mi.)

Rate of div
150 gpd ea well
@ approx 100' head
↳ 0.34 ft

Q measured
Q recommended
Volume
Acreage 2
Found
Q recommended 2
Subdv (HWY. 30 - 20) 26
Ammendments
None
P.D.
Place of use

Dom AF Calcs
20 gpd/person (80 people) = 1600 gpd = 1.8 AF/yr
Irrig — 9 AF/yr
Heating & Cooling
0.35 (2) 365 (8/24 hr) = 85. AF
96.0

Scale: 2 Inches Equals 1 Mile. Draw Map In Ink.

63 3430

JUL 3 1969

RECEIVED

JUL 7 1969

Department of Reclamation

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that the State of Idaho for the use and benefit of the Fish and Game Department has received an approved permit No. G-32064 issued by the Idaho State Reclamation Department authorizing the diversion ~~storage~~ of 1.06 cubic feet per second ~~acre feet per annum~~ of water from a ground water source, subject to all prior rights. The priority to be established under this permit is Sept. 14, 1964 and the permit was approved Sept. 18, 1964. Water is to be diverted by well, pump, motor and pipe from a point within the NE¼NW¼, Sec. 14, T. 3 N, R. 2 E, B.M., Ada County

to be used for irrigation and domestic purposes in the NE¼NW¼, Sec. 14, T. 3 N, R. 2 E, B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before Sept. 18, 1969. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho on July 10, 1969 July 17 and July 24, 1969 1969.

State Reclamation Engineer: Permit No. G-32064

You are hereby authorized to have the attached notice published at my expense in the Idaho Daily Statesman of Boise, Idaho; published in the county in which the works are situated.

IDAHO FISH AND GAME DEPARTMENT
(Signature)
By John R. Woodworth
John R. Woodworth, Director

600 South Walnut Street
(Address) Boise, Idaho
July 3, 1969
(Date)

32064

Please request certification of publication in duplicate
One copy for Reel & one for F&D - to provide
for payment of publication fee - 63-3430
32064

NAME OF APPLICANT State of Idaho, Dept. of Fish & Game

Form No. 0



Permit Map No. 32064
As Approved SEP 13 1961
CARL E. TAPPAN
State Reclamation Engineer

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

32064

State of Idaho

Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 32064/63-3430 Priority Sept. 14, 1964 Amount 0.38 cfs

THIS IS TO CERTIFY, that the State of Idaho, Department of Fish & Game of Boise, Idaho, has complied with the terms and conditions of Permit No. 32064/63-3430 issued pursuant to Application for Permit dated September 14, 1964, and has submitted proof to the Department of Water Administration on July 7, 1969, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity of 0.68 cfs, and that the water has in fact been applied to a beneficial use; a right to the use of water from a ground water source tributary of _____, is hereby confirmed in the following amounts:

Amount 0.04 cfs for Irrigation from April 1 to Oct. 31 (both dates inclusive)

Amount 0.04 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount 0.34 cfs for Heating &/or Cooling from Jan. 1 to Dec. 31 (both dates inclusive)

Subject, however, to the condition that no more than 0.38 cfs of water be diverted at any one time, said waters to be diverted within the NE¼NW¼ (2 points), Sec. 14, Twp. 3 N, Rge. 2 E, B.M. in the county of Ada; and that the amount of water so diverted and to which such right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can actually be beneficially used and shall not exceed 9 acre feet per year or 4.5 acre feet per acre. for irrigation use; 2 acre feet per year for domestic use; and 85 acre feet per year for heating &/or cooling purposes with the total amount not to exceed 96 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3 N	2 E	14					2												2
		14					X (other uses)												

Total number of acres irrigated 2

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21ST day of May, 19 73.

Director

63 3430

RECEIVED

Department of Reclamation

STATE OF IDAHO, }
COUNTY OF ADA } ss.

Georgene Davis, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Daily Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Daily Statesman for weekly two consecutive insertions, beginning with the issue of July 17, 19 69, and ending with the issue of July 24, 19 69

Georgene Davis

Subscribed and sworn to before me this 17th day of September, 1969.

Dorothy M. McClure

Notary Public for Idaho, Residing at ~~Boise~~, Idaho Meridian



NOTICE OF EXISTING
WATER PERMIT

Notice is hereby given that the
for the use and bene-
Department
approved per-
Idaho
cubic
from a
subject to all
do be
permit is

for irri-

Any protests
license for
permit, should
Department of
days
publication of this
of the
Licensee may com-
to the date beneficial
proof is due, without further

D. KEITH HIGGINSON
Water Commissioner, Ballinger
Pub. July 17, 24, 1969

63-3430
22064

Filing Fee: $10.00
Receipt # Interwest

RECEIVED
MAY 18 1973
Department of Water Administration

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR AMENDMENT

Permit No. 32064/63-3430

Comes now Idaho Dept. of Fish & Game of (address) 600 So. Walnut, Boise, Idaho, and represents to the Director of the Idaho Department of Water Administration:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 32064/63-3430, and requests that the permit and permit map be changed as follows:

(2 points)

1. Point of diversion: NE ¼ NW ¼, Sec. 14 Twp. 3 N Rge. 2 E, B. M., County of Ada. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount .34cfs for heating & air conditioning purposes from Jan. 1 to Dec. 31 (both dates inclusive)
Amount .04 cfs for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
Amount .04cfs for irrigation purposes from Apr. 1 to Oct. 31 (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum) TOTAL: 0.38 cfs

3. Place of use or land to be irrigated:

TWP	RANGE	SEC	NE ¼				NW ¼				SW ¼				SE ¼				TOTALS
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	

Total number of acres to be irrigated

63 3430

63 3430

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Boise, this 16th day of May, 19 73.

IDAHO FISH AND GAME DEPARTMENT

(signature)

Joseph C. Greenley, Director

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration, hereby approve the above application for amendment for Permit No. 63-3430/32064.

Witness my hand this 21ST day of May, 19 73.

Director

Idaho Fish and Game Department
518 Front Street
Boise, Idaho

G-32064

63 — 3430

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 40197
Permit No. G- 32064
District No.

1. Name of Applicant: State of Idaho for the use and benefit of the Fish and Game Department

   Postoffice address: Boise County: Ada State: Idaho

2. Quantity of water claimed: 1.06 c.f.s.

   (a) Rate of withdrawal in cubic feet per second or Idaho
   Miners' inches or gallons per minute 478

   (b) Annual withdrawal in acre feet per annum 724

3. Source of water supply: Subterranean withdrawal from a well

4. Location of point of diversion or well is in the NE ¼ of the NW ¼ of Section 14

   Twp. 3 N , Rge. 2 E. , B.M., County of Ada

5. Water is to be used for: Domestic purposes, heating and cooling of the building and for irrigation of adjacent yard area.

6. If for municipal, industrial or recreational purposes, give:

   (a) Point of use of water is in the ¼ of the ¼ of Section , Twp.

   Rge. , B.M.

   (b) Waste water or sewage effluent is to be returned to

   at a point in the ¼ of the ¼ of Section , Twp. , Rge. , B.M.

7. Kind of works: A well 480 feet in depth, cased with steel pipe to a depth of 134.8 feet. A pump, motor and heat exchange unit; also pipe from 4 inches to 1/2 inch in diameter for distribution of water to place of use in building and to adjacent yard area.

8. Estimated cost of works: $14,000.00

9. (a) Is reservoir to be used?

   (b) Capacity of reservoir:

10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.

11. If applicant is a corporation, give:

   I. (a) Date and place of incorporation:

   (b) Amount of capital stock: $ (c) Amount paid in: $

   (d) Names and addresses of directors:

   II. The financial resources of the applicant are (a) Cash on hand: $

   (b) Treasury stock: (c) Bonds to be issued:

   (d) Other resources:

12. The land to be irrigated is described in the following tabulation:

13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: None known

   (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.

   (b) 0.04 (cubic feet per second, inches or gallons per minute) is for new lands.

Remarks: Waters are to be used in an office building to be constructed by the Idaho Fish and Game Department and on the adjacent yard area. The building will be heated and airconditioned by a heat exchange unit, using the waters of the well.

BE IT KNOWN THAT The undersigned hereby makes appli cation for permit to appropriate the public waters of the State of Idaho as herein set forth.

STATE OF IDAHO, Fish and Game Department
Applicant.

By s/ John R. Woodworth, Director *Agent.*

Date of first receipt at Department of Reclamation: 10:00 A.M. September 14, 1964

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G— 32064

Recorded in Book 112 Page 32064 Approved September 18, 1964

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of $ to be filed on or before

Work to begin on or before and to continue deligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before March 18, 1967

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before September 18, 1969

Witness my hand this 18th day of September, 1964 s/ RALPH W. THOMAS, Deputy STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLIE, Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 18th day of September, 1964

Countersigned:

STATE OF IDAHO

(SEAL)

By s/ ARNOLD WILLIAMS
Secretary of State.

By s/ ROBERT E. SMYLIE
Governor

12.

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3 N	2 E	14					2												2

LICENSE ISSUED FOR 0.38 CFS. FI.
LICENSE PAGE NO. _____

WATER RIGHT NUMBER 63-3430

OWNER LAST NAME - STATE OF IDAHO FIRST NAME - ORIG OWNER -
ADDRESS LINE 1 - DEPT. OF FISH & GAME ADDRESS LINE 2 - P.O. BOX 25
ADDRESS LINE 3 - CITY - BOISE STATE - ID ZIP CODE - 83720
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENSE STATUS - PRIORITY - 09-14-1964 COUNTY - ADA TOTAL DIV. RATE - .3800 -CFS
TOTAL DIV. VOLUME - 96.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - NENW 14 03N 02E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 04-01 TO - 10-31 USE - IRRIGATION USE DIV. RATE - .0400 CFS USE DIV. VOLUME - 9.00 AFA
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .0400 CFS USE DIV. VOLUME - 2.00 AFA
FROM - 01-01 TO - 12-31 USE - HEATING USE DIV. RATE - .3400 CFS USE DIV. VOLUME - 85.00 AFA
USE - IRRIGATION PLACE OF USE - TWN 03N RNG 02E SEC 14 TRACT NENW LOT AC 02
DECREE NAME - DATE - TOTAL ACRES 2
REMARKS - 2 P/D IN NENW, SEC. 14, T03N, R02E.
NON IRRIG USE - G/ HEATING & COOLING
OTHER RIGHTS FOR SAME USE -
PROOF DUE - PERMIT/DENIED - PROTESTED - HEARING - OLD NO. - 32064
PROOF MADE - FLD EXAM - COND. OF APPROVAL -
DIVERSION MEANS -

May 24, 1973

Re: License No. 32064/63-3430

Idaho Dept. of Fish & Game
600 South Walnut
Boise, Idaho 83707

Gentlemen:

Enclosed please find a copy of the Water License issued on the above referenced permit.

We are also enclosing a copy of the approved amendment for same permit.

Sincerely,

Bobby D. Fleenor
Assistant Director

kss

Enclosures

63 3430

DA-8
2-REMITTANCE ADVISE

STATE OF IDAHO

Miscellaneous Expenditure Voucher

FOR USE OF DIVISION OF ACCOUNTS ONLY
No. 158167

FOR USE OF DEPARTMENT
No.

FROM DEPARTMENT: Fish and Game

SUB DIVISION: Fish and Game Commission

APPROPRIATION ACCOUNT TITLE: Fish and Game Fund

PAY TO:

CODE NO.

Department of Water Administration
Statehouse Mail
Boise, ID

ACCOUNT CODES					
FUND	FUNCTION	SUB DIV	APPR	OBJECT	COST CODES
6	6	01	100	273	10.00
COMPUTATION CHECKED BY:				PRE-AUDITED BY:	
INCLUDED IN DAILY SUMMARY NO.				POSTED TO BUDGET CONTROL LEDGER	

DATE	EXPLANATION	AMOUNT	LEAVE BLANK
5-14-73 25	Application fee for water permit on second well, Idaho Fish and Game Department State Office Building Complex Permit #32064/63-3430 Section 67-1624 Cooperative Agreement	10.00	

Ck # 10590

1-6-1-03

The above purchases are exempt from Idaho Sales Tax according to Tax Collectors Regulations No. 52 & 53 Idaho Sales Tax Act.

TO THE CLAIMANT:

Enclosed please find State of Idaho warrant in full settlement of the claim.

827127

Please address any inquiries concerning this transaction to the

STATE AUDITOR,
Division of Accounts
State Capitol Building,
Boise, Idaho

MAY 30 1973

5/25/73 bhs

63 3430

sh

CECIL D. ANDRUS, Governor
COMMISSION
ROBERT G. THOMAS, Coeur d'Alene
PAUL C. KEETON, Lewiston
JOHN EATON, Cascade
JACK HEMINGWAY, Sun Valley
H. JACK ALVORD, Pocatello

IDAHO FISH AND GAME DEPARTMENT

JOSEPH C. GREENLEY
Director

POST OFFICE BOX 25
600 SOUTH WALNUT STREET
BOISE, IDAHO 83707

May 15, 1973

Mr. R. Keith Higginson, Director
Department of Water Administration
Statehouse Mail
Boise, ID

State Office Site, Boise
Permit #32064/63-3430

Attention: Mr. Bobby D. Fleenor, Assistant Director

Dear Keith:

Enclosed is an application for amendment of application to Water Permit #32064/63-3430 to include two wells. The water from the well of the original application is used in operation of a heat exchange temperature control unit. The water of the second well, approximately 20 feet depth, is used for irrigation. Both wells have five horsepower motor installed for withdrawal of water.

The amount of water applied to beneficial use has been adjusted to .38 cfs, the figure designated in your letter of May 10, 1973.

Sincerely,

IDAHO FISH AND GAME DEPARTMENT

Joseph C. Greenley
Director

Enclosure

63 3430

May 10, 1973

Idaho Fish & Game Dept.
600 So. Walnut
Boise, Idaho 83707

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 32064/63-3430 and has found the following:

Quantity of water diverted: 0.68 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.38 cfs

The maximum quantity diverted shall not exceed 85 acre feet per year.

Beneficial use: Irrigation of 2 acres, domestic purposes and heating &/or cooling purposes within the NE¼NW¼, Sec. 14, Twp. 3N, Rge. 2E, B.M.

Point of diversion: NE¼NW¼ (2 points), Sec. 14, Twp. 3N, Rge. 2E, B.M.

Priority date established: September 14, 1964

Our exam report indicates that there are two wells in the NE¼NW¼ of Sec. 14, whereas your permit only lists one point of diversion. Therefore, it will be necessary to amend the permit to include both points of diversion before a water license can be issued. We are enclosing a partially completed application for amendment for your use. Please sign the application and return it to this office with a $10.00 filing fee within 10 days of the date of this letter in order that we may issue your water license as set forth above.

If you do not concur with these findings or have any questions, please contact us within the 10 day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Amendment form

63 3430

Form 23
2M-4-65

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

BOISE, IDAHO

REPORT OF EXAMINER

Permit No. G-32064/63-3430

This proof is for 1.06 cfs In Water District No.

1. Name of applicant State of Idaho, Fish & Game Dept., Boise, Idaho
2. Source of water supply: ground-water
3. Location of point of diversion: Is in the NE¼NW¼ of Section 14
   T. 3 N R. 2 E County of Ada
4. Describe works as they exist, giving dimensions and capacities of same:
   Well 480' deep, cased with steel pipe to a depth of 134.8'. A pump, motor, and heat exchange unit; also pipe from 4" to ½" in diamter for distribution of water to place of use in bldg. and to adjacent yard area.
   PROOF - pump size 300 gpm against an 18' left or 108.3 lbs of resistance. Motor - 5 HP size of well casing - 12"; depht of well - 498'.
5. Water is used for: domestic purposes, heating and cooling of the building & for irrigation of adjacent yard area.
6. State whether or not water has been turned into works of diversion:
7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):
   T. 3 N, R. 2 E, Sec. 14, NE¼NW¼ 2 acres

#1 Jacuzzi Submersible (5 H.P.) 480' deep
Pumps used only for heating + Cooling 8 hrs/day all year
(150 gpm @ approx 100' head) → 0.34 cfs
#2 Jacuzzi Submersible (5HP) used for Sprinkling only.
38' deep May 1 - Sept
(T.C. Butler Engineer) these two systems are
located approx 100' ft apart. (150 gpm @ approx 100' hd)
→ 0.34 cfs

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: These two systems are enclosed

This examination was made on the day of 1-30-70, 19

(Signed) Brian Clay
Examiner.

63 3430

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

Permit No. G-32064 63-3430

Examination for b/u - Fish & Game, State of Ida.

County Ada

Quantity: 1.06 cfs Sec. 14 T. 3N R. 2E

Source: ground-water

P.D.: NE¼NW¼

Use: domestic purposes, heating & cooling & irrigation of adjacent yard area.

~~Extension~~:

~~Protest~~:

~~Completion of Works~~:

~~Other Rights~~:

Filed: 9-14-64 Made: 7-7-69
Due: 9-18-69 Priority: 9-14-64

~~Due~~: CHKD. jmb

BS

63 3430

T. 3 N R. 1 E

14

Rate of div
150 gpd ea well
@ approx
100' head
↳ 0.34 cfs

Q measured
Q recommended
Volume
Acreage
Round 2
Q recommended 2
Volume
Adjustments
None
P.D.
Place of use

Dom AF Calcs
208 gpd/person (80 psd) = 1600 gpd
= 1.8 AF/yr

Irrig — 9 AF/yr

Heating + Cooling
$0.35(2)\,365\left(\frac{8}{24}\text{ hr}\right) = 85.\text{AF}$

96.0

63 3430

Scale: 2 Inches Equals 1 Mile. Draw Map In Ink.

Form 23
2M-4-65

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

BOISE

REPORT OF EXAMINER

PERMIT NO. G-32064/63-3430

REPORT ON PROOF OF State of Idaho, Fish & Game Department

63 3430

RESULT OF PUMPING TEST

Fish and Game Dept. Well at Boise Office Site

June 22 to July 2, 1964

Size of hole	12" in entire depth	)
Size of casing	12" I.D.	) Drilled 5/14/64
Drilling depth	500'	) to 6/18/64
Casing depth	134'8" inc.1'3" above G.El.)	

- -

Testing by pumping by air was accomplished by use of 315 C.F.M compressor running at capacity throughout the test period.

Water volume measurements were made at regular intervals during the continuous 27 hour test by means of a water tank of known capacity and by timing with two stop watches. Two volume readings were taken at each recording and an average of the two taken as being correct.

A preliminary test was run from 2:30 pm to 4:40 pm on June 22, 1964 by running a small air hose down to the 100' level to determine whether the hole would stand up and to get a general idea of what to expect and how to set up for the continuous pumping test. The static level at the beginning of this test was 6' with an immediate draw down to the 32'6" level. The pumping level at shut down time was taken but was inadvertantly not recorded. The well depth was taken at shut-down time and it was found that 20' of the hold had been lost making the depth of hole remaining 480'. The water was muddy to begin with but by 4:30 pm was running clear. No sand was pumped. This test indicated that the hole would not cave, that volumes desired would probably be available, that the air line was too small and that the depth of air line should be in the neighborhood of 200'.

On June 23, 1964 a two inch galvanized pipe air line was set to the 202½' level. A 1½" rubber air hose was set up to close couple the compressor to the two inch pipe. Gauges were installed for constant readings, water delivery line was installed for delivery into the measuring vat so arranged that it could be instantly moved for delivery into the vat and for shut off.

The pumping commenced at 2:30 pm and continued until 9:00 pm with irregularly timed volumetric readings being taken. The static level at the start of this run was 15'. During this time the delivery started at 766.62 g.p.m. and had dropped off to 620.64 g.p.m. at shut down time. The draw down at the start was rapid to 39.27' and increasing to 41.58' at shut down. The decision was made to shut down at 9:00 pm until the following morning for further gauge adjustment, and to commence a continuous run to the stabilization point and a reasonable period beyond.

63 3430

On June 24, 1964 pumping commenced at 7:45 am and ran continuously until 12:00 N at which time the pumping stopped for 1 hour 15 minutes for further gauge adjustment. Pumping was started again at 1:15 pm and continued without any interruption until 4:15 pm of 6/25/64 a continuous run of 27 hours. The delivery was measured every hour on the hour and temperatures taken at the same time. During this run the water was clear, indicating no further loss of depth no sand was apparant and the temperature remained without variance at 63° F. Delivery started at 792.15 g.p.m. at 7:45 am 6/24/64 and gradually decreased to 472.56 g.p.m. at 3:00 am on 6/25/64. This time is the time of stabilization, 13 hours 45 minutes to stabilize at 472.56 g.p.m., with a draw down of 62.03 feet below the original static level of 6' making the pumping level at this delivery, 472.56 g.p.m., 68.03 feet below groundlevel. From 3:00 am on 6/25/64 till end of test at 4:15 pm on 6/25/64, 13 hours 15 minutes of continuous pumping the delivery, pumping level, and temperature all remained the same. The averages being 478 g.p.m., 68.03 feet and 63°F. respectively. After final shut down the hole was again sounded and no further loss of hole had occurred, the bottom of the well remaining at 480' below ground level.

Recovery readings taken after shut down show a 16 foot recovery in the first 15 minutes, 5 feet more in the next 15 minutes, 10 feet more in the next 2 hours and 15 minutes, 17 feet more in the next 13 hours, 6½ feet more in the next 12 hours, 5 feet more in the next 12 hours, 1½ feet more in the next 12 hours, 1 foot in the next 12 hours, 0.17 feet in the next 12 hours ending at 8:00 am 7/2/64. The well had at this time recovered to the original 6' static level.

The well could not be pumped at a lesser rate than was done but by using the average of 7.0 g.p.m./ft./drawdown instead of the 7.518 developed during the test the pumping level at 478 g.p.m.= 74' lift to G.El. and decreases to 42' lift to G.El. at 250 g.p.m.

This report by I.E. Sies and T.C. Butler

Note:- This report is condensed but all figures taken are available in detail and a matter of record in Fish and Game Department file.

63 3430

September 18, 1969

Re: Permit No. G-32064/63-3430

John R. Woodworth, Director
Statehouse
Idaho Fish & Game Department

Dear Mr. Woodworth:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit.

Before a license can be issued, a field examination must be made by a representative from this Department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination. If someone other than yourself should be contacted, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

32064
63-3430

Identification No. _____

Permit No. G-32064

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

1. a) Name of Permit Holder State of Idaho Department of Fish and Game

   b) Post Office Address 600 South Walnut, Box 25, Boise, Idaho

2. Permit Number G-32064

3. Date of Priority that you are prepared to establish September 14, 1964

4. a) Source from which water was appropriated Subterranean

   b) Location of the point of diversion: NE ¼ NW ¼, Section 14

   Township 3 N., Range 2 E. Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

   amount 1.02 (cfs and/or acre feet per annum) for Domestic use purposes from Jan. 1 (Month-Day) to Dec. 31 (Month-Day) incl.

   amount _____ (cfs and/or acre feet per annum) for heating or cooling purposes from _____ (Month-Day) to _____ (Month-Day) incl.

   amount .04 cfs (cfs and/or acre feet per annum) for irrigation purposes from March 15, (Month-Day) to Nov. 15 (Month-Day) incl.

   b) Total amount appropriated 1.06 cfs and/or acre feet per annum

   c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Tested with air compressor unit of 315 cu. ft. per minute capacity and operated for 36 hrs. of continuous testing read from ft. lb. ~~pressure gage. T. C. Butler, Licensed Consulting Engineer, Boise, Idaho.~~

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

   a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: Not Applicable

   b) Describe the agreement or understanding by which you take water from the works: Not applicable

7. a) Breifly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give breif description of diversion structure and/or canal or ditch) Pump size capacity 300 g.p.m. against an 18 ft. left or 108.3 lbs of resistance. Motor - 5 H.P., Size of well casing, 12". Depth of well 498ft.

   b) Describe the type and size of measuring device ~~which you have installed at your point of~~ diversion: None

   c) Give well drillers name and address and date the well was completed Lukehart Drilling and Pump Co. Boise, Idaho 6/25/64

32064 EXAMD TYPED 10-31-69 gms

W.S. gms

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Heating, cooling and air conditioning of the building improvements.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	14					2												2 ✓

Total number of acres irrigated 2 ✓

10. Remarks: Waters are used for lawn and arboretum maintenance and for heating and air-conditioning of building improvements.

The above information is a true statement of the extent to which the above numbered permit has been developed.

IDAHO FISH AND GAME DEPARTMENT

July 3, 1969 ✓
(Date)

John R. Woodworth ✓
John R. Woodworth (Signature)
Director

State of Idaho)
ss.
County of Ada)

On this 3rd day of July, 19 69, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (~~she~~) (~~they~~) executed the same.

T. B. Sullivan ✓
Notary Public residing at Boise, Idaho

My commission expires Nov. 21, 1972

320641

July 8, 1969

COPY

Re: Permit No. G-32064
State of Idaho - Fish and Game Dept.

Idaho Daily Statesman
300 North 6th
Boise, Idaho

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact the Department of Reclamation immediately.

The expense of the publication is to be paid by the Idaho Fish and Game Department, John R. Woodworth, Director, 600 South Walnut Street, Boise, Idaho, to whom you should furnish an affidavit of publication <u>in duplicate</u>.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Legal notice
cc: Fish and Game Dept.

32064
42-3430

July 8, 1969

Re: Permit No. G-32064

Fish and Game Department
600 So. Walnut St.
Boise, Idaho

Gentlemen:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit G-32064.

Before a license can be issued you must submit an affidavit of publication to this department. The affidavit of publication may be obtained from the Idaho Daily Statesman, Boise, Idaho, (after July 24th) upon payment of the bill of publication.

Prior to the issuance of the license a field examination must also be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than yourself should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Copy of letter to newspaper

32064
62-3420

September 12, 1969

Re: Permit No. G032064 (New No. 63-3430)

John R. Woodworth; Director
Idaho Fish & Game Department
Statehouse

Dear Mr. Woodworth:

As of this date, we have not yet received the affidavit of publication to be submitted in connection with permit No. G-32064. You should be aware that many newspapers do not keep copies of these advertisements for their files. We, therefore, recommend that you obtain this affidavit as soon as possible from the Idaho Daily Statesman, Boise, Idaho, and submit it promptly to the Department. ~~Please be advised that a license will not be issued until we are in receipt of this affidavit.~~

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

Note: The publication dates were July 17 and July 24, 1969.

32064
63-3430

JUL 3 1969

RECEIVED

JUL 7 1969

Department of Reclamation

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that the State of Idaho for the use and benefit of the Fish and Game Department has received an approved permit No. G-32064 issued by the Idaho State Reclamation Department authorizing the diversion ~~of~~ of 1.06 cubic feet per second ~~by means of~~ of water from a ground water source, subject to all prior rights. The priority to be established under this permit is Sept. 14, 1964 and the permit was approved Sept. 18, 1964. Water is to be diverted by well, pump, motor and pipe from a point within the NE¼NW¼, Sec. 14, T. 3 N, R. 2 E, B.M., Ada County to be used for irrigation and domestic purposes in the NE¼NW¼, Sec. 14, T. 3 N, R. 2 E, B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before Sept. 18, 1969. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Idaho Daily Statesman, Boise, Idaho on July 10, 1969 July 17 and July 24, 1969.

State Reclamation Engineer: Permit No. G-32064

You are hereby authorized to have the attached notice published at my expense in the Idaho Daily Statesman of Boise, Idaho; published in the county in which the works are proposed.

IDAHO FISH AND GAME DEPARTMENT
(Signature)
By John R. Woodworth
John R. Woodworth, Director

600 South Walnut Street
(Address) Boise, Idaho
July 3, 1969
(Date)

32064

Please request certification of publication in duplicate
One copy for Reel & one for F&G - to provide
for payment of publication fee - 63-3430
32064

July 1, 1969

Re: Permit No. G-32064

Fish and Game Department
600 So. Walnut St.
Boise, Idaho

Gentlemen:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department, stating that you have been issued a permit and are now submitting proof of beneficial use. Previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply it upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Order
Proof due notice
Proof package
Adv. package

22064

DON SAMUELSON, Governor
COMMISSION
RAY SIMS, Bonners Ferry
PAUL C. KEETON, Lewiston
JOHN EATON, Cascade
R. J. HOLMES, Twin Falls
GLENN STANGER, Idaho Falls

IDAHO FISH AND GAME DEPARTMENT

JOHN R. WOODWORTH, Director

POST OFFICE BOX 25
600 SOUTH WALNUT STREET
BOISE, IDAHO 83707

July 3, 1969

Fish & Game Dept. Office
Boise, Idaho
Well G-32064
Beneficial Use

Mr. R. Keith Higginson
State Reclamation Engineer
Department of Reclamation
STATEHOUSE MAIL
Boise, Idaho

Dear Mr. Higginson:

Enclosed herewith is the Fish and Game Department's deposition stating its application of water to beneficial use, Permit G-32064, and authorization to publish Notice of Existing Water Permit in the Idaho Daily Statesman.

Please request that certification of publication be submitted in duplicate.

Sincerely,

IDAHO FISH AND GAME DEPARTMENT
John R. Woodworth, Director

T. D. Biladeau

T. D. Biladeau, Wildlife Land Agent
Business Administration Division

TDB/ech

Enclosures

32064

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-32064)

in the name of the State of Idaho for the use and benefit of the Fish and Game Department, Boise, Idaho)

ORDER MODIFYING REQUIREMENTS FOR COMPLETION OF PERMIT TO APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,

WHEREAS, on August 1, 1968, the Department of Reclamation adopted Rules of Practice and Procedures for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-32064 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above-numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedures as follows:

1. The above-numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.

2. The conditions of the above-numbered permit are modified as follows:

   a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.

Dated this 23rd day of June, 1969.

R. KEITH HIGGINSON
State Reclamation Engineer

32064

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and address where delivered ☐ Deliver ONLY to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

CERTIFIED NO.

21097

INSURED NO.

1 SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

Fish & Game

2 SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

Ed Trumbaugh

DATE DELIVERED

JUN 1 1959

3 SHOW WHERE DELIVERED (*only if requested*)

63-3430

c55—16—71548-10 GPO

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, $300

POSTMARK OF DELIVERING OFFICE
BOISE, ID
JUL 1 1969

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article *RETURN RECEIPT REQUESTED.*

RETURN TO

NAME OF SENDER
Department of Reclamation

STREET AND NO. OR P.O. BOX
Annex #2 Statehouse

POST OFFICE, STATE, AND ZIP CODE
Boise, Idaho 83707

POD Form 3811 Apr. 1967 *U.S.—16—71548-10*

July 1, 1969

Fish and Game Department
600 So. Walnut St.
Boise, Idaho

Re: Permit No. G-32064

Gentlemen:

One of the conditions of the approval of your permit G-32064 was that proof of application of the water to beneficial use be submitted to this office on or before Sept. 18, 19 69.

Enclosed is an affidavit form which must be used to submit this proof. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

State Reclamation Engineer

Enclosure: Proof form
DR

Form 5

32064

September 23, 1964

Re: Permit No. G-32064

Idaho Fish and Game Department,
518 Front Street,
Boise, Idaho.

Gentlemen:

We enclose Permit No. G-32064 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

~~We also~~ enclose Departmental Receipt No. (no fee) which was issued covering ~~payment in~~ the amount of $_____ ~~for the filing~~ fee of the above mentioned ~~permit.~~

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk

P.S. You will note, under Question 10, that we have changed the required time for completion of works and complete application of the water to the proposed use to five years. However, you may make the required proofs at any time you are prepared to do so within that time.

32064

NAME OF APPLICANT State of Idaho, Dept. of Fish & Game

Form No. 0



SEP 1 0 1964

CECIL B. TARPAN
State Reclamation Engineer

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

4

32064

STATE OF IDAHO

ROBERT E. SMYLIE
GOVERNOR

COMMISSION
GLENN STANGER IDAHO FALLS
R. J. HOLMES TWIN FALLS
ARLIE JOHNSON BOISE
WILLIAM B. DURBON MOSCOW
FRANK CULLEN COEUR D'ALENE

Fish and Game Department

JOHN R. WOODWORTH
DIRECTOR

518 FRONT STREET BOISE, IDAHO

September 11, 1964

Department of Reclamation

Mr. Carl E. Tappan
State Reclamation Engineer
Department of Reclamation
State House

Dear Sir:

Enclosed is an application for permit to appropriate the subterranean waters of the State of Idaho for domestic and yard irrigation purposes in connection with the State office building of the Idaho Fish and Game Department.

Sincerely,

IDAHO FISH AND GAME DEPARTMENT

John R. Woodworth

John R. Woodworth
Director

Enclosure

32064