

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Boise Park Dept. (Amel Back)
Address 1104 Royal Blvd. Boise, Idaho
Owner's Permit No. 63-3132

7. WATER LEVEL

Static water level 51 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☐ New well ☐ Deepened ☒ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>450</u>	<u>27</u>	<u>4 hrs.</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other5. WELL CONSTRUCTION 1/2 plate at base of 6"Diameter of hole 12 inches Total depth 221 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.375</u> inches	<u>12</u> inches	<u>109</u> feet	<u>109</u> feet
<u>.250</u> inches	<u>8</u> inches	<u>100</u> feet	<u>110</u> feet
<u>.250</u> inches	<u>8</u> inches	<u>120</u> feet	<u>128</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>128</u> feet	<u>130</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>150</u> feet	<u>180</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>200</u> feet	<u>218</u> feet


Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type Armco iron Model No. _____
Diameter 8 Slot size 30 Set from 110 feet to 120 feet
Diameter 6 Slot size 40 Set from 130 feet to 150 feet
Diameter 6 Slot size 40 Set from 180 feet to 200 feet
Gravel packed? ☒ Yes ☐ No Size of gravel #8 sand
Placed from 102 feet to 218 feet
pea gravel 218' to 221'
Surface seal? ☒ Yes ☐ No To what depth 45 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Ada
SW 1/4 SE 1/4 Sec. 34, T. 4 N/S/R. 2 E/W

10.

Work started Feb. 22, 1977 finished Mar. 23, 1977

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Russell Cowe Well Drilling 65W.E. Stevens & Sons 153

Driller's or Firm's Name Number

3709 Hawthorne Drive Boise, Idaho

Address

Signed By Wayne E. Stevens Date Mar. 30, 1977

27440

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED
MAY 13 1964
Department of Reclamation

S

G. S. Bowen, Supt.
City Parks
Boise, Idaho
Permit No. G-27440

Completion of Works
Examination for and Beneficial Use

County Ada

Quantity: 0.2 cfs
Sec. 34 T. 4N R. 2E

Source: Well

P. D.: SW¹SE¹ 34 T. 4N R. 2E

Use: Irrig.

Filed: 20 June 1958

Due: 14 July 1963

Extension:

Protest:

Completion of Works:

Other Rights: None

Allie Compton
Caretaker

11 - 1/4 x 11/64
14 - 1/4
7 - 1/8

55
55
55
60
46
50
53
54
8428
53 Unavailable

$$7 - \frac{1}{8}'' @ 50'' = 3.72 = 22.54 \text{ GPM}$$

$$14 - \frac{1}{4}'' @ 52\frac{1}{2}'' = 13.10 = 183.40$$

$$11 - \frac{1}{4} \times \frac{1}{8}'' @ 52\frac{1}{2}'' = 19.25 = 211.75$$

$$\underline{9(417.69 \text{ GPM})}$$

$$46.41 \text{ inches}$$

$$\underline{92.82 \text{ cfs}}$$

R 2 E

T

4

N

13TH ST. 34

HERON ST

P.D.

c/w

Subdivision 1

Area 10 acres.

Allow $Q = 0.2 \text{ cfs or } 10 \text{ inches.}$

STATE OF IDAHO }
COUNTY OF ADA } ss.

Edith Ferguson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Daily Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Daily Statesman in conformity with Sec. 60-108, Idaho Code, for

four consecutive weekly insertions beginning with the issue of May 20, 1963, and ending with the issue of June 10, 1963.

Edith Ferguson, Principal Clerk
Subscribed and sworn to before me this 11th day of

June, 1963.

Jona A. Gaing
Notary Public for Idaho, Residing at Boise, Idaho

**NOTICE OF PROOF OF COMPLETION
OF WORKS
and
APPLICATION OF WATER TO
BENEFICIAL USE**

Notice is hereby given that at 10:00 a.m., on the 26th day of June 1963, at Boise City, County of Ada, State of Idaho, before Roberta Sharp, Notary Public, at (address) 605 Bannock, Boise, Idaho, proof will be submitted of the completion of works for the diversion of 0.2 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G27440, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Boise City, (By Gordon S. Bowen, Park Supt., 1104 Royal Blvd., Boise).

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 1.0 cubic feet per second.

3. The use to which said water has been applied is lawn and park purposes, and the amount applied to beneficial use is 1.0 cubic feet per second.

4. The point of diversion of said water is 912 Heron St., (E. end of Camel Back Park)—see also Par. 5 below.

5. The place where said water is used is in SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 34, T. 4 N., R. 2 E.B.M.

6. The date of priority which said user is prepared to establish is June 20, 1958.

GEO. N. CARTER,
State Reclamation Engineer.

28 27
33 34

27 26
34 35

T4 N
R2 E
B.M.

33 34 Heron St.
4 3

Wall - pt. of diversion

34 35
3 2

Permit Map No. ⁴ - 27440
As Approved
Geo. J. Carter JUL 14 1958
HARRY R. KUEP
State Reclamation Engineer

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

68-3132

Application No. G- 35371
 Permit No. G- 27440
 District No.

City of Boise
 605 Barnock St
 Boise, Idaho
 G. S. Bowen
 Sup't. of Parks

1. Name of Applicant: CITY OF BOISE
 Postoffice address: 605 Barnock St., Boise County: Ada State: Idaho
2. Quantity of water claimed: 0.2 cubic feet per second
 - (a) Rate of withdrawal in cubic feet per second. 0.2 cubic feet per / second
 Miners' inches 10 or gallons per minute.
 - (b) Annual withdrawal in acre feet per annum 40
3. Source of water supply: Well and pump
4. Location of point of diversion or well is in the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 34
 Twp. 4 N. , Rge. 2 E. , B.M., County of Ada
5. Water is to be used for: Irrigation - 0.2 cu. ft. per second
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 34 , Twp. 4 N
 Rge. 2 E. , B.M. (Camel- Back Park)
 - (b) Waste water or sewage effluent is to be returned to
 at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp. , Rge. , B.M.
7. Kind of works: Drilled well with steel casing, pump and motor.
8. Estimated cost of works: \$ Pump & Well - \$4500.00; Sprinkling System \$6,000.00
9. (a) Is reservoir to be used? No
 (b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation: January 1866 State Legislature
 (b) Amount of capital stock: \$ (c) Amount paid in: \$
 (d) Names and addresses of directors: Mayor R. E. Edlefsen, Councilmen Anne Hettinger,
 H. T. Jones, Ferdinand Kock, Vernon Morris
 - II. The financial resources of the applicant are (a) Cash onhand: \$
 (b) Treasury stock: (c) Bonds to be issued:
 (d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: None
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.

LICENSE ISSUED FOR 0.2 SEC. FT.
 LICENSE NO.

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 27440/63-3132 Priority June 20, 1958 Amount 0.2 cfs

THIS IS TO CERTIFY, that the CITY OF BOISE
of Boise, Idaho has complied with the terms and conditions of Permit
No. 27440/63-3132 issued pursuant to Application for Permit dated June 20, 1958
and has submitted proof to the Department of Water Administration on June 26, 1963
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.93 cfs and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.2 for irrigation from March 15 to Nov. 15 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.2 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 34, Twp. 4 N, Rge. 2 E, B.M.

in the county of Ada; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 45 acre feet per year or
4.5 acre feet per acre.


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	2E	34															10		10

Total number of acres irrigated 10

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
October, 19 71.


Director

63 3132

WRD417

WATER RIGHTS PROOF READING REPORT

04/24/85

PAGE 1

WATER RIGHT NUMBER 63-3132

OWNER LAST NAME - CITY OF BOISE

ADDRESS LINE 1 - CITY HALL

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

STATUS -

TOTAL DIV. VOLUME - 45.00 AFA TRFR/AMEND -

DIVERSION POINT - SWSE 34 04N 02E LOT REDIV -

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE - IRRIGATION

DECREE NAME -

REMARKS - P/U & P/D CAMELSBACK PARK.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

FIRST NAME - ORIG OWNER -

ADDRESS LINE 2 -

CITY - BOISE

STATE - ID ZIP CODE - 83702

TRIBUTARY OF -

PRIORITY - 06-20-1958 COUNTY - ADA

TCTAL DIV. RATE - .2000 -CFS

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. RATE - .2000 CFS USE DIV. VOLUME - 45.00 AFA

PLACE OF USE - TWN 04N RNG 02E SEC 34 TRACT SWSE LOT AC 10

DATE -

TOTAL ACRES 10

PROTESTED -

HEARING -

OLD NO. - 27440

November 15, 1971

C Re: Permit No. 27440/63-3132

O City of Boise
Attn: Supt. of Parks
605 West Bannock
Boise, Idaho 83702

Gentlemen:

Enclosed herewith is your Water License issued on the above referenced permit.

P Also enclosed is departmental receipt No. 7482 in the amount of \$7.00 covering the fee.

Sincerely,

Y BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: License
Receipt

63 3132

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.



Show to whom, date and address
where delivered



Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

31566

1

City of Boise

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

E. Murphy

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)


JUL 16 1971

3

63 3132

63-3132

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

RETURN
TO

63 3132 DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

CITY OF BOISE, IDAHO

No. 003007

DATE			DESCRIPTION OR PURCHASE ORDER NO.	ACCOUNT NO.	R - \$	AMOUNT
MO.	DAY	YEAR				
AUG	9	71	PERMIT # G-27440\63-3132			7.00
						63 3132

BOISE CITY GENERAL FUND

NOT NEGOTIABLE

July 15, 1971

CERTIFIED MAIL # 31566

Re: Permit No. G-27440 (New No. 63-3132)

City of Boise
Attn: Supt. of Parks
605 West Bannock
Boise, Idaho 83702

Gentlemen:

It appearing to the Department of Water Administration that the terms and conditions of Permit G-27440/63-3132 to appropriate the public waters of the State of Idaho have not been complied with as to failure to submit licensing fee of \$7.00, you are hereby notified that under the provisions of Section 42-311, Idaho Code, as amended, said permit is hereby held for cancellation, and you are required to show cause before the Director of the Department of Water Administration on or before August 24, 1971, why said permit should not be cancelled.

Permit G-27440/63-3132 claims the use of 0.2 cubic feet per second of water from a ground water source, the point of diversion was to be located within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 34, T. 4N, R. 2E, B.M., and the permit was approved July 14, 1958.



R. KEITH HIGGINSON
Director

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Noise Park Dept.
Address 1104 Royal Blvd. Boise, Idaho
Owner's Permit No. 63-3132

2. NATURE OF WORK

☐ New well ☐ Deepened ☒ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 22 inches Total depth 200 feet
Casing schedule: ☒ Steel ☐ Concrete


Thickness	Diameter	From	To
.250 inches	1 inches	0 feet	10 feet
.250 inches	2 inches	10 feet	170 feet
.250 inches	3 inches	170 feet	180 feet
.250 inches	4 inches	180 feet	190 feet
.250 inches	6 inches	190 feet	200 feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type 2000 1200 Model No. _____
Diameter 6 Slot size 30 Set from 110 feet to 130 feet
Diameter 6 Slot size 40 Set from 130 feet to 150 feet
Diameter 6 Slot size 70 Set from 150 feet to 200 feet
Gravel packed? ☒ Yes ☐ No Size of gravel 20 sand
Placed from 100 feet to 215 feet
Surface seal? ☒ Yes ☐ No To what depth 25 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Ada Section 2, T. 2 N/S/R. 1 E/W. 63 3132

7. WATER LEVEL

Static water level 37 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
150	27	

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	3	top soil		X
16	3	12	brown clay & sand	X	
16	12	20	brown clay, sand & gravel	X	
16	20	28	brown clay & sand	X	
16	28	35	stiffer blue clay		X
16	35	45	blue clay & gravel (sandy)	X	
16	45	120	stiff blue clay		X
16	120	170	blue clay & sand (sandy)	X	
16	170	190	stiff blue clay		X
16	190	200	blue clay & sand, gravel	X	
16	200	200	small pea gravel (sandy)		X
16	200	200	stiff blue clay & sand	X	
			summit 153'		
			all water bearing as far as open hole while waiting for screens		
			all sand shown was covered cemented with blue clay		
			chemicals used 22.5 lbs. and developing 120 lbs. Bentonite 20 and 20 lb. 2 gal. 4-20		
			oil casing by Johnson and fully tested for leaks and strength		
			Drilled by Johnson		
			Information for well log		

10.

Work started 10. 10. 1977 finished 10. 10. 1977

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name _____ Number _____
Address _____
Signed By _____ Date _____

State of Idaho

DEPARTMENT OF RECLAMATION

Boise, Idaho

May 13, 1964

Re: Permit No. G-27440

Gordon S. Bowen, Superintendent
City Parks
1104 Royal Blvd.
Boise, Idaho

Dear Mr. Bowen:

Our field engineer's report on his inspection of proof of completion of works and application of water to beneficial use under the terms of Permit No. G-27440 shows the well is (are) capable of conveying 10 miner's inches, or 0.2 c.f.s. of water for the irrigation of 10 acres.

Upon receipt of the statutory fees, totaling \$7.00, which consists of a Completion of Works fee of \$----- and License and Certificate of Water Right fee of \$----- based at the rate of \$2.00 for each 40-acre subdivision - we will issue the Certificate of Completion of Works and the License and Certificate of Water Right confirming the right, with priority of June 20, 1958 to the use of 0.2 second feet of subterranean water with the point of diversion in the SW₁SE₄, Sec. 34 for irrigation of 10 acres in the SW₁SE₄, Sec. 34, T. 4 N., R. 2 E., B.M.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk

EPR:mr

27440

075

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-27440This proof is for Completion of Works & Beneficial Use In Water District No. _____1. Name of applicant CITY OF BOISE2. Source of water supply: a well3. Location of point of diversion: Is in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 34
T. 4 N. R. 2 E. County of Ada4. Describe works as they exist, giving dimensions and capacities of same: 30 H.P. O.S. Motor11057391 Jacuzzi Pump # 106CAS - WJR 497 - T 790 - 6" x Column
6" discharge to a 6" Gate Valve and buried main line and sprinkler system
well - 140' xThere is 11- $\frac{1}{4}$ x $\frac{1}{4}$ 9 14- $\frac{1}{4}$ and 7- $\frac{1}{8}$ heads in operation5. Water is used for: irrigation6. State whether or not water has been turned into works of diversion: Yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 34, T. 4 N., R. 2 E., B. M.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Mr. Allie Compton, caretaker along(City address of PD is 912 Heron St.)stated he could run 14- $\frac{1}{4}$ x $\frac{1}{8}$ and 16- $\frac{1}{4}$ headsMeasured by taking average pressure reading of heads in
operation: $\approx$ 93 cfs @ 46 ft. min.This examination was made on the 12th day of May, 1964

(Signed)

Larry Johnson

Examiner.

27440

27440

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED
MAY 13 1964

Department of Reclamation

S
G. S. Bowen, Supt.
City Parks
Boise, Idaho
Permit No. G-27440

Completion of Works
Examination for and Beneficial Use

County Ada

Quantity: 0.2 cfs
Sec. 34 T. 4N R. 2E

Source: Well

P.D.: SW⁴SE⁴ S₃₄ T_{4N} R_{2E}

Use: Irrig.

Filed: 20 June 1958

Due: 14 July 1963

Extension: _____

Protest: _____

Completion of Works: _____

Other Rights: None

Allis Compton
Cartaker

11 - 1/4 x 11/64
14 - 1/4
7 - 1/8

55
55
55
60
66
50
53
54


55
53

$7 - \frac{1}{8}" @ 50' = 3.72 = 22.54 \text{ GPM}$
 $14 - \frac{1}{4}" @ 52\frac{1}{2}' = 13.10 = 183.40$
 $11 - \frac{1}{4} \times \frac{1}{8}" @ 52\frac{1}{2}' = 19.25 = 211.75$

$9 \overline{) 417.69} \text{ GPM}$
 46.41 inches
 92.82 cfs

R 2 E

T
4
N



c/w

Subdivision 1

Area 10 acres.

Allow $Q = 0.2 \text{ cfs per 10 inches.}$

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF ENGINEER

PERMIT NO. G-27440

REPORT ON PROOF OF Completion of Works & Beneficial Use

City of Boise
G. S. Bowen, Supt.
City Parks

1M April 1962

July 5, 1963

Re: Permit No.

G-27440

Gordon S. Bowen, Supt.
City Parks
1104 Royal Blvd.
Boise, Idaho

Dear Mr. Bowen:

We acknowledge receipt of the depositions of holder and two witnesses, also affidavit of publication in the Idaho Daily Statesman Boise, Idaho, all submitted in proof of completion of works and beneficial use on Permit No. G-27440

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact you at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,
CARL E. TAPPAN, Acting
~~XXXXXXXXXXXXXX~~
GEO. N. CARTER
State Reclamation Engineer

By:

(Mrs.) Edna P. Rule
Chief Clerk

EPR:

27440

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. G27440

* * * *

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

* * * * *and Completion of Works

DEPOSITION OF HOLDER

Ques. 1. State your name, residence, occupation and postoffice address: City of Boise, Ida.

by Mr. Gordon S. Bowen, 1900 Good St., Boise, occupation: Park Supt., Business
address, 1104 Royal Blvd, Boise

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf:

City of Boise, Idaho; City hall, 605 Bannock St., Boise. Park Supt.

Ques. 3. State number, approval date of permit, and date of priority you propose to establish under the permit: G27440; July 14, 1953; June 20, 1958

Ques. 4. State source of water supply: Subterranean flow from a well and pump
Give location of point of diversion, showing subdivision, section, township and range:

S W 1, S E 1 Section 34 T. 4 N., R. 2 E., Boise Meridian (Camel's Back Park)

Ques. 5. Describe your works of diversion: Jacuzzi water, lubricated pump with 6"
column, 10" bowl assembly set, 80'; state amount of water they are capable of con-
deep over drilled well.

veying from point of diversion to place of use 450 gpm; Give name of canal or ditch
or other works by which water is conducted to such place of use: none

; if a well, state depth of well 125 feet; depth and size of cas-
ing: 12" diam. to 87' - 1" depth; depth to water 40 ft.; if pump is used,

state discharge of pump: 400 gpm; tell how it was measured or determined: Rated capacity
of pump; if sprinkler irrigation, give number and size of nozzles and

operating pressure: Originally operated 33 sprinkler heads with average capacity
of 15 gpm at 70 psi

Ques. 6. State for what purpose water is used: Irrigation of a City Park
If for irrigation, name each subdivision in which used and number of acres in each
subdivision that have actually been irrigated with said water: South west 1/4 of South-

East 1/4 Section 34, T 4 N, R 2 E, P. M.

State nature of all improvements which have been made as a direct result of said use:

Turfing and Landscaping of a 7 acre park and playground

Ques. 6-a: If this is a ground water permit, give name and address of person that drilled the well: Henry L. Johnson, P. O Box 5042, License No 24

Ques. 7. If for other than irrigation purposes, state purpose and how used:

Ques. 8. What is the minimum amount of water required for the purpose specified above:

1.0 second feet

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder:

Ques. 10. State when and in what amount the water diverted under above mentioned permit has been first used: April, 1958, 1.0 second ft Time used since first use:

used during each irrigation season from 1958 thru present date.

Ques. 11. Describe all other water rights appurtenant to same place of use:

No other known water rights in area.

(sign) Gordon S. Bowen

I hereby certify that the foregoing testimony was read to the above subscribed, before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in

Paice, County of Ada

State of Idaho, on this 26th day of June, A.D. 1963.

My Commission expires: 6-15-64

Robert Sharp
Notary Public
Residing Paice, Ida

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. C27440

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE
and Completion of Works

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

Edward Marlatt, age, 54; residence, 2510 North 24th, Boise; Park Foreman

Ques. 2. Are you acquainted with Gordon S. Bowen, the holder of
Permit No. C27440? How long have you known him and where does he reside:

About 7 years; 1900 Good Street.

Ques. 3. Have you read or heard said Permit No. C27440 read, and are you familiar
with its provisions and conditions: Yes: X No:

Ques. 4. State source of water supply: Well and pump

State place of diversion: SW 1/4, SE 1/4, Section 34, T4N, R2E, B. M. (Caval-Back Pk)

Describe works for conveying water to place of use: Drilled well, pump, and
underground quick-coupling sprinkling system.

Ques. 5. How many second feet of water do you estimate said works will safely conduct
to place of use: 1.0 second ft. How much water have you seen being so
conveyed: 1.0 second ft.

Ques. 6. If for irrigation, show number of acres irrigated in each subdivision, giving
full legal description:

7 acres in SW 1/4 of SE 1/4, Section 34, T4N, R2E, B. M.

Ques. 7. If for power or other purposes than irrigation, state how water has been used:

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation:

Turfed park area requiring: 1.0 second feet

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent: No

Ques. 10. When did you first see this water used: April, 1958

Other times you have seen such use: _____

(Signed)

Ed. Marlatt

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Besse

_____, County of Ada, State of Idaho, on this 26 day of June,

A. D., 1962.

Roberta Sharp

Notary Public for State of Idaho

Residing: Besse, Idaho

My commission expires: 6-15-64

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. _____

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

and Completion of Works

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

Virgil Whittaker, age, 39; residence, 3006 Regan, Boise, Park Plumber

Ques. 2. Are you acquainted with Gordon S. Bowen, the holder of

Permit No. G27440? How long have you known him and where does he reside:

About 7 years; 1900 Good Street

Ques. 3. Have you read or heard said Permit No. G27440 read, and are you familiar with its provisions and conditions: Yes: X No: _____

Ques. 4. State source of water supply: Well and pump

State place of diversion: SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 34, T4N, R2E, B. M. (Camel-Back Pk)

Describe works for conveying water to place of use: Drilled well, pump and under-ground quick-coupling sprinkling system.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use: 1.0 second ft. How much water have you seen being so

conveyed: 1.0 second ft.

Ques. 6. If for irrigation, show number of acres irrigated in each subdivision, giving full legal description:

Seven acres in Southwest $\frac{1}{4}$ of Southeast $\frac{1}{4}$, Section 34, T4N, R2E, B. M.

Ques. 7. If for power or other purposes than irrigation, state how water has been used:

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation:

Turfed park area requiring: 1.0 second feet

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent: No

Ques. 10. When did you first see this water used: April, 1958

Other times you have seen such use: _____

(Signed)

Vincent W. Whitaker

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Paine

_____, County of Ada, State of Idaho, on this 26 day of June,
A. D., 1962.

Roberta Sharp

Notary Public for State of Idaho

Residing: Paine, Ida

My commission expires: 6-15-64

**NOTICE OF PROOF OF COMPLETION
OF WORKS**

**and
APPLICATION OF WATER TO
BENEFICIAL USE**

Notice is hereby given that at 10:00 a.m., on the 28th day of June 1963, at Boise City, County of Ada, State of Idaho, before Roberta Sharp, Notary Public, at (address) 805 Bannock, Boise, Idaho, proof will be submitted of the completion of works for the diversion of 0.2 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G27446, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Boise City, (By Gordon S. Bowen, Park Supt., 1104 Royal Blvd., Boise).

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 1.0 cubic feet per second.

3. The use to which said water has been applied is lawn and park purposes, and the amount applied to beneficial use is 1.0 cubic feet per second.

4. The point of diversion of said water is 812 Heron St., (E. end of Camel Back Park)—see also Part 5 below.

5. The place where said water is used is in SW 1/4 SE 1/4 of Sec. 34, T. 4 N., R. 2 E., S. 1.

6. The date of priority which said water is prepared to establish is June 20, 1958.

GEO. N. CARTER,
State Reclamation Engineer.

STATE OF IDAHO }
COUNTY OF ADA } ss.

Edith Ferguson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Daily Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Daily Statesman in conformity with Sec. 60-108, Idaho Code, for

four consecutive weekly insertions beginning with the issue of May 20, 1963, and ending with the issue of June 10, 1963.

Edith Ferguson, Principal Clerk
Subscribed and sworn to before me this 11th day of

June, 1963.

Dona C. Gentry
Notary Public for Idaho, Residing at Boise, Idaho

May 10, 1963

Re: Permit No. G-27440
Boise City

Mr. Gordon S. Bowen, Park Supt.,
Boise City,
1104 Royal Blvd.,
Boise, Idaho.

Dear Mr. Bowen:

This acknowledges the Notice of Proof of Completion of Works and Application of Water to Beneficial Use under Permit No. G-27440. The proofs are to be made at 10:00 o'clock A.M., on the 26th day of June, 19 63 before Roberta Sharp, 605 Barnock St., Boise, Idaho, Notary Public.

As of this date we have mailed the Notice to the Idaho Daily Statesman Boise, Idaho, with instructions to publish it once a week for four consecutive weeks prior to the date set for final proof then mail the affidavit of publication and statement of costs to you.

It is important that the enclosed depositions be executed by you and two disinterested witnesses who are familiar with the terms of the permit and the work done thereunder, at the place, on the date, and at the time and before the Notary, as advertised. It is very important and necessary that each question be answered in detail.

In returning the depositions to this office, be sure that all copies have been signed, the Notary's seal has been placed on each and that all depositions, (holder and two witnesses) are being returned. Also be sure to enclose the Affidavit of Publication.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer

By:

(Mrs.) Edna P. Rule
Chief Clerk

Enc.
EPR:pmk
cc: Notary

27440

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Boise, Idaho

Re: Permit No. G-27440
Boise City

Date: May 10, 1963

Idaho Daily Statesman,
Boise, Idaho.


Gentlemen:

Enclosed you will find notice for publication, once a week for four consecutive weeks prior to June 26, 1963 the date set for proof; the expense of the publication is to be paid by the applicant

Boise City, By Gordon S. Bowen, Park Supt. of 1104 Royal Blvd., Boise, Idaho to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice and furnish this office with a copy or tear sheet of the first publication.**

Very truly yours,



GEO. N. CARTER
State Reclamation Engineer

** If the first copy is not received in this office for checking purposes and errors appear in subsequent issues, it is possible that re-publication of corrected copy will be at your own expense.

Encl.

27440

NOTICE OF PROOF OF COMPLETION OF WORKS
and
APPLICATION OF WATER TO BENEFICIAL USE

DEPARTMENT OF RECLAMATION

Notice is hereby given that at 10:00 A.M., on the 26th day of June
19 63, at Boise City, County of Ada, State of Idaho,
before Roberta Sharp, Notary Public, at (address) 605 Bannock
Boise, Idaho, proof will be submitted of the completion of works for
the diversion of 0.2 cubic feet per second of underground water from a well, and of
the application to beneficial use of said water, in accordance with the terms and
conditions of Permit No. G27440, heretofore issued by the Department of Reclamation
of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit
is Boise City, (by Gordon S. Bowen, Park Supt., 1104 Royal Blvd, Boise)

2. Said works of diversion will be fully completed on the date set for such com-
pletion, and the amount of water which said works are capable of conveying to the place of
use is 1.0 cubic feet per second.

3. The use to which said water has been applied is maintenance of lawn and park
~~landscaping for park~~ purposes, and the amount applied to beneficial use is 1.0
cubic feet per second.

4. The point of diversion of said water is 912 Heron St. (E. end of Camel
Back Park) - see also par 5. below

5. The place where said water is used is in S W 1/4 of the S E 1/4 of Sec. 34,
T. 4N. R 2 E. B. M.

6. The date of priority which said user is prepared to establish is June 20, 1958

G. H. Carter

State Reclamation Engineer

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) May. 9, 1963

(P. O.) 1104 Royal Blvd

TO THE STATE RECLAMATION ENGINEER

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published
at my expense in the Idaho Daily Statesman of
Boise published in the
county in which the works are situated. Boise City

Ada
By: Gordon S. Bowen

(In case of canals or other works designed to divert and
carry more than 50 cubic feet of water per second, the following certificate
must be signed by a well known and competent engineer.)

I hereby certify that the facts set forth in the
attached notice are true.

Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

Boise, Idaho

Re: Permit No. G-27440

May 1, 1963

City of Boise
S. S. Bowen
Supt. of Parks
Boise, Idaho

Dear Sir:

The date for proofs of Completion of Works and Application of water to beneficial use, as set out under terms of Permit No. G- 27440 are due not later than **July 14, 1963**

Before these proofs can be made, the statutory requirement is that a notice of your intention of proof be published once a week for four consecutive weeks in a newspaper within the county in which the land is located. In completing the Notice of proof for publication, the information should be taken from your Permit, including any amendments made in connection with a change of point of diversion or land list, which has been recorded in this department. If changes have been made and no amendments are on record, we advise you request a form for this purpose before your Notice is published.

We enclose Form 36, in duplicate, which is to be filled out and returned to this department at least FORTY (40) DAYS BEFORE THE MENTIONED DATE, (allowing for four weeks publication). Please give the name of the town, the address of the place where the depositions will be executed, and, the name of the notary public before whom you will appear to make the depositions of proof (this may be at any place convenient for you and your two witnesses), the quantity of water filed, for what purpose it is used, the point, or points, of diversion; and the location of use or the lands which are irrigated -- all by legal land description.

Enclosed also is Form 11, which is the authorization for us to have the notice published in the designated county newspaper at your expense. This is to be returned with two Forms 36.

At the time we send the notice to the newspaper we will send to you the forms for the depositions of holder and two disinterested witnesses. It is important that the depositions be executed at the time, on the date set, at the place named, and before the notary public, as advertised in the publication notice.

Very truly yours,

GEO. N. CARTER

State Reclamation Engineer

Enclosures 36 - 11

27440

July 21, 1958

Re: Permit No. G-27440
City of Boise

City of Boise
605 Bannock Street
Boise, Idaho

Attention: G. S. Bowen
Sup't of Parks

Dear Mr. Bowen:

We enclose Permit No. G-27440, in the name of City of Boise, in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Departmental receipt No. G-3377 was issued covering payment in the amount of \$5.00, for the filing fee of the above mentioned permit. This receipt was given to you while in our office.

Very truly yours,

GEO. H. CARTER
State Reclamation Engineer
By

Mrs. Edna P. Rutledge
Chief Clerk

KPR:lv
Encls. (1)

27440

NAME OF APPLICANT.

CITY OF BOISE

Form No. 0

28	27
33	34

27	26
34	35

T4	N
R2	E
B.M.	

33	34 Heronst.
4	3

well-pt. of diversion

34	35
3	2

Permit Map No. ⁴-27140

As Approved, JUL 14 1958
Geo. F. Carter
MARKER KUEP
State Reclamation Engineer

SCALE: 2 Inches Equal 1 Mile. Draw Plan in Ink.

27440

TATESMAN

LEGAL NOTICES

NOTICE OF PROOF OF COMPLETION OF WORKS

and

APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 a.m., on the 26th day of June 1963, at Boise City, County of Ada, State of Idaho, before Roberta Sharp, Notary Public, at (address) 605 Bannock, Boise, Idaho, proof will be submitted of the completion of works for the diversion of 0.2 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G27440, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Boise City, (By Gordon S. Owen, Park Supt., 1104 Royal Blvd., Boise)

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 1.0 cubic feet per second.

3. The use to which said water has been applied is lawn and park purposes, and the amount applied to beneficial use is 1.0 cubic feet per second.

4. The point of diversion of said water is 912 Heron St., (E. end of Camel Back Park)—see also Par. 5 below.

5. The place where said water is used is in SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 34, T. 4 N., R. 2 E.B.M.

6. The date of priority which said user is prepared to establish is June 20, 1958.

GEO. N. CARTER, 27446
State Reclamation Engineer.