

Coto = 542.6' long 329.34' W.

Survey is 1/4 mi N. of S. boundary 25

987
7
654 full w.
600'

158.07
542.6
384.53
542.6
1243.27

R-1E.

T.
4
N.

(25)

25

P.D. = 45' North of Glen St.
= 20' W. of property line

522 1/2' East of Coffey St

Scale 60

158.07' f. SW corner
542.6'
East edge of property

9
8
7
6
5
Coffey St.
Hwy # 20

P.D.
Glen St.

→ To Boise

5 1/4 mi S 25

Q

T = 76° F.

Q = 20 inches

Form No. 0

	3	2	1
10		11	12
15		14	13
22		23	24
27		26	25
34		35	36
T4 N T3 N			

Permit Map No. 23647
As Approved
FEB 6 1983
MARK R. KULP
State Reclamation Engineer

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

23647

State of Idaho
License and Certificate of Water Right

Water License No. G-23647

Amount 0.39 second foot

Water District No.

Priority January 28, 1953

THIS IS TO CERTIFY that STATE OF IDAHO DEPARTMENT OF HIGHWAYS
of Boise, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated January 28, 1953; that Permit No. G-23647
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
0.39 second foot, was issued thereunder on November 3, 1955, showing that said works
were completed on the 5th day of February, 1955; and that on the 5th
day of February, 1955,

STATE OF IDAHO DEPARTMENT OF HIGHWAYS

of Boise, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
, ~~subterranean flow~~ (subterranean flow), for the purpose of domestic use
, under Use Permit No. G-23647 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
9 of Licenses at page 5594, on the 3rd day of November, 1955;
The right hereby confirmed dates from January 28, 1953;

The Point of Diversion is located
in the NW 1/4 SE 1/4, Sec. 25, Tp. 4 N., R. 1 E., B. M. Ada County
That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 0.39 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
			W 1/2 SE 1/4 Section 25, Township 4 North, Range 1 East, B.M.		

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
3rd day of November, 1955.

MARK R. KILP

State Reclamation Engineer.

(SEAL)

63 2925

63-2926

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 31418
Permit No. G- 23647
District No.

1. Name of Applicant: STATE OF IDAHO DEPARTMENT OF HIGHWAYS
Postoffice address: P.O. Box 879, Boise County: Ada State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second. or Idaho
Miners' inches or gallons per minute. 175
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Drilled and cased well
4. Location of point of diversion or well is in the NW 1/4 of the SE 1/4 of Section 25
Twp. 4 N. , Rge. 1 E. , B.M., County of Ada
5. Water is to be used for: Domestic purposes
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the NW 1/4 of the SE 1/4 and
SW 1/4 of the SE 1/4 of Section 25 , Twp. 4 N.
Rge. 1 E. , B.M.
 - (b) Waste water or sewage effluent is to be returned to Underground at place of use.
at a point in the 1/4 of the 1/4 of Section , Twp. , Rge. , B.M.
7. Kind of works: Electrical driven deep well turbine pump, 3,000 gallon tank and 4" pipe line.
8. Estimated cost of works: \$ 27,000.00
9. (a) Is reservoir to be used? No.
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 1 years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.

Remarks:

Agent.

Corrected application received:

MARK R. KULP
State Reclamation Engineer.

Governor

Secretary of State.

12.

Twp.	Range	Sec.	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	Totals
			NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	
Remarks cont.)			Other uses include office consumption and heating, shop washing and heating and general use. The water wastage and sewerage disposal will be returned to the ground through septic tanks and field drains for each building. The total installation will be on the nearly 20 acres as described above. The well is 886 Ft. deep and cased 180° of 12" then 8" to 886 feet.				
Permit No. G-23647 CERTIFICATE OF COMPLETION OF WORKS							
TO ALL WHOM IT MAY CONCERN:							
This is to certify that STATE OF IDAHO DEPARTMENT OF HIGHWAYS of Boise, County of Ada, and State of Idaho, the holder of Permit No. G-23647, issued upon Application No. G-31418 bearing date of priority of January 28, 1953, authorizing the diversion of 175 gallons per minute of the waters of a well (subterranean flow) County of Ada, State of Idaho, for domestic purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 0.39 second foot of the waters of said well; that the point of diversion of said waters is in the NW ¹ / ₄ SE ¹ / ₄ Section 25, Township 4 North, Range 1 East, B.M. and that the place of use of said water is in the W ¹ / ₂ SE ¹ / ₄ Section 25, Township 4 North, Range 1 East, B.M.							
Witness my hand this 3rd day of November, A. D. 1955.							
MARK R. KULP State Reclamation Engineer							
Proof of completion of works made February 5, 1955 Certificate of Completion of Works issued November 3, 1955.							
hl							
LICENSE ISSUED FOR 0.39 SEC; FL							

WATER RIGHT NUMBER 63-2926 ✓

OWNER LAST NAME - STATE OF IDAHO ✓

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 - DEPT. OF TRANSPORTATION ✓

ADDRESS LINE 2 - DIVISION OF HWYS. ✓

ADDRESS LINE 3 - P.O. BOX 7129 ✓

CITY - BOISE ✓

STATE - ID ✓ ZIP CODE - 83720 ✓

SOURCE - GROUNDWATER ✓

TRIBUTARY OF -

STAGE - LICENSE ✓ STATUS -

PRIORITY - 01-28-1953 ✓ COUNTY - ADA ✓

TOTAL DIV. RATE - ✓ 3900 -CFS

TOTAL DIV. VOLUME - ✓ .00 AFA TRFR/AMEND -

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - NWSE 25 04N 01E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - TO -

USE - DOMESTIC ✓

USE DIV. RATE -

✓ 3900 CFS USE DIV. VOLUME -

.00 AFA

USE - DOMESTIC ✓

PLACE OF USE - TWN 04N RNG 01E SEC 25 TRACT NWSE LOT

AC

TRACT SWSE LOT

AC

DECREE NAME -

DATE -

TOTAL ACRES

0

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. - 23647 ✓

PROOF MADE -

FLD EXAM -

COND. OF APPROVAL -

DIVERSION MEANS -

VERIFIED J G

5/13/85

IDENT. NO. 63-2926

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT DATA ENTRY LOG

[illegible]

✓
November 4, 1955

RE: Permit No. G-23647

Department of Highways
B U I L D I N G

GENTLEMEN:

We enclose Certificate of Completion of Works also License and Certificate of Water Right issued on Permit No. G-23647 confirming your right to the use of 0.39 second foot of water from a well in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 25, Township 4 North, Range 1 East, B.M. with priority of January 28, 1953, for domestic use on the W $\frac{1}{2}$ SE $\frac{1}{4}$ of said Section.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:hll
Enc.

23647

INTER-DEPARTMENT MEMO--1

DATE June 15, 1955

FROM

Chief Clerk

#23647

TO

Deputy State Reclamation Engineer

SUBJECT

Subit
State Division 3, Highway Department
Additional information on Pump Pressure System

(Telephoned)

20 HP Motor
440 Volts
1760 R.P.M.
Column size, 5" I D-Length 125'
Rod size 1 3/16"
Bearings, rubber with brass
Bowl size 2 stage, 8 L C Pomona
Strainer, 4" by 2' long

f 23647

a-

Chief Clerk

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-23647

This proof is for Completion of works & Beneficial Use In Water District No.

1. Name of applicant. Department of Highways, Boise, Idaho
2. Source of water supply: Subterranean from a well
3. Location of point of diversion: Is in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 25
T. 4 N. R. 1 E. County of Ada
4. Describe works as they exist, giving dimensions and capacities of same: Well is 886' deep by 12" diameter for 220', 8" diameter balance of depth. Well is cased to bottom. Pump bowls are set down 155'. Water is artesian surface flow when not being pumped. Pump sets in a well house made of concrete blocks, size 8' by 12' by 8' high, with an additional cellar space for a 3,000 gallon storage tank. Pump is a Fairbanks Morse Pomona Turbine, Serial No. PN 8106. Motor is a Fairbanks Morse Unidrive, 20 h.p. Serial No. F 130274. Delivery to North through 4" line into the tank and into the system for the Highway Shops. This pump was designed to furnish a minimum of 175 gallons per minute. There are outlets in all the Shop buildings and in the main office building. Used also for irrigation of the lawn around the office building.
5. Water is used for: Domestic purposes (con't. Below)
6. State whether or not water has been turned into works of diversion: Yes. Ques. 4 con't)
There are three fire hydrant outlets at present and this will be increased to six.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):
Place of use: NW $\frac{1}{4}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 25, Twp. 4 North, Range 1 East, B.M.

See the map

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?
- Remarks: There is some gas entrained in this water. Enough so that relief valves have been supplied to carry it off. The well is also permitted to flow when not being pumped because it had a bad sand cave in when they were attempting to keep it closed off at the beginning.

This examination was made on the 18th day of March, 19 55

(Signed) E. M. Humphrey

Examiner.

D 23647

well house 8'x12'x8'h.
concrete block

T = 76°F

2500 feet of 4" main line

concrete floor 8'x8'

approx. 20 outlets

use for shop, domestic
wreg. around bldg.

3 fire hydrants 6"

only well on this property

Pump spec. unable
to find. Will send in
when located

Lot 7 Sec 25 4N. 1E.
= well loc.
2.616.6 = elev

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED
MAR 19 1955

Department of Reclamation

Department of Highways
Boise, Idaho

Permit No. G-23647

Examination for Completion of works
and Beneficial Use

County Ada

25-4N.-1E.

Q = 175 gal. p.m.

S. well

P.D. = NW. SE., Sec. 25, T. 4N. - R. 1E

50 gpm @ 72°F art. flow

Use = Domestic

32594 = Miller
McCoy.

"Ruth" Statkam 36411

Priority = Jan. 28, 1953
Due = Feb. 26, 1955

130' dd. @ 270 gpm for 48 hrs.
tested in winter time

886'x12" cad

155' to pump.

65 gpm artesian flow

PN 8106 Home use

F. More

5" bowls

F. More wind drive motor
#F130274 20 hp.

440V 25.5 amp

Eq. to and in the line
motor & control

5000 gal. Tank

3.5' dd.

Ref. to H. More & line

220 gpm - min.

220'x12 then 8" to 886'

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF ENGINEER

PERMIT NO. G-23647

REPORT ON PROOF OF Completion of works & Beneficial use


STATE DEPARTMENT OF HIGHWAYS, Boise, Idaho

. 39 cfs
mark

app 1759pm


270 = 542.5' 0. 322.24' 0.

Q. 1/4 mile North of boundary



Scale: 2 Inches Equals 1 Mile. Draw Map In Ink.

A 23647



THE IDAHO DAILY STATESMAN • THE IDAHO EVENING STATESMAN • THE IDAHO SUNDAY STATESMAN

PUBLISHED BY THE STATESMAN PRINTING COMPANY

BOISE, IDAHO

January 17, 1955

State of Idaho
Dept. of Reclamation
Boise, Idaho

Gentlemen:

We are in receipt of your notice of Permit No. G-23647 for publication.

The notice is scheduled to be published January 10, 17, 24, 31, 1955. The publication charge will be \$13.64.

A tear sheet is enclosed.

Very truly yours,

THE STATESMAN PRINTING CO.

By *Dolores Rowland*
(Mrs.) Dolores Rowland
Business Office

enc.

G 23647

RECEIVED

JAN 18 1955

Department of Reclamation

**NOTICE OF PROOF OF COMPLETION
OF WORKS AND APPLICATION OF
WATER TO BENEFICIAL USE**

Notice is hereby given that at 10:00 a. m., on the 5th day of February, 1955, at Boise, County of Ada, State of Idaho, before O. L. Patterson, Notary Public, proof will be submitted of the completion of works for the diversion of 175 Gals. per Minute of the waters of subterranean flow and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-23647 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are State of Idaho, Department of Highways, P. O. Box 879, Boise, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use, in accordance with the plans accompanying the application for such permit, is 175 Gals. per minute.

3. The use to which said water has been applied is domestic purposes, and the amount applied to beneficial use is 175 Gals. Per Minute.

4. The place where said water is used is Point of Use: NW¹/₄ of the SE¹/₄ and SW¹/₄ of the SE¹/₄ of Section 25, Twp. 4 N., Rge. 1 E., B. M. Location of well: NW¹/₄ of the SE¹/₄ of Section 25, Twp. 4 N., Rge. 1 E., B. M., County of Ada.

5. The date of priority which said user is prepared to establish is Jan. 28, 1953.

MARK R. KULP,
State Reclamation Engineer.
do Jan. 10, 17, 24, 31.

STATE OF IDAHO, }
COUNTY OF ADA } ss.

DOLORES ROWLAND, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Daily Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Daily Statesman in conformity with Sec. 60-108, Idaho Code, for

FOUR consecutive weekly insertions

beginning with the issue of JANUARY 10, 1955,

and ending with the issue of JANUARY 31, 1955.

Dolores Rowland Principal Clerk

Subscribed and sworn to before me this 31 day of

JANUARY, 1955

Ruth Yenne
Notary Public for Idaho, Residing at Boise, Idaho.

23647

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

RECEIVED
FEB 10 1955
Department of Reclamation

Permit No. _____

Proof of Application of Water to Beneficial Use
_____ **and Completion of Works**
Deposition of Holder

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. State of Idaho, Department of Highways, P. O. Box 879, Boise, Idaho
(E. V. Miller)

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf.

Ans. Same as above, State Highway Engineer

Ques. 3. State number and date of permit, and date of priority you propose to establish under the permit.

Ans. G-23647 1:30 PM January 28, 1953

Ques. 4. State source of water supply and give exact location of point of diversion.

Ans. Drilled and cased well. NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 25, Twp. 4N, Rge 1E, BM,
County of Ada

Ques. 5. Describe your works of diversion, and state amount of water they are capable of conveying from point of diversion to place of use, and give name of canal or ditch or other works by which water is conducted to such place of use. If a well, state depth of well, depth and size of casing and depth to water. If pump is used, state discharge of pump and tell how it was measured or determined. If sprinkler irrigation, give number and size of nozzles and operating pressure.

Ans. Electrically driven deepwell turbine pump, 3,000 gallon tank and 4"
pipe line - 175 Gals. per minute. Well is 886' deep and cased 180' of 12"
casing then 8" to 886' depth.

Ques. 6. State for what purpose water is used and describe place of use. (If for irrigation, name each subdivision in which used, and number of acres in each subdivision that have actually been irrigated with said water.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic purposes at NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25,
Twp. 4N, Rge. 1E, B.M., County of Ada

J 23647

Ques. 7. If for other than irrigation purposes; state how applied, amount of horse power generated, etc.

Ans. Domestic purposes for District #3 Headquarters at Strawberry Glenn. Will serve as fire system, office consumption, heating, shop washing and general use.

Ques. 8. What is the minimum amount of water required for the purpose specified above?

Ans. 175 Gals. per minute.

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder.

Ans.

Ques. 10. State when, how, in what amount and to what extent the water diverted under above mentioned permit has been used.

Ans. 175 Gals. per minute. for domestic purposes.

Ques. 11. State when, how, in what amount and to what extent waters other than those diverted under the above mentioned permit have been diverted and applied to beneficial use upon the lands herein described. Give full particulars regarding such other appropriations and rights claimed thereunder.

Ans.

(Sign)

S. J. Miller

I hereby certify that the foregoing testimony was read to the above subscribed before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in the City of Boise, County of Ada,

State of Idaho, on this 5th day of February, A. D. 1955

O. L. Patterson

My commission expires

Sept 25, 1956

23647

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. _____

Proof of Application of Water to Beneficial Use
Deposition of Witness and Completion of Works

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. N. L. McCrea

Ques. 2. Are you acquainted with State of Idaho, Dept. of Highways, the holder of Permit No. G-23647? How long have you known him and where does he reside?

Ans. P.O. Box 879, Boise, Idaho

Ques. 3. Have you read or heard read said Permit No. G-23647, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Source: NW 1/4 of the NW 1/4 of Sec. 25, Twp. 4 N., Rge 1 E., B.M., County of Ada,
Drilled & cased well. Well is 226' deep and cased 120' of 12" casing and then
8" casing to 226' depth delivering 175 G.P.M.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. 175 Gals. per minute

Ques. 6. (Pumps) How much water in cubic feet per second, miner's inches, or gallons per minute have you seen the pump deliver, and how did you measure or estimate the amount?

Ans. 175 Gallons per minute

J 23647

Ques. 7. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. ~~Domestic purposes at NW 1/4 of the SE 1/4 and the SW 1/4 of the SE 1/4 of Section 25,~~
~~Map. 4 N. Ege. 1 E. B.M., County of Ada~~

Ques. 8. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. ~~Domestic purposes for District #3 Headquarters of Strawberry Glen.~~
~~Will serve as fire system, office consumption, heating, shop washing and~~
~~general use.~~

Ques. 9. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. _____

Ques. 10. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. ~~No interest.~~

Ques. 11. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. ~~175 Gals. per minute~~

(Signed) _____

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in the City of Boise, County of Ada, State of Idaho, on this 5th day of February, A. D. 1955.

O. L. Patterson

Notary Public.

My commission expires

Sept. 25, 1956

#23647

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No.

Proof of Application of Water to Beneficial Use
and Completion of Works
Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. James Reid

Ques. 2. Are you acquainted with State of Idaho, Dept. of Highways, the holder of Permit No. G-23647? How long have you known him and where does he reside?

Ans. P.O. Box 879, Boise, Idaho

Ques. 3. Have you read or heard read said Permit No. G-23647, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Source: NW¹ of the SE¹ of Sec. 25, Twp. 4 N., Rge 1 E., B.M., County of Ada,
Drilled & cased well. Well is 886' deep and cased 180' of 12" casing and then
8" casing to 886' depth delivering 175 G.P.M.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. 175 Gals. per minute

Ques. 6. (Pumps) How much water in cubic feet per second, miner's inches, or gallons per minute have you seen the pump deliver, and how did you measure or estimate the amount?

Ans. 175 Gallons per minute

#23647

Ques. 7. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic purposes at NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25,
tpw. 4 N, Rge. 1E, B.M., County of Ada

Ques. 8. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. Domestic purposes for District #3 Headquarters of Strawberry Glenn.
Will serve as fire system, office consumption, heating, shop washing and
general use.

Ques. 9. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans.

Ques. 10. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. No interest.

Ques. 11. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. 175 Gals. per minute.

(Signed)

James Reed

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in the city of Boise,
County of Ada, State of Idaho, on this 5th day of February,
A. D. 1955.

O. L. Patterson

Notary Public.

My commission expires Sept. 25, 1956

23647

January 13, 1955

Re: Permit No. G-23647

Idaho Daily Statesman
Boise
Idaho

Gentlemen:

We are again writing you in regard to notice sent you on December 20 in connection with Permit No. G-23647 of the State Department of Highways.

Please advise us if this notice is being published and if so send us a copy.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:hll

23647

January 4, 1955

RE: Permit No. G-23647

Idaho Daily Statesman
Boise
Idaho

Gentlemen:

On December 20 we sent you notice for publication in connection with Permit No. G-23647 of the State Department of Highways.

To date we have received no acknowledgment of this notice.

Please advise if it is being published and if so send us a copy.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:hll

23647

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Re: Permit No. G-23647

BOISE, IDAHO

Idaho Daily Statesman
Boise,
Idaho

Date: December 20, 1954

Gentlemen:

Enclosed you will find notice for publication once a week for four consecutive weeks prior to **February 5, 1955**, the date set for proof, the expense of the publication to be paid by the applicant, **State of Idaho, Dept. of High^{ways} P.O. Box 879, Boise, Idaho**, to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice, and furnish this office with a copy of the first publication, in order that we may check same.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

23647

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) December 9, 1954

(P. O.) Box No. 879, Boise, Idaho

TO THE STATE RECLAMATION ENGINEER:

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published at my expense in the

Idaho Daily Statesman

of Boise

published in

STATE OF IDAHO, DEPARTMENT OF HIGHWAYS

the county in which the works are situated.

E. V. Miller
E. V. MILLER, State Highway Engineer

N. L. McCREA
N. L. McCREA, Maintenance Engineer

(In case of canals or other works designed to divert and carry more than 50 cubic feet of water per second, the following certificate must be signed by a well-known and competent engineer.)

I hereby certify that the facts set forth in the attached notice are true.

Engineer.

23647

NOTICE OF PROOF OF COMPLETION OF WORKS
and
APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 A.M., on the 5th day of February, 1955, at Boise, County of Ada, State of Idaho, before O. L. Patterson, Notary Public, proof will be submitted of the completion of works for the diversion of 175 Gals Minute ~~cubic feet per second~~ of the waters of subterranean flow and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-23647 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are State of Idaho, Department of Highways, P. O. Box 879, Boise, Ida.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use, in accordance with the plans accompanying the application for such permit, is 175 Gals. per minute ~~cubic feet per second~~.

3. The use to which said water has been applied is domestic purposes, and the amount applied to beneficial use is Minute. 175 Gals Per minute ~~cubic feet per second~~

4. The place where said water is used is Point of Use: NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25, Twp. 4N., Rge. 1E., B.M.
Location of well: NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25, Twp., 4N, Rge. 1E., B.M.
County of Ada.

5. The date of priority which said user is prepared to establish is 1:30 PM.
Jan. 28, 1953.

MARK R. KULP
State Reclamation Engineer

23647

S T A T E O F I D A H O

D E P A R T M E N T O F R E C L A M A T I O N

Boise, Idaho
December 1, 1954

RE: Permit No. G-23647

Department of Highways
B U I L D I N G

Dear Sir:

We enclose herewith blank notice for proof of completion of works and application of water to beneficial use under your Permit No. G-23647. This notice should be filled out in duplicate and returned to this office at least 40 days before the date upon which you wish to make this proof, in order to allow time for the four weeks' publication required by law.

This proof must be submitted before a Notary Public or other officer authorized by law to administer oaths.

The date for proof, as set out in your permit, is not later than February 6, 1955.

Very truly yours,

MARK R. KULP
State Reclamation Engineer

23647

S T A T E O F I D A H O

D E P A R T M E N T O F R E C L A M A T I O N

Boise, Idaho

December 1, 1954

RE: Permdt No. C-23647

Department of Highways
B U I L D I N G

Dear Sir:

We enclose herewith blank notice for proof of completion of works and application of water to beneficial use under your Permit No. ~~C-23647~~. This notice should be filled out in duplicate and returned to this office at least 40 days before the date upon which you wish to make this proof, in order to allow time for the four weeks' publication required by law.

This proof must be submitted before a Notary Public or other officer authorized by law to administer oaths.

The date for proof, as set out in your permit, is not later than ~~February 6, 1955~~.

Very truly yours,

MARK R. KULP
State Reclamation Engineer

February 20, 1953

RE: Permits Nos. G-23647, G-23648, G-23649, and G-23650

Department of Highways
Box 879
Boise, Idaho

ATT: Mr. N. L. McCrea
Maintenance Engineer

Dear Mr. McCrea:

We enclose Permits Nos. G-23647, G-23648, G-23649, and G-23650, and direct attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.


Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

fg
Enc.

23647



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

23647

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

ROSCOE C. RICH - CHAIRMAN
LEONARD K. FLOAN - MEMBER
W. FISHER ELLSWORTH - MEMBER



E. V. MILLER
STATE HIGHWAY ENGINEER

DEPARTMENT OF HIGHWAYS

BOISE, IDAHO

January 27, 1953

RECEIVED
JAN 28 1953
11:30 AM
Department of Reclamation

State of Idaho
Department of Reclamation
Boise, Idaho

Gentlemen:

Enclosed herewith is our application for permit to appropriate subterranean waters for domestic purposes in Idaho.

It is requested that this permit be granted for water uses in connection with our new District #3 Headquarters at Strawberry Glenn, Ada County, Idaho and located in Lots 5, 6, 7, 8, and 9 of the Strawberry Glenn Subdivision, in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25, Township 4 North Range 1 East Boise Meridian.

The point of diversion is from an 886 foot drilled and cased well and an electrically driven deep well turbine type pump with a maximum output of 175 gallons per minute. It is expected that the water consumption will vary greatly with demands which are office and shop consumption and as fire protection.

Yours very truly,

E. V. MILLER
State Highway Engineer

BY: *N. L. McCREA*
N. L. McCREA
Maintenance Engineer

NLM/dd
Encl.

23647

WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 a. m. on the 5th day of February, 1955, at Boise, County of Ada, State of Idaho, before O. L. Patterson, Notary Public, proof will be submitted of the completion of works for the diversion of 175 Gals. per Minute of the waters of subterranean flow and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-23647 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are State of Idaho, Department of Highways, P. O. Box 879, Boise, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use, in accordance with the plans accompanying the application for such permit, is 175 Gals. per minute.

3. The use to which said water has been applied is domestic purposes, and the amount applied to beneficial use is 175 Gals. Per Minute.

4. The place where said water is used is Point of Use: NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25, Twp. 4 N., Rge. 1 E., B. M. Location of well: NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 25, Twp. 4 N., Rge. 1 E., B. M., County of Ada.

5. The date of priority which said user is prepared to establish is Jan. 28, 1953.

MARK R. KULP,
State Reclamation Engineer.

46-Jan. 10, 1955