


#1 by two tanks

T Numbers refer to stations on Map in Air Terminal Bldg.

R-2E.

T.
3
N.



Q = 2.6948 = Full amt of Filing
T = Not taken.

Place of Use = At Air Base on above location

Water is used principally For domestic purposes, especially when soldiers are garrisoned there.

Howard Hoobing is Maintenance Engr. For Base.

The small well supplies water for the terminal building of Commercial Airport Headquarters. The other four wells supply all the water used on the Gowen Field Airbase. Mr. Hoobing assured me that the four large wells were, during the war, operated ^{continuously} consistently and that he has seen them pump out a metered $1\frac{1}{2}$ million gallons for each 24 hours.

These wells have drilled for a number of years and unless one can locate log records, ^{information} speculation regarding the wells and also the pump size and the stages, is mere speculation.

STATE OF IDAHO, }
COUNTY OF ADA } ss.

BETTY H. WILSON

, being duly sworn,
deposes and says: That she is the Principle Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular Monday edition of The Idaho Daily
Statesman in conformity with Sec. 58-108, Idaho Code Annotated

as amended, for FOUR consecutive weekly

insertions beginning with the issue of JANUARY 25,

19 54, and ending with the issue of FEBRUARY 15

19 54. Betty H. Wilson

Subscribed and sworn to before me this 15 day of

FEBRUARY, 19 54.

Paul Yenne
Notary Public for Idaho, Residing at Boise, Idaho.

NOTICE FOR PUBLICATION
NOTICE OF PROOF APPLICATION OF
WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00
a. m. of the 22nd day of February, 1954,
at Boise City, County of Ada, State of
Idaho, before Daisy Yriberry, Notary
Public, proof will be submitted of the
application to beneficial use of 2.6948
cubic feet per second of the waters of
subterranean flow from five wells in ac-
cordanace with the terms and conditions
of Permit No. 21895 heretofore issued by
the Department of Reclamation of the
State of Idaho.

The name and postoffice address of the
person or corporation holding said permit
are Boise City by Fred R. Bagley, City
Clerk.

The use to which said water has been
applied is Domestic Purposes.

The amount applied to beneficial use is
2.6948 cu. ft. per second.

The place where said water is used,
Municipal Airport Boise, Idaho, being
more particularly described as follows:
SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 28; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32; NE $\frac{1}{4}$
NW $\frac{1}{4}$ Section 33; Twp. 3 North, Range
2 East, B. M.

The name of the canal or ditch or other
works by which said water is conducted
to such place of use is None.

The right to take water from such
works is based upon Permit No. 21895.

The source of supply from which such
water is diverted is Subterranean from
wells.

The date of priority which said user
is prepared to establish is February 15,
1951.

21895 MARK R. KULP,
State Reclamation Engineer.
4t-Jan. 25; Feb. 1, 8, 15.

RECEIVED
FEB 26 1954
Department of Reclamation

21895

BOISE CITY

TOWNSHIP 3N
RANGE 2E
BOISE MERIDIAN

Well

Well

Well

Well

30 29 28 27 31 32 33 34

32 33

Permit Map No. 21895
As Approved
FEB 2 1951
MARK R. KULP
State Reclamation Engineer

BOISE CITY AIRPORT PROPERTY 21895

State of Idaho

License and Certificate of Water Right

Water License No. 21895

Amount 2.7 second feet

Water District No.

Priority February 15, 1951

THIS IS TO CERTIFY that BOISE CITY

of Boise, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated January 26, 1951; that Permit No. 21895 was issued under said application; that Certificate of Completion of works, with a carrying capacity of 2.6948 second feet, was issued thereunder on February 7, 1953, showing that said works were completed on the 30th day of January, 1953; and that on the 22nd day of February, 1954,

BOISE CITY

of Boise, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of five wells, ~~located in~~ (subterranean flow), for the purpose of domestic and fire protection, under Use Permit No. 21895 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume 9 of Licenses at page 5352, on the 20th day of September, 1954;

The right hereby confirmed dates from February 15, 1951;

are
The Point of Diversion located as shown below in Sections 28, 32 and 33,

~~at the corner of~~ Tp. 3 N., R. 2 E., B. M. Ada County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 2.7 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
			Municipal Airport, Boise City, Idaho. The wells are located as follows: SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, and SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32; and NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33; Township 3 North, Range 2 East, B.M.		

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 20th day of September, 1954.

MARK R. KULP

State Reclamation Engineer.

(SEAL)

No 21895
63-2845

APPLICATION FOR PERMIT
To Appropriate the Public Waters of the State of Idaho

APPLICATION No. 29615
PERMIT No. 21895
DISTRICT No.

City Clerk
City Hall, Boise, Idaho

1. Name of Applicant: BOISE CITY

Postoffice address: City Hall, Boise

County: Ada

State: Idaho

I. If applicant is a corporation, give:

(a) Date and place of incorporation: January 11, 1866- State Legislature

(b) Amount of capital stock:

(c) Amount paid in:

(d) Names and addresses of directors: Potter P. Howard, Mayor; Oscar Grim, Councilman; Theodore Hardy, Councilman; Carl Burt, Councilman; Norton Graham, Councilman; City Hall, Boise, Idaho

II. The financial resources of the applicant are:

(a) Cash on hand:

(b) Treasury stock:

(c) Bonds to be issued:

(d) Other resources:

2. Quantity of water claimed: 2.6948

cubic feet per second.

3. Source of water supply: Drilled wells

which is a tributary of

4. Location of point of diversion: See Remarks

feet distant from the

corner of Section , T. , R. , B.M., and is in the

of Section , T. , R. , B.M., County of Ada

5. Water is to be used for Domestic purposes.

6. If for mining, milling, power or manufacturing purposes, give:

(a) Point of use of water: feet distant from corner of Section

T. , R. , B.M., in the of Section , T. , R. , B.M.

(b) Amount of power generated: H.P., under feet head.

(c) Water is to be returned to at a point feet

distant from the corner of Section , T. , R. , B.M., in the
of Section , T. , R. , B.M.

7. Estimated cost of works: \$

8. Kind of works: Drilled and cased wells.

9. Height of dam feet; length of dam at top feet; length of dam at bottom

feet; material used in dam:

10. Size of headgate: Width feet; height feet.

11. Ditch: Width at bottom feet; width at water line feet; depth of water feet;

dimensions of flume:

Diameter of pipe inches; length of conduit miles.

Average grade per mile feet.

12. The time required for the completion of such work is See Remarks years.

13. The time required for the complete application of the water to the proposed use is additional years.

14. The land to be irrigated is described in the following tabulation: See remarks.

15. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:

16. (a) Is reservoir to be used? No If so, fill in (b) and (c) below:
(b) Name of Reservoir and number of Storage Permit:
(c) Date of filing of Application for Storage Permit and Name of Applicant:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

BOISE CITY Applicant.

By Fred R. Bagley Agent.
City Clerk

Date of first receipt at Department of Reclamation: 3:00 P. M. January 26, 1951

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is 21895

Recorded in Book 78 Page 21895 Approved February 2, 1951

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ to be filed on or before

Work to begin on or before April 2, 1951 and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which permit holder has no control.

One-fifth of the work above specified to be completed on or before February 2, 1952

The whole of said work to be completed on or before February 2, 1953

Beneficial use of water appropriated in accordance herewith, to be made on or before February 2, 1954

WITNESS My hand this 2nd day of February, 1951

MARK R. KULP
State Reclamation Engineer.

IN TESTIMONY WHEREOF, WE, LEN JORDAN, Governor of the State of Idaho,

and IRA H. MASTERS, Secretary of State of the State of Idaho, have caused this instrument to

be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 2nd

day of February, 1951.

STATE OF IDAHO

Countersigned:

(SEAL) By IRA H. MASTERS, Secretary of State. By LEN JORDAN, Governor.

REMARKS: Five wells owned by Boise City are located on Airport property. An additional well is planned in SW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 28 for operation in 1951.

Existing wells: 1. SW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 28 (Drilled in 1939); 2. SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28 (Drilled in 1941); 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28 (Drilled in 1941); 4. NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32 (Drilled 1942); 5. NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 33 (Drilled 1942). All in Twp. 3 North, Range 2 East, B.M.

14. Place of use: At Municipal Airport located as follows: Fraction of Sections 27, 28, 29, 32, 33, and 34, all Twp. 3 N, R. 2

Twp.	Range	Sec.	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	Total
			NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	

CERTIFICATE OF COMPLETION OF WORKS

TO ALL WHOM IT MAY CONCERN:

This is to certify that BOISE CITY of Boise, County of Ada, and State of Idaho, the holder of Permit No. 21895, issued upon Application No. 29615 bearing date of priority of January 26, 1951, authorizing the diversion of 2.6948 cfs of the waters of drilled wells (subterranean flow) County of Ada, State of Idaho, for domestic purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 2.6948 cfs of the waters of subterranean flow from five wells; that the points of diversion of said waters or location of said wells are as follows: SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32; NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33; Twp. 3 North, Range 2 East, B.M. And that the place of use of said waters is at the Municipal Airport, Boise, Idaho.

Witness my hand this 7th day of February, A.D. 1953.

MARK R. KULP
State Reclamation Engineer

Proof of completion of works made January 30, 1953.

Certificate of completion of works issued February 7, 1953.

LICENSE ISSUED FOR 21 SEC. 11

Pg. 5352

✓
September 21, 1954

RE: Permit No. 21895

Mr. Malcolm H. Parsons
Airport Manager
City Hall
Boise, Idaho

Dear Mr. Parsons:

We enclose License and Certificate of Water Right issued under Permit No. 21895 confirming the right of Boise City to the use of 2.7 second feet of water from five wells located in Sections 28, 32 and 33, Township 3 North, Range 2 East B.M. with priority of February 15, 1951 for domestic and fire protection at the Municipal Airport, Boise, Idaho.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:hll
Enc.

21895

✓
March 17, 1954

RE: Permit No. 21895

Mr. Malcolm H. Parsons
Airport Manager
City Hall
Boise, Idaho

Dear Mr. Parsons:

We now have on file the report of our field engineer on examination for beneficial use on Permit No. 21895.

Therefore, upon receipt of the statutory fee of \$5.00, a License can be issued for 2.7 second feet of water from the wells in Sections 28, 32, and 33, Township 3 North, Range 2 East B.M., for domestic and fire protection use at the Boise Airport.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:hll

21895

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

BOISE, IDAHO

REPORT OF ENGINEER

Permit No. 21895

This proof is for Beneficial Use In Water District No.

1. Name of applicant. Boise City, Malcolm H. Parsons, Airport Manager, City Hall, Boise, Idaho
2. Source of water supply: Subterranean from five wells.
3. Location of point of diversion: Is in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 28; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32; NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 33;
T. 3 N. R. 2 E. County of Ada

Describe works as they exist, giving dimensions and capacities of same:

Well #1--

Located close to the fire station. House is wooden construction, size 8 $\frac{1}{2}$ 'x8 $\frac{1}{2}$ 'x7' high with concrete floor. Pump and motor located in a concrete pit 4 $\frac{1}{2}$ 'x2 $\frac{1}{2}$ 'x7 foot high. Motor is U. S. 20 Horse power, 220/440 V., 50/25 Amps. 1800 R.P.M. Serial No. 221369. Peerless pump, no number. 6" delivery-pipe into the system to the West connected to two large storage tanks immediately to the North.

Well #2--

Located by the air strip. In a wooden building 8x10x6 feet high. Concrete floor. Pump and motor are in a large concrete pit size 6x8x8 Feet high. U. S. Motor, 50 Horse power, 1800 R.P.M., 220/440 V., 122/61 Amps., Serial No. 234549. Peerless pump No. 13462. Controls are in the house on the East and South walls.

Well #3--

House is of concrete blocks 10 $\frac{1}{2}$ x 14 $\frac{1}{2}$ x 8' 8" high, concrete floor. U. S. Motor 50 Horse power, 220/440 V., 122/61 Amps., Serial No. 283334. Pump is a Deming 5 x 10", serial No. P-3774. Delivery is to the West through 6" check valve into a 6" pipe line. Controls are in the pump house on the West Wall.

Well #4--

Concrete block house 12 x 16 x 10' high, concrete floor. 50 Horse power, 220/440 V., 123/61.5 Amps. Fairbanks Morse induction motor 1760 R.P.M. Fairbanks Morse pump No. P-47846. Controls are in the pump house on the East wall.

Well #5--

This pump is located in a portion of the basement in the terminal building G. E. Induction motor. 5 Horse power. 220/440 V., 144/7.2 Amps., 3460 R.P.M. No. BX-641. Pomona turbine pump No. U-2318.

This examination was made on the 16 day of March, 1954

(Signed) E. H. Humphrey Examiner.

21895

2-3-4 = 500 gpm each

2 = 27' dd

3 = 21' dd

4 = 19' dd - 665' dep.

By air strip
2 bldg. 8' x 10' x 6' h.
Concrete pit 6' x 8' x 8' h.

U.S. Motor 50 hp 1500 rpm
220/440 # 234549
122/61

Peerless Pump # 13462

Controls in house on
E. & S walls.

depth = 500'

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

Boise City, Hoobing Fire Station -
Malcolm H. Parsons,
Airport, Manager.

Permit No. 21895

Examination for Beneficial Use

County Ada

28, 32, 33 - 3N-2E

Q = 2.6948 c.f.s.

S = 5 Wells

P.D = SW.NE, SW.SW, SE.SW, Sec. 28;
NE.NE, Sec. 32; NE.NW, Sec. 33,
all in T.3N. - R.2E.

Use = Domestic

RECEIVED
MAR 16 1954

Department of Reclamation

Priority = Jan. 26, 1951
Due = Feb. 2, 1954

P/W = 2-7-53

well by Fire Station

Motor U.S. 20 hp.

220/440 v. 50/25 1800 rpm

221369

6" del. to west.

Peerless

200 gpm Camp
Well = 400' x 12" c.d. full

House = 8' x 8' x 7' h.

Wood - concrete floor

Pump in pit 4' x 2' x 7' h.

3. Concrete block pump house
10' x 14' x 8' h. inside dimensions
concrete floor

U.S. Motor 50 hp. 1800 rpm

220/440 122/61 amp

283334 Serial

Pump flange 5' x 10"


P 3774. Lift 360 gpm

dd. 44' { del. to west
into 6" pipe
control
house in west
wall

Peerless 6' valve

T Numbers refer to stations on Map in Air Terminal Bldg.

R-2E.



$Q = 2.694B = \text{Full amt. of Filling}$

T = Not taken.

Place of Use = At Air Base on above location.

Water is used principally for domestic purposes, especially when soldiers are garrisoned there.

Howard Hoobing is
Maintenance Engr. For Base.

The small well supplies water for the terminal building of Commercial Airport Headquarters. The other four wells supply all the water used on the Gowen Field Airbase. Mr. Hoobing assured me that the four large wells were, during the war, operated ~~consistently~~ ^{continuously} and that he has seen them pump out a metered $1\frac{1}{2}$ million gallons for each 24 hours.

These wells have drilled for a number of years and unless one can locate log records, ~~speculation~~ ^{information} regarding the wells and also the pump size and the stages, is mere speculation.

4 Concrete block house
12'x16'x10'h. Concrete floor.

50 hp. 3 ph. 60 cy.

220/440 123/61.5 amperes

F. M. Induction motor 1760 rpm.

F. M. Pump. P47846

X Tag 500 gpm

6.5' deep. X 16" led to bottom.

Controls

1 1/2 million gal each. 4 hrs
clearing war for 4 wells.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

BOISE

REPORT OF ENGINEER

PERMIT NO. 21895

REPORT ON PROOF OF Beneficial Use

BOISE CITY, Malcolm H. Parsons, Airport Manager.

Pump in Terminal Bldg
Production rate 5-6 gpm.
E. E. 220/440 144/7.2
3460 rpm 5K6214AB
#BX641
Pomona Turbine 42318

In concrete pit - part of foundation
of bldg,
300' deep

app 2.6948 cfs

c/m - same

9.90 cfs
2.7 gpm

February 26, 1954

RK: Permit No. 21895

Mr. Malcolm H. Parsons
Airport Manager
City Hall
Boise, Idaho

Dear Mr. Parsons:

This mornings mail brings us the affidavit of publication in the Idaho Daily Statesman which completes proof of Beneficial Use on Permit No. 21895.

This completes your proof, but before final action is taken the law requires that a filed examination be made by an engineer from this Department.

We cannot say just when this examination will be made, but our field engineer will contact you or someone on the grounds in order that arrangements may be made to show him over the project.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:br

21895

STATE OF IDAHO, }
COUNTY OF ADA } ss.

BETTY H. WILSON, being duly sworn,
deposes and says: That she is the Principle Clerk of The Idaho
Daily Statesman, a daily newspaper printed and published at
Boise, Ada County, State of Idaho, and having a general circula-
tion therein and which said newspaper has been continuously and
uninterruptedly published in said County during a period of
twelve consecutive months prior to the first publication of the
notice, a copy of which is attached hereto; that said notice was
published in the regular Monday edition of The Idaho Daily
Statesman in conformity with Sec. 58-108, Idaho Code Annotated

as amended, for FOUR consecutive weekly
insertions beginning with the issue of JANUARY 25,

19 54, and ending with the issue of FEBRUARY 15

19 54. Betty H. Wilson

Subscribed and sworn to before me this 15 day of

FEBRUARY, 19 54.

Paul Yenne
Notary Public for Idaho, Residing at Boise, Idaho.

RECEIVED
FEB 26 1954
Department of Reclamation

21895

February 23, 1954

RE: Permit No. 21895

Mr. Malcolm H. Parsons
Airport Manager
City Hall
Boise, Idaho

Dear Mr. Parsons:

We acknowledge receipt of the depositions of yourself and two witnesses submitted in proof of Beneficial Use on Permit No. 21895.

However, the affidavit of publication is an essential part of this proof, and if you have not received it from the Idaho Statesman we suggest that you take the matter up with them at once.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:br

21895

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

RECEIVED
FEB 23 1954
Department of Reclamation

Permit No. 21895

Proof of Application of Water to Beneficial Use

Deposition of Holder

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. Malcolm H. Parsons; Boise, Idaho; Airport Manager, City Hall, Boise, Idaho

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf.

Ans. City of Boise, Idaho; Municipal Corporation, 605 Bannock St., Boise, Idaho

Ques. 3. State number and date of permit, and date of priority you propose to establish under the permit.

Ans. No. 21895 February 2, 1951; January 26, 1951.

Ques. 4. State source of water supply and give exact location of point of diversion.

Ans. Subterranean flow from five wells (SW $\frac{1}{4}$ NE $\frac{1}{4}$; SW $\frac{1}{4}$ SW $\frac{1}{4}$; SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28.
NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32. NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33, Twp 3N, R 2E B.M.)

Ques. 5. Describe your works of diversion, and state amount of water they are capable of conveying from point of diversion to place of use, and give name of canal or ditch or other works by which water is conducted to such place of use. If a well, state depth of well, depth and size of casing and depth to water. If pump is used, state discharge of pump and tell how it was measured or determined.

Ans. Terminal Bldg well - 300 ft. 6" casing. 120 ft to water. 25 gpm Est.

Well No. 1 370 ft. 8" casing. 120 ft to water. 145 gpm metered

Well No. 2 500 ft. 10" casing. 125 ft to water. 300 gpm metered

Well No. 3 560 ft 10" casing. 125 ft to water. 350 gpm metered

Well No. 4 480 ft 10" casing. 125 ft to water. 390 gpm metered

(2.6948 cubic feet per second)

1260

Ques. 6. State for what purpose water is used and describe place of use. (If for irrigation, name each subdivision in which used, and number of acres in each subdivision that have actually been irrigated with said water.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic purposes including fire protection.

21895

Ques. 7. If for other than irrigation purposes; state how applied, amount of horse power generated, etc.

Ans. Pumped into three storage tanks and then to underground distribution lines to buildings and fire hydrants.

Ques. 8. What is the minimum amount of water required for the purpose specified above?

Ans. Minimum amount is difficult to determine. Amount applied for is considered minimum.

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder.

Ans. I am representative of corporation applying for permit.

Ques. 10. State when, how, in what amount and to what extent the water diverted under above mentioned permit has been used.

Ans. The water applied for has been used since 1941 for purposes incidental to the operation of the Boise Air Terminal, (formerly known as Gowen Field)

Ques. 11. State when, how, in what amount and to what extent waters other than those diverted under the above mentioned permit have been diverted and applied to beneficial use upon the lands herein described. Give full particulars regarding such other appropriations and rights claimed thereunder.

Ans. None

(Sign)

Malcolm H. Parsons

I hereby certify that the foregoing testimony was read to the above subscribed before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in Boise, County of Ada, State of Idaho, on this 22th day of February, A. D. 1954,

My commission expires

10/10/54

Daisy Griberry

21895

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No.

Proof of Application of Water to Beneficial Use

Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. Howard W. Hoobing, age 58, Boise, Idaho; caretaker of water system at

the Boise Air Terminal. Post office address, Route #7, Boise, Idaho

Ques. 2. Are you acquainted with Malcolm H. Parsons, the holder of Permit No. 21895? How long have you known him and where does he reside?

Ans. Yes, he resides in Boise, Idaho and I have known him as Airport Manager for the Boise Air Terminal during the past 6 years.

Ques. 3. Have you read or heard read said Permit No. 21895, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Five wells connected to distribution system at the Boise Air Terminal.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. I haven't estimated the water in second feet, however I have seen the wells produce at full capacity of the pumps.

Ques. 6. (Pumps) How much water in cubic feet per second, miner's inches, or gallons per minute have you seen the pump deliver, and how did you measure or estimate the amount?

Ans. I have seen the pumps deliver the rated capacity as shown by meters.

21895

Ques. 7. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. The water is used for domestic and fire protection purposes at Gowen Field (Boise Air Terminal).

Ques. 8. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. Same as above.

Ques. 9. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. --

Ques. 10. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. I am an employee of the City of Boise at the present time and formerly was employed by the Post Engineer at the Airport, working with the water system.

Ques. 11. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have been associated with the development of the wells and the use of the water since they were first constructed.

(Signed)

Howard W. Hoobing
Howard W. Hoobing

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in *Daisy Griherry*, County of *Ada*, State of Idaho, on this *22nd* day of *February*, A. D. 19 *54*.

Daisy Griherry
Notary Public.

My commission expires *10/10/54*

21895

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO**

Permit No. 21895

Proof of Application of Water to Beneficial Use

Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. Henry F. Ramsey, age 46, Boise, Idaho; caretaker of water system at
the Boise air Terminal. Post office address Route #7, Boise, Idaho

Ques. 2. Are you acquainted with Malcolm H. Parsons, Airport Manager, the holder of Permit No. 21895? How long have you known him and where does he reside?

Ans. Yes, he resides in Boise, Idaho and I have known him as Airport Manager
for the Boise Air Terminal during the past 2 years.

Ques. 3. Have you read or heard read said Permit No. 21895, and are you familiar with its provisions and conditions?

Ans. Yes.

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Five wells connected to distribution system at the Boise Air Terminal.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. I haven't estimated the water in second feet, however I have seen the wells
produce at full capacity of the pumps. The gallons per minute figures are correct.

Ques. 6. (Pumps) How much water in cubic feet per second, miner's inches, or gallons per minute have you seen the pump deliver, and how did you measure or estimate the amount?

Ans. I have seen the pumps deliver the rated capacity as shown by water meters.

21895

Ques. 7. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. The water is used for domestic and fire protection purposes at the
Boise Air Terminal.

Ques. 8. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. Same as above.

Ques. 9. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. --

Ques. 10. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. I am an employee of the City of Boise at the present time and formerly was employed by the Post Engineer at the Airport, working on the water system.

Ques. 11. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have been working with the wells and water system for several years.
The water is used for domestic and fire protection purposes.

(Signed)

Henry F Ramsey
Henry F. Ramsey

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in *Daisy Gribergy*, County of *Ada*, State of Idaho, on this *22nd* day of *February*, A. D. 19*54*.

Daisy Gribergy
Notary Public.

My commission expires

10/10/54

21895

✓
January 22, 1954

RE: Permit No. 21895

Mr. Malcolm Parsons
Airport Manager
City Hall
Boise, Idaho

Dear Mr. Parsons:

We have sent to the Idaho Statesman notice for the Beneficial Use proof on Permit No. 21895 with instructions to publish it once a week for four weeks prior to February 22, 1954 and to send you the affidavit of publication together with statements of cost.

We enclose the necessary forms of deposition to be used in making this proof and at the time set you should appear before Daisy Yriberri, Notary Public, together with two disinterested witnesses who are familiar with the terms of the permit and the work done thereunder, for the purpose of executing the enclosed depositions.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:br
Enc.

21895

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

BOISE, IDAHO

Re: Permit No. 21895

Date: January 21, 1954

Idaho Statesman

Boise, Idaho

Gentlemen:

Enclosed you will find notice for publication once a week for four consecutive weeks prior to **February 22, 1954** the date set for proof, the expense of the publication to be paid by the applicant, **Boise City** of **City Hall, Boise, Idaho**, to whom you should furnish proof of publication on or prior to the date set for proof. , C/o **Macola Parsons, Airport Manager.**

Please acknowledge receipt of this notice, and furnish this office with a copy of the first publication, in order that we may check same.

Very truly yours,

MARK R. KULP

State Reclamation Engineer
By

Chief Clerk

21895

NOTICE FOR PUBLICATION
 NOTICE OF PROOF APPLICATION OF WATER
 TO BENEFICIAL USE

Notice is hereby given that at 10:00 A. M. on the 22nd day of February, 19 54,
 at Boise City, County of Ada, State of Idaho, before
Daisy Yriberry, Notary Public, proof will be submitted of the
 application to beneficial use of 2.6948 cubic feet per second of the waters of Subterranean flow
from five wells in accordance with the terms and conditions of Permit No. 21895
 heretofore issued by the Department of Reclamation of the State of Idaho.

The name and postoffice address of the person or corporation holding said permit are Boise City
 by Fred R. Bagley, City Clerk, Agent

The use to which said water has been applied is Domestic Purposes

The amount applied to beneficial use is 2.6948 cu. ft. per second

The place where said water is used (if for irrigation, give full and accurate description of the lands irrigated)
Municipal Airport Boise, Idaho, being more particularly described as follows:
SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32; NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33;
Twp. 3 North, Range 2 East, B. M.

The name of the canal or ditch or other works by which said water is conducted to such place of use is None

The right to take water from such works is based upon Permit No. 21895

The source of supply from which such water is diverted is Subterranean from wells.

The date of priority which said user is prepared to establish is February 15, 1951

MARK R. KULP

State Reclamation Engineer.

21895

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) January 20, 1954

(P. O.) 605 Bannock Street, Boise, Idaho

TO THE STATE RECLAMATION ENGINEER:

Boise, Idaho.

Dear Sir:

You are hereby authorized to have the attached notice published at my expense in the
Idaho Statesman of Boise, Idaho published in
the county in which the works are situated.

Boise City
by Malahm Parsons, Airport Mgr.

(In case of canals or other works designed to divert and carry more than 50 cubic feet of water per second, the following certificate must be signed by a well-known and competent engineer.)

I hereby certify that the facts set forth in the attached notice are true.

Engineer.

21895

S T A T E O F I D A H O

DEPARTMENT OF RECLAMATION

Boise City
Boise
Idaho

Boise, Idaho

December 1, 1953

Dear Sir:

We enclose herewith blank notice for proof of application of water to beneficial use under your Permit No. 21895. This notice should be filled out in duplicate and returned to this office at least 40 days before the date upon which you wish to make this proof, in order to allow time for the four weeks' publication required by law.

This proof must be submitted before a Notary Public or other officer authorized by law to administer oaths.

The date for proof, as set out in your permit, is not later than _____, and if proof is submitted later than February 2, 1954 than said date, your priority will be brought down a length of time equal to the time elapsing between the date the proof is due and the date proof is actually made.

Very truly yours,

MARK R. KULP
State Reclamation Engineer

21895

✓
February 12, 1953

RE: Permit No. 21895

Mr. J. L. Morris, City Engineer
City Hall
Boise, Idaho

Dear Mr. Morris:

We enclose Certificate of Completion of Works issued under Permit No. 21895 in the name of Boise City for the diversion of 2.6948 second feet of water from 5 drilled wells, for domestic use at the Municipal Airport.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:fg
Enc.

218.95

Permit No.

STATE OF IDAHO
Department of ReclamationRECEIVED
FEB 21 1953
Department of Reclamation

Proof of Completion of Works

AFFIDAVIT OF HOLDER

STATE OF IDAHO

County of Ada } ss.Malcolm H. Parsons, being first duly sworn, upon his oath deposes and says:First: That he is the holder and owner of Permit to appropriate the Public Waters of the State of Idaho, No. 21895, and that his postoffice address is BoiseState of Idaho

Second: That the name of the stream from which said water is to be diverted is

5 Drilled WellsThird: That the point of diversion of said water is SW 1/4 NE 1/4 Sec 28 + SW 1/4 SW 1/4Sec 28 + SE 1/4 SW 1/4 Sec 28 + NE 1/4 NE 1/4 Sec 32 + NE 1/4 NW 1/4 Sec 33 (T3N R2E B.)Fourth: That under the terms and conditions of said permit, construction thereunder was required to be completed by Feb 2, 1954Fifth: That the use for which said water is intended is DomesticSixth: That on the date above mentioned, the works constructed under said permit were ~~(or were not)~~ fully completed and consisted of the following:I. Kind of works All in use since 1942

(Reservoir, dam, ditch, flume, pipe or otherwise)

II. Dimensions of work: 5 Drilled wells + cased(a) Height of dam — feet, length of dam at top — feet, length of dam at bottom — feet. Material used in construction —

(State whether wood, earth, stone or concrete)

(b) Capacity of reservoir — acre feet.(c) Size of headgate: Width — feet, height — feet.(d) Conduit — width at bottom — feet, width at water line —

(State whether ditch, flume or pipe)

feet, depth of water — feet; diameter of pipe — inches, average grade per mile is — feet. Length of conduit is — miles.Seventh: That said works are capable of conducting to the place of intended use 2.6948 second feet of water.Eighth: That water appropriated under said permit is available for Domestic use acres of land described as follows:

Ninth: Remarks: That

Boise CityBy Malcolm H. Parsons(Sign Here) airport managerSubscribed and sworn to before me this 30th day of January, 1953My commission expires 10/10/54Sally Gibbery

Notary Public.

21895

State of Idaho
DEPARTMENT OF RECLAMATION
BOISE

INSTRUCTIONS

PROOF OF COMPLETION OF WORKS

Boise City
C/o Mr. J.A. Morris, City Engineer
City Hall
Boise, Idaho

Boise, Idaho **December 1, 1952**

Dear Sir:-

Under the terms of your Permit No. 24895..... you are required to complete your diversion works on or before February 2, 1953.. I enclose herewith blank affidavit to be filled out, sworn to by you before a Notary Public or a Justice of the Peace, and returned to this office on or before the above date, or within ten days thereafter, for the purpose of making proof of completion under the permit. Upon receipt of this affidavit in this office, provided the same satisfactorily shows the completion of the works substantially in accordance with the terms of the permit, together with a fee of \$5.00, a Certificate of Completion will be issued to you.

The certificate to be issued under this proof will not give a perpetual right to the use of water for which application was made, as it only confirms the completion of works of a capacity to divert and convey to the place of intended use a certain amount of water. The law requires that another proof be submitted when the water has been fully applied to a beneficial use, at which time license is issued for the amount of water actually in use. Information in regard to this last proof will be furnished on request.

Yours truly,

MARK R. EULP

State Reclamation Engineer

21895

February 10, 1951

Re: Permit No. 21895

Boise City
c/o City Clerk
City Hall
Boise, Idaho

Gentlemen:

We enclose Permit No. 21895 for 2.6948 second feet of water from drilled wells, for use at the City Airport, together with Departmental Receipt No. 23093 for the \$5.50 filing fee.

Attention is directed to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk


A:bh
Enc.

21895

NAME OF APPLICANT

BOISE CITY

Form No. 0



SCALE: 2 INCHES EQUAL 1 MILE. DRAW PLAN IN INK.



BOISE CITY AIRPORT PROPERTY 21895

NOTIFICATION OF
WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 a. m. of the 22nd day of February, 1954, at Boise City, County of Ada, State of Idaho, before Daisy L. Berry, Notary Public, proof will be submitted of the application to beneficial use of 2.6948 cubic feet per second of the waters of subterranean flow from five wells in accordance with the terms and conditions of Permit No. 21895 heretofore issued by the Department of Reclamation of the State of Idaho.

The name and postoffice address of the person or corporation holding said permit are Boise City by Fred R. Bagley, City Clerk.

The use to which said water has been applied is Domestic Purposes.

The amount applied to beneficial use is 2.6948 cu. ft. per second.

The place where said water is used, Municipal Airport Boise, Idaho, being more particularly described as follows: SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 32; NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33; Twp. 3 North, Range 2 East, B. M.

The name of the canal or ditch or other works by which said water is conducted to such place of use is None.

The right to take water from such works is based upon Permit No. 21895.

The source of supply from which such water is diverted is Subterranean from wells.

The date of priority which said user is prepared to establish is February 15, 1951.

MARK R. KULP,

State Reclamation Engineer.

At Jan. 25; Feb. 1, & 15.

Jan. 25, 1954