




T6N
R5E
sec 26


SWNE
no Gov Lts

MICROFILMED
MAR 29 2001

N 1/4 Corner Section 26

This sketch is for location purposes only. The Company assumes no liability for variations.

PIONEER TITLE COMPANY
of Ada County



CURVE DATA

$R = 50'$
 $\Delta = 90^{\circ}31' 42''$
 $L = 78.99'$
 $T = 50.46'$
 $CH. BR. = S. 45^{\circ}06' 38'' E.$
 $CH. = 71.03'$

T


NE Corner Idaho City
Townsite

C 1/4 Corner

MICROFILMED

MAR 29 2001

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Main house and 11-18 covered on license 63-12350.
 This application for 1-10 highlighted spaces.
 Cabin will remain on city water.

MICROFILMED

MAR 29 2001

RECEIVED
NOV 13 2001
WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
NOV 14 2001

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 603-12608 Telephone No. 392-4514
2. Name of Permit Holder(s): Roger + Janice Longpre
3. Mailing Address: 302 Elk Creek Road
City Idaho City State ID Zip 83631
4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. 8 - yr. 73
Well Driller: R.J. Engleman Drilling Permit Number: - - - - -
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 10 Stockwater (No. and type of stock): - - - - -
Irrigation (No. of acres): - - - - - Other: - - - - -
6. Total rate of diversion and/or volume for which proof is submitted: 0.15 cfs OR - - - - - acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes - - - or No ✓
Has the measuring device been installed? Yes - - - or No - - -
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Roger Longpre Telephone Number: 392-4514
Address: 302 Elk Creek Road
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Roger Longpre Date: 11-9-01
(include your title, if on behalf of company or organization)

MICROFILMED

DEC 12 2001

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-12608

Priority: November 27, 2000

Maximum Diversion Rate: 0.15 CFS

This is to certify, that ROGER LONGPRE
302 ELK CREEK RD
IDAHO CITY ID 83631

has applied for a permit to appropriate water from:

GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 26, Twp 06N, Rge 05E, B.M. BOISE County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	05E	26			X														


CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before February 01, 2002.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
6. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
7. Domestic use is for 10 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 2nd day of February, 2001.

MICROFILMED

MAR 29 2001


for KARL J DREHER, Director

RECEIVED

OCT 2 / 2000

Ident. No. 63-12608

RECEIVED

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

RECEIVED

NOV 27 2000

DEPARTMENT OF WATER RESOURCES

JAN 17 2001

WATER RESOURCES
WESTERN REGION

APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of Applicant Roger Longpre Phone 392-4514
Mailing address 302 Elk Creek Road Idaho City, ID 83431
2. Source of water supply Well which is a tributary of na
3. Location of point of diversion is Township 06N Range 05E Sec. 26, in the SW 1/4, NE 1/4, Govt. Lot , B.M., Bowen County;
additional points of diversion if any:

4. Water will be used for the following purposes:

Amount .15 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 and/or (b) .15
cubic feet per second acre-feet per annum cfs

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source Submerged 2 horse pump
- b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet
- c. Proposed well diameter is 6 inches; proposed depth of well is 114 feet
- d. Is ground water with a temperature of greater than 85°F being sought? no
- e. If well is already drilled, when? 1976; Drilling firm ;
Well was drilled for (well owner) Milton Sparks; Drilling Permit No.

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households. 10
- e. Other; describe fully.

MICROFILMED

MAR 29 2001

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	05E	26			D														
		D																	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Water right for 8 homes

11. a. Who owns the property at the point of diversion? Roger Longpre

b. Who owns the land to be irrigated or place of use? Roger Longpre

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____


13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger Longpre
Signature of Applicant (and title, if applicable)

MICROFILMED
MAR 29 2001

Received by Kb Date 10/27/00 Time 10:34 Preliminary check by g
 Fee \$ 100.00 Receipted by Kb # W027104 Date 10/27/00
 Publication prepared by g Date 11/30/00 Published in _____
 Publication approved LM Date 1-12-01 IDAHO WORLD
12/6/01 12/6/13/00



MICROFILMED

TOP 2 8 2011

F 2 O R E

5100

5000

5200

5300

5400

5500

5600

5700

5800

5900

6000

6100

6200

6300

6400

6500

6600

6700

6800

6900

7000

7100

7200

7300

7400

7500

7600

7700

7800

7900

8000

8100

8200

8300

8400

8500

8600

8700

8800

8900

9000

9100

9200

9300

9400

9500

9600

9700

9800

9900

10000

10100

10200

10300

10400

10500

10600

10700

10800

10900

11000

11100

11200

11300

11400

11500

11600

11700

11800

11900

12000

12100

12200

12300

12400

12500

12600

12700

12800

12900

13000

13100

13200

13300

13400

13500

13600

13700

13800

13900

14000

14100

14200

14300

14400

14500

14600

14700

14800

14900

15000

15100

15200

15300

15400

15500

15600

15700

15800

15900

16000

16100

16200

16300

16400

16500

16600

16700

16800

16900

17000

17100

17200

17300

17400

17500

17600

17700

17800

17900

18000

18100

18200

18300

18400

18500

18600

18700

18800

18900

19000

19100

19200

19300

19400

19500

19600

19700

19800

19900

20000

20100

20200

20300

20400

20500

20600

20700

20800

20900

21000

21100

21200

21300

21400

21500

21600

21700

21800

21900

22000

22100

22200

22300

22400

22500

22600

22700

22800

22900

23000

23100

23200

23300

23400

23500

23600

23700

23800

23900

24000

24100

24200

24300

24400

24500

24600

24700

24800

24900

25000

25100

25200

25300

25400

25500

25600

25700

25800

25900

26000

26100

26200

26300

26400

26500

26600

26700

26800

26900

27000

27100

27200

27300

27400

27500

27600

27700

27800

27900

28000

28100

28200

28300

28400

28500

28600

28700

28800

28900

29000

29100

29200

29300

29400

29500

29600

29700

29800

29900

30000

30100

30200

30300

30400

30500

30600

30700

30800

30900

31000

31100

31200

31300

31400

31500

31600

31700

31800

31900

32000

32100

32200

32300

32400

32500

32600

32700

32800

32900

33000

33100

33200

33300

33400

33500

33600

33700

33800

33900

34000

34100


34200

34300

N $\frac{1}{4}$ Corner Section 26

This sketch is for location purposes only. The Company assumes no liability for variations.

PIONEER TITLE COMPANY
of Ada County



CURVE DATA

 $R = 50'$
$$A = 90^{\circ}31'42''$$
$$L = 78.99'$$
$$T = 50.46'$$

CH. BR. = S. 45° 06' 38" E.

CH. = 71.03'

T

MICROFILMED

MAR 29 2001

EXHIBIT "A"

A TRACT OF LAND SITUATE IN A PORTION OF THE NORTH HALF OF SECTION 26, TOWNSHIP 6 NORTH, RANGE 5 EAST, BOISE MERIDIAN, BOISE COUNTY, IDAHO, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTH QUARTER CORNER OF SECTION 26, TOWNSHIP 6 NORTH, RANGE 5 EAST, MARKED BY A FOUND GLO MONUMENT,
THENCE SOUTH 00 DEGREE 08' 40" EAST ALONG THE NORTH/SOUTH MID SECTION LINE, A DISTANCE OF 1314.82 FEET (FORMERLY 1315.77 FEET), TO THE NORTHEAST CORNER OF THE IDAHO CITY TOWNSITE,
THENCE NORTH 89 DEGREES 56' 00" WEST A DISTANCE OF 168.38 FEET TO A POINT,
THENCE NORTH 18' DEGREES 40' 40" EAST A DISTANCE OF 453.03 FEET TO A POINT,
THENCE SOUTH 65 DEGREES 16' 31" EAST A DISTANCE OF 20.45 FEET TO A POINT, 0.21 FEET SOUTHEASTERLY OF A FOUND 1/2 INCH IRON PIN MARKING THE SOUTHEASTERLY BOUNDARY OF A 40 FOOT WIDE ROAD AND BEING THE REAL POINT OF BEGINNING,
THENCE NORTH 18 DEGREES 40' 40" EAST ALONG SAID ROAD RIGHT OF WAY, A DISTANCE OF 320.29 FEET TO A FOUND 5/8 INCH IRON PIN,
THENCE SOUTH 89 DEGREES 52' 11" EAST (FORMERLY SOUTH 89 DEGREES 56' EAST) A DISTANCE OF 506.08 FEET TO A FOUND 1/2 INCH IRON PIN,
THENCE SOUTH 00 DEGREE 09' 13" EAST A DISTANCE OF 534.67 FEET (FORMERLY SOUTH 00 DEGREE 04' 00" EAST, 545.8 FEET) TO A SET 1/2 INCH IRON PIN, PLS 4108,
THENCE NORTH 89 DEGREES 52' 11" WEST A DISTANCE OF 103.04 FEET (FORMERLY NORTH 89 DEGREES 56' WEST, 100.0 FEET) TO A FOUND 1/2 INCH IRON PIN,
THENCE NORTH 65 DEGREES 16' 31" WEST A DISTANCE OF 555.06 FEET TO THE POINT OF BEGINNING.

END OF LEGAL DESCRIPTION

MICROFILMED

MAR 29 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

December 7, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

ROGER LONGPRE
JANICE LONGPRE
302 ELK CREEK RD
IDAHO CITY ID 83631

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12608

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Western** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED
DEC 12 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 63-12608

Reviewed By: dgibson

Date: December 6, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		W027104, W028494	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?			Measure device waiver requested?		

Priority Calculation

Date proof received		11/13/2001
Date proof due	-	02/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	11/27/2000
New priority date	=	11/27/2000

Deficiencies of Actions Items

Acknowledge proof. No deficiencies.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 5, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ROGER LONGPRE
302 ELK CREEK RD
IDAHO CITY ID 83631

RE: Permit No. 63-12608

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.


MICROFILMED

MAR 23 2001

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley Keen", written over the printed name.

Shelley W. Keen

Water Rights Supervisor

SWK:klr

Enclosure(s)

MICROFILMED


APR 23 2001

CERTIFICATE OF MAILING

I hereby certify that on February 5, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12608

**ROGER LONGPRE
302 ELK CREEK RD
IDAHO CITY ID 83631**



**Kari Lynn Townsend
Secretary**

**MICROFILMED
MAR 29 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
MAR 29 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**

Reviewed by Sharla Curtis on 1/24/01

No. 63-12608 Name: Longpre Corp. Officers N/A Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes IVCW Moratorium _____ GWMA Study dom. ok ~~TRUST/NON-TRUST~~

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
Basin 34 - 084 (if necessary)
Irr. w/in WD - **P05**
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - **P84**
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-106(P10)
FISH PROP - 029(70'S only)-007-042-106 (P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 210112002

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
≤ 1 yr - **P16**
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response _____
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE _____
In-stream development - **P52**
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-106 (P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single pd intended - 076

IRRIGATION SEASON _____ - _____ (Per updated map)

IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS _____

COMMENTS _____

9/99

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETINITIAL REVIEW BY: gDATE: 11/27/00APPLICATION: 63-12608REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

RECEIVED

JAN 17 2001

Department of Water Resources

Gov't. Lots:

☒ P/D
☒ P/UADDITIONAL INFORMATION☒ ADVERTISE REMARK(S)

(Reviewer identify which remarks)

☒ T FLAG CHANGED TO P FLAG

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ ☐ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☐ ☒ Surface water source, IDFG letter needed.
- ☐ ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☐ ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ ☐ Mitigation plan: Check any that apply.
- ☐ ☐ immediate = acceptable plan required and submitted.
- ☒ ☐ future = open areas, acceptance of condition of approval is in file.
- ☐ ☒ Send power requirement letter &/or fish farm requirement letter.
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

see letterDate Requested 11/26/00Date Response Received 11/27/00

PROCESSING

APP. NO. 62-12608

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☐ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Water Planning Bureau
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☒ ☐ Final date for protest 12/26/00
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Water delivered by water master? District # _____
☐ ☒ Special conditions of approval or cover letter: standards

☐ ☒ See below for additional information

Recommended Date or Priority 11/27/00

Recommended by: Loi Brewer Date: 1/16/01

ADDITIONAL INFORMATION:

overlap: 63-12350 see comments

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 11/30/00
Time: 11:53:00

Water Right Number: 63-12608

Comment Date: 11/27/2000 User ID: LGRAVES

Subject: MORE INFO

Per Applicant: Well previously licensed for nine trailers and one home (63-12350). Domestic use is for 10 more trailers that are currently using city water.

Because the current system capacity is fully licensed, applicant stated that he does plan to upgrade the system per 11/27/00 telecon.

Per IDWR: Water bearing zone determined with area well logs and information provided by applicant...pump set at 112', well depth at 114'. Well was drilled in mid 70's, but specific drilling log was not on file. Priority date advanced to date amended application was received.

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

FIRE PROTECTION (0.020 CFS)
Total Diversion: (0.020 CFS)

Applicant agrees to mitigate consumptive use in the future as needed.

65-13984

Date Filed: 11/ 3/2000

PAGEL, GINA
15 ASPEN DR
GARDEN VALLEY, ID 83622

In: BOISE County
T04N R03E S36 NWSE

63-12605

HANSON, STEVE
9230 AQUARIUS
BOISE, ID 83709

Source: UNNAMED STREAM Tributary: CLEAR CREEK

Diversion Pt: SWNE Sec 20 T 05N R 04E in BOISE County.

Use: DOMESTIC (0.040 CFS)
FIRE PROTECTION (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 11/14/2000

In: BOISE County
T05N R04E S20 SWNE

Source locally known as Johnson Creek.

63-12608

LONGPRE, ROGER
302 ELK CREEK RD
IDAHO CITY, ID 83631

Source: GROUNDWATER

Diversion Pt: SWNE Sec 26 T 06N R 05E in BOISE County.

Use: DOMESTIC (0.150 CFS)
Total Diversion: (0.150 CFS)

Date Filed: 11/27/2000

In: BOISE County
T06N R05E S26 SWNE

Applicant agrees to mitigate consumptive use in the future as needed.
Water bearing zone to be appropriated from an existing well is from 5 to 112

feet.

65-13979

US DEPT OF AGRICULTURE
FOREST SERVICE
380 E PARKCENTER SUITE 330
BOISE, ID 83706

Source: PAYETTE RIVER Tributary: SNAKE RIVER

Diversion Pt: LOT 3 (SESE) Sec 29 T 09N R 03E in BOISE County.

Use: IRRIGATION (0.060 CFS)
Total Diversion: (0.060 CFS)

Date Filed: 11/14/2000

In: BOISE County
T09N R03E S29 Lot 3 (SESE)

2.0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed.

65-13981

GREESON, PATRICK
GREESON, TERRI
6 FRAZIER CREEK RD

Source: EDDY CREEK Tributary: PAYETTE RIVER
Diversion Pt: NESE Sec 19 T 09N R 04E in BOISE County.

Use: IRRIGATION (0.120 CFS)
Total Diversion: (0.120 CFS)

Date Filed: 11/ 3/2000

In: BOISE County
T09N R04E S19 NESE

4.0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before DECEMBER 26, 2000. The protestant must also send a copy of the protest to the applicant.
KARL J. DREHER, DIRECTOR

Published in The Idaho World December 6 and 13, 2000

MICROFILMED

MAR 2 2 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR
NOVEMBER 30, 2000

Legal Notices Department
The Idaho World
PO Box 99
Garden Valley, ID 83622

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 2000.

Yours truly,

A handwritten signature in cursive script, appearing to read 'Sue Taylor', is written over the typed name.

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED

MAR 29 2001

RECEIVED

NOV 30 2000

WATER RESOURCES
WESTERN REGION

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant ROGER LONGPRE
Mailing Address 302 ELK CR RD
IDAHO CITY ID 83631
Application No. 63-12608
(if known)

☐ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

☐ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

☒ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Roger Longpre

Date

11-29-00

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED

MAR 28 2001
ATTN: LONI GRAVES



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

11/16/2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ROGER LONGPRE
302 ELK CREEK
IDAHO CITY ID USA 83631

COPY

RE: Application for Permit

Dear Applicant(s):

The Department of Water Resources has received your water right application. Preliminary review of the application indicates that it is incomplete and cannot be accepted for processing. We are returning your application to allow you to complete the necessary items. The required information is described below.

- * The name or address was not provided correctly.
- * The POD was not provided.
- * The Quantity was not provided correctly.
- * The POU was not provided.

Please be aware that because the well is located in the Boise River drainage and the Boise River is considered fully appropriated, **use of the well is limited to internal domestic use only**. The acre feet amount requested on the application refers to storage volume, which is not applicable to your proposal. Please list only the cfs flow rate that you propose.

Feel free to contact this office if you have any questions.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Lori Graves'.

Lori Graves
Water Allocations

Encl: Application

CC:

MICROFILMED

MAR 29 2001

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

MAR 29 2001

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before DECEMBER 26, 2000. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 12/ 6/2000 & 12/13/2000

MICROFILMED

MAR 23 2001

63-12608

LONGPRE, ROGER
302 ELK CREEK RD
IDAHO CITY, ID 83631

Source: GROUNDWATER

Diversion Pt: SWNE Sec 26 T 06N R 05E in BOISE County.

Use: DOMESTIC (0.150 CFS)
Total Diversion: (0.150 CFS)

Date Filed: 11/27/2000

In: BOISE County
T06N R05E S26 SWNE

Applicant agrees to mitigate consumptive use in the future as needed.

Water bearing zone to be appropriated from an existing well is from 5 to 112 feet.

MICROFILMED

MAR 29 2001