


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leonard K. Hayden
(Applicant)

MICROFILMED

T. 6 N.

T 6 N

810 000
FEET

T 6 N

43° 52' 30"

65
63

4857000m N.


R 3 W

4856

4855

4854

MICROFILMED
APR 18 2000



PUMP AND MOTOR

Pumping Unit: Mike Goodell Date: 5/25/89

Pump Data:

Manufacturer PEERLESS

Serial No. 193207

Model No. NONE

Type

No. of Stages

Rated Speed (rpm)

Rated Discharge (gpm)

Rated TDH (ft.)

Other Data

Motor Data:

Manufacturer G.E.

Serial No. FP6221128

Rated Horsepower (hp) 200

Rated Amperage (amps) 230

Rated Voltage (volts) 460

Rated Speed (rpm)


Phase 3

Service Factor 1.15

Other Data 60 cycles Type K
code G

Remarks LAYNE OF IDAHO BILL WEBB NAMPA
INSTALLED PUMP.

DIAGRAM OF PUMPING UNIT



RECEIVED
FEB 04 1993

~~PHOTO ID.~~ System Diagram

$$\frac{5}{7} \div \frac{5}{8}$$

FEB 04 1993

$$\frac{5}{3} \frac{1}{9}$$
$$\frac{819}{1716}$$

810 000
FEET

PERMIT 05-12439 INIT

T. R. S. Q/Q

P/D QW 3W 7 NESE + SESE

SCALE 8 NWSW + SWSW

PHOTO ID.

43° 52' 30"

4857000m N.

4856

1.6 MI. TO U.S. 30

4855

4854




PHOTO ID. _____

PERMIT 65-12439 INIT _____

T. R. S. Q/Q

P/D 6N 3W 7E8

SCALE _____



RECEIVED
FEB 04 1993
E-17

NOT TO SCALE

65-12439

#1

Pump motor and well site



#2

Discharge pipe
from well with
pressure gauge and
shut off valve.

Discharge pipe goes
underground at this
point.



HYDRO-MED

FEB 04 1993

65-12439



#3.

Place of use and
center pivot that
supplies water to
place of use.



#4.

Location of buried
mainline that
goes North from
well site.

MADEIRA

FEB 04 1993

65-12439.

#5

View of place of
use looking Northeast
toward 2nd center
pivot that receives
water from the
well for this
permit



#6.

View of 2nd center
pivot and acreage
that will be added
under a new
permit.



RECEIVED
FEB 04 1993

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	~~65-12439~~ 63-12576	Leonard K. Hayden	3.2 cfs
Full Assignment		Michael R. Goodell	3.2 cfs

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. ~~65-12439~~
63-12576

Priority: May 6, 1981

Maximum Diversion Rate: 1.75 CFS
Maximum Diversion Volume: 630.0 AF

This is to certify, that MICHAEL R GOODELL
14899 SAND HOLLOW RD
CALDWELL ID 83605

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 6, 1981; and
has submitted Proof of Beneficial Use on August 12, 1988. An examination indicates
that the works have a diversion capacity of 3.460 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.75 CFS	630.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW, Sec. 8, Township 06N, Range 03W
PAYETTE County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N 03W 7	NESE 35	SESE 35		70
8	NWSW 35	SWSW 35		70

Total number of acres irrigated: 140

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The total combined rate of diversion under this right and Right 65-12057 shall not exceed 3.46 cfs.

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12439

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of DECEMBER, 1992

Acting for R. Keith Higginson, Director

FEB 04 1993

RECEIVED

NOV 27 1992

Department of Water Resources

State of Idaho
Department of Water ResourcesAPPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12439

APPROVED

Date of Priority: May 6, 1981

Maximum Diversion Rate: 1.75 CFS
Maximum Diversion Volume: 630.0 AFComes now MICHAEL R GOODELL
14899 SAND HOLLOW RD
CALDWELL ID 83605

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 65-12439, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	~~04/01 to 11/01~~ 03-15 to 11-15	1.75 CFS	630.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW, Sec. 8, Township 06N, Range 03W
PAYETTE County

<u>PLACE OF USE: IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
06N	03W	7	NESE 35	SESE 35	70
		8	NWSW 35	SWSW 35	70
Total number of acres irrigated:					140

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Caldwell, this 25 day of November, 1992.

Michael R Goodel
(Signature)

APPROVED

FEB 24 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12439

FOR DEPARTMENT USE ONLY

Preliminary check by es Fee = \$20.⁰⁰ Received by JK # COZ6144 Date 11-30-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12439 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The total combined rate of diversion under this right and Right 65-12057 shall not exceed 3.46 cfs.

Witness my hand this 18TH day of DECEMBER, 1992.

R. Keith Higginson
Acting for R. Keith Higginson, Director

FEB 04 1993

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

I, Leonard K. Hayden, hereby assign to Michael R. Goodell
of Bt-7 Box 322 Caldwell, ID 83605
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 65-12439
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 6 day of March, 19 84.

Leonard K. Hayden
Permit Holder Leonard K. Hayden

Spouse of Permit Holder

State of Idaho)
County of Canyon) ss.

On this 7th day of March, 19 84, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Rudolf
Notary Public residing at

My commission expires: 3/8/84

RECEIVED
MAR 9 1984
Department of Water Resources
Boise Regional Office
ok to file
3/8/84

MICROFILMED

For Office Use Only	
Fee Received	<u>10</u>
Date	<u>9/20/83</u>
Receipt #	<u>22447</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
SEP 20 1983

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources
Western Regional Office

LEONARD K. HAYDEN of RT. 5, BOX 173, CALOWELL,
(Name) (Address) ID

State of IDAHO, deposes and says: 83605

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of
the State of Idaho No. 65-12439

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
OCT. 1, 19 83

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

WELL HAS BEEN DRILLED & CAPPED.

commenced work

Costing \$ 15,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

WAITING FOR FINANCES ENOUGH TO COMPLETE
PURCHASING PIPELINE, ETC.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to OCT. 1, 19 88
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Leonard K. Hayden
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the statement of beneficial use is extended to October 1, 1988.

Signed this 22nd day of September, 19 83.

MICROFILMED

L. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Leonard K. Hayden Phone 459-6955
Post office address P.O. Box 173A Caldwell, ID 83605 *See new address*
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 6N
Range 3W B.M. Payette County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.2 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .05 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.2 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 420 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SAME AS LAND LIST

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 150 head range cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	3W	7													40			40	80
		8										40	40						80

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. 65-12057,
63-9103, & 63-8632


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leonard K. Hayden
(Applicant)

MICROFILMED

Proposed Priority 5/6/1981

C.E.M.

7-22-81

10:00

5/7/81

10:00

Received by PH

Date 5/6/81

Time 2:00pm

Preliminary check by PH

Fee \$

85.00 + 20.00

Receipted by NR

Date 5/7/81

(25) * 18912 / 5/14/81 (20) #18912

Publication prepared by AD

Date 7-22-81

Published in Independent Enterprise

Publication dates July 30 + Aug. 6, 1981

Publication approved AD

Date 8-7-81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval

denial

by ELS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12439, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 15th day of September, 19 81

A. Glen Saxton
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Copy of Notice

(First Copy)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12439

HAYDEN, LEONARD K.
P.O. BOX 173A, CALDWELL, ID 83605
Source: GROUNDWATER
Date Filed: 05/06/1981
Amount: 3.20 CFS

Diversion Point: SWSW Sec 08 T 06N R 03W, PAYETTE Co.

Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01

STOCKWATER (0.05 CFS) from 01/01 to 12/31

Place of Use: NESE SESE Sec 07 T 06N R 03W NWSW
SWSW Sec 08 T 06N R 03W FOR 160 ACRES

Diversion Means: WELL, PUMP AND SPRINKLER
SYSTEM

If issued, the permit(s) will be subjected to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 17, 1981.

A. KENNETH DUNN
Director

No. 1975

July 30, August 6

Notice of Application for Water Right

TITLE OF PUBLICATION

65-12439

SPONSOR OR PLAINTIFF

Dept. of Water Resources

PLAINTIFF OR LEGAL AGENT

I, Laurie Aunsucker

, being

duly sworn, deposes and says:

That *5* he is the *principle clerk* of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with

July 30, 19 *81*, and ending with the issue
of *Aug. 6*, 19 *81*.

Subscribed and sworn to before me this *6* day

of *August*, 19 *81*.

Don P. Curtis
Notary Public, Residing at Payette, Idaho.

My Commission Expires *June 4*, 19 *84*

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines *25 do li.*

Number of Insertions *two*

25 Lines @ *.57* . . . \$ *14.25*

25 Lines @ *.38* . . . \$ *9.50*

TOTAL COST
WILL BE \$ *23.75*

RECEIVED

Department of Water Resources
Boise, Idaho 83709

Nº 1975

Keen, Shelley

From: Nelson, Dan
Sent: Monday, February 28, 2000 3:34 PM
To: Keen, Shelley
Subject: FW: questionable basin number

Hi Shelley,

I wanted to pass this memo on to you. The water right 65-12439 looks like it is clearly in basin 63, but it has a basin 65 number. I used all of the maps that are available to our office and it is clearly south of the ridge that separates the 2 basins. It was applied for prior to 1987, so I don't think that there would be any problems with correcting the basin number.

Thanks

Dan Nelson

-----Original Message-----

From: Lester, Steve
Sent: Wednesday, February 23, 2000 4:06 PM
To: Nelson, Dan
Subject: RE: questionable basin number

Sounds like a good idea, Dan. Also, if that is not a decreed right, should note S.O. water right file, too.

-- SL

-----Original Message-----

From: Nelson, Dan
Sent: Wednesday, February 23, 2000 3:58 PM
To: Lester, Steve
Subject: questionable basin number

Steve,

I am researching an application for permit overlap and I found water right 65-12439. According to the maps, this right is clearly in basin 63. I do not think that it has been through the adjudication yet. Would you like me to note the AJ file that the map shows this right as actually being in Basin 63?

Thanks

Dan Nelson

*Pam,
Please renumber this
right. Thanks.*

Shelley

*P.S. - Richard checked it. If you
have Qs, ask Richard.*

MICROFILMED

3/28/2000

T. 6 N.

T 6 N

4859
810 000
FEET

T 6 N

43° 52' 30"

65
63


4857000m N.

R 3 W

02570 65-12439
Renumbered to 63-12576.
4-6-00 GS

MICROFILMED

800 1 6 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 21, 1992

MICHAEL R GOODELL
14899 SAND HOLLOW RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 65-12439

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

DEC 21 1992
FEB 04 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

MICHAEL R GOODELL
14899 SAND HOLLOW RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 65-12439

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 65-12439

Date 11-03-92

08

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
			<u>140 x .0125 = 1.75 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>3.46 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			Allow <u>3-15 to 11-15</u> Standard Irr. Season
			<u>4-1 to 11-1 Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>140 x 4.5 = 630 cfs (IRR)</u>
	☐	☒	Limited by Flow? <u>1.75 x 214 x 1.9835 = 742.8 > 630</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended source</u>
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☒	☐	Amendment Needed? <u>Change SWSW to SESW, 58</u>
	☒	☐	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? <u>No STOCK</u>
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	<u>WBI</u>	☐	Special Overlap Condition <u>P/D-65-12057/3.46 cfs</u>
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate, uses Amend P/D</u>		
	<u>Allow standard season - no changes in volume</u>		
	<u>result - flow sufficient (Per J.T. & NY) 11-24-92</u>		
License	☐	☐	10-Day
	☐	☐	15-Day
	☒	☐	Special Correspondence

WR0749NP
No. L65-12439

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/03/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MICHAEL R GOODELL 14899 SAND HOLLOW RD CALDWELL ID 83605 (208) 459-2196	05/06/1981	IRRIGATION	04-01-11-01 3-15-11-15	1.75 CFS	630.0 AFA
				TOTAL DIVERSION:	1.75 CFS	630.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.46 CFS

Point(s) of Diversion: T06N R03W S08 SE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
06N	03W	7	:																	:	70.0
06N	03W	8	:											35	35					:	70.0
																				TOTAL ACRES	140.0

Pou County: PAYETTE

Non-Irrigation Uses: S/150 RANGE

Other Rights: 65-12057, 63-9103 & 63-8632

Other Water Rights with Same Point(s) of Diversion and Source:
65-12057

Other Water Rights Listing Overlapping Place(s) of use:
65-12439

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The total combined rate of diversion under this right and
Right 65-12057 shall not exceed 3.46 cfs.

Dates: App. Received: 05/06/1981 Priority Date: 05/06/1981
Proof Due Date: 10/01/1988 Proof Made Date: 08/12/1988
Exam Made Date: 06/27/1991 Exam Sent to S.O.: 03/13/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 11/03/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 16 1992

A. GENERAL INFORMATION


1. Owner: Mike Goodell Permit No. 65-12439
Current Address: 14899 Sand Hollow Rd., Caldwell, Idaho 83605 Phone No. 459-2196
2. Accompanied by: Mike Goodell EXAM. DATE: 6-27-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12057
☒ Copies Attached
2. Other water rights with same point of diversion: 65-12057
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = not to scale

FEB 04 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

*Flow measurement made by Quentin Nesbitt 5-25-89.
during a pump efficiency test. (See attached.)*

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: *Measured Q = 1553 gpm = 3.46 cfs.*

2. Alternate Method for Checking Purposes:

$$\frac{200 \times 8.8 \times .7}{223 + (2.3 \times 64)} = 3.3 \text{ cfs.}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 140 \times 4.5 = 630 \text{ o/a}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.75 \times 240 \times 1.9835 = 853.9 \text{ o/a}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 630 \text{ o/a}$

2. Volume Calculations for Other Uses:

NA

FEB 04 1993

65-12439 P/D OVERLAP ANALYSIS

<u>OLD RATE (65-12057)</u>	<u>CURRENT RATE (65-12439)</u>	<u>DIFFERENCE</u>
2.68 cfs for 136 A = .0197 cfs/acre	3.46 cfs for 276 a = .0125 cfs/acre	.0072 cfs

Old rate is greater than current rate, therefore apply current rate to new acres.

140 X .0125 cfs = 1.75 cfs for permit 65-12439

System measured at 3.46 cfs per pump test on 5-25-89

Total diversion rate = 2.68 cfs + 1.75 cfs = 4.43 cfs

65-12057 and 65-12439 when combined should be limited to the system capacity of 3.46 cfs

VOLUME CALCULATIONS:

65-12439: 1.75 cfs x 246 x 1.9835 = 853.9 afa
140 A x 4.5 = 630 afa

SYSTEM CAPACITY = 3.46 cfs x 246 x 1.9835 = 1,688.3 afa

65-12057 volume = 612 afa
65-12439 volume = 630 afa
TOTAL = 1,242 afa

System volume of 1,688.3 afa is sufficient to support both volume requirements for 65-12057 and 65-12439, therefore no volume limiter is required.

RECEIVED
FEB 04 1993

PUMP TEST SUMMARY

Pumping Unit: MIKE GOODEN Date: 5/25

Total Dynamic Head:

- a) pumping water level (to center line of discharge pipe) 223.6 ft
- b) discharge pressure 64 psi x 2.31 = 147.8 ft
- c) press. gauge height (from center line of disch. pipe) 3 ft
- d) friction losses (pump intake to pressure gauge) ~ 6 ft

$$TDH = (a + b + c + d) = \underline{380.4} \text{ ft}$$

Flow Measurement: (see below) Q = 1553.1 gpm

Output Horsepower: OHP = Q x TDH ÷ 3960 = 149.2 hp

Input Horsepower: (see attached data) IHP = 227.2 hp

Efficiency: Eff. = OHP ÷ IHP x 100 = 65.7 %

Electric Powered Pump Standards For Tested Efficiencies (from Pacific Gas & Electric Company, 77 Beale Street, San Francisco, CA 94106)				
Motor Size (HP)	Ratings			
	Low	Fair	Good	Excellent
3-5	41.9 or less	42-49.9	50-54.9	55 or above
7½-10	44.9 or less	45-52.9	53-57.9	58 or above
15-30	47.9 or less	48-55.9	56-60.9	61 or above
40-60	52.9 or less	53-59.9	60-64.9	65 or above
75+	55.9 or less	56-62.9	63-68.9	69 or above

FLOW MEASUREMENT USING COLLINS METER

Pipe Circumference (C) _____ in Wall Thickness (T) 7.75 in

Inside Radius (IR) = (0.1592 x C) - T = 3.875 in

Station Factors (F)	Stations (IR x F)		Velocity (V)	
	dec	in	R	L
A) 0.051				
B) 0.163				
C) 0.293*				
D) 0.453				
E) 0.684				
F) 1.316				
G) 1.547				
H) 1.707*				
I) 1.837				
J) 1.949				
Average Velocity (V):				

DECIMAL TO FRACTION
CONVERSIONS
(TO 1/16 INCH)

0.0000	-	0.0313	0
0.0313	-	0.0938	1/16
0.0938	-	0.1563	1/8
0.1563	-	0.2188	3/16
0.2188	-	0.2813	1/4
0.2813	-	0.3438	5/16
0.3438	-	0.4063	3/8
0.4063	-	0.4688	7/16
0.4688	-	0.5313	1/2
0.5313	-	0.5938	9/16
0.5938	-	0.6563	5/8
0.6563	-	0.7188	11/16
0.7188	-	0.7813	3/4
0.7813	-	0.8438	13/16
0.8438	-	0.9063	7/8
0.9063	-	0.9688	15/16
0.9688	-	1.0000	1

$$\bar{V} = 10.55 \text{ FT/sec}$$

* two-point method

Flow: Q = 2.451 x $\bar{V}$ x (2 x IR)² x _____ corr. factor = 1553.1 gpm

FEB 04 1993

INPUT HORSEPOWER

Pumping Unit: MIKE Goodell Date: 5/25

Kilowatt-Hour Meter Method:

DEMAND - 4.375

Utility Id. Power

Manufacturer San Geronimo

Type S4D4

Model No. _____

Serial No. 39148378

Rated Voltage 480

Rated Amperage _____

Disc Constant (Kh) 3.6

Current Transformer Ratio (CTR) 40

Potential Transformer Ratio (PTR) _____

<u>Trial</u>	<u>Revolutions</u>	<u>Seconds</u>
1	<u>5</u>	<u>14.95</u>
2	<u>5</u>	<u>15.05</u>
3	<u>5</u>	<u>14.8</u>

Average Disc Rev.: N = _____ rev Average Time: T = 14.93 sec

Input Kilowatts: IKW = $3.6 \times Kh \times CTR \times PTR \times N \div T$ = 173.6 Kw

Input Horsepower: IHP = IKW x 1.34 = 232 hp

- 18 TOWERS x 30% = 227.2 HP

Volt/Amp Measurement Method:

	<u>Volts</u>		<u>Amps</u>
1-2	_____	<u>N/A</u>	1 _____
2-3	_____		2 _____
1-3	_____		3 _____

Average Voltage: V = _____ volts Average Amperage: A = _____ amps

Power Factor (PF): _____ comments _____

Input Kilowatts: IKW = $PF \times V \times A \times \sqrt{3} \div 1000$ = _____ Kw

Input Horsepower: IHP = IKW x 1.34 = _____ hp

RECEIVED
FEB 04 1993

PUMP AND MOTOR

Pumping Unit: MIKE Goodell Date: 5/25/89

Pump Data:

Manufacturer PEERLESS

Serial No. 193207

Model No. NONE

Type

No. of Stages

Rated Speed (rpm)

Rated Discharge (gpm)

Rated TDH (ft.)

Other Data

Motor Data:

Manufacturer G.E.

Serial No. FP16221128

Rated Horsepower (hp) 200

Rated Amperage (amps) 230

Rated Voltage (volts) 460

Rated Speed (rpm)

Phase 3

Service Factor 1.15


Other Data 60 cycles Type K

code G

Remarks LAYNE OF IDAHO BILL WEBB Nampa

INSTALLED DUMP.

DIAGRAM OF PUMPING UNIT



RECEIVED
MAY 24 1993


PERMIT 6512439 INIT

T. R. S. 9/9

P/D 6N 3W 7E8

SCALE

PHOTO ID. System Diagram



FEB 64

514
1819

810 000
FEET

PERMIT 65-12439 INIT
T. R. S. Q/Q
P/D 6W 3W 7 NESE + SESE
SCALE 8 NWSW + SWSW
PHOTO ID.

43° 52' 30"

4857000m N.

4856

4855

4854




PHOTO ID.

PERMIT 65-12439 INIT

T. R. S. O/O

P/D 6N 3W 7E8

SCALE

5
139.6

6
134.3

5-196

7.8

1517

7-198

NOT TO SCALE

65-12439

#1


Pump motor and well site



#2

Discharge pipe
from well with
pressure gauge and
shut off valve.


Discharge pipe goes
underground at this
point.



RECEIVED


FEB 04 1963

65-12439



#3.

Place of use and
center pivot that
supplies water to
place of use.



#4

Location of buried
mainline that
goes North from
well site.


RECEIVED

FEB 04 1992

65-12439.


#5

View of place of
use looking Northeast
toward 2nd center
pivot that receives
water from the
well for this
permit



#6.

View of 2nd center
pivot and acreage
that will be added
under a new
permit.



RECEIVED
FEB 04 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 05-12439

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 6N, Rge 3W, Sec. 8, SW 1/4 SW 1/4 or Lot _____.
2. Owner: Mike Goodell
- Address _____, City Caldwell, St _____
3. Casing $\geq$ 12 inches above ground: Yes ✓ No _____
4. Access Port: Yes ✓ No _____ Static Water Level: _____
Pressure Gauge: Yes ✓ No _____ - 05 Casing Diameter: 16"
Flowing: Yes _____ No ✓ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

REMARKS: _____

RECEIVED
FEB 04 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 10, 1988

65-12439
Michael R. Godfrey
Rt. 7 Box 479
Caldwell, ID 83605

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jip

RECEIVED

FEB 04 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 105-12439

Date: 9-12-88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
NO Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
NO Has one been installed?
NO Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM
JP

Form 217
03/86

RECEIVED

AUG 12 1988

For Office Use Only
Fee Received \$175.00
Date 8/12/88
Receipt # 0002221
Receipt by [initials]
Reviewed by [initials]
Sent to region 9-12-88

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12439

Name(s) of Permit Holder: Michael R Goodell

Post Office Address: Rt. 7 Box 479 Caldwell, Id 83605

Telephone No. 459-2196

Source of Water: Ground water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 320 1160 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 4.0 3.2 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: wasn't under my ownership

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 175
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

M. Ke Goodell
(Name)

459-2196 or 459-7773
(Telephone Number)

Same
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

8-10-88

Date

Michael R Goodell
Signature of Permit Holder (and title, if appropriate)

OCT 03 1988

To: File 65-12439

From: Groundwater Protection

Date: 8/24/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*New owners - probably do not
know who drilled it?*

I suggest no action - gm.

MICROFILMED

OCT 03 1988

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

138232

MICHAEL R. GOODELL
RT. 7 BOX 322
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 65-12439

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

OCT 03 1988

March 22, 1984

RE: Permit No. 65-12439

Michael R. Goodell
Rt. 7, Box 322
Caldwell, ID 83605

Dear Permit Holder:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Chief Clerk

KW:sc
Enclosure

MICROFILMED

September 27, 1983

Leonard K. Hayden
Rt. 5, Box 173
Caldwell, ID 83605

Dear Mr. Hayden:

Re: Permit No. 65-12439

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to October 1, 1988.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures: Ext. of Time

MICROFILMED

DATE

8/17/83

FROM

Rolyn

TO

File 65-12439 Hayden

SUBJECT

County Assessors office - Payette

Re Assessors office the Printholders new
address is: Rt 5 Box 173A
Caldwell, ID 83605

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HAYDEN, LEONARD K.
P.O. BOX 173A
CALDWELL, ID 83605

138842

PROOF DUE NOTICE

JULY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-12439 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

September 25, 1981

RE: Permit No. 65-12439

Leonard K. Hayden

P.O. Box 173A

Caldwell, ID 83605

Dear Mr. Hayden:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.

Supervisor, Water Allocation Section

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

PAYETTE
Genco

INITIAL REVIEW BY:

APPLICATION NUMBER: 65-12439
HAZARD

CHECK:

- ☒ Source.
- ☒ Point of diversion.
- ☒ County.
- ☒ Quantity of water and period of use.
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map.
- ☒ Signature.
- ☒ Fee.

Field check by:

Date:

Comments:

- ☒ Yes ☒ No Field check required.
- ☒ Yes ☒ No Critical groundwater area.
- ☒ Yes ☒ No Request dam safety information. Sent by: Date:
- ☒ Yes ☒ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: Date:
- ☐ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☐ Other

PROCESSING:

- ☐ Yes ☒ No Platted by: Map No.
- ☐ Yes ☒ No Other rights on same place of use.
- ☒ Yes ☐ No* In form for advertising.
- ☐ Yes ☒ No Final date for protests: Aug 17, 1981 ✓
- ☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/7/81 ✓
- ☒ Application published correctly. If not, record action taken: 5/7/81 18912
- ☒ Fee amount, receipt date & number, recorded on application. 85.00 - 20.00 #18912
- ☒ Publication dates and paper, recorded on application. 7-30 + 8-6-81 5-14-81
- ☒ Protests, dates, withdrawal, etc., recorded on application. Independent Enterprise
- ☒ Recommendation & initial, recorded on application.
- ☒ Yes ☐ No Measuring device required.
- ☒ Yes ☐ No Access port required.
- ☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district?
- ☒ 5/6/81 Date of priority recommended.
- ☒ Special conditions of approval or cover letter. OIC, IPLH Her

By: 625 Date: 8/18/81

STATE OFFICE REVIEW:

SLW/LO3, LO5 OIC

- ☐ See attached sheet for more information.

By: Ralph Date: 9/1/81

RECEIVED

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JULY 23, 1981

Independent Enterprise
Box 520
Payette, ID 83661

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 17, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 17, 1981.

A. KENNETH DUNN

Director

Published 7/30 & 8/6/81.

MICROFILMED

65-12439

HAYDEN, LEONARD K.

P.O. BOX 173A, CALDWELL, ID 83605

Source: GROUNDWATER

Date Filed: 05/06/1981

Amount: 3.20 CFS

Diversion Point: SWSW Sec 08 T 06N R 03W, PAYETTE Co.

Use: IRRIGATION	(3.20 CFS)	from 04/01 to 11/01
STOCKWATER	(0.05 CFS)	from 01/01 to 12/31

Place of Use: NESE SESE Sec 07 T 06N R 03W NWSW SWSW Sec 08 T 06N R 03W
FOR 160 ACRES

Diversion Means: WELL, PUMP & SPRINKER SYSTEM

RECORDED