





20 40 80
CHAINS TO AN INCH
MAGNETIC DECLINATION 18° 45' E.

MADE FROM THE OFFICIAL RECORD



720 000
FEET

4N 2E Sec 32

from North Boise guid
1972 USGS

T. 4 N.

T. 3 N.

Amt. of Fee \$: 50.00Receipt No. C050455Receipt By: J. BrownDate Received: 9-15-00

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 15 2000

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 63-12575 Telephone No. 208-384-3901

2. Name of Permit Holder(s): City of Boise Public Works

3. Mailing Address: P.O. Box 500

City Boise State ID Zip 83701-0500

4. Source of Water: groundwater If **GROUNDWATER** (well), Date Drilled: mo. unknown / yr. unknown

a. Well Driller: unknown Drilling Permit Number: unknown - unknown - unknown

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): Other: municipal

6. Total rate of diversion and/or volume for which proof is submitted: .09 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes or No X

Has the measuring device been installed?

Yes or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Jeff Brown/Bill Duncan Telephone Number: 384-4261/384-4335

Address: Lander St. WWTF/West Boise WWTF

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Beth K. Baird Environmental Program Coordinator Date: 8/23/00
(include your title, if on behalf of company of organization)

RECEIVED
SEP 15 2000

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12575

Priority: March 29, 2000

Maximum Diversion Rate:

0.09 CFS

This is to certify, that CITY OF BOISE

PUBLIC WORKS DEPT

PO BOX 500

BOISE ID 83701-0500

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

MUNICIPAL	03/01 to 11/15	0.09 CFS
-----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NESW), Sec. 32, Township 04N, Range 02E
ADA County

PLACE OF USE: MUNICIPAL

TWN RGE SEC

04N 02E 32

NESW

SWSE


CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before November 1, 2000.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
5. This right does not authorize the irrigation of land not previously irrigated.
6. Municipal use is for irrigation of 3 acres of greenbelt adjacent to the Lander Street Waste Water Treatment Plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

8th day of June, 2000


Karl J. Dreher, Director
for

MICROFILMED

Ident. No. 63-12575

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED
MAY 26 2000

RECEIVED
MAR 29 2000

WATER RESOURCES
WESTERN REGION

Department of Water Resources

1. Name of Applicant City of Boise Public Works Dept. Phone (208) 384-3500

Mailing address P.O. Box 500 Boise, ID 83701-0500

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is Township 4N Range 2E Sec. 32 in the NE 1/4, SW 1/4, 1/4, Govt. Lot _____, B.M., _____ Ada County;

additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .09 for municipal purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .09 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Well - approximately 30 ft.
in depth with 6 in. casing - surface pump - attached to sprinkler system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet

c. Proposed well diameter is 6 inches; proposed depth of well is 30 feet

d. Is ground water with a temperature of greater than 85°F being sought? no

e. If well is already drilled, when? 1974-76; Drilling firm _____?

Well was drilled for (well owner) City of Boise; Drilling Permit No. _____?

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. City of Boise

d. Domestic; show number of households. _____

e. Other; describe fully. _____

MICROFILMED

MAY 22 2000

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2E	32									M						M		

Total number of acres to be irrigated 3.0

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? City of Boise

b. Who owns the land to be irrigated or place of use? City of Boise

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: Well was probably drilled between 1974-76 as a dewatering well and has been used as an irrigation well since 1985 for irrigation of the Greenbelt along the Boise River outside the Lander St. fenceline. The water will continue to be used for irrigation of the Greenbelt in the quarter sections designated in item 9 above

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. J. Duncanson
Signature of Applicant (and title, if applicable)
Director of Public Works

Received by _____ Date 4/29/00 Time _____ Preliminary check by _____
Fee \$ 50 Received by _____ # W024977 Date 4/2/1999
Publication prepared by _____ Date 4-20-00 Published in THE IDAHO STATESMAN
Publication approved _____ Date 5-23-00

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 04/04/00
Time: 11:57:04

Water Right Number: 63-12575

Comment Date: 4/ 4/2000 User ID: LGRAVES

Subject: MORE INFO


Per Applicant: Well was drilled in ~1974-76 for dewatering then used for irrigation since 1985.

Per IDWR: Applicant originally filed an SRBA claim on the well for irrigation, which was returned. Applicant then filed an application for irrigation which could not be processed because of the Basin 63 hold. Discussions between IDWR and City legal staff resulted in this application for municipal use. Because of the proximity of the well to the Boise River, a mitigation plan has been proposed and submitted with the application. Season of use and gov. lots were clarified by IDWR.

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

MICROFILMED

JUN 22 2000




20 40 80

CHAINS TO AN INCH
MAGNETIC DECLINATION 18° 45' E.

LOT 8	1.26
LOT 10	1.13
LOT 11	0.95
LOT 12	7.37

MADE FROM THE OFFICIAL RECORD



EAGLE 6 MI.

720 000
FEET

4N 2E Sec 32

from North Boise quad
1972 USGS

T. 4 N.

T. 3 N.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 20, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF BOISE
PUBLIC WORKS
PO BOX 500
BOISE ID 83701-0500

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12575

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Western** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

RECEIVED

SEP 25 1999

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-12575 Reviewed by D. Gibler Date 9/20/00

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

Municipal

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

No Surface water source

yes Ground water source

yes Drilling permit required?

Copy in the file? Drilling Permit No. _____

Amount paid for permit _____ Correct?

Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

No Required?

\$50 Amount Submitted

No Installed?

yes Correct?

Waiver requested?

PRIORITY CALCULATION

Date proof received

9/15/00

Date proof due

11/1/00

No. of days late

/

Priority Date

/

New Priority Date

/

DEFICIENCIES OR ACTION ITEMS

Acknowledge proof.

DATA ENTRY

New Address _____

Proof Made 9/15/00

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No:

0050455

Date:

Time: 9/15/2000

11:08:55

Received

From:

CITY OF BOISE

Type of Payment

Program A cct

Amount

BENEFICAL USE #6312575

56104

229 21 1155

50.00

Total

\$

50.00

CHECK

50512

Region: STATE

Signature: _____

MICROFILMED

SEP 05 2000

August 31, 2000

CITY OF BOISE
PUBLIC WORKS DEPT
PO BOX 500
BOISE ID 837010500

PROOF DUE NOTICE

RE: PERMIT NO. 63-12575

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

DEBORAH DREW-ELLIS
Administrative Assistant

Enclosures

MAILED
OCT 11 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 8, 2000

CITY OF BOISE
PUBLIC WORKS DEPT
PO BOX 500
BOISE ID 83701-0500

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12575

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.


Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. **NOT FILMED** to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's **2000** homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


JUN 22 2000

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of June, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12575

CITY OF BOISE
PUBLIC WORKS DEPT
PO BOX 500
BOISE ID 83701-0500


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 22 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JUN 22 2003

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 5/30/00

No. 63-12575 Name: City of Boise Corp. Officers ☒ Ad ok ☒ Govt Lots ☐

AREA OF CONCERN: No/Yes TVGW Moratorium study area GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

~~All wells~~ - 223
Basin 34 - 084
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - 223 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

~~STORAGE~~ - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH/PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 1/1 / 01 2000

MISC CONDITIONS/REMARKS:

~~Protected~~ - 020-W19
Development Period
≤ 1 yr - 216
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
In-stream development - P52
WD - R04 (WD#)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
In use listed separate - WB5
Moratorium approvable - W03 (2500 gpd -- meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON - (Per updated map)

OTHER CONDITIONS/REMARKS

COMMENTS

MAY 26 2000

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

Department of Water Resources
INITIAL REVIEW BY: lg

DATE: 4/3/00

APPLICATION: 63-12575

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use: 3/1 - 11/15
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

Y ADVERTISE REMARK(S)
(Reviewer identify which remarks)

done T FLAG CHANGED TO P FLAG

YES NO

- N/A ☒ Overlapping place of use: (Describe source & relationship to present application on next page.) municipal
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium: exempt
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☒ immediate = acceptable plan required and submitted.
- ☒ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO.

12575

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☒ ☐ Water Dist. # 63 Lee Sinks
☐ ☒ Water Planning Bureau
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:

☐ ☐ Final date for protest 5-8-00

☐ ☒ Protests received.

☐ ☒ Recommendations attached:

☐ ☒ Measuring device required:

☐ ☒ Water delivered by water master? District # _____

☐ ☒ Special conditions of approval or cover letter: standards

☒ See below for additional information

Recommended Date or Priority 3/29/00

Recommended by: for Baaner

Date: 5/24/00

ADDITIONAL INFORMATION:

**LEGAL NOTICE
APPLICATION FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12575 ✓
CITY OF BOISE
PUBLIC WORKS DEPT
PO BOX 500
BOISE, ID 837010500

Source: GROUNDWATER Diversion Pt: LOT 3 (NESW) Sec 32 T 04N
R 02E in ADA County.
Use: MUNICIPAL (0.090 CFS)
Total Diversion: (0.090 CFS)
Date Filed: 3/29/2000
In: ADA County
T04N R02E S32 Lot 3 (NESW) Lot 1 (SWSE)

Municipal use is for irrigation of 3 acres greenbelt from an existing well located next to Lander Street and the Boise River. Mitigation is proposed for consumptive use.

63-12577

IDAHO SHAKESPEARE FESTIVAL
C/O MARK HOFFLUND MNG DIRECTOR
520 S 9TH
BOISE, ID 83702

Source: BOISE RIVER Tributary: SNAKE RIVER
Diversion Pt: LOT 1 (SESE) Sec 29 T 03N R 03E in ADA County
Use: AESTHETIC (0.110 CFS)
Total Diversion: (0.110 CFS)
Date Filed: 11/30/1999
In: ADA County
T03N R03E S29 Lot 1 (SESE)

Mitigation for consumptive use for a small pond is proposed in Boise Valley Irr. Ditch Co. Transfer #5687. Return flow to river will occur.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before MAY 8, 2000. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Pub. Apr. 20, 27, 2000

6990

MICROFILMED

APR 27 2000

01-99

State of Idaho
Department of Water Resources

RECOMMENDATION OF WATERMASTER

Application No: 63-12575Applicant's Name: City of Boise Public Works

Watermaster's Recommendation:

- a) ☒ I do not oppose approval of this application.
- b) ☐ I do not oppose approval of this application if it is conditioned as follows: _____

- c) ☐ I oppose approval of this application for the following reasons: _____

- d) Additional Comment: _____

Dated this 5 day of May, 2000.Water District No: 63Lee Lion
Watermaster's Signature

Use reverse side of page if you need more space.

MICROFILMED

JUN 22 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

April 20, 2000

LEE SISCO
WATER DISTRICT 63
6616 OVERLAND RD
BOISE ID 83709

Re: Application for Water Right No. 63-12577 in the Name of Idaho Shakespeare Festival,
Application for Water Right No. 63-12575 in the Name of City of Boise Public Works
Department, and Application for Transfer No. 5687 in the Name of Boise Valley
Irrigation Ditch Co.

Dear Watermaster:

Enclosed are copies of the above-referenced application for permit. Also enclosed are
forms for your recommendation concerning these applications.

Please review the applications and return any comments you might have within two
weeks.

If you have any questions or need information, feel free to contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

Gary Spackman

GS:lm

Encl: Copy of Application
Recommendation of Watermaster Form

MICROFILMED

JUN 22 2000

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**AFFIDAVIT IN SUPPORT OF
APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

1. I, Ronald W. Hathorn, of Boise, Idaho, County of Ada, State of Idaho, being duly sworn, do hereby certify that I am a bona fide resident of the State of Idaho.
2. I, Ronald W. Hathorn, of Boise, Idaho, County of Ada, State of Idaho, being duly sworn, depose and say:
3. That I am an employee of the City of Boise City, Idaho, a municipality incorporated under Section 50-102, Idaho Code.
4. That I am presently employed as the Wastewater Operations Technical Advisor for the Public Works Department of the City of Boise City, Idaho, the applicant in this matter.
5. That I have been employed by the City of Boise City, Idaho Public Works Department since the date I was hired as a Plant Superintendent on December 3, 1973.
6. That during my employment at the Boise City Public Works Department, and in my capacity as Wastewater Operations Technical Advisor, I am familiar with the history, chronology, and use of the groundwater well which is the subject of, and for which an Application for Permit right has been submitted to the Idaho Department of Water Resources.
7. That in addition, I have reviewed documents which relate to the location and connection of the groundwater well to the Greenbelt irrigation system.
8. That the well referred to has a point of diversion located at Township 4N, Range 2E, Section 32, in the NE quarter of the NE quarter of the SW quarter in Ada County, Idaho, and diverts approximately .09 cubic feet per second of groundwater.
9. That the well was originally drilled for use as a construction dewatering well sometime between 1974 and 1976, and was left intact but used after the construction

MICROFILMED

JUN 22 2006


was completed until 1985.

10. That in 1985, the dewatering well was connected to the irrigation system, as evidenced by drawings from the design firm of Beck & Baird.

11. That the well's first use for irrigation was in 1985, and that the well has been used seasonally since that year for irrigation of open public Greenbelt space at the Lander Street Waste Water Treatment Plant, a public work owned and operated by the City of Boise City.


12. That the well is currently used for irrigation of the public Greenbelt area contiguous to the Lander Street Waste Water Treatment Plant.

Dated this 22 day of March, 2000.



Ronald W. Hathorn

State of Idaho)
) ss.
County of Ada)

On this 22 day of March, 2000, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Seal


Notary Public
Residing at Boise, Idaho
My Commission Expires: 4.23.2004

MICROFILMED
APR 22 2000

PUBLIC WORKS DEPARTMENT
CITY HALL



H. BRENT COLES
MAYOR

COUNCIL MEMBERS

CAROLYN TERTELING-PAYNE
COUNCIL PRESIDENT
MIKE WETHERELL
COUNCIL PRO TEM

SARA BAKER
PAULA B. FORNEY
M. JEROME MAPP
JON MASON

March 27, 2000

Ms. Lori Graves
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RECEIVED
MAR 29 2000
WATER RESOURCES
WESTERN REGION

Dear Ms. Graves:

Last year the City of Boise submitted an application for a municipal use water right from a well located at the City's Lander St. Waste Water Treatment Plant (WWTP). This letter, containing the City of Boise's mitigation plan for the consumptive use of the water for which we have made application as required in IDAPA 37.03.11.043, and the accompanying affidavit fulfill IDWR's requirements for a complete application.

Mitigation Plan for Irrigation Water
at Lander St. Wastewater Treatment Plant (WWTP)

Three acres of grass outside the fence line of the Lander St. WWTP along the Greenbelt are irrigated from a well located on the Lander St. property. Using IDWR's water basin map that includes information for determining consumptive irrigation requirements, field headgate requirements, and season of use for the Boise area, 4.5 acre-feet/acre is required for irrigation with a consumptive use of 3.5 acre-feet/acre. The total water requirement and consumptive use for the 3 acres along the Greenbelt are 13.5 acre-feet/year and 10.5 acre-feet/year, respectively. The 10.5 acre-feet/year of consumptive use translates to 3,421,436 gallons/year that need to be returned to the Boise River.

The Lander St. WWTP has a capacity of 15 mgd and currently discharges about 14 mgd (monthly average) of treated water into the Boise River. The wastewater treated at the plant originates, for the most part, from groundwater sources throughout the city. United Water calculates that about 80% of the water it currently provides to the residents in the Boise area is from groundwater and will remain at least 50% of the water provided for the next 20 years. The 3.4 million gallons of water each year consumed through irrigation is an extremely small fraction of the total amount of the ground water added to the Boise River each year and will remain a similarly small fraction into the future.


MICROFILMED

JUN 22 2000

The City of Boise believes that the amount of water added to the Boise River from the Lander Street facility more than adequately covers the 3.4 million gallons/year of consumptive use from irrigation of the Greenbelt near the plant.

If you have any questions, please call me at 384-3984.

Sincerely,

A handwritten signature in cursive script that reads "Beth K. Baird".

Beth K. Baird
Environmental Programs Coordinator

MICROFILMED

SEP 22 2000

MEMORANDUM

DATE: 4/04/00

FROM: Lori Graves ☺

TO: Nancy Curry

RE: Fund Shuffle

Hi Nancy, please apply \$50 of receipt #W024977 to the water allocations permit account and refund the additional \$8 to the City of Boise. \$58 was originally paid for an SRBA claim that was substituted with a permit.

Please return the \$8 to:

City of Boise Public Works Dept
Attn: Beth Baird
PO Box 500
Boise ID 83701-0500

Thank you.

MICROFILMED

APR 22 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

APRIL 13, 2000

Legal Notices Department
THE IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 8, 2000.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

4/13/00

4/13/00

63-12575

CITY OF BOISE
PUBLIC WORKS DEPT
PO BOX 500
BOISE, ID 837010500

Source: GROUNDWATER

Diversion Pt: LOT 3 (NESW) Sec 32 T 04N R 02E in ADA County.

Use: MUNICIPAL	(	0.090 CFS)
Total Diversion:	(	0.090 CFS)

Date Filed: 3/29/2000

In: ADA County
T04N R02E S32 Lot 3(NESW) Lot 1(SWSE)

Municipal use is for irrigation of 3 acres greenbelt from an existing well located next to Lander Street and the Boise River. Mitigation is proposed for consumptive use.

MICROFILM

JUN 22 2000

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before MAY 8, 2000. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 4/20/2000 & 4/27/2000

MICROFILMED

JUN 22 2000