


An aerial photograph of a landscape, likely a river valley. A winding river or stream flows through the center of the image. The surrounding areas are a mix of green fields, some of which appear to be divided into smaller plots, and some darker, possibly wooded or marshy areas. The image has a grainy, high-contrast quality, typical of older aerial photography. Two black circular marks are visible at the top edge, possibly from a binder or punch holes.

MICROFILMED
AUG 09 1999

Photo date 6/2/87. CS.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Grundfos	405 30-9
					SN # 9133

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS



1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - op. press. 35-65 psi

MICROFILMED

AUG 23 2000



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

63-12512

MICROFILMED
AUG 23 2000



QUADRANGLE LOCATION

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well was originally drilled
for Victor Asqueta or Asquea.
It is located at 1104 Sage Cr. Rd.

Don Tomich, Water Right Examiner
Signature of Dept. Representative & Title

2-17-00
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MA MICROFILMED

APR 23 2000

Lot 3

P/O

Well

House



P/O

well,

Air tanks,

etc

in

Well

House



MICROFILMED

AUG 23 2000

63-12512

2 of 3

P/O

Well
House

Lines
to
Irrigation,
Stockwater
& House



P/u

House
&
yard

MICROFILMED
AUG 23 2000

63-12512

3 of 3

P/D

Well
House
in back-
ground.

P/u
Yard, left,
and
Pasture,
Right.



P/u, House, left

P/u
Pasture.
Shop in
back-
ground.

Note 5'
sprinkler
in fence
line.



MICROFILMED

AUG 23 2000

63-12512

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12512

Priority: October 29, 1998

Maximum Diversion Rate:

0.14 CFS

Maximum Diversion Volume:

12.4 AF

This is to certify, that DAVID L DYKSTRA

1104 SAGE CREEK RD

NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 29, 1998; and has submitted Proof of Beneficial Use on September 7, 1999. An examination indicates that the works have a diversion capacity of 0.160 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	0.08 CFS	11.7 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.14 CFS	12.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 10, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	10	SENE	2.6		2.6

Total number of acres irrigated: 2.6

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
2. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.

MICROFILMED

NOV 1 1999


State of Idaho
Department of Water Resources**Water Right License**

WATER RIGHT NO. 63-12512

CONDITIONS OF APPROVAL AND REMARKS

3. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
4. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
5. This right when combined with all other rights shall provide no more than 0.08 cfs nor more than 11.7 afa at the field headgate for irrigation of the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28th day of JUNE, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED
JUN 23 2000

SEP 07 1999

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00

Receipt No. 6046482

Receipt By: KL

Date Received: 9/07/99

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12512 Telephone No. 208-466-0454

2. Name(s) of Permit Holder(s): David L. Dykstra

3. Mailing Address: 1104 Sage Creek Road, Nampa, ID 83686

4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. April / yr. 1972

a. Well Driller: Bill Doty #42 Drilling Permit Number: - - -

b. **OPTIONAL:**
Pump Horsepower: 3 H.P. Pressure (psi): 60 PSI Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): one Stockwater (No. and type of stock): 4 range cattle or horses

Irrigation (No. of acres): 2.6 Other: none

6. Total rate of diversion and/or volume for which proof is submitted: 0.14 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No x

Has the measuring device been installed? Yes or No x

Flow Measurement Port: Is a flow measurement port required? Yes or No x

Has the measurement port been installed? Yes or No x


8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: David L. Dykstra Telephone Number: 208-466-0454

Address: 1104 Sage Creek Road, Nampa, ID 83686

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:  Date: 9/2/99
(include your title, if on behalf of company or organization)

MICROFILMED

JAN 28 2000

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12512

Proposed Priority: October 29, 1998 Maximum Diversion Rate: 0.14 CFS

This is to certify, that DAVID H DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.14 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 10, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	10	SWNE 1.0	SENE 1.6		2.6

Total number of acres irrigated: 2.6

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1999.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
4. This right does not authorize the irrigation of land not previously irrigated.
5. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.
6. Stockwater use is for 4 range cattle or horses.
7. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

MICROFILMED

10 14 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12512

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13 th day of July, 1999.


for Karl J. Dreher, Director



MICROFILMED

SEP 14 1999

STATE OF IDAHO

Ident. No. 63-12512

RECEIVED

JUN 10 1999

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

MAY 26 1999

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

1. Name of Applicant David L. Dykstra Phone 208 466-0454
Post Office address 1104 Sage Creek Road Nampa Idaho 83686
2. Source of water supply well ground water which is a tributary of —
3. Location of point of diversion is — 1/4 of SE 1/4 of NE 1/4, Govt. Lot —
Sec. 10 Township 2 North Range 2 West B.M. CANYON County; additional points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount 0.08 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.14 and/or (b) —
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, pipeline to sprinklers.
b. Height of storage dam — feet; active reservoir capacity — acre-feet; total reservoir capacity — acre-feet; period of year when water will be diverted to storage: — to — inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 160 feet.
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? April, '72; Drilling firm Bill Doty #42
Well was drilled for (well owner) Victor Asqueta
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. —
b. Stockwatering; list number and kind of livestock. 4 range cattle or horses
c. Municipal; show name of municipality. —
d. Domestic; show number of households. 1 home.
e. Other; describe fully. —

MICROFILMED

AUG 09 1999

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	10			1	1.6													
		10				D													
		10			S	S													

Total number of acres to be irrigated 2.6

10. Describe any other water rights used for the same purposes as described above. New York

Canal shares - not utilized

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: Well has been in use for above

purposes since 1972.

Applicant agrees to mitigate consumptive use in the future as needed. Development completed by November 1987.



13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X [Signature]
(Applicant)

AUG 8 9 1998

Received by tw Date 10/29/98 Time 2:10 Preliminary check by 6
Fee \$ 50.00 Receipted by tw # W024543 Date 10/29/98
Publication prepared by st Date 4-8-99 Published in Press - Tribune
Publication approved Kb Date 3/11/99 4-15-99



MICROFILMED

196 0 4 1903

Photo date 6/2/87. C3.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 29, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DAVID L DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-12512

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


JUN 30 2000

CERTIFICATE OF MAILING

I hereby certify that on the 29th day of June, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12512

DAVID L DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 23 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

AUG 23 2006

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 06/28/00
Time: 09:12:13

Water Right Number: ~~6~~63-12512

Comment Date: 6/28/2000 User ID: SKEEN

Subject: Licensing Review

Licensing Review and data entry by S. Keen on 6/28/2000.

*Mitigation not required because the ~~new~~ permit was issued
for a pre-existing use.*

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

MICROFILMED

AUG 23 2000

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
P6312512	T02N R02W S10 GROUNDWATER																	
	:					02	:											2
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6304710	GROUNDWATE :				03													3
A6304710	GROUNDWATE :				03													3
6304806	GROUNDWATE :			05														5
A6304806	GROUNDWATE :	01	04															5
R6304806	GROUNDWATE :	01	04															5
6304878	GROUNDWATE :	03																3
6305364	GROUNDWATE :										04	04						8
A6305364	GROUNDWATE :										04	04						8
R6305364	GROUNDWATE :										04	04						8
6307106	GROUNDWATE :							22	34									56
A6307106	GROUNDWATE :							22	34									56
6307149	GROUNDWATE :								05	05								10
A6307149	GROUNDWATE :						03	03	03	01								10
6307717	GROUNDWATE :						10											10
A6307717	GROUNDWATE :						10											10
6308931	GROUNDWATE :													34				34
A6308931	GROUNDWATE :													34				34
R6308931	GROUNDWATE :													34				34
6311346	GROUNDWATE :															05		5
6312512	GROUNDWATE :				01	01												2
A6319860	GROUNDWATE :							28										28
A6320677	GROUNDWATE :	01	23	01	01													26
A6320693	GROUNDWATE :						01											1
A6323692	GROUNDWATE :														09			9
A6323721	GROUNDWATE :				02													2
A6328271	GROUNDWATE :	05																5
A633018120	BOISE RIVE :	I	I	I	I							I	I		I	I	I	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 7 . 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12512

1. Owner: David H Dykstra Phone No. (208) 466-0454

Current Address: 1104 Sage Creek Rd., Nampa, ID 83686

2. Accompanied by: Dave Dykstra EXAM DATE: 2-17-00

Address: Same Phone No. Same

Relationship to Permit Holder: Same

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	10	2N	2W	Canyon	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	10				D 2.6												2.6 AC.	

MICROFILMED

MAR 23 2000

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Grundfos	405 30-9
					SN # 9133

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - op. press. 35-65 psi

MICROFILMED

NOV 23 2000

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for domestic, 1 home, 2.6 Ac. of irrigation of the yard and pasture and stockwater. The well was drilled in 1972 under the owner at the time - Victor Asqueta or Asquea; and never had a water right until this permit.
2. The well house has 2 Air tanks, pressure gauge, pressure switch, PRV, a 2" line for irrigation, a 1" line to the house, and a 2" line to the shop at the North side of the pasture.
3. The yard around the house has a buried sprinkler system. The pasture has 5" sprinkler stands in the fence line, and pop-up sprinkler heads in the center area.
4. David Dykstra did not have a plan of the irrigation system as it was installed by the previous owner.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 23 2002

Additional Computation Sheets Attached

$$Q = \frac{(8.8)(34\text{ ft})(702)}{34' + (35\text{ psi})\left(\frac{34'}{14.7\text{ psi}}\right)} = 0.16 \text{ cfs} > \underline{0.14 \text{ cfs}}$$

1. Volume Calculations for Irrigation:

$$V = \text{Smaller of } V_{LB} \text{ and } V_{DB} = 11.2$$

$$\left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(4 \text{ Head} \right) \left(\frac{365 \text{ Days}}{\text{Ann.}} \right) \left(\frac{\text{AF}}{325,850 \text{ Gal.}} \right) = \underline{0.05 \text{ AFA}}$$

1. Recommended Amounts

$$\underline{\underline{Ac.}} = \left[\left(\frac{1}{2} \right) (380' + 140') \right] \left[\left(\frac{1}{2} \right) (320' + 430') \right] \frac{Ac.}{(66 \times 66 \times 160) ft^2} = 2.24 \text{ pasture} + \frac{1}{2} \text{ Ac. yard} = 2.74 \text{ Ac.}$$

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/01	11/15	0.08	11.70
Stockwater	01/01	12/31	0.02	0.05
Domestic	01/01	12/31	0.04	0.60
		Totals:	0.14	12.35

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None 1) New irrigation
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other Season



Field Examiner's Name Don Zornick Date 2-28-00

Reviewer	Date
----------	------

SEAL

MICROFILMED

000000



CONTOUR INTERVAL 10 FEET
 DOTTED LINES REPRESENT 5-FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL

MICROFILMED
 AUG 23 2006



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
 A COPIER ESTABLISHED THE GRAPHIC MAP AND SYMBOLS IN ALL EDITIONS

63-12512

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

(Victor Asqueta) original owner

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-12512
2. OWNER: David H Dykstra Phone: (208) 466-0454
Address: 1104 Sage Creek Rd., Nampa, ID 83686
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 10, SE 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Bill Doty Well Drilling & Dev. Lic. No. 42
When Drilled? 4-12-72 to 4-21-72
5. WELL CONSTRUCTION:
- Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 45.5 ft. Method Drilled Cable Tool
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water 34 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|--|---|---|
| ☒ Domestic | ☒ Irrigation | ☒ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

*This well was originally drilled
for Victor Asqueta or Asquea.
It is located at 1104 Sase Cr. Rd.*

Don Tomich, Water Right Examiner
Signature of Dept. Representative & Title

2-17-00
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



Lot 3

P/O

Well

House



P/O

Well,


Air tanks,

etc

in

Well

House



63-17517

2 of 3

P/O

Well
House

Lines
to
Irrigation,
Stockwater
& House



P/u

House
&
yard



MICROFILMED
APR 23 2006

63-12512

3 of 3

P/D

Well
House
in back-
ground.

P/u
yard, left,
and
Pasture,
Right.



P/u, House, left

P/u

Pasture.
Shop in
back-
ground.

Note 5'
sprinkler
in fence
line.



MIRCO
63-12512

63-12512



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 13, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DAVID L DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12512

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Kari Lynn Townsend
Secretary

c: IDWR - Regional Office

MICROFILMED

JAN 28 2000

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-12512 Reviewed by JZL Date 1-13-00

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

D, S & I - 2.60c
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

OK - ack proof

DATA ENTRY

New Address Proof Made 9-07-99

August 31, 1999

DAVID H DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-12512

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1999. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

MICROFILMED

JULIE L. YARBROUGH
Senior Secretary

Enclosures



Real Estate Unlimited, Inc.

Office (208) 466-0454



MICROFILMED

DAVID L. DYKSTRA
Broker

223 Holly
Nampa, Idaho 83686



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 14, 1999

DAVID H DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12512

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.


Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

MICROFILMED

JUL 23 1999

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


AUG 09 1999

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of July, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12512

DAVID H DYKSTRA
1104 SAGE CREEK RD
NAMPA ID 83686


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 09 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

2008 09 10

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

AUG 8 9 1999

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
P6312512	T02N R02W S10 GROUNDWATER																		
	:				01		01												2
6302388	BOISE RIVE :																		
A6302388	BOISE RIVE :																		
6304710	GROUNDWATE :				03														3
A6304710	GROUNDWATE :				03														3
6304806	GROUNDWATE :			05															5
A6304806	GROUNDWATE :	01		04															5
R6304806	GROUNDWATE :	01		04															5
6304878	GROUNDWATE :	03																	3
6305364	GROUNDWATE :									04		04							8
6307106	GROUNDWATE :							22		34									56
A6307106	GROUNDWATE :							22		34									56
6307149	GROUNDWATE :									05		05							10
A6307149	GROUNDWATE :							03		03		03		01					10
6307717	GROUNDWATE :							10											10
A6307717	GROUNDWATE :							10											10
6308931	GROUNDWATE :													34					34
A6308931	GROUNDWATE :													34					34
R6308931	GROUNDWATE :													34					34
6311346	GROUNDWATE :															05			5
~~6312512~~	~~GROUNDWATE :~~				~~01~~		~~01~~												~~2~~
A6319860	GROUNDWATE :							28											28
A6320677	GROUNDWATE :	01		23		01		01											26
A6320693	GROUNDWATE :							01											1
A6323692	GROUNDWATE :															09			9
A6323721	GROUNDWATE :				02														2
A6328271	GROUNDWATE :	05																	5
A6330181Z0	BOISE RIVE :	I		I		(I)		(I)						I		I		I	I
--86 MAP--	C27Q-X 56 :	39		39		38		37		39		42		39		38		40	
																			620

→ Nampa Meridian on G. Dist. - not Utilized per appl.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy LonNo.: 63-12512 Name: Dijkstra Date: 7/12/99 Ad OK? ☒ Gvmt Lts: ☒AREA OF CONCERN: - No/Yes: WRD Mor / GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDC3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES No: WVQ RESPONSE: _____

- IN ABOVE MSF (✓ MAP) - *WB9
- IN-STREAM DEVELOPMENT - P62 (stream channel alteration)
- WD (✓ MAP & LISTING) - R04 (WD # _____)
- > 0.20 cfs - 01J-P08 (MD & LD)
- others - 01H-P01 (LD), 01P or No MD (in-stream stock)
- WMD (✓ MAP) - 067 or No MD (in-stream stock or power)
- > 0.24 cfs/5 acres - No MD
- ≤ 0.24 cfs/5 acres - No MD
- SPRINGS/SINK, INACTIVE WD & REST OF STATE
- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22-P04, NA
- (02/03-irr) - 007 (w/ remark: *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 066, 067

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLMUSFS); NA
- MINING - 054(req)-081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WVQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18
- MUNICIPAL
- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102
- DOMESTIC
- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070
- FIRE PROTECTION - 077

LOCATION:

- ~~BOISE FRONT LOGS~~ - ~~055~~ (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -
- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 074 050
 - 0WAS 02W02/4RCm.H
 - 10 11 1999

RECEIVED
Form No. 202a

9/98
JUN 10 1999

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

MAY 26 1999

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

INITIAL REVIEW BY: g DATE: 4/2/99 APPLICATION: 63-12512

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

☒ P/D
☒ P/U

to do ADVERTISE REMARK(S)
(Reviewer identify which remarks)

ADDITIONAL INFORMATION

to do T FLAG CHANGED TO P FLAG

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☒ ☐ 1992 moratorium: pre-1987
- ☐ ☒ Surface water source, IDFG letter needed.
- ☐ ☒ Bull trout impact area, IDFG letter needed
- ☐ ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ ☐ Mitigation plan: Check any that apply.
- ☐ ☐ immediate = acceptable plan required and submitted.
- ☒ ☐ future = open areas, acceptance of condition of approval is in file.
- ☐ ☒ Send power requirement letter &/or fish farm requirement letter.
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

pre-1987 proof

Date Requested 1/11/99 Date Response Received 4/1/99

PROCESSING

APP. NO.

63-12512

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:

☐ ☐ Final date for protest 5-3-99

☐ ☒ Protests received.

☐ ☒ Recommendations attached:

☐ ☒ Measuring device required:

☐ ☒ Water delivered by water master? District # _____

☒ ☐ Special conditions of approval or cover letter: No additional development
authorized, future Mitigation, stred conditions

070, 068, 103

See below for additonal information

Recommended Date or Priority 10/29/98

Recommended by: 6

Date: 5/20/99

ADDITIONAL INFORMATION:

P/U overlaps - 63-02388 diff source

- 04710 diff acres, well + user

- 05042 dam use, diff well +
user

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12512

✓

DYKSTRA, DAVID H
1104 SAGE CREEK RD
Nampa, ID 83686

Source: GROUNDWATER

Diversion Pt: SENE Sec 10 T 02N R 02W in CANYON County.

Use:	IRRIGATION	{ 0.080 CFS}
	DOMESTIC	{ 0.040 CFS}
	STOCKWATER	{ 0.020 CFS}
	Total Diversion:	{ 0.140 CFS}

Date Filed: 10/29/1998

In: CANYON County

T02N R02W S10 SWNE SENE
2.6 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed. Development completed by November, 1987.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before MAY 3, 1999. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

April 15, 22, 1999

8719

RECEIVED

JUN 07 1999

WATER RESOURCES
WESTERN REGION

MICROFILMED

AUG 09 1999

AFFIDAVIT OF PUBLICATION

RECEIVED

JUN 07 1999

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO)
County of Canyon) SS.

Carolyn Roberson

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
April 15, and 22, 1999

Carolyn Roberson

STATE OF IDAHO)
COUNTY OF CANYON)

On this 22nd day of April
in the year of 1999, before me, a Notary
Public, personally appeared Carolyn Roberson,
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he/she
executed the same.

MICROFILMED

AUG 09 1999

Janet Lusk
Notary Public for Idaho
Residing at Nampa

BY COMMISSION EXPIRES
JUNE 21ST, 2003

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant

David L. Dykstra

Mailing Address

1104 Sage Creek Road
Nampa, Idaho 83686

Application No.
(if known)

____ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

____ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

☒ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

David L. Dykstra

Date

10-29-78

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED

AUG 09 1998

State of Idaho
Department of Water Administration

Bellevue
6-20-72

1. WELL OWNER

7. WATER LEVEL

Static water level 34 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F. Quality _____
Artesian/closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☒ Other

Discharge G.P.M.	Draw Down	Hours Pumped
100		2

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 150 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness Diameter From To
.250 inches 8 inches 1.5 feet 45.5 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☒ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth _____ feet

Material used in seal ☐ Cement grout ☒ Budding clay

LOCATION OF WELL

Sketch map location must agree with written location.

11. DRILLER'S CERTIFICATION

This well-developed binder is supervised by this person. It is turned to the next binder every 15 minutes.

P. O. Box 712
Marsing, ID 83639
208-459-2314

TO: Dave Dykstra
1104 Sage Creek Road
Nampa, ID


As per our telephone conversation, I am writing you to confirm that I did do work for Vic Asqueta at 1104 Sage Creek Road, Nampa.

In 1972, I put in the sprinkler system for the lawn around the house, approximately 1 acre.

In 1974, I put in the sprinkler system for the pasture, also about 1 acre.

Both systems are supplied by the well.

At the end of each irrigation season ever since, I have been back out to blow out the system for the winter.


Tom Meiniger

3-28-99

MICROFILMED

AUG 09 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

APRIL 8, 1999

Legal Notices Department
Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 3, 1999.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED

APR 8 9 1999



NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 19 1993

63-12512

DYKSTRA, DAVID H
1104 SAGE CREEK RD
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SENE Sec 10 T 02N R 02W in CANYON County.

Use: IRRIGATION	(	0.080 CFS)
DOMESTIC	(	0.040 CFS)
STOCKWATER	(	0.020 CFS)
Total Diversion:	(	0.140 CFS)

Date Filed: 10/29/1998

In: CANYON County
T02N R02W S10 SWNE SENE

2.6 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed. Development completed by November, 1987.

MICROFILMED

AUG 09 1998

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before MAY 3, 1999. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 4/15/1999 & 4/22/1999

MICROFILMED

AUG 15 1999