





UNPLATTED / KIRTLEY SUBDIVISION

INITIAL PUNCH
END 2' ALUMINUM CAP.
SET IN CONCRETE





MICROFILMED
JUN 09 1999





MICROFILMED
JUN 9 1999


COPY OF

TOWNSHIP N° 4 NORTH, RANGE N° 1 WEST

MICROFILMED
JUN 09 1999







T 04N
R 01W
Sec. 6
NWNW
Lot 4

63-12511

MICROFILM
JAN 31 2001

6" gated pipe



Control
Valves



Waste Water
ditch

To collection Point / Point of diversion
Buried 6" mainline

MICROFILMED
JAN 31 2001

Collection Point / Point of Diversion




Place of Use

MICROFILMED

JAN 31 2001

63-12511




2.5 ft = 1 pace

63-12511

MICROFILMED

JAN 31 2001




$$237.5' \times 212.5' = 50,469' \approx 1.15 \text{ acres}$$

The area irrigate is approximately 1 acre
when the parts that are not irrigated
are taken into consideration.

MICROFILMED
JAN 31 2001

63-12511

INITIAL FINISH
END 2' ALUMINUM CAP.
NOT IN CONCRETE




TOWNSHIP N° 4 NORTH, RANGE N° 1 WEST COPY OF


T4N
R 1 W
Sec 6
NW NW
Lot 4

MICROFILMED
JAN 31 2001

63-12511



15 km E of Caldwell, Idaho, United States 24 May 1992



0 100m 200m

0 100m 200m

<http://terraserwer.microsoft.com/image.asp?S=11&T=1&X=1350&Y=12101&Z=11&W=2>

MICROFILMED

JAN 31 2001

63-12511

6/19/00

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12511

Priority: August 10, 1998

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 4.5 AF

It is hereby certified that TERRY M SCHREINER
12490 W NEW HOPE RD
STAR ID 83669 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated August 10, 1998; and has
submitted Proof of Beneficial Use on June 10, 1999. An examination indicates that the works have a
diversion capacity of 0.03 cfs of water from:

SOURCE
WASTEWATER

tributary to SINKS

and a water right has been established as follows:

BENEFICIAL USE
IRRIGATION

PERIOD OF USE
03/01 to 11/15

DIVERSION RATE
0.03 CFS

ANNUAL
DIVERSION VOLUME
4.5 AF

LOCATION OF POINT(S) OF DIVERSION:

WASTEWATER L4 NW 1/4 NW 1/4 Sec. 6, Twp 04N, Rge 01W, B.M., ADA County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01W	6																	1.0

Total Acres: 1

CONDITIONS OF APPROVAL

1. Point of diversion and place of use are located within Lot 6, Blk. 1, Kinley Subdivision.
2. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.

MICROFILMED


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12511

4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 26TH day of JANUARY, 2001

Acting for  KARL J. DREHER, Director

MICROFILMED

JAN 31 2001

RECEIVED

JUN 10 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12511 Telephone No. 208-286-9516

2. Name(s) of Permit Holder(s): TERRY M. SCHREINER

3. Mailing Address: 12490 W. NEW HOPE RD STAR, 83669

4. Source of Water: WASTE WATER If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: N/A Drilling Permit Number: ____ - ____ - ____ - ____

b. OPTIONAL:
Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): ____ Stockwater (No. and type of stock): ____

Irrigation (No. of acres): 1 Other: ____

6. Total rate of diversion and/or volume for which proof is submitted: .03 cfs OR ____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ____ or No <u>✓</u>
	Has the measuring device been installed?	Yes ____ or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes ____ or No <u>✓</u>
	Has the measurement port been installed?	Yes ____ or No <u>✓</u>

8. Fee Enclosed: \$ ____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: TERRY M. SCHREINER Telephone Number: 286-9516

Address: 12490 W. NEW HOPE RD STAR ID. 83669

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Terry M. Schreiner Date: 6-9-99
(include your title, if on behalf of company or organization)

MICROFILMED

JUN 28 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12511

Proposed Priority: August 10, 1998

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **TERRY M SCHREINER**
12490 W NEW HOPE RD
STAR ID 83669

has applied for a permit to appropriate water from:
WASTE WATER tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (NWNW), Sec. 6, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	6	Lot 4 (NWNW)	1.0		1.0

Total number of acres irrigated: 1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 2000**.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
6. The issuance of this right does not grant any right-of-way or easement across the land of another.
7. Point of diversion and place of use are located within Lot 5, Blk. 1, Kirtley Subdivision.

MICROFILMED

JUN 8 1998


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12511

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of May, 1999.


Karl J. Dreher, Director
for



MICROFILMED

JUN 18 1995

RECEIVED

AUG 10 1998

FORM 202

1/96

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 63-12511

RECEIVED

APR 30 1999

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant TERRY M. SCHREINER Phone 286-9516
Post Office address 12490 W. NEW HOPE RD. STAR, ID. 83669
2. Source of water supply WASTE WATER which is a tributary of SINKS
3. Location of point of diversion is NW 1/4 of NW 1/4 of 1/4, Govt. Lot 4
Sec. 6 Township 4N Range 1W B.M. ADA County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 for IRRIGATION purposes from MARCH 15 to NOV. 15 * (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 6" P.V.C. PIPELINE & 6" GATED PIPE
- b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? _____
- e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

* Changed SEASON OF USE PER IDWR STANDARDS

DAN

3-19-99

9. Description of place of use:

✓ a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	6					*	1*											1
								174											

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? JOHN SCHRAM

b. Who owns the land to be irrigated or place of use? TERRY M. SCHREINER

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: VERBAL AT THIS TIME-- WILL BE WRITTEN AGREEMENT.

12. Remarks: Processing will be delayed pending reduction of banks due to Boise River Basin maintenance. *

APPLICANT agrees to mitigate consumptive use in the future as needed. DAN 3-19-99

13. MAP OF PROPOSED PROJECT ATTACHED _____ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Terry M. Schreiner
(Applicant)


Received by KG Date 8/10/98 Time 12:00 Preliminary check by DAN
Fee \$ 3000 Received by KG # 10024253 Date 8/10/98
Publication prepared by MT Date 3-25-99 Published in Idaho Statesman
Publication approved M Date 4-26-99 4-1-98-99

* CORRECTED PLACE OF USE PERMAPS THAT WERE PROVIDED.
ALSO REMOVED PROCESSING DELAY COMMENT PLEASE SEE
ATTACHED MEMO

UNPLATTED / KIRTLEY SUBDIVISION



INITIAL PITCH
END 2' ALUMINUM CAP.
SET IN CONCRETE





FARMERS UNION CANAL


40 ACS. OWNED BY
JOHN SCHRAM.



PROPOSED AREA TO BE
IRR. FOR PASTURE.
(APPROX. 1 ACRE)

MICROFILMED
JUN 13 1965

NEW HOPE RD.



COPY OF

TOWNSHIP N° 4 NORTH, RANGE N° 1 WEST

78.20				N. 89° 38' W.								
4	3	2	1	4	3	2	1	4	3	2	1	4
40.00	40.90	41.35	41.80	41.80	41.80	41.80	41.80	41.85	41.90	41.95	42.00	42.00
5	40	80	80.90	80	80	80.90	80	80	80	80	81.00	80
37.11	Sec. 6			Sec. 5			Sec. 4			81.00		
6	36.54	80	S. 0° 33' W.	80.00	S. 0° 18' W.	80.90	80.00	S. 0° 05' W.	80.00	80.00	80.00	80.00
7	35.97	80										
1	35.78	80										
2	36.17	Sec. 7		Sec. 8		Sec. 9		NORTH		NORTH		NORTH
3	36.55	80	NORTH		NORTH		NORTH		NORTH		NORTH	
4												

MICROFILMED
JUN 0 9 1966

MEMORANDUM

TO: APPLICATION FOR PERMIT FILE FOR TERRY SCHREINER
FROM: DANIEL A. NELSON - WATER RIGHT AGENT
DATE: 3/19/1999
SUBJECT: WASTE WATER DIVERSION

According to the owner (Terry Schreiner) it seems as though the water for this application comes from the waste water from his neighbor's (John Schram) field. Mr. Schreiner stated that the ground where his house is located used to be dry ground prior to being subdivided. Since this ground was dry Mr. Schram allowed his excess waste water to flow onto this ground and sink into the ground. After the property was subdivided, Mr. Schram could no longer continue this practice without flooding Mr. Schreiner's and his next door neighbor's basements.

Mr. Scheiner proposed to solve this problem by using this waste water to irrigate 1 acre of the original dry ground and relieve the potential flooding problem of this waste water.

This waste water would normally sink into the ground and is northwest of the Star Bridge on the Boise River. It does not appear that anyone else uses this waste water for irrigation or any other purpose. These factors included with the prevention of possible flooding from this waste water puts forth a strong case for the approval of this permit.

MICROFILMED
APR 8 1999

Comments: Date: 3/19/1999 User-ID: DNELSON

Subject: ADDITIONAL INFORMATION

Drainage District #2 water rights overlap place of use, however these rights do not seem significant to this application. Owner states that the water for this application comes from waste water from a neighbors irrigated field and then sinks into the ground. Point of diversion is northwest of Star Bridge and may be available for appropriation.

MICROFILMED
JUN 03 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

January 30, 2001

TERRY M SCHREINER
12490 W NEW HOPE RD
STAR ID 83669

RE: License No. 63-12511- Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JAN 31 2001

CERTIFICATE OF MAILING

I hereby certify that on January 30, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12511

**TERRY M SCHREINER
12490 W NEW HOPE RD
STAR ID 83669**


**Kari Lynn Townsend
Secretary**

**MICROFILMED
JAN 31 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

JAN 21 1981

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JAN 31 2001

LICENSE REVIEW CHECKLIST

Permit No. 03-12511

Date: 1-13-2001

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): none

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.03 cfs

Fee Limit 0.20 cfs

Measured _____ cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.03

Water Uses OK

Change (P46)

Season of Use per new Standards

3/1 - 11/15

Irrigation 0.03 cfs 4.5 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 0.03 cfs 4.5 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

>1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.03 cfs x 1.9835 x 260 days = 15.5 af (vs)

1 acres x

4.5 (FHR)

= 4.5 af

3.5 (con)

Remarks: R69, B04

Additional Conditions

YES Watermaster Control

YES GW Measurement/Measuring Device

Other

Trust (052/R55 - remove 051)

Non-trust (048/049)

GW Dist? NO

Water Msmt. Dist? NO

Crit. GWMA? NO

GWMA? NO

Government Lots? YES

see attached to exam

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? N/A

Adjust memo _____

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

Idaho Department of Water Resources

Place of Use 1/4 1/4 Comparison Report

T04N R01W S6			NE				NW				SW				SE				Total
Type	WR-Number	Source	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Rec	63-16141	GROUND WATER													X				0
Right	63-18908	GROUND WATER				X													0
Rec	63-20271	GROUND WATER			X														0
Rec	63-21631	GROUND WATER				X													0
Rec	63-22464	GROUND WATER	X																0
Permit	63-12511	WASTEWATER						1											1
Right	63-12121	WASTEWATER				3													3
Permit	47-8389A	GROUND WATER													10				10
Right	63-2406	WASTEWATER									35					28			63
Permit	63-11907	GROUND WATER													35	35			70
Right	63-2406	WASTEWATER	41	40	38		39	38	36	38					39	41			350
Rec	63-15639	GROUND WATER									X								0
Rec	63-16142	GROUND WATER															X		0
Right	63-19537	GROUND WATER															X		0
Rec	63-20272	GROUND WATER			X														0
Rec	63-20916	GROUND WATER				X													0
Rec	63-22463	GROUND WATER	X																0
Rec	63-22464	GROUND WATER	X																0
Rec	63-22547	GROUND WATER													X				0
Rec	63-22548	GROUND WATER														X			0
Right	63-11606	WASTEWATER				2													2
Permit	63-11907	GROUND WATER													10				10
Right	63-2406	WASTEWATER									34								34
Permit	47-8389A	GROUND WATER														35	35		70
Right	63-2406	WASTEWATER				39					39					39	39		156

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
6312511	T04N R01W S 6 WASTE WATER																	1
A6300120G	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300123C	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300124N	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300124Q	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300125G	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300125J	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300126E	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300126F	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300161X	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300164E	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300165M	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300168B	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300168D	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300173	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300198AC	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300198AG	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300248	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300254	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300255	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
A6300297	BOISE RIVE	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6300370	BOISE RIVE	:		38	38	:		30	26	:	39	39	38	38	:	39	38	439
6302406	WASTE WATE	:	41	40	38	39	:	39	38	36	38	:	39	35	34	39	:	603
A6302406	WASTE WATE	:	41	40	38	39	:	39	38	36	38	:	39	35	34	39	:	603
6311606	WASTE WATE	:				:		03-02	:					:				2
6311907	GROUNDWATE	:				:			:					:		10	35	80
M6311907	GROUNDWATE	:				:			:					:		10	35	80
6312121	WASTE WATE	:			03	:			:					:				3
6312194	GROUNDWATE	:				:		03-10	:					:				10
A6321502	WASTEWATER	:		38	38	:		30	26	:	39	35	34	38	:	39	38	421
A6321729	UNNAMED DR	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235
A6321730	UNNAMED DR	: 01-40	02-40	35	20	: 03-40	04-38	05-08	14	:				:				235

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

 Aerial Photo Attached (required for irrigation of 10+ acres).

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

2. Measurements:

No measurement was taken because the flow varies based on the amount of runoff from the pasture located above the property. The system is capable of carrying a flow of 0.03 cfs based on the capacity of a 6-inch pipe.

E. NARRATIVE/REMARKS/COMMENTS

The place of use and the point of diversion are located in the NWNW (Lot 4) of Section 06, in Township 04N, R 01W. The place of use is also known as Lot 5 of Block 1 of the Kirtley Subdivision. The water is collected on John Schram's property located North and adjacent to Terry Scheiner's property. It is collected by means of a series of perforated pipe buried in gravel at the bottom of the pasture owned by Mr. Schram. The water that is collected is then conveyed through a buried 6-inch pipe along the East property line to a 6-inch gated pipe that runs the length of the place of use from East to West.

The waste water is the only water used to irrigate the place of use. The lawn will be irrigated using groundwater from a domestic well for the house.

I paced off the area that is irrigated and estimated that it is approximately 1.0 acre.

The 6-inch pipe used in the system is capable of carrying a flow of 0.03 cfs.
All the conditions of approval have been met by the applicant.

MICROFILMED

JAN 4 1981

Have the conditions of permit been met? X YES NO

F. FLOW CALCULATIONS

Measurement Method: None.

____ Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0 \text{ acre} \times 4.5 = 4.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 \text{ cfs} \times 260 \text{ days} \times 1.9835 = 15.5 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts:

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (AFA)
	From	To		
Irrigation	03/01	11/15	0.03 cfs	4.5 AFA
Totals:			0.03 cfs	4.5 AFA

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above X None

____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATION

Richard D. Hansen – Field Examiner


Field Examiner's Name Richard D. Hansen Date: 6-20-2000

Reviewer _____ Date: _____

seal

MICROFILMED

JUN 21 1999



T 04N
R 01W
Sec. 6
NWNW
Lot 4

63-12511

MICROFILM

6" gated pipe



Control
valves




Waste water
ditch

To collection Point / Point of diversion
Buried 6" mainline

MICROFILMED

JAN 8 1987

Collection Point / Point of Diversion



Place of Use

MICROFILMED

JAN 5 1986


FIELD REPORT NOTES

63-12511

MICROFILMED

JAN 31 1980

63-12511




2.5 ft = 1 pace

63-12511

MICROFILMED

1981 3 1 2001



These parts are not irrigated.

$$237.5' \times 212.5' = 50,469' = 1.15 \text{ acres}$$

The area irrigate is approximately 1 acre
when the parts that are not irrigated
are taken into consideration.

63-12511

MICROFILMED
JAN 3 1 2001

Only the waste water run off is used to irrigate the field.

Lawn will be irrigated ~~under~~ by the domestic well.

All conditions of approval were met.

Water is collected on John Schaus property and the ~~for~~ run off goes through the 6" main line to the 6" gated pipeline

Water is collected by means of perforated pipe laid beneath gravel at bottom of drainage of pasture belonging to John Schram.

No other water is used.


63-12511

MICROFILMED

APR 3 1 2001

UNPLATTED / KIRTLEY SUBDIVISION

INITIAL PUNCH
END 2" ALUMINUM CAP.
NOT IN CONCRETE




COPY OF TOWNSHIP N° 4 NORTH, RANGE N° 1 WEST

T 4 N
R 1 W
Sec 6
NW NW
Lot 4

MICROFILMED
SEP 1 1964

63-12511


78.20				N. 89° 38' W.			
4	3	2	1	4	3	2	1
40.00	40.90	41.35	41.80	41.80	41.90	41.95	42.00
5	40	80	80	80	80	80	80
37.11	Sec. 6			Sec. 5			Sec. 4
6	38.54	80	80	80	80	80	80
7	33.97	80	80	80	80	80	80
5.89° 46' E.	77.70	80	80	80	80	80	80
17.70	35.78	80	80	80	80	80	80
36.17	Sec. 7			Sec. 8			Sec. 9
3	36.55	80	80	80	80	80	80
4	36.55	80	80	80	80	80	80
NORTH				NORTH			
S. 0° 33' W.				S. 0° 18' W.			
N. 99° 42' W.				N. 89° 51' W.			
S. 0° 05' W.				S. 0° 05' W.			
N. 89° 38' W.				N. 89° 38' W.			



15 km E of Caldwell, Idaho, United States 24 May 1992

Zoom 2m 





0 1000m

0 1000ft 200yd

MICROFILMED

JUN 11 1992

63-12511



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

January 4, 2000

TERRY M. SCHREINER
12490 W. NEW HOPE RD
STAR, ID 83669

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12511

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JAN 28 2000

Permit No. 63-12511 Reviewed by VJS Date 01-04-00

for - loc

Correct Uses? yes

Correct?

No Required?
 _____ Installed?
 _____ Waiver requested?

OK - acknowledge proof

Proof Made 8-11-99



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

August 5, 1999

RECEIVED

AUG 10 1999

Department of Water Resources

Terry M Schreiner
12490 W New Hope Rd
Star ID 83669

RE: Permit No. 63-12511

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use statement you submitted in connection with the above referenced water right permit. Before the department can accept the proof, it must be accompanied by the appropriate license examination fee. The license examination fee for a rate of diversion of 0.03 from a **surface water source** is \$50.00. I have enclosed a copy of the license examination fee schedule for your reference.

Please return the copy of the proof statement along with the \$50.00 license examination fee within **60 days** of receipt of this letter. **Please address your correspondence to my attention.**

If you have any questions regarding this matter, please contact me directly at (208)327-7953 and I will be happy to assist you.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR- Region

MICROFILMED

AUG 23 2000

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: C046283

Date: 8/11/1999
Time: 11:10:37

Received
From: SCHREINER, TERRY/ CAROLYN

Type of Payment	Program Acct	Amount
PROOF OF BENEFICIAL USE # 63-12511	56104 229 21 1155	50.00

CHECK 1506

Total \$ 50.00

Region: STATE

Signature: Kate Lyde

MICROFILMED
JAN 28 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

August 5, 1999

Terry M Schreiner
12490 W New Hope Rd
Star ID 83669

RE: Permit No. 63-12511

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use statement you submitted in connection with the above referenced water right permit. Before the department can accept the proof, it must be accompanied by the appropriate license examination fee. The license examination fee for a rate of diversion of 0.03 from a **surface water source** is \$50.00. I have enclosed a copy of the license examination fee schedule for your reference.

Please return the copy of the proof statement along with the \$50.00 license examination fee within **60 days** of receipt of this letter. **Please address your correspondence to my attention.**

If you have any questions regarding this matter, please contact me directly at (208)327-7953 and I will be happy to assist you.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR- Region

MICROFILMED

AUG 26 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 6, 1999

DIRK KEMPTHORNE
GOVERNOR

TERRY M SCHREINER
12490 W NEW HOPE RD
STAR ID 83669

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12511

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures

MICROFILMED


JUN 09 1999

CERTIFICATE OF MAILING

I hereby certify that on the 6th day of May, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12511

TERRY M SCHREINER
12490 W NEW HOPE RD
STAR ID 83669


Kari Lynn Townsend
Secretary

MICROFILMED

JUN 09 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

JUN 09 1995

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 09 1999

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy StenNo.: 63-12511 Name: Schreiner Date: 5/3/99 Ad OK? ☒ / Gvmt Lts: ☒AREA OF CONCERN: - No/Yes: BRD Mor / GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED: - YES / NO; WHEN: 3/31/99 RESPONSE: None

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - P04 (WD # 63)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22-P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS: ① W59 ② W60/LTS KirtleyBENEFICIAL USE DUE: 5/1/2000

COMMENTS:

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

APR 30 1999

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: DAN DATE: 12-15-98 APPLICATION: 63-12511

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:
yes P/D
yes P/U

ADDITIONAL INFORMATION

yes ADVERTISE REMARK(S)

(Reviewer identify which remarks)

RECEIVED

APR 30 1999

 T FLAG CHANGED TO P FLAG ^{Department of Water Resources}

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium: THIS IS FOR WASTE WATER BELOW STAR BRIDGE
PLEASE SEE MEMO 3-19-99
- ☒ Surface water source, IDFG letter needed.
- Bull trout impact area, IDFG letter needed
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- immediate = acceptable plan required and submitted.
- ☒ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested Date Response Received

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☒ ☐ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☒ ☐ Water Dist. # 63
☒ ☐ Other Drainage District #2
C/O ELBERT E. GASS
1655 Fairview Ave. #204
Boise, ID
83702

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☐ Final date for protest 4-19-99
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☒ ☐ Water delivered by water master? District #
☐ ☐ Special conditions of approval or cover letter: 120

See below for additional information

Recommended Date or Priority 8/10/98Recommended by: DayS Date: 4/28/99

ADDITIONAL INFORMATION:

THERE ARE OVERLAPPING WATER RIGHTS FOR THE
PLACE OF USE, HOWEVER THEY DO NOT SEEM
SIGNIFICANT.

01-99

State of Idaho
Department of Water Resources

RECOMMENDATION OF WATERMASTER

Application No: 63-12511Applicant's Name: Terry Schreiner

Watermaster's Recommendation:

- a) ☒ I do not oppose approval of this application.
- b) ☐ I do not oppose approval of this application if it is conditioned as follows: _____
- c) ☐ I oppose approval of this application for the following reasons: _____
- d) Additional Comment : _____

Dated this 22 day of April, 1999.Water District No: 63Lee Lin
Watermaster's Signature

Use reverse side of page if you need more space.

MICROFILMED

JUN 09 1999

✓st

RECEIVED

APR 15 1999

WATER RESOURCES
WESTERN REGION

**LEGAL NOTICE
APPLICATION FOR WATER RIGHT**

The following Application(s) have been filed to appropriate the public waters of the State of Idaho.

63-12479

JOHNS, LESTER
JOHNS, BARBARA
3745 E VICTORY RD
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversion Pt: NENW Sec 28 T 03N R 01E in ADA County.
Use: IRRIGATION { 0.080 CFS)
Total Diversion: { 0.080 CFS)
Date Filed: 11/25/1998
In: ADA County
T03N R01E S28 NENW
4.0 ACRES TOTAL
Development completed by November 1987

63-12511

SCHREINER, TERRY M
12490 W NEW HOPE RD
STAR, ID 83669

Source: WASTE WATER Tributary: SINKS
Diversion Pt: LOT 4 (NWNW) Sec 6 T 04N R 01W in ADA County.
Use: IRRIGATION { 0.030 CFS)
Total Diversion: { 0.030 CFS)
Date Filed: 8/10/1998
In: ADA County
T04N R01W S06 Lot 4(NWNW)
1.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, West Region, 2735 Airport Way, Boise, Id 83705 together with a protest fee of \$25.00 on or before APRIL 19, 1999. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Pub. Apr. 1, 8, 1999

3677

MICROFILMED

JUN 04 1999

The Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

LEGAL ADVERTISING INVOICE

Amount Due

\$132.00

Account Number/Trans. #		Identification	
047628 11950		APPLICATION FOR WATER RIGHT	
Ordered By	P.O. Number	Rate	Run Dates
SUE TAYLOR		NT	APRIL 1, 8, 1999
STATE OF IDAHO DEPT. OF WATER RESOURCES WESTERN REG. 2735 AIRPORT WAY BOISE, IDAHO 83705 - 5082		Estimated Inches 43 LINES	Real Inches
		# Affidavits 1	Legal Number 3677

RECEIVED

APR 15 1999

WATER RESOURCES
WESTERN REGION

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly

☐ single

☐ consecutive daily

☐ odd skip

insertion(s) beginning with the issue of

APRIL 1, 1999

and ending with the issue of

APRIL 8, 1999


Janice Hildreth

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 8TH day of APRIL in the year of 1999, before me, a Notary Public, personally appeared JANICE HILDRETH known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



Ancella M. Newland
Notary Public for Idaho

Residing at: Boise, Idaho

My commission expires: 2/12/05

MICROFILMED

APR 15 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 31, 1999

SCOTT GRUNDER
STATE OF IDAHO
DEPT OF FISH & GAME
3101 S POWERLINE RD
NAMPA ID 83686

Re: Applications for Permit Nos. 67-08026 in the Name of Helen &/or Frank Jones; 65-13833 in the Name of Kenneth &/or Marilyn Leavitt; 67-08024 in the Name of Christopher Thompson; 63-12511 in the Name of Terry M. Schreiner; and Application for Amendment of Permit No. 63-07996 in the Name of Hobie Alter, Sr.

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by April 19, 1999.

If you have any questions regarding the applications, please contact this office.

Sincerely,

Gary Spackman

GS:st

Encl.

MICROFILMED
JUN 03 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

March 31, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

LEE SISCO
WATER DISTRICT 63
6616 OVERLAND RD
BOISE ID 83709

Re: Application for Permit No. 63-12511 in the Name of Terry M. Schreiner

Dear Sir:

Enclosed is a copy of the above-referenced application for water right within your district. Also, enclosed is a form for your recommendation concerning this application.

Please review the application and submit any comments you may have within two weeks. If you have any questions or need information, feel free to contact this office.

Sincerely,

A handwritten signature in cursive script that reads 'Gary Spackman'.

Gary Spackman

GS:st

Encl.

MICROFILMED

JUN 05 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

March 31, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DRAINAGE DISTRICT #2
RINGERT CLARK CHARTERED
PO BOX 2773
BOISE ID 83701-2773

Re: Application for Permit No. 63-12511 in the Name of Terry M. Schreiner

Dear Sir:

Enclosed is an copy of the above-referenced application for water right which may be of interest to you.

Please review the application and return any comments you might have.

A protest must be received with a \$25.00 protest fee on or before April 19, 1999. If you do not wish to protest, informal comments should still be submitted by the end of the protest period.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

Gary Spackman

GS:st

Encl.

MICROFILMED

JUN 09 1999

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant

TERRY M. SCHREINER

Mailing Address

12490 W. NEW HOPE RD.

STAR, ID. 83669

Application No.
(if known)

____ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

____ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

☒ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Terry M. Schreiner

Date

2-2-99

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED

JUN 09 1999

FEBRUARY 2, 1999

RECEIVED

FEB 04 1999

WATER RESOURCES
WESTERN REGION

IDAHO DEPARTMENT OF WATER RESOURCES
2735 AIRPORT WAY
BOISE, IDAHO 83705-5082

ATT. DANIEL NELSON


RE: APPLICATION FOR PERMIT FOR WASTE WATER

THIS LETTER IS IN RESPONSE TO OUR PHONE CONVERSATION ON FEBRUARY 1, 1999.
(SEE ATTACHED TWO DRAWINGS FOR REFERENCE INFORMATION TO THIS LETTER.)

WHEN JOHN SCHRAM WOULD FLOOD IRRIGATE HIS PASTURE LAND THE EXCESS WATER WOULD RUN ONTO MY PROPERTY AND SINK INTO THE GROUND AND NOT SURFACE AGAIN. MR. SCHRAM IS VERY CAUTIOUS WHEN IRRIGATING NOT TO FLOOD OUR HOUSE. I PROPOSED TO MR. SCHRAM TO INSTALL A WATER COLLECTION SYSTEM ON JOHN'S PROPERTY JUST NORTH OF MY PROPERTY LINE TO COLLECT HIS EXCESS WATER, RUN IT DOWN TO AN ACRE OF MY PROPERTY BELOW MY HOUSE AND CREATE A PASTURE. HE IS IN FULL AGREEMENT, IF I INSTALL A 6" VALVE AT THE UPPER WASTE DITCH SO WHEN I'M DONE IRRIGATING MY PASTURE THE EXCESS WATER WOULD DIVERT INTO THE WASTE DITCH AND NOT BACKUP ABOVE MY HOUSE.

REGARDING ADDITIONAL INFORMATION ON CANAL SHARES. I DO OWN CANAL SHARES TO IRRIGATE THE LOWER SEVEN ACRES OF MY 10 ACRES FROM THE FARMER'S UNION CANAL.

SINCERELY,



TERRY M. SCHREINER

MICROFILMED

JUN 09 1999

TELEPHONE COMMUNICATION DOCUMENTATION

PERMIT NUMBER APPLICATION FOR PERMIT TO DIVERT WASTE WATER

IDWR EMPLOYEE/AGENT: DAN NELSON

DATE: 02/01/1999

PERSON CONTACTED: TERRY M. SCHREINER

PHONE: (208) 286-9516

MAILING ADDRESS: 12490 W NEW HOPE RD, STAR, IDAHO 83669

RE: REQUESTED INFORMATION

On this date I called Terry Schreiner concerning the requested information concerning his application for permit. He stated that he had forgotten to about it and would have it in by the end of this week. I informed him that he would need to supply this information within 30 days. He told me this would not be a problem.

MICROFILMED

JAN 3 8 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

12/17/1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TERRY M. SCHREINER
12490 W NEW HOPE RD
STAR, ID 83669

RE: APPLICATION FOR PERMIT FOR WASTE WATER

Dear Mr. Schreiner,

Your application for permit to appropriate waste water for irrigation was received on 8/10/1998. I cannot continue to process the application without the following additional information and clarification of information supplied on application form.

SECTION 3 (APPLICATION FOR PERMIT FORM).

In order to process the application we will need to locate the actual place that you are going to take water from the ditch. This would be the location of your headgate or where your pipe enters the ditch. According to the map that you supplied you will be taking water from the NE $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$ of section 06, township 04N, range 01W. You have listed the point of diversion as the N $\frac{1}{2}$ of the NW $\frac{1}{4}$ of the same section, township, and range.

SECTION 2 (APPLICATION FOR PERMIT FORM)

You state in this section that source of water is waste water which is tributary to "trib - sinks". Please expand on this for me. There are no visible sinks shown on the map of your area and we will need to determine where the water goes prior to processing your application.

SECTION 9 (APPLICATION FOR PERMIT FORM)

You have listed that you are going to irrigate 1 acre of ground in a 10 acre lot in the NE $\frac{1}{4}$, NW $\frac{1}{4}$ of section 06, township 04N, Range 01W. According to the map you provided your property is located in the NW $\frac{1}{4}$, NW $\frac{1}{4}$ of the same section, township and range. You will need to determine the correct area that you are going to irrigate. We would also like to know if this ground is covered by canal shares or other water rights. The map you provided shows a lateral or ditch going through the middle of your property. Is this water used for irrigating the same land?

ADDITIONAL INFORMATION NEEDED

According to the maps it looks as though you are drawing water from the Farmers Union Canal's delivery system. You will need to supply a letter from the Farmers Union Canal Co. stating that the waste water you are planning to use is not actually apart of their delivery system.

MICROFILMED

JUN 09 1999

COPY

ADDITIONAL INFORMATION NEEDED CONT.


We will also need to know if you have any canal shares for that ground or the remaining acres in your 10 acre lot.

I have also enclosed a request to process form and accompanying letter. Please read the letter carefully and fill out the form and return it. Most of our users choose to use the third choice, will agree to mitigation in the future if needed, to avoid preparing a mitigation plan prior to processing.

I will hold the processing of your application until all of the information has been completed and the additional information sent back to our office. There is currently a hold on processing most water uses in your area (basin 63). However, there is a possibility that we can process your application due to the location of your use and that you are using waste water. If I find that we can not continue to process this application I will contact you after I have determined that actual location and ownership of your point of diversion.

If you have any questions or need assistance please contact me at the above address or telephone number.

Sincerely,



Daniel A. Nelson
Water Right Agent

MICROFILMED

JUN 10 9 1988

COPY



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

MARCH 25, 1999

Legal Notices Department
THE IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 19, 1999.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

REPROFILMED

1998 10 14 14:46

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

JUN 09 1988

63-12511

SCHREINER, TERRY M
12490 W NEW HOPE RD
STAR, ID 83669

Source: WASTE WATER

Tributary: SINKS

Diversion Pt: LOT 4 (NWNW) Sec 6 T 04N R 01W in ADA County.

Use: IRRIGATION	(	0.030 CFS)
Total Diversion:	(	0.030 CFS)

Date Filed: 8/10/1998

In: ADA County
T04N R01W S06 Lot 4(NWNW)

1.0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed.

MICROFILMED

JUN 03 1999

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before APRIL 19, 1999. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 4/ 1/1999 & 4/ 8/1999

MICROFILMED

JUN 15 1999

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W024253

Date: 8/10/1998
Time: 12:28:43


Received SCHREINER, TERRY
From:

Type of Payment	Program Acct	Amount
APPLICATION FOR PERMIT	62103 229 21 1155	50.00

CHECK	50.	Total	\$ 50.00
-------	-----	-------	----------

Region: WESTERN

Signature: _____



MICROFILMED
JUN 09 1999