


Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Claim	63 20585	TERESA A JENSEN, GERALD L JENSEN,	GROUND WATER	05N03W5					X												0
Claim	63 20840	FRANK CLEVINGER,	GROUND WATER	05N03W5	X																0
Claim	63 21053	ELVA SPENCER, SHELBY DEAN SPENCER,	GROUND WATER	05N03W5						X											0
Claim	63 21053	ELVA SPENCER, SHELBY DEAN SPENCER,	GROUND WATER	05N03W5					X												0
Claim	63 21077	EDITH M BIVINS, HAIRL BIVINS,	GROUND WATER	05N03W5		X															0
Claim	63 21416	LINDA MELTON, CAMERON MELTON,	GROUND WATER	05N03W5	X																0
Claim	63 21504	FRANK FUSS, ARDENE FUSS,	GROUND WATER	05N03W5		X															0
Claim	63 22134	IRIS B DESPAIN, PARLEY W DESPAIN,	GROUND WATER	05N03W5													X				0
Claim	63 22195	LINDA S ARBAUGH,	GROUND WATER	05N03W5																	0
Claim	63 23227	KATHARINA BARNUM, RALPH S BARNUM,	GROUND WATER	05N03W5											X						0
Claim	63 23227	KATHARINA BARNUM, RALPH S BARNUM,	GROUND WATER	05N03W5											X						0
Claim	63 23323	LORA JEAN CHERRY, ALBERT B CHERRY,	GROUND WATER	05N03W5															X		0
Claim	63 23526	DOROTHY JONES, LLOYD JONES,	GROUND WATER	05N03W5				X													0
Claim	63 23526	DOROTHY JONES, LLOYD JONES,	GROUND WATER	05N03W5				X													0
Claim	63 23902	ALTA BEESON TICE,	GROUND WATER	05N03W5				X						X							0
Claim	63 25913	WILLIAM R MASSINGILL, VALORIE D MASSINGILL,	GROUND WATER	05N03W5											X						0
Claim	63 25913	WILLIAM R MASSINGILL, VALORIE D MASSINGILL,	GROUND WATER	05N03W5											X						0
Claim	63 30187	MARVIN LEROY CARVER, NANCY LUCILLE CARVER,	GROUND WATER	05N03W5	X																0
Claim	63 30187	MARVIN LEROY CARVER, NANCY LUCILLE CARVER,	GROUND WATER	05N03W5	X																0
Claim	63 31019	LEAH OSBORN,	GROUND WATER	05N03W5	X																0
Claim	63 4885	JAMES M CORDEIRO, JANICE CORDEIRO,	GROUND WATER	05N03W5											X						0
Claim	63 4885	JAMES M CORDEIRO, JANICE CORDEIRO,	GROUND WATER	05N03W5											X						0
Right	63 11276	MARVIN LEROY CARVER, NANCY LUCILLE CARVER,	GROUND WATER	05N03W5		3.5															3.5
Right	63 30187	NANCY LUCILLE CARVER, MARVIN LEROY CARVER,	GROUND WATER	05N03W5	X																0
Right	63 30187	NANCY LUCILLE CARVER, MARVIN LEROY CARVER,	GROUND WATER	05N03W5	X																0
Right	63 4885	JANICE CORDEIRO, JAMES M CORDEIRO,	GROUND WATER	05N03W5												1					1
Right	63 11163	FRANK CLEVINGER,	SAND HOLLOW CREEK	05N03W5	1																1
Claim	63 21052	ELVA SPENCER, SHELBY DEAN SPENCER,	SAND HOLLOW WASTEWAY, WASTEWATER	05N03W5							30										30
Claim	65 2900		TUNNEL NO 2 DRAIN	05N03W5	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	0
Claim	63 7211B	GERALD L JENSEN, TERESA A JENSEN,	UNNAMED DRAIN, WASTEWATER	05N03W5					18			40									58
Claim	63 7211C	W KAYE YOUNG, MARY YOUNG,	UNNAMED DRAIN, WASTEWATER	05N03W5					7												7
Claim	63 7211D	THOMAS E MC CURRY, MARIE B MC CURRY,	UNNAMED DRAIN, WASTEWATER	05N03W5					5												5
Right	63 7211	GERALD L JENSEN,	UNNAMED DRAIN, WASTEWATER	05N03W5					30			40									70
Permit	63 12497	JAMES CORDEIRO,	WASTEWATER	05N03W5												5					5
Right	63 12497	JAMES CORDEIRO,	WASTEWATER	05N03W5												5					5

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century Electric Co.	5	184TCZ	Berkeley	7169421

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Pump develops 40 PSI at full capacity.

MICROFILMED

SEP 19 2001



MICROFILMED
260
SEP 19 2001

1 of 2

P10

Pump
Unit

at

Sump

in

Drain



P10

Pump
Unit



MICROFILMED
SEP 19 2001

63-12497

2 of 2

End of
3" PVC
Pump
discharge
pipe in
SW cor.
of
field



P/u

P/u
Pump
discharge
pipe and
irrigation
ditch on
left.

Irrigated
field to
right of
ditch.



View Looking North
from Hollow Rd.
MICROFILMED
SEP 13 2001

63-12497

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12497

Priority: September 21, 1998

Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume: 22.5 AF

It is hereby certified that JAMES CORDEIRO
16632 HOLLOW RD
CALDWELL ID 83605 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated September 21, 1998; and has
submitted Proof of Beneficial Use on April 19, 1999. An examination indicates that the works have a
diversion capacity of 0.32 cfs of water from:

SOURCE

WASTEWATER

Tributary: SAND HOLLOW CREEK

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

DIVERSION RATE

0.10 CFS

**ANNUAL
DIVERSION VOLUME**

22.5 AF

LOCATION OF POINT(S) OF DIVERSION:

WASTEWATER SE¼SW¼ Sec. 5, Twp 05N, Rge 03W, B.M., CANYON County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE	NW	SW	SE	Totals
05N	03W	5					5.0

Total Acres: 5

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 9th day of July, 2001.

[Signature]
for **KARL J. DREHER**
Director

MICROFILMED

RECEIVED

APR 19 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12497 Telephone No. (208) 459-4813
2. Name(s) of Permit Holder(s): James Cordeiro
3. Mailing Address: 16632 Hollow Rd. Caldwell Id. 83605
4. Source of Water: waste water If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
- Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
- Irrigation (No. of acres): 5 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .10 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|-------------------------------|--|-----------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>✓</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>✓</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ | or | No <u>✓</u> |
| | Has the measurement port been installed? | Yes _____ | or | No <u>✓</u> |
8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
- Name: same as above Telephone Number: _____
- Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

James Cordeiro
(include your title, if on behalf of company or organization)Date: 4-19-99MICROFILMED
JUN 03 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12497

Proposed Priority: September 21, 1998 Maximum Diversion Rate: 0.10 CFS

This is to certify, that JAMES CORDEIRO

16632 HOLLOW RD

CALDWELL ID 83605

has applied for a permit to appropriate water from:

WASTE WATER

tributary of SAND HOLLOW CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 5, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	5	SESW	5.0		5.0


Total number of acres irrigated: 5.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 2000.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

2nd day of March, 1999


Karl J. Dreher, Director
for

W000000000

MAR 15 1999

RECEIVED

FORM 202
1/96

SEP 28 1998

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 63-12497

RECEIVED

SEP 21 1998

Department of Water Resources

1. Name of Applicant James Cordairo Phone 458-4813
Post Office address 16632 Hollow Road Caldwell Idaho 83605
2. Source of water supply waste water which is a tributary of Sand Hollow CK
3. Location of point of diversion is 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
Sec. 5 Township 5N Range 3W B.M. CANYON County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.10 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Gravity fed from ditch to pond
Pump from settling pond, pond
recovers slowly & pump will empty pond in about 1 hr at full discharge
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

MAR 15 1999

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	5												5					5

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. None for these 5 acres

11. a. Who owns the property at the point of diversion? yes

b. Who owns the land to be irrigated or place of use? yes

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: Water has been in use since 1980. Waste water originates from Black Canyon Irrigation District but has left the control of the district at the point the pump is located.

COMMENTS

Affidavit for pre-1987 development provided by Cundiff excavating

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Cundiff
(Applicant)

RECORDED
MAR 15 1999

Received by SC Date 9/21/98 Time 3:00 pm Preliminary check by SC
Fee \$ 5000 Received by ade # 0043449 Date 9/21/98
Publication prepared by af Date 1-12-99 Published in Press Tribune
Publication approved _____ Date 9-9-99 1-21-28-99

REMARKS: Applicant agrees to mitigate consumptive use in the future as needed.
Development completed by November 1987.

Ident. No. 63-12497

Comments: Date: 1/12/1999 User-ID: STAYLOR


Subject: Pre-1987 Use

Water has been in use since 1980. Wastewater originates from Black Canyon Irrigation District but has left the control of the district at the point the pump is located. Affidavit for pre-1987 development provided by Dundiff Excavating.

MICROFILMED
MAR 15 1983

No Gov
its in 5 1/2
see 5
SESW

Range 3W
47° 30"



spending place of

TOTALS	
SE	5

MICROFILM
MAR 1 1979



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 12, 2001

JAMES CORDEIRO
16632 HOLLOW RD
CALDWELL ID 83605

RE: License No. 63-12497 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUL 13 2001

CERTIFICATE OF MAILING

I hereby certify that on July 12, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12497

**JAMES CORDEIRO
16632 HOLLOW RD
CALDWELL ID 83605**


**Kari Lynn Townsend
Secretary**

MICROFILMED

SEP 10 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
SEP 10 2004

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 63-12497 Date: 7-6-2001 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.10 cfs
Fee Limit 0.20 cfs
Measured _____ cfs
Theoretical 0.32 cfs

Recommended Total Diversion Rate _____

Water Uses OK

Change (P46)

Season of Use per new Standards

3/1 11/15

Irrigation 0.10 cfs _____ af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.10 cfs _____ af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

~~supp. Gw (WB7/065/104)~~

~~overlap-spec combined rts (W35)~~

~~<1 acre (W31)~~

~~Domestic (W01/wb5/070/071/075)~~

~~Power (W42 or W43/025/027/R22 or R23)~~

~~Fish (042)~~

~~Fire (077)~~

~~Water Quality (081/R07)~~

~~Payette - (W22/047/27A)~~

~~Stockwater for US (R37)~~

*are view found
exactly 5 acres
rather than
6.3 examiner
has noted.*

Volume Determination

0.10 cfs x 1.9835 x 260 days = 51.6 af (vs) 5 acres x 4.5 (FHR) = 22.5 af
3.5 (con)

Remarks: _____

Additional Conditions

☒ Watermaster Control
☒ GVV Measurement/Measuring Device
☒ Other
~~Trust R55 - remove 051)~~
~~Non-trust (048/049)~~

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

not req'd

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

S06

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

IAN U 5 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12497

1. Owner: James Cordeiro Phone No. (208) 459-4813

Current Address: 116632 Hollow Rd., Caldwell, ID 83605

2. Accompanied by: James Cordeiro EXAM DATE: 6-18-99

Address: Same Phone No. Same

Relationship to Permit Holder: Same

3. Source: Waste Water tributary to Sand Hollow Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	5	5N	3W	Camp	Site Visit, map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	5												5.0					5.0 AC
													(5.0)						

MICROFILMED

SEP 1 1999

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: T - None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century Electric Co.	5	184TCZ	Berkeley	7169421

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Pump develops 40 psi at full capacity.

MICROFILMED

SEP 15 1966

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for 5.0 Ac. of irrigation from a drain. The ~~drain~~ drain originates on farmland to the South and flows into a pond on the South Side of Hollow Rd. The pond has a 12" pipe intake which conveys the waste water through a 12" concrete pipe to an open drain on the owner's property. The 12" pipe empties into a large Sump constructed in the drain. A 5 HP pump unit at the Sump serves the 5.0 Ac. with waste water from the drain. The drain continues NW into Sand Hollow Creek. This small tract of land is within Black Canyon I. D.'s Service area, but has never had water service from the district. The rest of the owner's 26 Ac. is served by Black Canyon I. D. from a pipe lateral on the East side of the drain.

2. A 5 HP pump unit at the drain Sump pumps waste water through a 3" pvc discharge pipe to the head end of an irrigation ditch located at the SW corner of the irrigated tract. The 5 Ac. is gravity irrigated from the ditch.

3. ~~Water to the~~ Waste water is pumped from the drain as needed, and when available. This

Have conditions of permit approval been met? ☒ yes ☐ no

tract could be served by Black Canyon I. D. if a pipe was constructed from the pipe lateral to the East of the drain.

MICROFILMED

SEP 15 2001

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - Theoretical Cal.

$$Q = \frac{(8.8)(544)(709)}{4' + (40 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = 0.32 \text{ cfs} > 0.10 \text{ cfs in permit}$$

$$Q_{\text{allowed}} = (5.0 \text{ Ac.}) (0.03 \frac{\text{cfs}}{\text{Ac.}}) = 0.15 \text{ cfs.}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

Permit is 0.10 cfs

$$V_{\text{IR}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (5.0 \text{ Ac.}) (4.5 \frac{\text{AFA}}{\text{Ac.}}) = 22.5$$


$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.10)(261)(1.9835) = 51.77$$

$$V = \text{Smaller of } V_{\text{IR}} \text{ and } V_{\text{D.R.}} = \underline{22.5 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

Irrigated Ac.

$$\text{Ac.} = \left[\left(\frac{1}{2} \right) (490') (1120') \right] \left[\frac{\text{Ac.}}{(66)(66)(10) \text{ ft}^2} \right] = 6.3 \text{ Ac.}$$



Allow 5.0 Ac. in permit

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/01</u>	<u>11/15</u>	<u>0.10</u>	<u>22.5</u>
Totals:			<u>0.10</u>	<u>22.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

New irrigation season is 3/1 to 11/15

I. AUTHENTICATION

Field Examiner's Name

Dan Tomel

Date

11-30-99


Reviewer

Date

SEAL

MICROFILMED

SEP 13 1999



1 of 2

P10

Pump
Unit
at
Sump
in
Drain



P10

Pump
Unit



MICROFILMED


SEP 10 2001

63-12497

2 of 2

End of
3" PVC

Pump
discharge
pipe in
SW cor.
of
field



P/u

P/u

Pump
discharge
pipe and
irrigation
ditch on
left.

Irrigated
field to
right of
ditch.



MICROFILM Looking North

63-12497



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 8, 1999

James Cordeiro
16632 Hollow Rd
Caldwell ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12497

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JUN 09 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 03-12497

Reviewed by [Signature]

Date 6-3-99

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit _____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

NO Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____
Date proof due	_____
No. of days late	_____
Priority Date	_____
New Priority Date	_____

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X

Proof Made 4-19-99



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 2, 1999

DIRK KEMPTHORNE
GOVERNOR

JAMES CORDEIRO
16632 HOLLOW RD
CALDWELL ID 83605

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12497

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures

MICROFILMED


MAR 16 1999

CERTIFICATE OF MAILING

I hereby certify that on the 2nd day of March, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12497

JAMES CORDEIRO
16632 HOLLOW RD
CALDWELL ID 83605


Kari Lynn Townsend
Secretary

MICROFILMED
MAR 15 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RECORDED

MAY 1 5 1997

MEMORANDUM

DATE: March 2, 1999

TO: Water Right Files 63-12496 and 63-12497

FROM: Shelley W. Keen *SKW*

RE: Reason for processing

Applications 63-12496 and 63-12497 are not subject to the processing hold in Basin 63. The May 3, 1995, Boise River Drainage Amended Moratorium Order says that applications proposing the use of surface water upstream from Star Bridge will be denied, but it does not address surface water downstream from Star Bridge. Application Processing Memorandum No. 59, which provides further instructions for processing applications in Basin 63, requires groundwater applications for consumptive uses to be held, but it does not address surface water applications. Because these two applications are for the use of surface water downstream from Star Bridge, they are not prohibited from being processed by either the order or the memorandum.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by

Cindy

No.: 63-12497 Name: Cordeiro Date: 3/1/99 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD
- WMD
- Supp. irr. use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr. source)
- Supp. irr. + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

- FISH & GAME CONTACTED: - YES / NO; WHEN: 1/14/99 RESPONSE: None
- IN/ABOVE MSF (✓ MAP) - *WB9
- IN-STREAM DEVELOPMENT - P52 (stream channel alteration)
- WD (✓ MAP & LISTING) - R04 (WD # _____)
- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)
- WMD (✓ MAP)
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD
- SPRINGS/SINK, INACTIVE WD & REST OF STATE
- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22 -P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070
- FIRE PROTECTION - 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - ~~488~~
- 42-248 AREA - P84 (In 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -
- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) _____

OTHER CONDITIONS:

- _____

STANDARD REMARKS:

- _____

BENEFICIAL USE DUE:

- 3 /1/ 2000

COMMENTS:

- _____

FEB 18 1999

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

Department of Water Resources

INITIAL REVIEW BY: g DATE: 12/31/98 APPLICATION: 63-12497

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

P/D

P/U

ADDITIONAL INFORMATION

to do ADVERTISE REMARK(S)
(Reviewer identify which remarks)

to do T FLAG CHANGED TO P FLAG

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium: exempt pre-1987
- ☒ ☐ Surface water source, IDFG letter needed.
- ☒ ☐ Bull trout impact area, IDFG letter needed
- ☐ ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ ☐ Mitigation plan: Check any that apply.
- ☐ ☐ immediate = acceptable plan required and submitted.
- ☒ ☐ future = open areas, acceptance of condition of approval is in file.
- ☐ ☒ Send power requirement letter &/or fish farm requirement letter.
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

pre-1987 documentation

Date Requested 12/16/98 Date Response Received 12/21/98

PROCESSING

APP. NO. 63 -

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☒ ☐ I.D. Fish & Game
☐ ☐ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. #
☒ ☐ Other Black Canyon

Irrig. Dist**FINAL REGIONAL PROCESSING REVIEW:**

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:

☐ ☒ Final date for protest 2-8-99

☐ ☒ Protests received.

☐ ☒ Recommendations attached:

☐ ☒ Measuring device required:

☐ ☒ Water delivered by water master? District #

☐ ☒ Special conditions of approval or cover letter: Preexisting development.

Can be processed even though in basin 63. Because already developed agreement to mitigate not required.

See below for additional information

Recommended Date or Priority 9/28/98Recommended by: GaySDate: 2/17/99**ADDITIONAL INFORMATION:**overlap: 63-04885 - separate sourcesame owner1 ac irrig

* NOTE: Black Canyon Irrig Dist refused to
 cooperate with applicant. BCID
 supposedly could "care less" about the
 waste water and refused to comment.

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-12495

US DEPT OF THE INTERIOR
BLM

CASCADE RESOURCE AREA
3948 DEVELOPMENT AVE
BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: NWSESE Sec 3 T 05N
R 02W in CANYON County.

Use:

STOCKWATER (0.020 CFS)

WILDLIFE (0.020 CFS)

Total Diversion: (0.020 CFS)

Date Filed: 12/23/1998

In: CANYON County

T06N R02W S35 SESW

63-12496

LAPPIN, FREDRICK

LAPPIN, JEREE

1504A CLEVELAND BLVD

CALDWELL, ID 83605

Source: WASTEWATER

Tributary: SAND HOLLOW CREEK

Diversion Pt: NENW Sec 8 T 05N R
03W in CANYON County.

Use:

IRRIGATION (0.200 CFS)

Total Diversion: (0.200 CFS)

Date Filed: 11/23/1998

In: CANYON County

T05N R03W S08 NENW

10.0 ACRES TOTAL

Applicant agrees to mitigate con-
sumptive use in the future as needed.

63-12497

CORDEIRO, JAMES

16632 HOLLOW RD.

CALDWELL, ID 83605

Source: WASTEWATER

Tributary: SAND HOLLOW CREEK

Diversion Pt: SESW Sec 5 T 05N R
03W in CANYON County.

Use:

IRRIGATION (0.100 CFS)

Total Diversion: (0.100 CFS)

Date Filed: 9/21/1998

In: CANYON County

T05N R03W S05 SESW

5.0 ACRES TOTAL

Applicant agrees to mitigate con-
sumptive use in the future as needed.
Development completed by November
1987.

63-12483

WHITNEY, ROBERT B.

22977 WHISPER CREEK CR

MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: NENWNE Sec 9 T 04N
R 02W in CANYON county.

Use:

IRRIGATION (0.080 CFS)

Total Diversion: (0.080 CFS)

Date Filed: 12/4/1998

In: CANYON County

T04N R02W S09 NWNE

2.5 ACRES TOTAL

Permits will be subject to all prior wa-
ter rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code. Any protest against the
approval of this application must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 togeth-
er with a protest fee of \$25.00 on or
before FEBRUARY 8, 1999. The prot-
estant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director
January 21 28, 1999

8246

RECEIVED

FEB 03 1999

WATER RESOURCES
WESTERN REGION

UNRECORDED

MAR 15 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

January 14, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

SCOTT GRUNDER
STATE OF IDAHO
DEPT OF FISH & GAME
3101 S POWERLINE RD
NAMPA ID 83686

Re: Application for Permit Nos. 57-07671, 57-07672, 57-07673, 57-07674, 57-07675, and
57-07676 in the Name of BLM; and Application Nos. 63-12496 in the Name of Frederick
&/or Jeree Lappin and 63-12497 in the Name of James Cordeiro

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of
interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period
and is required to take final action shortly thereafter, however, if your agency desires to file a
formal protest against the approval of this application(s), your written protest along with the
\$25.00 protest fee must be received in this office by February 8, 1999.

If you have any questions regarding the applications, please contact this office.

Sincerely,

A handwritten signature in cursive script, reading 'Gary Spackman'.

Gary Spackman

GS:st

Encl.

MICROFILMED

MAR 15 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

January 14, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ROY ORR
BLACK CANYON IRRIG DIST
PO BOX 226
NOTUS ID 83656

Re: Application for Water Right Nos. 63-12496 in the Name of Frederick &/or Jeree Lappin
and 63-12497 in the Name of James Cordeiro

Dear Mr. Orr:

Enclosed are copies of the above-referenced applications for water right which may be of interest to you.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if you desire to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by February 8, 1999.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

Gary Spackman

GS:st

Encl.

RECEIVED

MAR 1 8 1999

CORDEIRO, JAMES
16632 HOLLOW RD
CALDWELL, ID 83605

Tributary: SAND HOLLOW CREEK

Diversion Pt: SESW Sec 5 T 05N R 03W in CANYON County.

```
Use:  IRRIGATION      (      0.100 CFS)
      Total Diversion: (      0.100 CFS)
```

Date Filed: 9/21/1998

In: CANYON County
T05N R03W S05 SESW

5.0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed. Development completed by November 1987.

MICRO...

1992

CUNDIFF EXCAVATING

DATE Dec 16 1998

James Ordeiro
116632 Hollow Rd
Caldwell Id 83605

DATE		BALANCE
12/16/88	To Check it may concern: In 1982 Don Cundi. H. L. Co. dug approximately 1,000 feet of ditch and a 20'x28' pond for pumping purposes at 116632 Holladay Rd Caldwell ID 83605 for James Cordeiro	
	Don Cundi	
	MICROFILMED	
	MAR 15 1999	